


This drawing is to be read in conjunction with all relevant architects, engineers and specialists drawings and specifications. Do not scale from this drawing.

rev	date	by	chk	description
P1	05/09/19	LG	JG	Preliminary

COVER: 75mm TO U/S OF UNDERPIN AND 50mm ELSEWHERE  
Lap Lengths: H16 - 650mm, H20 - 875mm  
CONCRETE TO BE GRADE C35/45



**Enabling Works 250x700/1450 Column Detail**  
**1:20**

<b>Drawing title</b> Enabling Works 250x700/1450 Column Detail		<p>Elliott Wood Partnership Ltd                  Central London • Wimbledon • Nottingham                  Consulting Structural and Civil Engineers                  (020) 7499 5888 • <a href="http://elliottwood.co.uk">elliottwood.co.uk</a></p>	<b>Project</b> Kingsway House Enabling Works						
<b>Scale</b> 1:50@ A4	<b>Date</b> August 2019		<b>Drawn</b> LGa	<table border="1"> <thead> <tr> <th>Drawing status</th> <th>Status</th> <th>Revision</th> </tr> </thead> <tbody> <tr> <td>Preliminary</td> <td>S2</td> <td>P1</td> </tr> </tbody> </table>	Drawing status	Status	Revision	Preliminary	S2
Drawing status	Status	Revision							
Preliminary	S2	P1							
<b>Project no.</b> 213461			<b>Originator Zone Level Type Role drg no.</b> -EWP - ZZ - 00 - SK - S - 0019						