

2

### Wood cored roll to lead sheet association current guidelines

- Cored 4 intermediate lead flashing by SPG Co Ltd. - No.7 LC DG glazing bar

## Timber beams

Structural beam to ridge to SE - details

Aluminium channel weather bar with foam gasket running between glazing bars - by SPG Co Ltd.

Steel staircase with Structural - detail to SE details.

Bottom fixing bracket to subcontractors requirement

- Aluminium angle glass edge protection strip running for full width of each DG unit, by SPG Co Ltd

Attenuated enclosure for AHU Exhaust Plenum unit. Approx build up - 1no layer of 18mm Marine plywood to external face, 1no 18mm WBP plywood, infill sound insulation and 2no 18mm WBP plywood. TBD on site.

Copyright: All rights reserved. This drawing must not be reproduced without permission.

Only the original drawing should be relied upon. Contractors, subcontractors and suppliers must verify all dimensions on site before commencing any work or making any shop drawings. All shop drawings to be submitted to the architect for comment prior to fabrication.

This drawing is to be read in conjunction with the Architect's specification, bills of quantities / schedules, structural, mechanical & electrical drawings and all discrepancies are to be reported to the architect. Do not scale from this drawing. Dimensions are in millimetres unless otherwise stated.

revision / date / amendments



# STAGE 4

## Archer Humphryes Architects

## Basement Central House 142 Central Street

London, United Kingdom EC1V 8AR T : +44 (0) 20 7251 8555

project title		
KOKO + Hope & Anchor + Bayham Place Camden, London		
drawing title	scale	date
Proposed Glazed Walkway	1:A1 @A1	11.08.17
	drawn	checked
+ Plant Details 1	FR	DA
drawing number	revision	
AHA/ KKC /DET/605	-	