

NEW INTERNAL DOOR ELEVATIONS

LOWER GROUND

762

1981

D-LG-04-07
(4no)
Fire Rating : D-LG-05&06 FD30
New door, linings & architraves
Architraves as dwg 126

610

D-LG-11
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126
Smoke seals to perimeter

762

1981

D-LG-10
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126
Smoke seals to perimeter

GROUND

860

1990

D-G-05
to match D-G-04
New door in existing opening
Fire Rating : FD30
Smoke seals to perimeter
Architraves retained

1590

1981

D-G-07
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126

FIRST

762

1981

D-F-04
New door, linings & architraves
Architraves as dwg 126

762

1981

D-F-05
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126

SECOND

860

1981

D-S-01 & 06 (2no)
to match D-S-04
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126
Smoke seals to perimeter of
D-S-01

762

D-S-05&07
(2no)
New door, linings & architraves
Architraves as dwg 126

THIRD

762

1981

D-T-02
New door, linings & architraves
Architraves as dwg 126

762

D-T-01, 03&04
(3no)
Fire Rating : FD30
New door, linings & architraves
Architraves as dwg 126

DRAFT

D-LG-12 & 13 omitted D-G-05 added	28/04/2021	P2
REVISION SUMMARY	DATE	REVISION