

LOCATION PLAN

Holly Lodge



Legend:

metroSTOR[®] PBM General Waste Storage Unit

metroSTOR[®] PBM Recycling Storage Unit



Technical Data Sheet

metroSTOR PBM6 Bin Storage Unit (770L-1280L Capacity)



metroSTOR Bin Stores

Refuse bin storage reinvented; metroSIOR products reduce fire risk, increase recycling rates and help eliminate cross contamination while raising the profile of local communities with reduced litter, fly-tipping and anti-social behaviour. The knowledge and experience from over 10,000 metroSTOR installations has created the only dedicated bin enclosure range in the world.

metroSTOR PBM

metroSTOR PBM is available in 5 product versions ensuring there is a bin store that accommodates the specific bin type in use by your organisation. metroSTOR PBMN is designed for 660L units, metroSTOR PBML stores the same 660L bin in an 'end on' format where available site space is restricted, metroSTOR PBMC accommodates the taller Chamberlain 720L and 940L 'chute' bins and metroSTOR PBMT the commonly used Taylor 1100 Continental. Where a variety of bin types are used and footprint is not the primary concern, the standard metroSTOR PBM can take all 4 wheeled bins from 770L – 1280L capacity with a spacer bar fitted internally to keep the bin close to the loading aperture.

metroSTOR PBM can be specified with up to 6 modules in length as a single structure. Height adjustable base plates accommodate ground fixing on sloping sites while bin loading doors available in right or left hand hinged specification enable restricted access requirements to be met.

A wide choice of cladding types are available within the standard frame design from traditional pressure treated softwood slats, recycled HDPE for maximum durability in 3 colours to our coated steel cassette panel system available in 4 colours and with an optional fireboard liner. Specific recycling streams are provided for with a coordinated aperture and signage system either factory assembled or retro fitted to suit changing site requirements.

One of the biggest risks from residential fires involving waste is unsecured bins. Waste materials catch alight easily, burn fiercely and generate large volumes of toxic smoke, with fires able to spread very quickly into adjacent dwellings if adequate precautions are not taken. As a consequence, Fire Prevention bodies such as the FPA and CFPA-E state that bins should not be stored within 6m of a dwelling unless within a structure providing 30 minutes fire resistance. They should also be secured in place to prevent an arsonist from moving them closer to the building, metroSTOR PBM provides the safe solution for these critical challenges and can be specified with cladding providing 30 minute fire-resistance to resolve those situations where a 6m clearance cannot be achieved.



Fire Safety

Fire Retardant cladding options for BS EN 13501 / BS476 Compliance where 6m building clearance cannot be achieved.



Increased Recycling Compact, low profile and easy to use communal recycling facilities for dense urban environments.



Waste Stream Contamination Avoidance

Highly durable, easy to use bin loading apertures and signage for all types of waste and recycling streams.



Reduced Side Waste & Fly Tipping

Bins are stored secure in the metroSTOR unit with lid open to ease loading and a bulky waste specification is available.



Accessible Bin Store Facilities

Aperture heights have been carefully designed to provide for the needs of all residents, including wheelchair-users.



Increased Biodiversity

metroSTOR PBM can be specified with WILD® Greenroof option creating valuable and enriching pockets of biodiversity.



CAD Design Enabled

All metroSTOR PBM unit variations are available for download as CAD blocks and BIM models.






metroSTOR PBM6

waste & recycling storage for 6no. 770L - 1280L bins

Product Dimensions

| (A) Roof Depth: | 1391mm |
|---------------------|------------------------|
| (B) Base Depth: | 1310mm |
| (C) Roof Width: | 9032mm |
| (D) Base Width: | 8978mm |
| (E) Height Front: | 1839mm |
| (F) Height Rear: | 1650mm |
| (G) Door Height: | 1674mm |
| (H) Door Clearance: | 1452mm |
| (I) Door Swing: | 105° |
| Storage: | 6no. 770L - 1280L Bins |



PLEASE NOTE: Product dimensions given are correct at time of publishing December 2019. All dimensions are in millimetres and capacities in litres and don't form any part of the contract

Product Features

| Unit Installation | metroSTOR modular units and unique base plinth design enables non-invasive installation on finished surfaces. |
|-----------------------|--|
| Durable Build | metroSTOR products are UK manufactured in accordance with ISO9001:2008, ISO14001 processes. The all-steel frame is Hot-Dip Galvanised to BS EN 1461. |
| Access Control | An integrated lock case within unit door frame enables slam latch and latch deadlock with key management and keypad release options. |
| Heavy Duty Components | Fully welded all steel frame manufacture with exhaustive testing of all components for harsh whan environments |

™ Ceda

• FSC Western Red Cedar

• 100mm PSE Plank

Natural Finish

Cladding Types

| 1200 | all same |
|-------------|-----------|
| | S |
| LILL SHEETS | 1. 12. 11 |

ForestPanel™ FSC European Redwood

- 100mm PSE Plank ForestPanel[™] FR
- Adds Fire Retardant

Coating



Tuffplas

- HDPE 100% Recycled
- 100mm SE Plank Grey Woodgrain Finish



• FSC European Redwood FSC European Redwood

- 125mm TGV Plank • 100mm PSE Plank Fireboard MgO Core Coloured Woodstain
- Internal Liner System



Firenze[™] Freestyle

- Custom Design Perforated Pattern
- SAV Graphic Wrap Finish GreenCoat Pural BT Steel Custom Design
 - Firenze[™] Design Wrap FR
 - Adds Fireboard MgO Core Internal Liner



ForestPanel[™] Irok

• 70mm PSE Plank

FSC Iroko

Oiled Finish

- - Firenze[™] Brown FR

Tuffplas[™] Black

• HDPE 100% Recycled

• 100mm SE Plank

- M Anthracite
- SSAB Anthracite Grey GreenCoat Pural BT Steel
- Firenze[™] Anthracite FR Adds Fireboard MgO Core Internal Liner

Firenze[™] Green

- Firenze[™] Grey SSAB Leaf Green
- GreenCoat Pural BT Steel
- Firenze[™] Green FR Adds Fireboard MgO Core Internal Liner

Fire Safety



Firenze[™] Grey FR Adds Fireboard MgO

Green

Green Woodgrain Finish

• HDPE 100% Recycled

• 100mm SE Plank

Core Internal Liner

Firenze™ Blue FR Adds Fireboard MgO

Firenze[™] Blue

SSAB Lake Blue

Core Internal Liner

GreenCoat Pural BT Steel

CFPA-E guidance states that bins should not be stored within 6m of a dwelling unless within a structure providing 30 minutes fire resistance. ForestPanelTM TG FR and FirenzeTM FR cladding options provide 30 minutes fire resistance so can be located within this safety distance, but any apertures breach this protection so should be facing away from the dwelling or replaced with a solid door. ForestPanel[™] FR limits the materials reaction to fire but being an open slat design does not provide any resistance to penetration and should not be sited within 6m of a dwelling



rap Galvanised Steel Panel SSAB Nordic Night Black

GreenCoat Pural BT Steel

Firenze[™] Black FR Adds Fireboard MgO Core Internal Liner

SSAB Walnut Brown

GreenCoat Pural BT Steel

 Adds Fireboard MgO Core Internal Line




Tuffplas[™] Brown

• 100mm SE Plank

• HDPE 100% Recycled

metroSTOR PBM6

waste & recycling storage for 6no. 770L - 1280L bins



metroSTOR PBM can be fitted with a range of full colour exterior grade latex prints using eco-friendly solvent-free water based inks with a gloss protective overlaminate. To ensure the artwork is not compromised by harsh urban environments the 530mm (W) x 160mm (H) prints are mounted onto 3mm thick aluminium composite panels for increased durability.

Please contact our sales team for further information regarding bespoke sizing and artwork.

Example Bespoke Signage



metroSTOR is a registered brand of Streetspace Ltd. Streetspace Ltd, Lympne Industrial Park, Otterpool Lane, Hythe, Kent CT21 e: enquiries@streetspacegroup.co.uk | t: 01227 200404 | www.metrostor STREETSPACE LIMITED. Registered in England and Wales: 10175199

