

Application ref: 2020/5067/P  
Contact: Charlotte Meynell  
Tel: 020 7974 2598  
Email: [Charlotte.Meynell@camden.gov.uk](mailto:Charlotte.Meynell@camden.gov.uk)  
Date: 22 June 2021

**Development Management**  
Regeneration and Planning  
London Borough of Camden  
Town Hall  
Judd Street  
London  
WC1H 9JE

Phone: 020 7974 4444

[planning@camden.gov.uk](mailto:planning@camden.gov.uk)  
[www.camden.gov.uk/planning](http://www.camden.gov.uk/planning)

Rolfe Judd Planning [P7706]  
Old Church Court  
Claylands Road  
Oval  
London  
SW8 1NZ

Dear Sir/Madam

## **DECISION**

Town and Country Planning Act 1990 (as amended)

### **Full Planning Permission Granted Subject to a Section 106 Legal Agreement**

Address:  
**57-59 Neal Street**  
**London**  
**WC2H 9PP**

#### **Proposal:**

Change of use of the 4th floor from office (Class E) to residential (Class C3); installation of new plant equipment and acoustic enclosure at roof level; various alterations to front and rear fenestrations including replacement windows, doors, balustrades and external lighting.

Drawing Nos: 883(PL)000; 883(PL)100; 883(PL)101; 883(PL)102 Rev. A; 883(PL)200 Rev. C; 883(PL)600; 883(PL)601; 883(PL)602 Rev. C; 883(PL)700 Rev. E; 883(PL)800 Rev. B; Air Quality Assessment (prepared by Hawkins Environmental Ltd, dated 29/07/2020); Cooling Hierarchy Covering Letter (prepared by QuinnRoss Consultants Ltd, dated 10/03/2021); Cover Letter (dated 02/11/2020, prepared by Rolfe Judd Planning Limited). Email regarding size of acoustic enclosure from QuinnRoss Consultants Ltd, dated 11/02/2021; Roof Plant Report Rev. R1 (prepared by QuinnRoss Consultants Ltd, dated 09/09/2020).

The Council has considered your application and decided to grant permission subject to the following condition(s):

#### **Condition(s) and Reason(s):**

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policies D1 and D2 of the London Borough of Camden Local Plan 2017.

- 3 The development hereby permitted shall be carried out in accordance with the following approved plans 883(PL)000; 883(PL)100; 883(PL)101; 883(PL)102 Rev. A; 883(PL)200 Rev. C; 883(PL)600; 883(PL)601; 883(PL)602 Rev. C; 883(PL)700 Rev. E; 883(PL)800 Rev. B; Air Quality Assessment (prepared by Hawkins Environmental Ltd, dated 29/07/2020); Cooling Hierarchy Covering Letter (prepared by QuinnRoss Consultants Ltd, dated 10/03/2021); Cover Letter (dated 02/11/2020, prepared by Rolfe Judd Planning Limited). Email regarding size of acoustic enclosure from QuinnRoss Consultants Ltd, dated 11/02/2021; Roof Plant Report Rev. R1 (prepared by QuinnRoss Consultants Ltd, dated 09/09/2020).

Reason: For the avoidance of doubt and in the interest of proper planning.

- 4 Before the relevant part of the work is begun, detailed drawings, or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the local planning authority:

a) Details including sections at 1:10 of all windows (including jambs, head and cill) and external doors;

b) Details of external plant enclosure (including colour and materials).

The relevant part of the works shall be carried out in accordance with the details thus approved and all approved samples shall be retained on site during the course of the works.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policies D1 and D2 of the London Borough of Camden Local Plan 2017.

- 5 Prior to commencement of the development, details shall be submitted to and approved in writing by the Council, of an enhanced sound insulation value  $D_{nT,w}$  of at least 10dB above the Building Regulations value and, where necessary, additional mitigation measures are implemented to contain commercial noise within the commercial premises and to achieve the criteria of BS8233:2014 within the dwellings/ noise sensitive premises. Approved details shall be implemented prior to occupation of the development and thereafter be permanently retained.

Reason: To ensure that the amenity of occupiers of the development site is not adversely affected by noise in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

- 6 The external noise level emitted from plant, machinery or equipment at the development hereby approved shall be lower than the typical background noise level by at least 10dBA, by 15dBA where the source is tonal, as assessed according to BS4142:2014 at the nearest and/or most affected noise sensitive premises, with all machinery operating together at maximum capacity.

Reason: To safeguard the amenities of neighbouring noise sensitive receptors in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

- 7 Prior to use, machinery, plant or equipment and ducting at the development shall be mounted with proprietary anti-vibration isolators and fan motors shall be vibration isolated from the casing and adequately silenced and maintained as such.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

- 8 The design and structure of the development shall be of such a standard that it will protect residents within the same building or in adjoining buildings from noise and vibration from the development, so that they are not exposed to noise levels indoors of more than 35dB LAeq 16 hrs daytime and of more than 30dB LAeq 8 hrs in bedrooms at night.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

- 9 The development hereby approved shall achieve a maximum internal water use of 110litres/person/day. The dwelling/s shall not be occupied until the Building Regulation optional requirement has been complied with.

Reason: To ensure the development contributes to minimising the need for further water infrastructure in an area of water stress in accordance with Policies CC1, CC2, CC3 of the London Borough of Camden Local Plan 2017.

#### Informative(s):

- 1 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts that cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (tel: 020-7974 6941).
- 2 This approval does not authorise the use of the public highway. Any

requirement to use the public highway, such as for hoardings, temporary road closures and suspension of parking bays, will be subject to approval of relevant licence from the Council's Streetworks Authorisations & Compliance Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No 020 7974 4444). Licences and authorisations need to be sought in advance of proposed works. Where development is subject to a Construction Management Plan (through a requirement in a S106 agreement), no licence or authorisation will be granted until the Construction Management Plan is approved by the Council.

- 3 All works should be conducted in accordance with the Camden Minimum Requirements - a copy is available on the Council's website (search for 'Camden Minimum Requirements' at [www.camden.gov.uk](http://www.camden.gov.uk)) or contact the Council's Noise and Licensing Enforcement Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No. 020 7974 4444)

Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You must secure the approval of the Council's Noise and Licensing Enforcement Team prior to undertaking such activities outside these hours.

- 4 Your attention is drawn to the fact that there is a separate legal agreement with the Council which relates to the development for which this permission is granted. Information/drawings relating to the discharge of matters covered by the Heads of Terms of the legal agreement should be marked for the attention of the Planning Obligations Officer, Sites Team, Camden Town Hall, Argyle Street, WC1H 8EQ.
- 5 If a revision to the postal address becomes necessary as a result of this development, application under Part 2 of the London Building Acts (Amendment) Act 1939 should be made to the Camden Contact Centre on Tel: 020 7974 4444 or Environment Department (Street Naming & Numbering) Camden Town Hall, Argyle Street, WC1H 8EQ.
- 6 You are reminded that this decision only grants permission for permanent residential accommodation (Class C3). Any alternative use of the residential units for temporary accommodation, i.e. for periods of less than 90 days for tourist or short term lets etc, would constitute a material change of use and would require a further grant of planning permission.
- 7 This proposal may be liable for the Mayor of London's Community Infrastructure Levy (CIL) and the Camden CIL. Both CILs are collected by Camden Council after a liable scheme has started, and could be subject to surcharges for failure to assume liability or submit a commencement notice PRIOR to commencement. We issue formal CIL liability notices setting out how much you may have to pay once a liable party has been established. CIL payments will be subject to indexation in line with construction costs index. You can visit our planning website at [www.camden.gov.uk/cil](http://www.camden.gov.uk/cil) for more information,

including guidance on your liability, charges, how to pay and who to contact for more advice.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraph 38 of the National Planning Policy Framework 2019.

You can find advice about your rights of appeal at:

<http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent>

Yours faithfully

A handwritten signature in black ink, appearing to read 'DPope', is positioned above the printed name and title.

Daniel Pope  
Chief Planning Officer