





A2

Architrave A2 Details 1:1



Plinth Details 1:1









First Floor Window WF1 1:10



First Floor Door DF1 1:10

0 0.1 0.2 0.4 0.6 m
1:10

General Notes
1.) This drawing is to be read in conjuction with all relevant architects and subcontractors drawings
2.) All steel beams and columns are to be grade S355 unless otherwise stated and to be coated with Intumescent paint for a minimum fire protection of 30mins
3.) All steel posts and columns to be tied to masonry at 450mm vertical centers. If the post or column is next to a door opening vertical masonry ties should be used at 225mm vertical centers
4.) Do not scale from drawing
5.) If in doubt about any of the infomation presented here, please ask.
6.) Min bearing for all Steel beams on padstones or spreader plates is 100mm unless otherwise specified
7.) All new masonry blocks to be minimum strength of 3.6N in M4 mortar
8.) Contractor responsible for temporary stability and temporary supports during construction

Drawn by DT

Checked by MA

No.	Description	Date

PROJECT 64 Delancey Street
London
NW1 7RY

Proposed First Floor
Internal Door DF1
& Window WF1 Details

CLIENT Dr Pooja Shah

DRAWING REF: WD 603

REV

Project Ref: 1222

Scale (@ A1) 1/1 1/10

Date 16/03/2021

VECTOR STRUCTURES LIMITED
Engineering Consultants
Suite 14,Cedar Court
Grove Business Park
Maidenhead, Berks, SL6 3LW