

## ACCESS COVER WITH P01 INFILL AND S/S TRAY TO ALICU WITH PAVING, FILL MATERIAL WITHIN COVER TO MATCH ADJACENT PAVING AS PER SPEC. 710/01 MIN 30MM THICK LATEX MODIFIED MORTAR BED AS PER SPEC. 221-115 STAINLESS STEEL MANHOLE COVER FRAME REINFORCED SUBBASE TO ENGINEER'S SPECIFICATION MINIMUM CLEAR OPENING VARIES, REFER TO ENGINEER'S DRAWINGS FOR NEW UTILITIES, ACCESS COVER SCHEDULE, REPLACEMENT AND EXISTING COVERS COMPACTED SUB-GRADE REINFORCED CONCRETE BASE TO ENGINEER'S SPECIFICATION

TYPICAL ACCESS COVER WITH RESIN BONDED SURFACE INFILL

SECTION

SCALE :1:10 @ A1

TYPICAL ACCESS COVER POWER SUPPLY WITH STONE INFILL

SCALE:1:10 @ A1

## **DETAIL OMITTED**

04 05/07/2021 Stage 4 - Issue For Planning 03 09/04/2021 Stage 4 - Issue For Tender 02 12/06/2020 Stage 4 - Issue For Tender 01 24/04/2020 Stage 4 Description / Drawn / Approved Rev Date Purpose of Issue Stage 4 - Issue For Tender Maggie's Trading Ltd. 20 St. James St W6 9RW Landscape Architect Martha Schwartz Partners Ltd c/o GC Accountants 283-285 Green Lanes www.marthaschwartz.com © copyright 2017 Martha Schwartz Partners Ltd. Project Title

Maggie's Centre

at the Royal Free

Project Number **0126** 

**Drainage and Access Details** 

This document should not be relied on or used in circumstances other than those for which it was prepared and for which Martha Schwartz Partners was commissioned. Martha Schwartz Partners accepts no responsibility for this document to any other party other than the person by whom it was

Do not scale drawing. Figured dimensions prevail

To be read in conjunction with all other drawings and specifications including but not limited to structural and service engineers' drawings.
 Where an item is covered by drawings to different scales the larger scale drawing is to prevail.
 All dimensions are in millimeters, unless stated

For retaining walls, please refer to Engineers

commissioned.

in all cases.

otherwise.

NOT FOR CONSTRUCTION

drawings and specifications.

0 500mm

0126
wing Number
007562-MSP-00-GF-DR-L-770
le - A1 Revision
1:10 04

1:10 04

awn Approved
JK MK

te
05/07/2021

