

Application No:	Consultees Name:	Received:	Comment:	Response:
2021/3163/T	Hampstead CAAC	21/07/2021 09:30:08	OBJ	<p>We note there is no arboricultural report on the tree and its state, effect on the ground, root reach, possible effect on the host building. Shading is noted but is not a reason to fell entirely.</p> <p>The Google photo is indistinct as that identified as T1 forms part of a pair with the prunus in no.4 rear garden. It appears to be a type of laurel different from the bay laurel most commonly referred to. As such it offers increased bio-diversity and should be retained in the current climate emergency context.</p> <p>Note also a bay Laurel on the other side of no.2 garden having the same relation to the building, which we would also say is not too close & we assume no mistaken identity, although windows are mentioned.</p> <p>The tree should be maintained and its growth controlled by crown reduction, thinning, bulk reduction generally. No.4 will shortly apply to execute similar treatment to its trees including the prunus At the 2-4 boundary.</p>
2021/3163/T	Hampstead CAAC	21/07/2021 10:24:28	OBJ	<p>HCAAC Objects to this application.</p> <ol style="list-style-type: none"> 1. It is an erroneous application and needs to be re-set correctly. Apparently the &tree-feller& was briefed by the applicant and did not visit the site. 2. The tree referred in the inadequate application photo is no. 4FA&s blossoming and fruiting prunus which has developed to overhang no. 2&s garden. 3. There are no other trees on that side of no.2&s garden. 4. There is no arboricultural report on the tree and its state, effect on the ground, root reach, possible effect on the host building. Shading is noted but is not a reason to fell entirely. 5. Strictly subject to correct application re-submission involving recognised tree surgeon, agreement with no.4 FA and arboricultural report on the needs and options for the tree in that part to include only reduction as required, there should be no objection to no.2&s work on the overhanging part. 6. Such should be done carefully and at the recommended time with careful consideration of the optimum reduction & preferably not permitted to the trunk nor adversely to affect same. 7. Work should not commence before end of September after the fruit production. 8. Note also a bay Laurel on the other side of no.2 garden having the same relation to the building, which we would also say is not too close and should be properly maintained and not felled. 9. The general backs area benefits from long-standing mature treescape and bushes forming a good quality green and highly bio-diverse environment. 10. (No.4 FA expects to execute maintenance to the prunus in the coming season, also to control root growth towards the buildings).
Total: 4				