

Start of record

MonUID	MLO80635
Monument Type	Listed Building
Preferred Ref.	MLO80635
Name	45 Burton Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29936 82548 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE BURTON STREET 798-1/89/130 (East side) 11/08/72 No.45 GV II End of terrace house with later shop. c1811-13, altered. Designed and built by James Burton. Yellow stock brick. 4 storeys and cellars. 2 windows. Mid C19 shopfront with Corinthian pilasters carrying entablature with dentil cornice flanked by enriched consoles; altered shop window. House and shop doorways square-headed with overlights and panelled doors. Gauged red brick flat arches to recessed sash windows, 1st floor with cast-iron balconies. Parapet. INTERIOR: not inspected. Listing NGR: TQ2993682548

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Burton Street, London, WC1H 9AL

Monument/Component Types

- HOUSE (19th Century - 1811 AD to 1813 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476772	CAMDEN TQ2982NE BURTON STREET 798-1/89/130 (East side) 11/08/72 No.45 GV II End of terrace house with later shop. c1811-13, altered. Designed and built by James Burton. Yellow stock brick. 4 storeys and cellars. 2 windows. Mid C19 shopfront with Corinthian pilasters carrying entablature with dentil cornice flanked by enriched consoles; altered shop window. House and shop doorways square-headed with overlights and panelled doors. Gauged red brick flat arches to recessed sash windows, 1st floor with cast-iron balconies. Parapet. INTERIOR: not inspected. Listing NGR: TQ2993682548

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81433
Monument Type	Listed Building
Preferred Ref.	MLO81433
Name	45 Lamb's Conduit Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30625 81986 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LAMB'S CONDUIT STREET 798-1/101/1005 (West side) 14/05/74 No.45 GV II Terraced house. c1700-15, altered with 3rd floor added C19. Darkened multi-coloured stock brick with red brick dressings. Brick bands at floor levels. 4 storeys and cellars. 3 windows, the 1st and 2nd floor with additional blind half windows. Ground floor with later C19 funeral parlour frontage. 1st floor stone sill band. Gauged red brick flat arches to recessed sash windows with exposed boxing; 3rd floor with segmental-arched windows. Parapet. Original lead rainwater head. INTERIOR: not inspected. Listing NGR: TQ3062581986

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Lamb's Conduit Street, London, WC1N 3NH

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1715 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- FUNERAL DIRECTORS (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478638	CAMDEN TQ3081NE LAMB'S CONDUIT STREET 798-1/101/1005 (West side) 14/05/74 No.45 GV II Terraced house. c1700-15, altered with 3rd floor added C19. Darkened multi-coloured stock brick with red brick dressings. Brick bands at floor levels. 4 storeys and cellars. 3 windows, the 1st and 2nd floor with additional blind half windows. Ground floor with later C19 funeral parlour frontage. 1st floor stone sill band. Gauged red brick flat arches to recessed sash windows with exposed boxing; 3rd floor with segmental-arched windows. Parapet. Original lead rainwater head. INTERIOR: not inspected. Listing NGR: TQ3062581986

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80464
Monument Type	Listed Building
Preferred Ref.	MLO80464
Name	45-46 Red Lion Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30698 81805 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE RED LION STREET 798-1/101/1373 (West side) 12/11/90 Nos.45 AND 46 GV II Pair of terraced houses with ground floors now converted to a restaurant. Probably mid C18, refronted C19. No.45: yellow stock brick. Slated mansard roof with dormer. 3 storeys and attic. 2 windows. 20th century restaurant ground floor; upper floors have gauged brick flat arches to recessed sashes. Parapet. No.46: grey brick with red brick dressings. Tiled roof with dormers. 3 storeys and attic. 3 windows. 20th century restaurant ground floor; upper floors have gauged red brick flat arches to flush framed sashes with exposed boxing. Plain red brick band at 1st floor level. Projecting red brick cornice. INTERIORS: not inspected. Listing NGR: TQ3069881805

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45-46 Red Lion Street, London, WC1R 4PF
 - 45-46 Red Lion Street, London, WC1R 4PF
 - 45-46 Red Lion Street, London, WC1R 4PF

Monument/Component Types

- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- RESTAURANT (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477835	CAMDEN TQ3081NE RED LION STREET 798-1/101/1373 (West side) 12/11/90 Nos.45 AND 46 GV II Pair of terraced houses with ground floors now converted to a restaurant. Probably mid C18, refronted C19. No.45: yellow stock brick. Slated mansard roof with dormer. 3 storeys and attic. 2 windows. C20 restaurant ground floor; upper floors have gauged brick flat arches to recessed sashes. Parapet. No.46: grey brick with red brick dressings. Tiled roof with dormers. 3 storeys and attic. 3 windows. C20 restaurant ground floor; upper floors have gauged red brick flat arches to flush framed sashes with exposed boxing. Plain red brick band at 1st floor level. Projecting red brick cornice. INTERIORS: not inspected. Listing NGR: TQ3069881805

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96318
Monument Type	Listed Building
Preferred Ref.	MLO96318
Name	47 Floral Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30328 81036 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER FLORAL STREET, WC2 59/21 15.1.73 Nos 46 and 47 G.V. II Pair of end of terrace houses with shop. c1830. Blackened brick, stucco ground floor, slate roof. 3 storeys and dormered mansard. One window each to Floral Street, No 47 with 3-window return to Hanover Place. No 46 has house doorway to left, square headed with recessed panelled door and fanlight. Painted wood double shop front with corner entrance and pilasters carrying entablature-fascia with dentil cornice. Shop windows and doorway replaced by later 20th century sashes. Upper floors have recessed glazing bar sashes under shallow segmental gauged arches, dressed with stucco as voussoirs with central key block. Stone sill bands and parapet coping. Survey of London; Vol XXXVI Listing NGR: TQ3032881036

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 47 Floral Street, London, WC2E 9DA
 - 47 Floral Street, London, WC2E 9DA

Monument/Component Types

- SHOP (19th Century - 1810 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209735	TQ 3081 SW CITY OF WESTMINSTER FLORAL STREET, WC2 59/21 15.1.73 Nos 46 and 47 G.V. II Pair of end of terrace houses with shop. c1830. Blackened brick, stucco ground floor, slate roof. 3 storeys and dormered mansard. One window each to Floral Street, No 47 with 3-window return to Hanover Place. No 46 has house doorway to left, square headed with recessed panelled door and fanlight. Painted wood double shop front with corner entrance and pilasters carrying entablature-fascia with dentil cornice. Shop windows and doorway replaced by later C20 sashes. Upper floors have recessed glazing bar sashes under shallow segmental gauged arches, dressed with stucco as voussoirs with central key block. Stone sill bands and parapet coping. Survey of London; Vol XXXVI Listing NGR: TQ3032881036

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80258
Monument Type	Listed Building
Preferred Ref.	MLO80258
Name	47 Great Russell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30090 81558 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/685 (South side) 09/12/77 Nos.43-48 (Consecutive) GV II 6 terraced houses and shops. c1855-64. By William Finch Hill and possibly EL Paraire. Stucco with rusticated ground floors. STYLE: Modified French Renaissance. EXTERIOR: 4 storey terrace of which the corner buildings (Nos 43 & 48) form slightly higher pavilions. 3 windows each. No.43: with 7-window return to Coptic Street. Rusticated pilaster strips to angles. Shop front of arcaded treatment, the centre arch being the window with decorative wrought-iron grill to riser, the left arch forming a fanlight to the part glazed house door and the right hand arch a fanlight to the shop entrance with elaborately decorative wrought-iron grille. Roundels in spandrels with stained glass. Mutule cornice at 1st floor level. 1st floor windows round-arched, architraved, recessed 2-pane sashes, above which architraved oculi enriched with swags. 2nd floor sill band to segmental-arched architraved sashes. Console bracketed cornice beneath 3rd floor architraved sashes with keys. Cornice surmounted by balustraded parapet. Nos 44-47: ground floor with square-headed openings; recessed windows (20th century glazing) with keys, entrances with keys, rectangular fanlights and mostly 20th century doors. Cornice at 1st floor level. Rusticated pilaster strips between 1st and 2nd floor windows and on angles. Architraved 2-pane sashes, 1st floor with console bracketed pediments and fielded aprons, 2nd floor with fielded panels above windows and 3rd floor with cornice heads and fielded panels between the windows. Dentil cornice, with lion masks at intervals, surmounted by balustraded parapet. No.48: with splayed, 1 window corner and 1 window return to Museum Street. Ground floor of arcaded treatment with entrance in splayed corner. Vermiculated rustication to wide piers and voussoirs, keystones with masks. Pilasters with small sculptured plaques of dolphins and anchors above, flanking entrance on splayed corner. All ground floor openings currently boarded up. Mutule cornice at 1st floor level. Rusticated pilaster strips to angles and separating windows from 1st to 3rd floor. 2-pane sashes; 1st floor round-arched, architraved, recessed sashes above which architraved oculi enriched with swags. 2nd floor segmental-arched architraved sashes. Console bracketed cornice beneath 3rd floor architraved sashes with keys. Cornice surmounted by balustraded parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: above the corner entrance of No.48, a decorative wrought-iron sign bracket. HISTORICAL NOTE: No.46 was the home of Randolph Caldecott, artist (GLC plaque). Listing NGR: TQ3009081558

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 43 Great Russell Street, London, WC1B 3PA

- 44 Great Russell Street, London, WC1B 3PA

- 44 Great Russell Street, London, WC1B 3PA

- 45 Great Russell Street, London, WC1B 3PA

- 46 Great Russell Street, London, WC1B 3PA

- 47 Great Russell Street, London, WC1B 3PA

- 48 Great Russell Street, London, WC1B 3PA

Monument/Component Types

- SHOP (19th Century - 1855 AD to 1864 AD)
- TERRACE (19th Century - 1855 AD to 1864 AD)
- TERRACED HOUSE (19th Century - 1855 AD to 1864 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477851	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/685 (South side) 09/12/77 Nos.43-48 (Consecutive) GV II 6 terraced houses and shops. c1855-64. By William Finch Hill and possibly EL Paraire. Stucco with rusticated ground floors. STYLE: Modified French Renaissance. EXTERIOR: 4 storey terrace of which the corner buildings (Nos 43 & 48) form slightly higher pavilions. 3 windows each. No.43: with 7-window return to Coptic Street. Rusticated pilaster strips to angles. Shop front of arcaded treatment, the centre arch being the window with decorative wrought-iron grill to riser, the left arch forming a fanlight to the part glazed house door and the right hand arch a fanlight to the shop entrance with elaborately decorative wrought-iron grille. Roundels in spandrels with stained glass. Mutule cornice at 1st floor level. 1st floor windows round-arched, architraved, recessed 2-pane sashes, above which architraved oculi enriched with swags. 2nd floor sill band to segmental-arched architraved sashes. Console bracketed

cornice beneath 3rd floor architraved sashes with keys. Cornice surmounted by balustraded parapet. Nos 44-47: ground floor with square-headed openings; recessed windows (C20 glazing) with keys, entrances with keys, rectangular fanlights and mostly C20 doors. Cornice at 1st floor level. Rusticated pilaster strips between 1st and 2nd floor windows and on angles. Architraved 2-pane sashes, 1st floor with console bracketed pediments and fielded aprons, 2nd floor with fielded panels above windows and 3rd floor with cornice heads and fielded panels between the windows. Dentil cornice, with lion masks at intervals, surmounted by balustraded parapet. No.48: with splayed, 1 window corner and 1 window return to Museum Street. Ground floor of arcaded treatment with entrance in splayed corner. Vermiculated rustication to wide piers and voussoirs, keystones with masks. Pilasters with small sculptured plaques of dolphins and anchors above, flanking entrance on splayed corner. All ground floor openings currently boarded up. Mutule cornice at 1st floor level. Rusticated pilaster strips to angles and separating windows from 1st to 3rd floor. 2-pane sashes; 1st floor round-arched, architraved, recessed sashes above which architraved oculi enriched with swags. 2nd floor segmental-arched architraved sashes. Console bracketed cornice beneath 3rd floor architraved sashes with keys. Cornice surmounted by balustraded parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: above the corner entrance of No.48, a decorative wrought-iron sign bracket. HISTORICAL NOTE: No.46 was the home of Randolph Caldecott, artist (GLC plaque). Listing NGR: TQ3009081558

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80761
Monument Type	Listed Building
Preferred Ref.	MLO80761
Name	48 Monmouth Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30046 81027 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1138 (West side) 12/04/90 Nos.42-48 (Even) GV II Terrace of 4 houses with later shops. c1792-3. Brown stock brick with slate mansard roofs and dormers. EXTERIOR: 3 storeys, attics and basements. 2 windows each. Nos 42 & 44 with late C19 wooden, pilastered shopfronts and panelled house doors with fanlights. Nos 42 and 48 20th century shopfronts. Gauged brick segmental arches to recessed 2 and 4-pane sashes on upper floors. Coped parapet. Rear elevations with wall stacks, 2 with angled flues and chimney surrounds; sashes with gate stops. INTERIORS: with closed string staircases having square section balusters, moulded handrails and simple Doric newels; top landing newels with extra Doric colonnette where handrails intersect. All with moulded wood architraves. No.42, alcove forming glazed china cabinet in front room. No.44, 1st floor with C18 marble fireplace, 2nd floor with cornice and late C18 fireplace, 3rd floor, late C18 fireplace. No.46 with plain dado panelling and matching door architrave, late C18 moulded plaster cornice in 1st floor front room. No.48, 1st floor rear left room, panelled dado and later C18 corner fireplace with dentil cornice. Front 1st floor room with panelled dado. HISTORICAL NOTE: these houses retain the scale and plot size and reuse features of earlier houses on the site erected by Thomas Neale. Listing NGR: TQ3004681027

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Monmouth Street, London, WC2H 9EP
 - 46 Monmouth Street, London, WC2H 9EP
 - 46 Monmouth Street, London, WC2H 9EP
 - 48 Monmouth Street, London, WC2H 9EP

Monument/Component Types

- TERRACE (18th Century - 1792 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1793 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477526	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1138 (West side) 12/04/90 Nos.42-48 (Even) GV II Terrace of 4 houses with later shops. c1792-3. Brown stock brick with slate mansard roofs and dormers. EXTERIOR: 3 storeys, attics and basements. 2 windows each. Nos 42 & 44 with late C19 wooden, pilastered shopfronts and panelled house doors with fanlights. Nos 42 and 48 C20 shopfronts. Gauged brick segmental arches to recessed 2 and 4-pane sashes on upper floors. Coped parapet. Rear elevations with wall stacks, 2 with angled flues and chimney surrounds; sashes with gate stops. INTERIORS: with closed string staircases having square section balusters, moulded handrails and simple Doric newels; top landing newels with extra Doric colonnette where handrails intersect. All with moulded wood architraves. No.42, alcove forming glazed china cabinet in front room. No.44, 1st floor with C18 marble fireplace, 2nd floor with cornice and late C18 fireplace, 3rd floor, late C18 fireplace. No.46 with plain dado panelling and matching door architrave, late C18 moulded plaster cornice in 1st floor front room. No.48, 1st floor rear left room, panelled dado and later C18 corner fireplace with dentil cornice. Front 1st floor room with panelled dado. HISTORICAL NOTE: these houses retain the scale and plot size and reuse features of earlier houses on the site erected by Thomas Neale. Listing NGR: TQ3004681027

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80375
Monument Type	Listed Building
Preferred Ref.	MLO80375
Name	49 Calthorpe Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30919 82465 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/141 (North side) Nos.45, 47 AND 49 GV II 3 terraced houses. c1840-50. Yellow stock brick with channelled stucco ground floors with 1st floor band, modillion cornice and blocking course. Square-headed entrances with panelled doors and overlights. Recessed sashes; upper floors architraved, 1st floor having pediments and 3 enriched cast-iron balconies to right. INTERIORS: not inspected. Part of the fine group of early C19 houses forming Calthorpe Street. Listing NGR: TQ3091982465

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Calthorpe Street, London, WC1X 0HH

- 49 Calthorpe Street, London, WC1X 0HH

Monument/Component Types

- TERRACE (19th Century - 1840 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476787	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/141 (North side) Nos.45, 47 AND 49 GV II 3 terraced houses. c1840-50. Yellow stock brick with channelled stucco ground floors with 1st floor band, modillion cornice and blocking course. Square-headed entrances with panelled doors and overlights. Recessed sashes; upper floors architraved, 1st floor having pediments and 3 enriched cast-iron balconies to right. INTERIORS: not inspected. Part of the fine group of early C19 houses forming Calthorpe Street. Listing NGR: TQ3091982465

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79891
Monument Type	Listed Building
Preferred Ref.	MLO79891
Name	49 Gough Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30847 82358 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GOUGH STREET 798-1/96/599 (West side) 14/05/74 No.49 GV II House & shop, formerly terraced. 19th century earlier. Yellow stock brick with stucco band at 1st floor level. Original wooden shopfront (altered) with fluted quarter columns at sides carrying entablature with dentil architrave and projecting cornice. First floor with three broad sash windows under gauged brick heads and rebuilt parapet. Close to rear built 1989-90 and not of special interest. No.49 Gough Street has an exceptionally fine early 19th century shopfront. INTERIOR not inspected. Listing NGR: TQ3084782358

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Gough Street, London, WC1X 0BZ

Monument/Component Types

- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century to Unknown - 1833 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477372	CAMDEN TQ3082SE GOUGH STREET 798-1/96/599 (West side) 14/05/74 No.49 GV II House & shop, formerly terraced. C19 earlier. Yellow stock brick with stucco band at 1st floor level. Original wooden shopfront (altered) with fluted quarter columns at sides carrying entablature with dentil architrave and projecting cornice. First floor with three broad sash windows under gauged brick heads and rebuilt parapet. Close to rear built 1989-90 and not of special interest. No.49 Gough Street has an exceptionally fine early C19 shopfront. INTERIOR not inspected. Listing NGR: TQ3084782358

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81434
Monument Type	Listed Building
Preferred Ref.	MLO81434
Name	49 Lamb's Conduit Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30612 81996 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1006 (West side) 14/05/74 No.49 GV II* Terraced house. c1720, refronted early C19. Yellow stock brick with stucco dressings. Double depth plan with closet wing. EXTERIOR: 4 storeys and cellars. 2 windows. Late 20th century plate glass shopfront with house door to left of 6 fielded panels with overlight. First floor has gauged brick flat arches to casements set in shallow round-arched recesses linked by stucco impost bands; continuous cast-iron balcony of intersecting design. 2nd and 3rd floors with gauged brick flat arches to recessed 4-pane sashes. 3rd floor sill level projecting painted wooden cornice; above, stucco cornice and blocking course. INTERIOR: has original plain panelled hall leading to plain panelled stairwell with dog-leg open string stair of twisted balusters (some replaced), scroll and rose carved brackets, fluted Corinthian column newels and moulded ramp handrail. At 1st floor, box cornice of landing continues under stair soffit. Top flight balusters of earlier design and have been lengthened and reset. 1st floor front room has fine moulded plaster ceiling with central high relief cupid with bow and arrow on low relief clouds set within a foliated roundel within a guilloche octagon; all surrounded by a moulded string with arabesque enrichment at angles and centres of sides. Modillion and rose box cornice. Casements with fielded panel shutters enriched with egg-and-dart moulding; carved surrounds of rose, shell and dart enrichment. Carved enrichment to shouldered fireplace with rose stops. Carved dado rail of egg-and-dart and Greek key design. Original doorframes and 6-panel doors, that to rear room with carved enrichment. Rear room has fine moulded plaster ceiling of central roundel with high relief human mask surrounded by low relief rays and clouds; arabesque enrichment at angles. Dentil box cornice. Complete plain panelling with moulded dado rail and angle fireplace. Closet wing plain panelled. 2nd floor front and rear rooms plain panelled with box cornices and original 2-panel doors. Rear room with angle fireplace. Plan form of closet remains. Listing NGR: TQ3061281996

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Lamb's Conduit Street, London, WC1N 3NG

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1740 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478639	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1006 (West side) 14/05/74 No.49 GV II* Terraced house. c1720, refronted early C19. Yellow stock brick with stucco dressings. Double depth plan with closet wing. EXTERIOR: 4 storeys and cellars. 2 windows. Late C20 plate glass shopfront with house door to left of 6 fielded panels with overlight. First floor has gauged brick flat arches to casements set in shallow round-arched recesses linked by stucco impost bands; continuous cast-iron balcony of intersecting design. 2nd and 3rd floors with gauged brick flat arches to recessed 4-pane sashes. 3rd floor sill level projecting painted wooden cornice; above, stucco cornice and blocking course. INTERIOR: has original plain panelled hall leading to plain panelled stairwell with dog-leg open string stair of twisted balusters (some replaced), scroll and rose carved brackets, fluted Corinthian column newels and moulded ramp handrail. At 1st floor, box cornice of landing continues under stair soffit. Top flight balusters of earlier design and have been lengthened and reset. 1st floor front room has fine moulded plaster ceiling with central high relief cupid with bow and arrow on low relief clouds set within a foliated roundel within a guilloche octagon; all surrounded by a moulded string with arabesque enrichment at angles and centres of sides. Modillion and rose box cornice. Casements with fielded panel shutters enriched with egg-and-dart moulding; carved surrounds of rose, shell and dart enrichment. Carved enrichment to shouldered fireplace with rose stops. Carved dado rail of egg-and-dart and Greek key design. Original doorframes and 6-panel doors, that to rear room with carved enrichment. Rear room has fine moulded plaster ceiling of central roundel with high relief human mask surrounded by low relief rays and clouds; arabesque enrichment at angles. Dentil box cornice. Complete plain panelling with

moulded dado rail and angle fireplace. Closet wing plain panelled. 2nd floor front and rear rooms plain panelled with box cornices and original 2-panel doors. Rear room with angle fireplace. Plan form of closet remains. Listing NGR: TQ3061281996

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95843
Monument Type	Listed Building
Preferred Ref.	MLO95843
Name	5 Bell Yard
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31131 81162 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TO 3181 SW CITY OF WESTMINSTER BELL YARD WC2 7/N/10 (East side) Nos 4 and 5 10.11.77 II Classical office building. Dated 1854. 4 storeys. 3 bays wide. Stucco. The elevation is articulated by superimposed orders of pilasters each with a full entablature. The ground and 1st floors have rusticated quoins with Doric and Ionic pilasters respectively between the windows. The 2nd floor has modified Corinthian pilasters, coupled at the corners. 1st and 2nd floor windows have architrave surrounds, those to the 1st floor being pedimented. The 3rd floor is treated as an attic with a balustrade above and central pedimented cartouche containing the date. Simple entrance door with cornice. Return elevation in glazed brick, articulated with moulded panels as blind window bays. Part of the building lies within the City of London. Listing NGR: TQ3113181162

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 5 Bell Yard, London, WC2A 2JR
 - 5 Bell Yard, London, WC2A 2JR

Monument/Component Types

- OFFICE (19th Century - 1854 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208659	TO 3181 SW CITY OF WESTMINSTER BELL YARD WC2 7/N/10 (East side) Nos 4 and 5 10.11.77 II Classical office building. Dated 1854. 4 storeys. 3 bays wide. Stucco. The elevation is articulated by superimposed orders of pilasters each with a full entablature. The ground and 1st floors have rusticated quoins with Doric and Ionic pilasters respectively between the windows. The 2nd floor has modified Corinthian pilasters, coupled at the corners. 1st and 2nd floor windows have architrave surrounds, those to the 1st floor being pedimented. The 3rd floor is treated as an attic with a balustrade above and central pedimented cartouche containing the date. Simple entrance door with cornice. Return elevation in glazed brick, articulated with moulded panels as blind window bays. Part of the building lies within the City of London. Listing NGR: TQ3113181162

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80384
Monument Type	Listed Building
Preferred Ref.	MLO80384
Name	5 Bloomsbury Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30032 81453 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW BLOOMSBURY STREET 798-1/105/108 (West side) 30/01/73 Nos.1, 3 AND 5 GV II Terrace of 3 houses with later shops. c1766-67, fronts altered c1845. Built by J Medlam & altered by HW Cooper. Stucco. 3 storeys, attic and cellars. 3 windows each, No.5 with 5-window return (mostly blind) and 2 storeys, 1 window entrance addition, to Streatham Street. Recessed sash windows with some original glazing bars, secondary cornice at 3rd floor level, cornice and blocking course. No.1: rusticated ground floor with round-arched doorway, fanlight and panelled door. Architraves to windows, round-headed openings ground floor, consoles and pediments (centre segmental) 1st floor. INTERIOR: not inspected but noted to retain marble mantelpieces and Adam style ceiling on the 1st floor. Square panelling and C18 fireplaces 2nd floor. No.3 later C19 ground floor shop. Lugged architraves to 1st floor windows. INTERIOR: not inspected. No.5: later C19 stucco ground floor shopfront with attached Ionic columns carrying entablature with console-bracketed cornice. Lugged architraves to 1st floor windows, each with wrought-iron balcony. Return of multi-coloured stock brick with plain stucco band at 1st floor level; windows with gauged red brick arches; attached cast-iron railings. INTERIOR: not inspected but noted to have square balusters and shaped ends to stairs on upper floor. HISTORICAL NOTE: No.5 was the home from 1766-1771 of Paul Saunders, tapestry-maker, whose commercial premises lay at the rear (Nos 2 & 4 Streatham Street, now demolished). The houses originally formed part of a longer terrace demolished for the construction of New Oxford Street, at which time the fronts were altered. Listing NGR: TQ3003281453

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Bloomsbury Street, London, WC1B 3QE
- 1 Bloomsbury Street, London, WC1B 3QE
- 3 Bloomsbury Street, London, WC1B 3QE
- 5 Bloomsbury Street, London, WC1B 3QE

Monument/Component Types

- TERRACE (18th Century - 1766 AD to 1767 AD)
- TERRACED HOUSE (18th Century - 1766 AD to 1767 AD)
- SHOP (19th Century - 1825 AD to 1865 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476738	CAMDEN TQ3081SW BLOOMSBURY STREET 798-1/105/108 (West side) 30/01/73 Nos.1, 3 AND 5 GV II Terrace of 3 houses with later shops. c1766-67, fronts altered c1845. Built by J Medlam & altered by HW Cooper. Stucco. 3 storeys, attic and cellars. 3 windows each, No.5 with 5-window return (mostly blind) and 2 storeys, 1 window entrance addition, to Streatham Street. Recessed sash windows with some original glazing bars, secondary cornice at 3rd floor level, cornice and blocking course. No.1: rusticated ground floor with round-arched doorway, fanlight and panelled door. Architraves to windows, round-headed openings ground floor, consoles and pediments (centre segmental) 1st floor. INTERIOR: not inspected but noted to retain marble mantelpieces and Adam style ceiling on the 1st floor. Square panelling and C18 fireplaces 2nd floor. No.3 later C19 ground floor shop. Lugged architraves to 1st floor windows. INTERIOR: not inspected. No.5: later C19 stucco ground floor shopfront with attached Ionic columns carrying entablature with console-bracketed cornice. Lugged architraves to 1st floor windows, each with wrought-iron balcony. Return of multi-coloured stock brick with plain stucco band at 1st floor level; windows with gauged red brick arches; attached cast-iron railings. INTERIOR: not inspected but noted to have square balusters and shaped ends to stairs on upper floor. HISTORICAL NOTE: No.5 was the home from 1766-1771 of Paul Saunders, tapestry-maker, whose commercial premises lay at the rear (Nos 2 & 4 Streatham Street, now demolished). The houses originally formed part of a longer terrace demolished for the construction of New Oxford Street, at which time the fronts were altered. Listing NGR: TQ3003281453

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80594
Monument Type	Listed Building
Preferred Ref.	MLO80594
Name	5 Denmark Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29912 81240 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE DENMARK STREET 798-1/104/300 (South side) 14/05/74 No.5 GV II Terraced house with later shop. c1686-89 as part of an estate development by Samuel Fortrey and Jacques Wiseman. Multi-coloured stock brick, stucco keystones and string course to 1st floor. 4 storeys (4th storey later addition). 3 windows. 20th century shop at ground floor. Gauged red brick flat arches to flush frame sashes (some with glazing bars) with exposed boxing. Parapet. INTERIOR: not inspected. Listing NGR: TQ2991281240

Sources

Number	Reference
SLO15085	Article in monograph: Riley, W. E. & Gomme, L. Sir (eds). 19. Survey of London: volume 5 - St Giles-in-the-Fields, pt II, VOL 5, P 142, p142

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Denmark Street, London, WC2H 8LP

Monument/Component Types

- TERRACED HOUSE (17th Century - 1686 AD to 1689 AD)
- HOUSE (17th Century to Unknown - 1690 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477050	CAMDEN TQ2981SE DENMARK STREET 798-1/104/300 (South side) 14/05/74 No.5 GV II Terraced house with later shop. c1686-89 as part of an estate development by Samuel Fortrey and Jacques Wiseman. Multi-coloured stock brick, stucco keystones and string course to 1st floor. 4 storeys (4th storey later addition). 3 windows. C20 shop at ground floor. Gauged red brick flat arches to flush frame sashes (some with glazing bars) with exposed boxing. Parapet. INTERIOR: not inspected. Listing NGR: TQ2991281240

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80163
Monument Type	Listed Building
Preferred Ref.	MLO80163
Name	5 Great Queen Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30531 81378 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE GREAT QUEEN STREET 798-1/106/674 (North West side) 17/04/79 No.5 II Terraced house. Early/mid C18, with late C19 front. Red brick with stone dressings. 4 storeys. Late C19 shopfront with 4 large round-headed panes (1 forming part of entrance) divided by twisted cast-iron colonnettes. Continuous glazing on each floor above, divided into four by cast-iron columns supporting continuous stone lintels. Cornice and parapet. INTERIOR: staircase with an open string on the lower flights and closed above, paired newel posts, twisted balusters three to each step, some may be replacements as there are earlier and later types, panelled dado. Original doors and panelling in first floor rooms though over doors and first floor front fireplace c1900. Ground floor office, some original panelling. Listing NGR: TQ3053181378

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Great Queen Street, London, WC2B 5DG

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1766 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- TERRACED HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477661	CAMDEN TQ3081SE GREAT QUEEN STREET 798-1/106/674 (North West side) 17/04/79 No.5 II Terraced house. Early/mid C18, with late C19 front. Red brick with stone dressings. 4 storeys. Late C19 shopfront with 4 large round-headed panes (1 forming part of entrance) divided by twisted cast-iron colonnettes. Continuous glazing on each floor above, divided into four by cast-iron columns supporting continuous stone lintels. Cornice and parapet. INTERIOR: staircase with an open string on the lower flights and closed above, paired newel posts, twisted balusters three to each step, some may be replacements as there are earlier and later types, panelled dado. Original doors and panelling in first floor rooms though over doors and first floor front fireplace c1900. Ground floor office, some original panelling. Listing NGR: TQ3053181378

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79998
Monument Type	Listed Building
Preferred Ref.	MLO79998
Name	5 Hatton Garden
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31404 81611 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW HATTON GARDEN 798-1/102/784 (East side) 14/05/74 No.5 II Terraced house. Mid C18 with later shop. Multi-coloured stock brick with painted cornice band at 3rd floor level. 4 storeys and basement. 2 windows. Later 19th century ground floor shop with 20th century alterations. Gauged reddened brick flat arches to recessed sash windows (2nd & 3rd floor with original glazing bars). Parapet. INTERIOR: not inspected. HISTORICAL NOTE: home of Guiseppe Mazzini, Italian nationalist (plaque on 1st floor). Listing NGR: TQ3140481611

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Hatton Garden, London, EC1N 8AA

Monument/Component Types

- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478071	CAMDEN TQ3181NW HATTON GARDEN 798-1/102/784 (East side) 14/05/74 No.5 II Terraced house. Mid C18 with later shop. Multi-coloured stock brick with painted cornice band at 3rd floor level. 4 storeys and basement. 2 windows. Later C19 ground floor shop with C20 alterations. Gauged reddened brick flat arches to recessed sash windows (2nd & 3rd floor with original glazing bars). Parapet. INTERIOR: not inspected. HISTORICAL NOTE: home of Guiseppe Mazzini, Italian nationalist (plaque on 1st floor). Listing NGR: TQ3140481611

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80000
Monument Type	Listed Building
Preferred Ref.	MLO80000
Name	5 Hatton Garden
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31346 81880 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW HATTON GARDEN 798-1/102/783 (East side) 24/10/51 No.43 Wren House and attached railings II Formerly known as: St Andrew's Parochial Schools HATTON GARDEN. Includes: No.8A ST CROSS STREET. Church, now offices. c1670 replacing St Andrews Holborn after the Great Fire of 1666, adapted as a Chantry School c1696, gutted during Second World War, rebuilt internally but facade restored. Erected by Lord Hatton, reputedly to designs by Wren. Brown brick with stone rusticated quoins. Brick band below parapet. 20th century tiled roof. EXTERIOR: 2 storeys. Double fronted, 3 windows. 6-window return to Cross Street. Hatton Garden facade with slightly projecting central bay with stone doorcase with consoles, pulvinated frieze and segmental pediment. To either side stone corbel supports with painted stone boy and girl figures in C18 costume. Above, semicircular arched window with stone key, the bay topped by an open stucco pediment. Bays to either side with transom and mullion windows with flat arches and stone keys on ground floor, 1st floor with semicircular arched windows having stone keystones. Stone capped parapet. Cross Street elevation similar but 3 window central bay, no pediment, figures missing and left hand bay with square headed windows on ground and 1st floor. Ground floor window to right of door only one with keystone. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with geometrical panels to areas. CAMDEN TQ3181NW ST CROSS STREET 798-1/102/783 No.8A 24/10/51 II See under: No.43 Wren House and attached railings HATTON GARDEN. Listing NGR: TQ3134681880

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Hatton Garden, London, EC1N 8AA

Monument/Component Types

- OFFICE (Undated)
- RAILINGS (Undated)
- CHURCH (17th Century - 1650 AD to 1690 AD)
- CHANTRY COLLEGE (17th Century to 18th Century - 1676 AD to 1716 AD)
- CHANTRY COLLEGE (Modern - 1939 AD to 1945 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478073	CAMDEN TQ3181NW HATTON GARDEN 798-1/102/783 (East side) 24/10/51 No.43 Wren House and attached railings II Formerly known as: St Andrew's Parochial Schools HATTON GARDEN. Includes: No.8A ST CROSS STREET. Church, now offices. c1670 replacing St Andrews Holborn after the Great Fire of 1666, adapted as a Chantry School c1696, gutted during Second World War, rebuilt internally but facade restored. Erected by Lord Hatton, reputedly to designs by Wren. Brown brick with stone rusticated quoins. Brick band below parapet. C20 tiled roof. EXTERIOR: 2 storeys. Double fronted, 3 windows. 6-window return to Cross Street. Hatton Garden facade with slightly projecting central bay with stone doorcase with consoles, pulvinated frieze and segmental pediment. To either side stone corbel supports with painted stone boy and girl figures in C18 costume. Above, semicircular arched window with stone key, the bay topped by an open stucco pediment. Bays to either side with transom and mullion windows with flat arches and stone keys on ground floor, 1st floor with semicircular arched windows having stone keystones. Stone capped parapet. Cross Street elevation similar but 3 window central bay, no pediment, figures missing and left hand bay with square headed windows on ground and 1st floor. Ground floor window to right of door only one with keystone. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with geometrical panels to areas. CAMDEN TQ3181NW ST CROSS STREET 798-1/102/783 No.8A 24/10/51 II See under: No.43 Wren House and attached railings HATTON GARDEN. Listing NGR: TQ3134681880

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81210
Monument Type	Listed Building
Preferred Ref.	MLO81210
Name	5 Tower Court
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30039 81036 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW TOWER COURT 798-1/105/1649 (East side) 15/01/73 Nos.5-8 (Consecutive) GV II Terraced houses with former shops. Late C18, altered mid C19 and 20th century. Yellow stock brick and stucco sill band at 1st floor level under slated mansard roofs with dormers. 3 storeys, basements and attics. 2 windows each. Wooden shopfronts with bracketed entablature with inswept frieze and projecting cornices with the exception of No.6. Shop windows altered for domestic occupation. Square-headed house and shop doorways, with the exception of No.6, with fanlights. Ground floor of No.6 altered post 1973. Ground floor of No.8 a 20th century reproduction. Gauged flat brick arches to recessed sash windows, some with original glazing bars. Window heads of Nos 6 and 7 with segmental arches. Parapets. INTERIORS: not inspected. Listing NGR: TQ3003981036

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Tower Court, London, WC2H 9NU
- 6 Tower Court, London, WC2H 9NU
- 7 Tower Court, London, WC2H 9NU
- 7 Tower Court, London, WC2H 9NU
- 8 Tower Court, London, WC2H 9NU

Monument/Component Types

- TERRACE (18th Century - 1767 AD)
- TERRACED HOUSE (18th Century - 1767 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- HOUSE (Modern to Unknown - 1973 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478407	CAMDEN TQ3081SW TOWER COURT 798-1/105/1649 (East side) 15/01/73 Nos.5-8 (Consecutive) GV II Terraced houses with former shops. Late C18, altered mid C19 and C20. Yellow stock brick and stucco sill band at 1st floor level under slated mansard roofs with dormers. 3 storeys, basements and attics. 2 windows each. Wooden shopfronts with bracketed entablature with inswept frieze and projecting cornices with the exception of No.6. Shop windows altered for domestic occupation. Square-headed house and shop doorways, with the exception of No.6, with fanlights. Ground floor of No.6 altered post 1973. Ground floor of No.8 a C20 reproduction. Gauged flat brick arches to recessed sash windows, some with original glazing bars. Window heads of Nos 6 and 7 with segmental arches. Parapets. INTERIORS: not inspected. Listing NGR: TQ3003981036

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80376
Monument Type	Listed Building
Preferred Ref.	MLO80376
Name	50 Calthorpe Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30917 82395 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/140 (South side) 14/05/74 No.50 GV II Shop forming the end of a terrace on a corner site. c1842-8. Built by W Broder. Painted stucco with rusticated pilaster strips. Single storey in the form of a lodge. 2 bays each to Calthorpe Road and Phoenix Place with bowed corner. Pilaster strips support a continuous dentil entablature with wreaths above the strips; continuous blocking course, breaking forward above the strips. Shop doorways and windows altered but left hand window retains a cast-iron palmette and anthemion frieze. Return to Phoenix Place with architraved 2-pane sash to left and 20th century doorway. INTERIOR: not inspected. Listing NGR: TQ3091782395

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 50 Calthorpe Street, London, WC1X 0JZ

Monument/Component Types

- SHOP (19th Century - 1842 AD to 1848 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476788	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/140 (South side) 14/05/74 No.50 GV II Shop forming the end of a terrace on a corner site. c1842-8. Built by W Broder. Painted stucco with rusticated pilaster strips. Single storey in the form of a lodge. 2 bays each to Calthorpe Road and Phoenix Place with bowed corner. Pilaster strips support a continuous dentil entablature with wreaths above the strips; continuous blocking course, breaking forward above the strips. Shop doorways and windows altered but left hand window retains a cast-iron palmette and anthemion frieze. Return to Phoenix Place with architraved 2-pane sash to left and C20 doorway. INTERIOR: not inspected. Listing NGR: TQ3091782395

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80465
Monument Type	Listed Building
Preferred Ref.	MLO80465
Name	50 Red Lion Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30701 81791 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE RED LION STREET 798-1/101/1374 (West side) 12/11/90 No.50 GV II Terraced house. Mid C18. Yellow stock brick with red brick dressings. Tiled mansard roof with dormers. 3 storeys and attic. 2 windows. Ground floor with lat C19 shopfront; shop and house doors altered. Gauged red brick flat arches to recessed sashes, 2nd floor with original glazing bars. Parapet. INTERIOR: with mid C18 staircase, some dado panelling, cornices, doors and door architraves and window shutters. Rear room with original door and shutter panels. Listing NGR: TQ3070181791

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 50 Red Lion Street, London, WC1R 4PF

Monument/Component Types

- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477836	CAMDEN TQ3081NE RED LION STREET 798-1/101/1374 (West side) 12/11/90 No.50 GV II Terraced house. Mid C18. Yellow stock brick with red brick dressings. Tiled mansard roof with dormers. 3 storeys and attic. 2 windows. Ground floor with lat C19 shopfront; shop and house doors altered. Gauged red brick flat arches to recessed sashes, 2nd floor with original glazing bars. Parapet. INTERIOR: with mid C18 staircase, some dado panelling, cornices, doors and door architraves and window shutters. Rear room with original door and shutter panels. Listing NGR: TQ3070181791

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81435
Monument Type	Listed Building
Preferred Ref.	MLO81435
Name	51 Lamb's Conduit Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30619 82006 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1007 (West side) 14/05/74 No.51 GV II Terraced house with later shop. c1700-15, refronted c1779. Yellow stock brick. 4 storeys and cellars. 3 windows. Good early C19 wooden double shopfront with Greek Doric attached columns carrying entablature with enriched architrave, inswept frieze and projecting ovolo cornice. Central entrance; shop windows altered, panelled stallboards. House doorway to right with fanlight and panelled door. Gauged brick flat arches to recessed sashes with early glazing bars. Parapet. Lead rainwater head and pipe. INTERIOR: not inspected but noted to retain some early C18 panelling and staircase with twisted balusters and carved brackets to treads. Listing NGR: TQ3061982006

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 51 Lamb's Conduit Street, London, WC1N 3NB

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1715 AD)
- HOUSE (18th Century - 1759 AD to 1799 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478640	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1007 (West side) 14/05/74 No.51 GV II Terraced house with later shop. c1700-15, refronted c1779. Yellow stock brick. 4 storeys and cellars. 3 windows. Good early C19 wooden double shopfront with Greek Doric attached columns carrying entablature with enriched architrave, inswept frieze and projecting ovolo cornice. Central entrance; shop windows altered, panelled stallboards. House doorway to right with fanlight and panelled door. Gauged brick flat arches to recessed sashes with early glazing bars. Parapet. Lead rainwater head and pipe. INTERIOR: not inspected but noted to retain some early C18 panelling and staircase with twisted balusters and carved brackets to treads. Listing NGR: TQ3061982006

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95107
Monument Type	Listed Building
Preferred Ref.	MLO95107
Name	51 Long Acre
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30314 81042 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER LONG ACRE, WC2 59/20 15.1.73 Nos 48 to 52 (consec) II G.V. Terrace houses with shops. Early C19. Stock brick, Nos 50 to 52 painted, slate roofs. 4 storeys. Each front 2 windows wide, except for No 52 which has 3 windows. Ground floors have mid to later C19 warehouse fronts altered as shop fronts later 20th century: Nos 48 and 49 with double front with wooden pilasters carrying entablature; No 50 with square headed house doorway to left, with panelled door and fanlight, later C19 frame to shop front with consoles flanking fascia; Nos 51 and 52 with late 20th century frontage of segmental arched openings and dwarf ionic columns carrying fascia and bracketed cornice. Upper floors have recessed windows, majority retaining glazing bar sashes, a few with casements, under flat gauged arches. Parapet with coping. No 52 has cast iron balconettes to 2nd floor. Original lead rainwater heads and downpipes. Included for group interest only. Listing NGR: TQ3031481042

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 49 Long Acre, London, WC2E 9LS

- 51 Long Acre, London, WC2E 9JR

- 52 Long Acre, London, WC2E 9JR

- 52 Long Acre, London, WC2E 9JR

Monument/Component Types

- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1899 AD)
- WAREHOUSE (19th Century - 1833 AD to 1899 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	414457	TQ 3081 SW CITY OF WESTMINSTER LONG ACRE, WC2 59/20 15.1.73 Nos 48 to 52 (consec) II G.V. Terrace houses with shops. Early C19. Stock brick, Nos 50 to 52 painted, slate roofs. 4 storeys. Each front 2 windows wide, except for No 52 which has 3 windows. Ground floors have mid to later C19 warehouse fronts altered as shop fronts later C20: Nos 48 and 49 with double front with wooden pilasters carrying entablature; No 50 with square headed house doorway to left, with panelled door and fanlight, later C19 frame to shop front with consoles flanking fascia; Nos 51 and 52 with late C20 frontage of segmental arched openings and dwarf ionic columns carrying fascia and bracketed cornice. Upper floors have recessed windows, majority retaining glazing bar sashes, a few with casements, under flat gauged arches. Parapet with coping. No 52 has cast iron balconettes to 2nd floor. Original lead rainwater heads and downpipes. Included for group interest only. Listing NGR: TQ3031481042

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79916
Monument Type	Listed Building
Preferred Ref.	MLO79916
Name	51-53 Shelton Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30262 81177 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW SHELTON STREET 798-1/105/1434 (North West side) 15/01/73 Nos.51 AND 53 GV II 2 terraced houses with later shops. 19th century earlier. Yellow stock brick. 4 storeys and basements. 2 windows each. Wooden shopfront with pilasters carrying entablature with projecting cornice. Shop windows and doorways altered. House doorways with fanlights and panelled doors. Gauged flat brick arches to recessed sash windows; rear with glazing bars and margin lights to windows. Parapets. INTERIORS: not inspected. Listing NGR: TQ3026281177

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 51-53 Shelton Street, London, WC2H 9HE
 - 51-53 Shelton Street, London, WC2H 9HE
 - 51-53 Shelton Street, London, WC2H 9HE

Monument/Component Types

- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century to Unknown - 1833 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477989	CAMDEN TQ3081SW SHELTON STREET 798-1/105/1434 (North West side) 15/01/73 Nos.51 AND 53 GV II 2 terraced houses with later shops. C19 earlier. Yellow stock brick. 4 storeys and basements. 2 windows each. Wooden shopfront with pilasters carrying entablature with projecting cornice. Shop windows and doorways altered. House doorways with fanlights and panelled doors. Gauged flat brick arches to recessed sash windows; rear with glazing bars and margin lights to windows. Parapets. INTERIORS: not inspected. Listing NGR: TQ3026281177

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96462
Monument Type	Listed Building
Preferred Ref.	MLO96462
Name	52 Floral Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30357 81064 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER FLORAL STREET, WC2 59/13 No 52 G.V. II Terrace house with shop. c1838 and part of same build as Nos 7 and 8 Bow Street q.v. Painted brick, slate roof. 4 storeys. 2 windows wide. Mid to later C19 shop front, the door and window altered but retaining wooden frame with console-bracketed fascia. Upper floors have recessed glazing bar sashes under flat gauged arches. Parapet with coping. Included for group value only. Survey of London. Vol XXXVI Listing NGR: TQ3035781064

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 52 Floral Street, London, WC2E 9DA

Monument/Component Types

- TERRACED HOUSE (19th Century - 1818 AD to 1858 AD)
- SHOP (19th Century - 1833 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209736	TQ 3081 SW CITY OF WESTMINSTER FLORAL STREET, WC2 59/13 No 52 G.V. II Terrace house with shop. c1838 and part of same build as Nos 7 and 8 Bow Street q.v. Painted brick, slate roof. 4 storeys. 2 windows wide. Mid to later C19 shop front, the door and window altered but retaining wooden frame with console-bracketed fascia. Upper floors have recessed glazing bar sashes under flat gauged arches. Parapet with coping. Included for group value only. Survey of London. Vol XXXVI Listing NGR: TQ3035781064

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80763
Monument Type	Listed Building
Preferred Ref.	MLO80763
Name	53 Monmouth Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30069 81049 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1140 (East side) 15/01/73 Nos.53-59 (Odd) GV II Terrace of 4 houses with shops. Nos 53 & 55: C18, refronted early C19 and adapted 1978-85 as part of Terry Farrell scheme for Comyn Ching triangle, where later rear extensions taken down and rear elevations rebuilt as offices. Yellow stock brick under tiled roofs with hipped tiled dormers. 3 storeys, parapets and basements. 2 windows each. Wooden shopfronts with entablature flanked by consoles and shop doorways renewed as part of refurbishment scheme. 1st and 2nd floor, gauged flat brick arches to recessed sash windows. Nos 57 & 59 : early C19, altered. Yellow stock brick with brick corbelled cornice and moulded stone and brick sill string at 3rd floor level (former parapet). 3 storeys with added 4th storey. 2 windows each. Wooden shopfront with entablature flanked by scrolls, house and shop doorways renewed as part of Farrell scheme. Shop entrance to No.57 with elaborate Art Nouveau wrought-iron screen. At 1st to 3rd floor level, gauged flat brick arches to recessed sash windows with original glazing bars. To rear office entrances for Ching Court, 1978-85 by Terry Farrell. INTERIORS: not inspected. Listing NGR: TQ3006981049

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 Monmouth Street, London, WC2H 9DG

- 53 Monmouth Street, London, WC2H 9DG

Monument/Component Types

- TERRACE (17th Century to 18th Century - 1700 AD to 1799 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1799 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Unknown - 1833 AD)
- HOUSE (Modern - 1978 AD to 1985 AD)
- OFFICE (Modern - 1978 AD to 1985 AD)
- SHOP (Modern - 1978 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477528	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1140 (East side) 15/01/73 Nos.53-59 (Odd) GV II Terrace of 4 houses with shops. Nos 53 & 55: C18, refronted early C19 and adapted 1978-85 as part of Terry Farrell scheme for Comyn Ching triangle, where later rear extensions taken down and rear elevations rebuilt as offices. Yellow stock brick under tiled roofs with hipped tiled dormers. 3 storeys, parapets and basements. 2 windows each. Wooden shopfronts with entablature flanked by consoles and shop doorways renewed as part of refurbishment scheme. 1st and 2nd floor, gauged flat brick arches to recessed sash windows. Nos 57 & 59 : early C19, altered. Yellow stock brick with brick corbelled cornice and moulded stone and brick sill string at 3rd floor level (former parapet). 3 storeys with added 4th storey. 2 windows each. Wooden shopfront with entablature flanked by scrolls, house and shop doorways renewed as part of Farrell scheme. Shop entrance to No.57 with elaborate Art Nouveau wrought-iron screen. At 1st to 3rd floor level, gauged flat brick arches to recessed sash windows with original glazing bars. To rear office entrances for Ching Court, 1978-85 by Terry Farrell. INTERIORS: not inspected. Listing NGR: TQ3006981049

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80051
Monument Type	Listed Building
Preferred Ref.	MLO80051
Name	55 Gray's Inn Road
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30943 82046 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/657 (West side) 12/02/91 No.55 GV II Terraced house with later shop. c1714; shopfront dated 1882 on fascia brackets. Multi-coloured stock brick with red brick dressings; rear facade brown brick with plain brick band at 1st floor level and rendered closet wing. 2 rooms deep plus closet wing. EXTERIOR: 4 storeys and basement. 3 windows and blind half window. Late 19th century shopfront with green tiled pilasters flanking 6-panelled house door with overlight and plate glass windows with central double, part-glazed panelled doors; above, a horizontal strip of small panes of coloured glass. Enriched console fascia brackets, each with date and shell motif flanking moulded fascia. Gauged red brick flat arches to sashes; 1st floor with early 19th century sashes having reeded boxes with rectangular stops; 2nd floor, slightly recessed sashes with exposed boxing; 3rd floor, recessed sashes. Parapet. Rear facade includes sliding sash to 3rd floor of closet wing. INTERIOR: front house door leads along a short wainscotted passage to round-arched lobby entrance with panelled dado and length of unusual early 19th century dado rail. Original dog-leg stair with square newel, twisted balusters and 2 finials from ground to 2nd floor; stairwell plain panelled with dado to 1st floor and then moulded dado rail. Original plain stairs to 3rd floor and basement. 1st floor front room with bolection moulded door frame to landing, bolection moulded dado and box cornice; alcove to right of chimney breast, plain panelled above dado and with narrow wall cupboard. Rear room plain panelled with dado having moulded rail, box cornice and corner chimney breast. Closet wing plain panelled with section of moulded dado rail, box cornice and original bolection moulded panelled door with H-hinges. 2nd floor front and rear rooms with moulded dado rail. 3rd floor rear room with early 19th century reeded door frame. Most windows with shutters; most chimney breasts with 19th century cast-iron fire grates. Listing NGR: TQ3094382046

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1694 AD to 1724 AD)
- SHOP (19th Century - 1882 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477476	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/657 (West side) 12/02/91 No.55 GV II Terraced house with later shop. c1714; shopfront dated 1882 on fascia brackets. Multi-coloured stock brick with red brick dressings; rear facade brown brick with plain brick band at 1st floor level and rendered closet wing. 2 rooms deep plus closet wing. EXTERIOR: 4 storeys and basement. 3 windows and blind half window. Late C19 shopfront with green tiled pilasters flanking 6-panelled house door with overlight and plate glass windows with central double, part-glazed panelled doors; above, a horizontal strip of small panes of coloured glass. Enriched console fascia brackets, each with date and shell motif flanking moulded fascia. Gauged red brick flat arches to sashes; 1st floor with early C19 sashes having reeded boxes with rectangular stops; 2nd floor, slightly recessed sashes with exposed boxing; 3rd floor, recessed sashes. Parapet. Rear facade includes sliding sash to 3rd floor of closet wing. INTERIOR: front house door leads along a short wainscotted passage to round-arched lobby entrance with panelled dado and length of unusual early C19 dado rail. Original dog-leg stair with square newel, twisted balusters and 2 finials from ground to 2nd floor; stairwell plain panelled with dado to 1st floor and then moulded dado rail. Original plain stairs to 3rd floor and basement. 1st floor front room with bolection moulded door frame to landing, bolection moulded dado and box cornice; alcove to right of chimney breast, plain panelled above dado and with narrow wall cupboard. Rear room plain panelled with dado having moulded rail, box cornice and corner chimney breast. Closet wing plain panelled with section of moulded dado rail, box cornice and original bolection moulded panelled door with H-hinges. 2nd floor front and rear rooms with moulded dado rail. 3rd floor rear room with early C19 reeded door frame. Most windows with shutters; most chimney breasts with C19 cast-iron fire grates. Listing NGR: TQ3094382046

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80065
Monument Type	Listed Building
Preferred Ref.	MLO80065
Name	55 Marchmont Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30133 82376 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW MARCHMONT STREET 798-1/95/1106 (West side) 14/05/74 Nos.39-73 (Odd) GV II Terrace of 18 houses with later shops. c1801-6. Yellow stock brick; Nos 45, 61 and 63 stucco. 4 storeys and cellars. 2 windows each. Mostly altered later 19th century and 20th century shopfronts. Gauged brick, (mostly reddened), flat arches to recessed sash windows, some with original glazing bars. Parapets. No.43: original wooden shopfront with pilasters and brackets carrying projecting cornice. Shop window altered. Round-arched house doorway with fluted jambs, lionhead stops, cornice-head, fanlight and panelled door. Shop doorway with fanlight and panelled door. No.45: architraved, recessed sash windows. Stucco cornice and blocking course. Nos 57 & 59: mid 19th century wooden shopfronts with pilasters carrying entablature with dentil cornice flanked by enriched consoles. Shop window of No.59 with segmental-arched lights. Square-headed house doorways with overlights and panelled doors (No.57, 20th century). No.57 with wrought-iron sign bracket at 1st floor level. Nos 61 & 63: recessed sash windows with architraves and cornices. Bracketed stucco cornices at 3rd floor. Nos 65-73: with enriched fascia consoles. No.69: with plaque "St. G.B. 1817". No.71: with plaque "S PP 1791". INTERIORS: not inspected. Listing NGR: TQ3013382376

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 41 Marchmont Street, London, WC1N 1AP
- 43 Marchmont Street, London, WC1N 1AP
- 45 Marchmont Street, London, WC1N 1AP
- 47 Marchmont Street, London, WC1N 1AP
- 49 Marchmont Street, London, WC1N 1AP
- 51 Marchmont Street, London, WC1N 1AP
- 53 Marchmont Street, London, WC1N 1AP
- 55 Marchmont Street, London, WC1N 1AP
- 59 Marchmont Street, London, WC1N 1AP
- 61 Marchmont Street, London, WC1N 1AP
- 65 Marchmont Street, London, WC1N 1AP
- 67 Marchmont Street, London, WC1N 1AP
- 67 Marchmont Street, London, WC1N 1AP
- 69 Marchmont Street, London, WC1N 1AP
- 71 Marchmont Street, London, WC1N 1AP
- 73 Marchmont Street, London, WC1N 1AP

Monument/Component Types

- TERRACE (19th Century - 1801 AD to 1806 AD)
- TERRACED HOUSE (19th Century - 1801 AD to 1806 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477490	CAMDEN TQ3082SW MARCHMONT STREET 798-1/95/1106 (West side) 14/05/74 Nos.39-73 (Odd) GV II Terrace of 18 houses with later shops. c1801-6. Yellow stock brick; Nos 45, 61 and 63 stucco. 4 storeys and cellars. 2 windows each. Mostly altered later C19 and C20 shopfronts. Gauged brick, (mostly reddened), flat arches to recessed sash windows, some with original glazing bars. Parapets. No.43: original wooden shopfront with pilasters and brackets carrying projecting cornice. Shop window altered. Round-arched house doorway with fluted jambs, lionhead stops, cornice-head, fanlight and panelled door. Shop doorway with fanlight and panelled door. No.45: architraved, recessed sash windows. Stucco cornice and blocking course. Nos 57 & 59: mid C19 wooden shopfronts with pilasters carrying entablature with dentil cornice flanked by enriched consoles. Shop window of No.59 with segmental-arched lights. Square-headed house doorways with overlights and panelled doors (No.57, C20). No.57 with wrought-iron sign bracket at 1st floor level. Nos 61 & 63:

recessed sash windows with architraves and cornices. Bracketed stucco cornices at 3rd floor. Nos 65-73: with enriched fascia consoles. No.69: with plaque "St. G.B. 1817". No.71: with plaque "S PP 1791". INTERIORS: not inspected. Listing NGR: TQ3013382376

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80736
Monument Type	Listed Building
Preferred Ref.	MLO80736
Name	55 Neal Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30107 81189 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEAL STREET 798-1/105/1182 (South West side) 15/01/73 No.55 GV II Former warehouse. Late C19. Red brick with terracotta and stone dressings. Flemish Baroque style. 4 storeys, 3 windows. Ground floor with plain, segmental-arched central doorway and segmental-arched windows to either side; door and glazing 20th century. Window bays separated by octagonal pilasters on stone corbels rising from the 1st floor to support a cornice, with quatrefoil band below, over the 3rd floor windows. Segmental arched sash windows with glazing bars; central bay with doors for goods hoist. Flemish gable with stone pinnacles and pointed arch blind window with intersecting tracery. INTERIOR: not inspected. Listing NGR: TQ3010781189

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Neal Street, London, WC2H 9PJ

Monument/Component Types

- WAREHOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477570	CAMDEN TQ3081SW NEAL STREET 798-1/105/1182 (South West side) 15/01/73 No.55 GV II Former warehouse. Late C19. Red brick with terracotta and stone dressings. Flemish Baroque style. 4 storeys, 3 windows. Ground floor with plain, segmental-arched central doorway and segmental-arched windows to either side; door and glazing C20. Window bays separated by octagonal pilasters on stone corbels rising from the 1st floor to support a cornice, with quatrefoil band below, over the 3rd floor windows. Segmental arched sash windows with glazing bars; central bay with doors for goods hoist. Flemish gable with stone pinnacles and pointed arch blind window with intersecting tracery. INTERIOR: not inspected. Listing NGR: TQ3010781189

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86010
Monument Type	Listed Building
Preferred Ref.	MLO86010
Name	56 Exmouth Market
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31318 82494 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description ISLINGTON TQ3182SW EXMOUTH MARKET 635-1/73/386 (South side) No.56 II Terraced house with shop. c.1820-1830; C19 shopfront with 20th century alterations. Multi-coloured stock brick set in Flemish bond, wooden shopfront; roof obscured by parapet, left party-wall brick stack. Shop plan to ground-floor; side-hall entrance plan with staircase to upper domestic floors. Four storeys; 2-window range. Shop with angled shop entrance to right set in deep recess and house entrance, also in recess, further to right. Ground-floor articulated by console-bracketed pilasters. Gauged-brick flat arches to upper 6/6 and 3/3 sashes; full-length sashes to 1st floor, windows decrease in height as they go up. Coping stone to plain parapet. History: Joseph Grimaldi, the most famous London clown, lived here from 1818 until 1828, the year of his retirement. From 1800 he had dominated the stage of nearby Sadler's Wells as the figure of Clown in the English harlequinade. His special historic importance is due to the fact that many of his innovations became distinctive characteristics of the pantomime clown. (The Cambridge Encyclopedia: Cambridge: 1990-: 526). Listing NGR: TQ3131882494

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 56 Exmouth Market, London, EC1R 4QE

Monument/Component Types

- SHOP (18th Century to 19th Century - 1800 AD to 1899 AD)
- TERRACE (19th Century - 1820 AD to 1830 AD)
- TERRACED HOUSE (19th Century - 1820 AD to 1830 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368886	ISLINGTON TQ3182SW EXMOUTH MARKET 635-1/73/386 (South side) No.56 II Terraced house with shop. c.1820-1830; C19 shopfront with C20 alterations. Multi-coloured stock brick set in Flemish bond, wooden shopfront; roof obscured by parapet, left party-wall brick stack. Shop plan to ground-floor; side-hall entrance plan with staircase to upper domestic floors. Four storeys; 2-window range. Shop with angled shop entrance to right set in deep recess and house entrance, also in recess, further to right. Ground-floor articulated by console-bracketed pilasters. Gauged-brick flat arches to upper 6/6 and 3/3 sashes; full-length sashes to 1st floor, windows decrease in height as they go up. Coping stone to plain parapet. History: Joseph Grimaldi, the most famous London clown, lived here from 1818 until 1828, the year of his retirement. From 1800 he had dominated the stage of nearby Sadler's Wells as the figure of Clown in the English harlequinade. His special historic importance is due to the fact that many of his innovations became distinctive characteristics of the pantomime clown. (The Cambridge Encyclopedia: Cambridge: 1990-: 526). Listing NGR: TQ3131882494

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79775
Monument Type	Listed Building
Preferred Ref.	MLO79775
Name	57 Endell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30172 81216 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW ENDELL STREET 798-1/105/383 (South West side) 15/01/73 Nos.51-59 (Odd) GV II 5 terraced houses with later shops. C18, altered mid 19th century. Stucco with stone cornice at 3rd floor level. 4 storeys and basements with 3 windows each (No.59 has 2 windows). Ground floor formerly with mid 19th century wooden shopfronts has pilasters carrying fascia-entablature with dentil cornice flanked by modified consoles: shop windows and doorways now altered, No.59 with a 20th century shopfront. Recessed sash windows, the 1st floor with console bracketed segmental pediments, the 2nd with architraves (No.51 has lost its pediments & architraves). Parapet. INTERIORS: No.55 with original staircase and panelling, and cornices and panelling to 1st and 2nd floor rooms. No.57 noted to have original staircase and panelling. 2nd floor with panelled rooms and cornice; cupboard in back room with arched head. Listing NGR: TQ3017281216

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 Endell Street, London, WC2H 9AJ
- 53 Endell Street, London, WC2H 9AJ
- 55 Endell Street, London, WC2H 9AJ
- 57 Endell Street, London, WC2H 9AJ
- 59 Endell Street, London, WC2H 9AJ

Monument/Component Types

- TERRACE (17th Century to 18th Century - 1700 AD to 1799 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1799 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477184	CAMDEN TQ3081SW ENDELL STREET 798-1/105/383 (South West side) 15/01/73 Nos.51-59 (Odd) GV II 5 terraced houses with later shops. C18, altered mid C19. Stucco with stone cornice at 3rd floor level. 4 storeys and basements with 3 windows each (No.59 has 2 windows). Ground floor formerly with mid C19 wooden shopfronts has pilasters carrying fascia-entablature with dentil cornice flanked by modified consoles: shop windows and doorways now altered, No.59 with a C20 shopfront. Recessed sash windows, the 1st floor with console bracketed segmental pediments, the 2nd with architraves (No.51 has lost its pediments & architraves). Parapet. INTERIORS: No.55 with original staircase and panelling, and cornices and panelling to 1st and 2nd floor rooms. No.57 noted to have original staircase and panelling. 2nd floor with panelled rooms and cornice; cupboard in back room with arched head. Listing NGR: TQ3017281216

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81495
Monument Type	Listed Building
Preferred Ref.	MLO81495
Name	57-60 Lincoln's Inn Fields
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30657 81322 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1059 (West side) 24/10/51 Nos.57 AND 58 (Formerly Listed as: LINCOLN'S INN FIELDS Nos.57-60 (Consecutive)) GV II* House. c1730 by Henry Joynes. Later additions and alterations. Stone facade with heavy rusticated ground floor. Slated mansard roof with dormers. 3 storeys, attic and basement. 5 windows. Semicircular porch with coupled Roman Doric columns in centre and 3/4 engaged columns at sides; an addition of 1795 probably by Sir John Soane. Double entrances form semi-circle and have fanlights and panelled doors. Iron balcony balustrade across 1st floor. Enriched architraves to windows; 1st floor with pulvinated frieze and pedimented cornice. Ionic pilasters through 1st and 2nd floor between windows and on flanks, and enriched entablature with pulvinated frieze and modillion cornice. Balustraded parapet. INTERIOR: square balusters to plain stone staircase. SUBSIDIARY FEATURES: stone balustrades flanking entrance and around areas. HISTORICAL NOTE: built as one house, divided into two by Sir John Soane, restored to one building c1909. (Survey of London: Vol. III, St Giles-in-the-Field, part 1: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3065781322

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 57-60 Lincoln's Inn Fields, London, WC2A 3LS
 - 57-60 Lincoln's Inn Fields, London, WC2A 3LS

Monument/Component Types

- HOUSE (Undated)
- BALUSTRADE (18th Century - 1710 AD to 1750 AD)
- HOUSE (18th Century - 1710 AD to 1750 AD)
- HOUSE (18th Century - 1795 AD)
- HOUSE (19th Century to Modern - 1899 AD to 1919 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478711	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1059 (West side) 24/10/51 Nos.57 AND 58 (Formerly Listed as: LINCOLN'S INN FIELDS Nos.57-60 (Consecutive)) GV II* House. c1730 by Henry Joynes. Later additions and alterations. Stone facade with heavy rusticated ground floor. Slated mansard roof with dormers. 3 storeys, attic and basement. 5 windows. Semicircular porch with coupled Roman Doric columns in centre and 3/4 engaged columns at sides; an addition of 1795 probably by Sir John Soane. Double entrances form semi-circle and have fanlights and panelled doors. Iron balcony balustrade across 1st floor. Enriched architraves to windows; 1st floor with pulvinated frieze and pedimented cornice. Ionic pilasters through 1st and 2nd floor between windows and on flanks, and enriched entablature with pulvinated frieze and modillion cornice. Balustraded parapet. INTERIOR: square balusters to plain stone staircase. SUBSIDIARY FEATURES: stone balustrades flanking entrance and around areas. HISTORICAL NOTE: built as one house, divided into two by Sir John Soane, restored to one building c1909. (Survey of London: Vol. III, St Giles-in-the-Field, part 1: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3065781322

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81436
Monument Type	Listed Building
Preferred Ref.	MLO81436
Name	59 Lamb's Conduit Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30606 82030 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1008 (West side) 07/01/87 No.59 GV II Terraced house with later shop. 1702/3, refronted early C19. Yellow stock brick. 4 storeys and basement. 2 windows. Late C19 wooden shopfront with elaborate consoles and cornice. Fascia and shopwindow 20th century. Square-headed 20th century house doorway. Gauged brick flat arches to 20th century recessed 2-pane sashes; 1st floor in shallow, round-headed recesses linked by impost bands. Stucco cornice at 3rd floor level. Parapet. INTERIOR: retains original features including timber panelling, box cornices and original staircase with barley-sugar twist balusters and column newel posts. Listing NGR: TQ3060682030

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 Lamb's Conduit Street, London, WC1N 3NB

Monument/Component Types

- TERRACED HOUSE (18th Century - 1702 AD to 1703 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478641	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1008 (West side) 07/01/87 No.59 GV II Terraced house with later shop. 1702/3, refronted early C19. Yellow stock brick. 4 storeys and basement. 2 windows. Late C19 wooden shopfront with elaborate consoles and cornice. Fascia and shopwindow C20. Square-headed C20 house doorway. Gauged brick flat arches to C20 recessed 2-pane sashes; 1st floor in shallow, round-headed recesses linked by impost bands. Stucco cornice at 3rd floor level. Parapet. INTERIOR: retains original features including timber panelling, box cornices and original staircase with barley-sugar twist balusters and column newel posts. Listing NGR: TQ3060682030

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80484
Monument Type	Listed Building
Preferred Ref.	MLO80484
Name	59 St. Giles High Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29918 81295 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1508 (South side) 10/08/89 No.59 II Terraced house and shop, now house and restaurant. Early C19. Flemish bond brick. Slate mansard roof with brick end stack. 4 storeys 2 windows. Mid 20th century shop windows set in mid C19 architrave with pilasters to bracketed cornice and glazing bars; panelled door with overlight to right. Gauged brick flat arches to 1st floor plate glass sashes set in semicircular arched recesses linked by stone imposts; 1st floor, gauged brick flat arches to 12-pane sashes; 2nd floor, 9-pane sashes with wide continuous band beneath sills. Pear-drop dentils to cornice. INTERIOR: has stick baluster staircase and some cornices. Listing NGR: TQ2991881295

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 St. Giles High Street, London, WC2H 8LH

Monument/Component Types

- RESTAURANT (Undated)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477938	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1508 (South side) 10/08/89 No.59 II Terraced house and shop, now house and restaurant. Early C19. Flemish bond brick. Slate mansard roof with brick end stack. 4 storeys 2 windows. Mid C20 shop windows set in mid C19 architrave with pilasters to bracketed cornice and glazing bars; panelled door with overlight to right. Gauged brick flat arches to 1st floor plate glass sashes set in semicircular arched recesses linked by stone imposts; 1st floor, gauged brick flat arches to 12-pane sashes; 2nd floor, 9-pane sashes with wide continuous band beneath sills. Pear-drop dentils to cornice. INTERIOR: has stick baluster staircase and some cornices. Listing NGR: TQ2991881295

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79860
Monument Type	Listed Building
Preferred Ref.	MLO79860
Name	6 Flitcroft Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29929 81233 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE FLITCROFT STREET 798-1/104/482 (West side) 22/01/91 No.6 GV II Warehouse, now in use as open-plan offices. c1850, much rebuilt and refronted c1881. Yellow and red brick. Roof probably tiled with central ridge lantern but all felted over. EXTERIOR: 4 storeys and basement. 6 windows. Slanting corner site. Two entrances at right, that at angle flanked by brick pilasters supporting a lugged panel; 20th century panelled door surrounded by glass. To left, segmental-arched opening with 20th century double panelled doors and overlight. Later large ground floor window opening with plain cornice and further entrance; glazing altered. 1st floor transom and mullion windows in shallow segmental-arched recesses linked by moulded red brick impost bands; that at right hand angle above entrance, square headed with projecting wooden box cornice on moulded brick corbels. The window next to it with a shaped cut brick apron. Moulded red brick dentil cornice at 2nd floor level; transom and mullion 2nd floor windows with segmental heads. Moulded red brick cornice at 3rd floor sill level; windows small, square-headed and paired, those in 2nd right hand bay forming part of a projecting gable dormer with stepped brick sill brackets and small square window above. Cornice and blocking course. INTERIOR: plain with cast-iron columns having winged capitals supporting floors. Complex queen post timber roof structure. HISTORICAL NOTE: known to have been used by a tin box manufacturer in the late 19th century. An unusual survival of a warehouse in this part of London, No.6 forms a group with a further warehouse, No.12 Flitcroft Street, (qv). Listing NGR: TQ2992981233

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Flitcroft Street, London, WC2H 8DJ

Monument/Component Types

- OFFICE (Undated)
- WAREHOUSE (19th Century - 1830 AD to 1870 AD)
- METAL WORKERS WORKSHOP (19th Century - 1867 AD to 1899 AD)
- WAREHOUSE (19th Century to Modern - 1871 AD to 1901 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477340	CAMDEN TQ2981SE FLITCROFT STREET 798-1/104/482 (West side) 22/01/91 No.6 GV II Warehouse, now in use as open-plan offices. c1850, much rebuilt and refronted c1881. Yellow and red brick. Roof probably tiled with central ridge lantern but all felted over. EXTERIOR: 4 storeys and basement. 6 windows. Slanting corner site. Two entrances at right, that at angle flanked by brick pilasters supporting a lugged panel; C20 panelled door surrounded by glass. To left, segmental-arched opening with C20 double panelled doors and overlight. Later large ground floor window opening with plain cornice and further entrance; glazing altered. 1st floor transom and mullion windows in shallow segmental-arched recesses linked by moulded red brick impost bands; that at right hand angle above entrance, square headed with projecting wooden box cornice on moulded brick corbels. The window next to it with a shaped cut brick apron. Moulded red brick dentil cornice at 2nd floor level; transom and mullion 2nd floor windows with segmental heads. Moulded red brick cornice at 3rd floor sill level; windows small, square-headed and paired, those in 2nd right hand bay forming part of a projecting gable dormer with stepped brick sill brackets and small square window above. Cornice and blocking course. INTERIOR: plain with cast-iron columns having winged capitals supporting floors. Complex queen post timber roof structure. HISTORICAL NOTE: known to have been used by a tin box manufacturer in the late C19. An unusual survival of a warehouse in this part of London, No.6 forms a group with a further warehouse, No.12 Flitcroft Street, (qv). Listing NGR: TQ2992981233

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94496
Monument Type	Listed Building
Preferred Ref.	MLO94496
Name	6 Langley Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30179 81051 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	A brewery is known on this site from 1777. The brewery operated from 1811 to 1866 as part of the firm of Watney, Combe, Reid and Co. Ltd. The buildings forming numbers 7 and 8 Langley Street - included that Listed in 1973 - were built in the early 19th century and, being basemented, may have led to the destruction of previous archaeological remains on the site. (1)

Sources

Number	Reference
SLO78954	Unpublished document: Museum of London Archaeology Service. 2007. 7A Langley Street, Convent Garden, London, WC2, City of Westminster, WC2: archaeological desk based assessment, [An archaeological desk based assessment was undertaken by the Museum of London Archaeology Service for Kohn Pedersen Fox Associates (International) on behalf of the Mercer's Company during July 2007. Work was carried out in advance of proposed developme

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 6 Langley Street, London, WC2H 9JA

Monument/Component Types

- BREWERY (18th Century to 19th Century - 1800 AD to 1832 AD)
- WAREHOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- WAREHOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	413722	TQ 3081 SW CITY OF WESTMINSTER LANGLEY STREET, WC2 59/18 15.1.73 Nos 7 and 8 G.V. II Warehouse. Early C19, originally part of brewery complex. Yellow stock brick, slate roof. 4 main storeys. 5 bays wide, including 2 hoist bays. Ground floor with later C20 altered doorways but retaining segmental arched windows with good cast iron grill. 1st and 2nd floor segmental arched windows set in semicircular arched through storey recesses. Wooden projecting hoist-hoods to 3rd attic-floor. Brick plat band over ground floor. Main brick entablature over 2nd floor; stucco cornice and blocking course to attic. Rear elevation to former brewery yard is symmetrical, 3 windows wide. Ground floor entrance with cast iron Greek Doric columns carrying cast iron lintel. Windows through 1st to 3rd floors set in semicircular arched recesses. Rare survival of warehousing of this quality and date since demolition in Dockland. See also Nos 24 and 26 Shelton Street, part of the same complex. Listing NGR: TQ3017981051

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
ELO7568	Langley Street (No. 7A), Covent Garden: archaeological desk based assessment	An archaeological desk based assessment was undertaken by the Museum of London Archaeology Service for Kohn Pedersen Fox Associate ...

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97234
Monument Type	Listed Building
Preferred Ref.	MLO97234
Name	6 Langley Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30202 81038 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER LANGLEY STREET, WC2 59/19 15.1.73 No 6 G.V. II Warehouse. Early C19, originally part of brewery complex. Yellow stock brick, slate roof. 5 storeys. 4 windows wide. Ground floor altered later 20th century with doorways and display windows. Upper floors have segmental gauged arch windows in through-storey recesses. Brick plat band to 1st floor and main brick cornice over 2nd floor; 2-storey attic with parapet coping. Rare survival of warehousing of this quality and date since demolition in Dockland. Listing NGR: TQ3020281038

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 6 Langley Street, London, WC2H 9JA

Monument/Component Types

- BREWERY (18th Century to 19th Century - 1800 AD to 1832 AD)
- WAREHOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (Modern - 1967 AD to 1999 AD)
- WAREHOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	413721	TQ 3081 SW CITY OF WESTMINSTER LANGLEY STREET, WC2 59/19 15.1.73 No 6 G.V. II Warehouse. Early C19, originally part of brewery complex. Yellow stock brick, slate roof. 5 storeys. 4 windows wide. Ground floor altered later C20 with doorways and display windows. Upper floors have segmental gauged arch windows in through-storey recesses. Brick plat band to 1st floor and main brick cornice over 2nd floor; 2-storey attic with parapet coping. Rare survival of warehousing of this quality and date since demolition in Dockland. Listing NGR: TQ3020281038

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81449
Monument Type	Listed Building
Preferred Ref.	MLO81449
Name	6 Leigh Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30135 82482 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW LEIGH STREET 798-1/95/1020 (South side) 14/05/74 Nos.4-8 (Consecutive) (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 5 terraced houses with later shops. c1810-13. Built by J Payne. Yellow stock brick with extensive refacing. 4 storeys and cellars. 2 windows each. No.5, wooden shopfront with pilasters carrying projecting entablature with rounded ends and projecting cornice; altered shop window and doorway; square-headed house doorway with overlight having margin lights and panelled door. Nos 4, 6, 7 & 8 with altered later C19 and 20th century shopfronts. Gauged brick flat arches to recessed sash windows. Parapets. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3013582482

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 4 Leigh Street, London, WC1H 9EW
- 4 Leigh Street, London, WC1H 9EW
- 5 Leigh Street, London, WC1H 9EW
- 6 Leigh Street, London, WC1H 9EW
- 7-8 Leigh Street, London, WC1H 9EW
- 7-8 Leigh Street, London, WC1H 9EW

Monument/Component Types

- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- HOUSE (19th Century to Unknown - 1814 AD)
- SHOP (19th Century to Unknown - 1814 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478654	CAMDEN TQ3082SW LEIGH STREET 798-1/95/1020 (South side) 14/05/74 Nos.4-8 (Consecutive) (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 5 terraced houses with later shops. c1810-13. Built by J Payne. Yellow stock brick with extensive refacing. 4 storeys and cellars. 2 windows each. No.5, wooden shopfront with pilasters carrying projecting entablature with rounded ends and projecting cornice; altered shop window and doorway; square-headed house doorway with overlight having margin lights and panelled door. Nos 4, 6, 7 & 8 with altered later C19 and C20 shopfronts. Gauged brick flat arches to recessed sash windows. Parapets. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3013582482

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95083
Monument Type	Listed Building
Preferred Ref.	MLO95083
Name	6 Mercer Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30176 80999 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NW and 3081 SW CITY OF WESTMINSTER MERCER STREET, WC2 59/23; 72/2 Nos. 6 and 8 G.V. II Artisans' dwellings. c.1908, built by the Mercers' Company Estate. Ceramic red brick with rubbed red brick and stone dressings, slate roof. Free Style "Wrenaissance" with good detailing. 3 storeys, basement and dormered mansard. 5 windows wide with 2 storey semicircular arched through way to right. Central staircase doorway in stone Gibbs surround with lush consoles to scrolled open pediment framing cartouche-key. Flush framed segmental arched glazing bar sashes and, in left hand bay, a shallow through-storey canted bay recessed in splayed reveal opening with glazing bar sash lights. Above the entrance the partially open staircase rising into attic is made more of a feature than usual with enriched stone framed oeil-de-boeuf on 1st floor and the opening through 2nd floor and attic with rubbed brick dressings swelling into Tuscan reveal-columns. Stone frieze and bracketed cornice. Spear head area railings. Listing NGR: TQ3017680999

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 6 Mercer Street, London, WC2H 9QA

- 6 Mercer Street, London, WC2H 9QA

Monument/Component Types

- HOUSE (19th Century to Modern - 1898 AD to 1918 AD)
- RAILINGS (19th Century to Unknown - 1898 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	418110	TQ 3080 NW and 3081 SW CITY OF WESTMINSTER MERCER STREET, WC2 59/23; 72/2 Nos. 6 and 8 G.V. II Artisans' dwellings. c.1908, built by the Mercers' Company Estate. Ceramic red brick with rubbed red brick and stone dressings, slate roof. Free Style "Wrenaissance" with good detailing. 3 storeys, basement and dormered mansard. 5 windows wide with 2 storey semicircular arched through way to right. Central staircase doorway in stone Gibbs surround with lush consoles to scrolled open pediment framing cartouche-key. Flush framed segmental arched glazing bar sashes and, in left hand bay, a shallow through-storey canted bay recessed in splayed reveal opening with glazing bar sash lights. Above the entrance the partially open staircase rising into attic is made more of a feature than usual with enriched stone framed oeil-de-boeuf on 1st floor and the opening through 2nd floor and attic with rubbed brick dressings swelling into Tuscan reveal-columns. Stone frieze and bracketed cornice. Spear head area railings. Listing NGR: TQ3017680999

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97552
Monument Type	Listed Building
Preferred Ref.	MLO97552
Name	6 Mercer Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30146 80983 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NW CITY OF WESTMINSTER MERCER STREET, WC2 72/1 Nos. 3 and 5 G.V. II Artisans' dwellings. c.1905, built by the Mercers' Company Estate. Dark red ceramic brick, some red brick and stone dressings, slate roof. Free Style "Wrenaissance" but with more pronounced Baroque details to stonework. 3 storeys and dormered mansard. 8 windows wide. 2 staircase entrances flank the centre pair of window bays, stone architraved doorways with bold segmental open pediments framing large cartouche-keys sculpted with Mercers' Company Queen's head emblem; oculus with red brick dressings and stone key above each doorway; the open staircases above made more of a feature than usual rising through eaves with attic and stone dressed, each finished off with semicircular arch with large key reaching up into segmental open pediment with swag ornament. The 2 central window bays and those flanking staircases have shallow canted bays with glazing bar sashes recessed in splayed reveals under coppered, lion-head studded lintels; the outer window bays have flush framed glazing bar sashes under flat gauged red brick arches. Listing NGR: TQ3014680983

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 6 Mercer Street, London, WC2H 9QA

Monument/Component Types

- HOUSE (19th Century to Modern - 1895 AD to 1915 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	418224	TQ 3080 NW CITY OF WESTMINSTER MERCER STREET, WC2 72/1 Nos. 3 and 5 G.V. II Artisans' dwellings. c.1905, built by the Mercers' Company Estate. Dark red ceramic brick, some red brick and stone dressings, slate roof. Free Style "Wrenaissance" but with more pronounced Baroque details to stonework. 3 storeys and dormered mansard. 8 windows wide. 2 staircase entrances flank the centre pair of window bays, stone architraved doorways with bold segmental open pediments framing large cartouche-keys sculpted with Mercers' Company Queen's head emblem; oculus with red brick dressings and stone key above each doorway; the open staircases above made more of a feature than usual rising through eaves with attic and stone dressed, each finished off with semicircular arch with large key reaching up into segmental open pediment with swag ornament. The 2 central window bays and those flanking staircases have shallow canted bays with glazing bar sashes recessed in splayed reveals under coppered, lion-head studded lintels; the outer window bays have flush framed glazing bar sashes under flat gauged red brick arches. Listing NGR: TQ3014680983

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79925
Monument Type	Listed Building
Preferred Ref.	MLO79925
Name	6 Shorts Gardens
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30090 81103 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW SHORT'S GARDENS 798-1/105/1438 (South side) 15/01/73 Nos.4 AND 6 GV II Pair of terraced houses with later shops. Early/mid 19th century. Multi-coloured stock brick. 4 storeys and cellars. No.4 has 3 windows, No.3 has 2 windows. Mid 19th century shopfronts with entablature flanked by carved console brackets. Shop window to No.4 altered. Gauged brick flat arches to recessed sash windows. Parapets. INTERIORS: not inspected. Listing NGR: TQ3009081103

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 4 Shorts Gardens, London, WC2H 9AU
- 4 Shorts Gardens, London, WC2H 9AU
- 6 Shorts Gardens, London, WC2H 9AU

Monument/Component Types

- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1866 AD)
- SHOP (19th Century - 1833 AD to 1867 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477998	CAMDEN TQ3081SW SHORT'S GARDENS 798-1/105/1438 (South side) 15/01/73 Nos.4 AND 6 GV II Pair of terraced houses with later shops. Early/mid C19. Multi-coloured stock brick. 4 storeys and cellars. No.4 has 3 windows, No.3 has 2 windows. Mid C19 shopfronts with entablature flanked by carved console brackets. Shop window to No.4 altered. Gauged brick flat arches to recessed sash windows. Parapets. INTERIORS: not inspected. Listing NGR: TQ3009081103

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80338
Monument Type	Listed Building
Preferred Ref.	MLO80338
Name	60 Carey Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31065 81274 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181SW CAREY STREET 798-1/107/176 (North side) 24/10/51 No.60 II* House. Early C18, with later internal alterations. Multi-coloured stock brick with red brick dressings. Brick cornice below parapet and moulded bands at 1st and 2nd floor level. 3 storeys and basement. Double-fronted with 6 windows. Wood doorcase with slender Doric columns, triglyph frieze and mutule cornice. Red brick segmental arches and dressings to recessed windows with exposed boxing, late C18 sashes and wood shutters to ground floor. Elaborate lead rainwater head and pipe. INTERIOR: not inspected but noted to contain paintings on panelled soffit of stairs; enriched architraves and doors; turned balusters with fluting and fluted column newels; scroll enrichment on plaster walls and ceiling; carved marble fireplace in ground floor back room and 1st floor front (centre) and back rooms. Listing NGR: TQ3106581274

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 60 Carey Street, London, WC2A 2JB

Monument/Component Types

- HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476855	CAMDEN TQ3181SW CAREY STREET 798-1/107/176 (North side) 24/10/51 No.60 II* House. Early C18, with later internal alterations. Multi-coloured stock brick with red brick dressings. Brick cornice below parapet and moulded bands at 1st and 2nd floor level. 3 storeys and basement. Double-fronted with 6 windows. Wood doorcase with slender Doric columns, triglyph frieze and mutule cornice. Red brick segmental arches and dressings to recessed windows with exposed boxing, late C18 sashes and wood shutters to ground floor. Elaborate lead rainwater head and pipe. INTERIOR: not inspected but noted to contain paintings on panelled soffit of stairs; enriched architraves and doors; turned balusters with fluting and fluted column newels; scroll enrichment on plaster walls and ceiling; carved marble fireplace in ground floor back room and 1st floor front (centre) and back rooms. Listing NGR: TQ3106581274

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80737
Monument Type	Listed Building
Preferred Ref.	MLO80737
Name	61 Neal Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30097 81203 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEAL STREET 798-1/105/1183 (South West side) 15/01/73 No.61 GV II Terraced house with later shop. C18 later, altered. Stucco with hipped, slated roof and dormer. 3 storeys and attic. 2 windows. 20th century wooden shopfront; house doorway to left with fanlight. Architraved sash windows and plain band at 2nd floor level. 20th century cement parapet with cornice below. INTERIOR: not inspected. Listing NGR: TQ3009781203

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 61 Neal Street, London, WC2H 9PJ

Monument/Component Types

- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477571	CAMDEN TQ3081SW NEAL STREET 798-1/105/1183 (South West side) 15/01/73 No.61 GV II Terraced house with later shop. C18 later, altered. Stucco with hipped, slated roof and dormer. 3 storeys and attic. 2 windows. C20 wooden shopfront; house doorway to left with fanlight. Architraved sash windows and plain band at 2nd floor level. C20 cement parapet with cornice below. INTERIOR: not inspected. Listing NGR: TQ3009781203

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80764
Monument Type	Listed Building
Preferred Ref.	MLO80764
Name	61-63 Monmouth Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30068 81030 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1141 (East side) 15/01/73 No.61 GV II Terraced house with later shop. 1699, built by S Chase, altered early C19 and 1978-85 by Terry Farrell as part of refurbishment of Comyn Ching triangle. Brown brick with tiled mansard roof behind added C18 parapet. Brick bands below parapet and at 2nd floor level. 2 windows and 1 blind half-window. Shopfront renewed or perhaps restored by Farrell following early C19 design. To 1st and 2nd floor gauged flat red brick arches to sash windows with slightly recessed frames and exposed boxing. Rear elevation restored as part of Ching Court development by Farrell. INTERIOR: not inspected. Listing NGR: TQ3006881030

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 61-63 Monmouth Street, London, WC2H 9DG

Monument/Component Types

- TERRACED HOUSE (17th Century - 1699 AD)
- HOUSE (17th Century to 18th Century - 1700 AD to 1799 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (Modern - 1978 AD to 1985 AD)
- SHOP (Modern - 1978 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477529	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1141 (East side) 15/01/73 No.61 GV II Terraced house with later shop. 1699, built by S Chase, altered early C19 and 1978-85 by Terry Farrell as part of refurbishment of Comyn Ching triangle. Brown brick with tiled mansard roof behind added C18 parapet. Brick bands below parapet and at 2nd floor level. 2 windows and 1 blind half-window. Shopfront renewed or perhaps restored by Farrell following early C19 design. To 1st and 2nd floor gauged flat red brick arches to sash windows with slightly recessed frames and exposed boxing. Rear elevation restored as part of Ching Court development by Farrell. INTERIOR: not inspected. Listing NGR: TQ3006881030

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80765
Monument Type	Listed Building
Preferred Ref.	MLO80765
Name	61-63 Monmouth Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30068 81030 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1142 (East side) 15/01/73 No.63 (Formerly Listed as: MONMOUTH STREET Nos.63-71 (Odd)) GV II Terraced house with later shop. Late C17, altered mid C19 and in 1978-85 by Terry Farrell as part of Comyn Ching triangle development. Yellow stock brick under tiled mansard roof with dormer. 3 storeys and attic. 2 windows. 20th century reproduction shopfront by Farrell. Gauged segmental arches to recessed sash windows. Rear elevation remodelled as part of Ching Court office development 1978-85 by Farrell. Parapet. INTERIOR: not inspected. Listing NGR: TQ3006881030

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 61-63 Monmouth Street, London, WC2H 9DG

Monument/Component Types

- TERRACED HOUSE (17th Century - 1667 AD to 1699 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- OFFICE (Modern - 1978 AD to 1985 AD)
- SHOP (Modern - 1978 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477530	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1142 (East side) 15/01/73 No.63 (Formerly Listed as: MONMOUTH STREET Nos.63-71 (Odd)) GV II Terraced house with later shop. Late C17, altered mid C19 and in 1978-85 by Terry Farrell as part of Comyn Ching triangle development. Yellow stock brick under tiled mansard roof with dormer. 3 storeys and attic. 2 windows. C20 reproduction shopfront by Farrell. Gauged segmental arches to recessed sash windows. Rear elevation remodelled as part of Ching Court office development 1978-85 by Farrell. Parapet. INTERIOR: not inspected. Listing NGR: TQ3006881030

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81328
Monument Type	Listed Building
Preferred Ref.	MLO81328
Name	63 Judd Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30216 82532 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW JUDD STREET 798-1/90/946 (West side) 14/05/74 Nos.61 AND 63 II 2 terraced houses with later shops. c1808-11. By James Burton. Multi-coloured stock brick. 4 storeys. 2 windows each. No.61: wooden shopfront with Corinthian columns carrying inswept entablature with dentil cornice. 20th century "Regency" window and shop door. Square-headed house doorway with cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapet. No.63: 20th century "Regency" shopfront with C19 modillion cornice, left hand side with the bottom half of a herm type console. Centrally placed at 1st floor level a free-standing group of stone figures with a cornucopia. Stucco architraves to recessed sashes, 1st floor with console bracketed cornices with enriched friezes and later triangular pediments. Parapet. INTERIORS: retain some original features. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 84). Listing NGR: TQ3021682532

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 63 Judd Street, London, WC1H 9QT

- 63 Judd Street, London, WC1H 9QT

Monument/Component Types

- TERRACED HOUSE (19th Century - 1808 AD to 1811 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478526	CAMDEN TQ3082NW JUDD STREET 798-1/90/946 (West side) 14/05/74 Nos.61 AND 63 II 2 terraced houses with later shops. c1808-11. By James Burton. Multi-coloured stock brick. 4 storeys. 2 windows each. No.61: wooden shopfront with Corinthian columns carrying inswept entablature with dentil cornice. C20 "Regency" window and shop door. Square-headed house doorway with cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapet. No.63: C20 "Regency" shopfront with C19 modillion cornice, left hand side with the bottom half of a herm type console. Centrally placed at 1st floor level a free-standing group of stone figures with a cornucopia. Stucco architraves to recessed sashes, 1st floor with console bracketed cornices with enriched friezes and later triangular pediments. Parapet. INTERIORS: retain some original features. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 84). Listing NGR: TQ3021682532

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80738
Monument Type Listed Building
Preferred Ref. MLO80738
Name 64 Neal Street
Map Sheet TQ38SW

Grid References Centre Point: TQ 30127 81204 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW NEAL STREET 798-1/105/1184 (North East side) 15/01/73 No.64 GV II Terraced house with later shop. c1695, restored C19 and 20th century. Multi-coloured stock brick with tuck pointed band at 2nd floor level. Tiled mansard roof with dormer. 3 storeys 2 windows. Early C19 wooden shopfront of pilasters carrying entablature with projecting cornice. Shop windows altered in 20th century. House doorway with fanlight and panelled door. Elaborate mid C19 cast-iron shop sign bracket. Gauged red brick flat arches to flush sash windows with exposed boxing (20th century reproduction). Parapet. Rear elevation with early C18 segmental-arched sash windows, 2 with original exposed boxing and glazing bars. INTERIOR: has good panelling with C18 fireplaces. Some L hinges. Good dog-leg staircase with closed string, column newels and turned balusters. Listing NGR: TQ3012781204

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 64 Neal Street, London, WC2H 9PA

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1675 AD to 1715 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title
Listed Building (II)	477572

Description

CAMDEN TQ3081SW NEAL STREET 798-1/105/1184 (North East side) 15/01/73 No.64 GV II Terraced house with later shop. c1695, restored C19 and C20. Multi-coloured stock brick with tuck pointed band at 2nd floor level. Tiled mansard roof with dormer. 3 storeys 2 windows. Early C19 wooden shopfront of pilasters carrying entablature with projecting cornice. Shop windows altered in C20. House doorway with fanlight and panelled door. Elaborate mid C19 cast-iron shop sign bracket. Gauged red brick flat arches to flush sash windows with exposed boxing (C20 reproduction). Parapet. Rear elevation with early C18 segmental-arched sash windows, 2 with original exposed boxing and glazing bars. INTERIOR: has good panelling with C18 fireplaces. Some L hinges. Good dog-leg staircase with closed string, column newels and turned balusters. Listing NGR: TQ3012781204

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79777
Monument Type	Listed Building
Preferred Ref.	MLO79777
Name	65 Endell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30138 81242 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW ENDELL STREET 798-1/105/385 (South West side) 15/01/73 Nos.63-69 (Odd) GV II 4 terraced houses with later shops. C18. Multi-coloured stock brick with stone cornice at 3rd floor level; No.63 has painted brickwork. 4 storeys and 2 windows each. Later 19th century shopfronts, partly altered, No.67 being 20th century. Gauged flat red brick arches to recessed sash windows with original glazing bars. Parapet. INTERIORS: not inspected. Listing NGR: TQ3013881242

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Endell Street, London, WC2H 9AJ
 - 69 Endell Street, London, WC2H 9AJ
 - 69 Endell Street, London, WC2H 9AJ

Monument/Component Types

- TERRACE (17th Century to 18th Century - 1700 AD to 1799 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1799 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477186	CAMDEN TQ3081SW ENDELL STREET 798-1/105/385 (South West side) 15/01/73 Nos.63-69 (Odd) GV II 4 terraced houses with later shops. C18. Multi-coloured stock brick with stone cornice at 3rd floor level; No.63 has painted brickwork. 4 storeys and 2 windows each. Later C19 shopfronts, partly altered, No.67 being C20. Gauged flat red brick arches to recessed sash windows with original glazing bars. Parapet. INTERIORS: not inspected. Listing NGR: TQ3013881242

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80052
Monument Type	Listed Building
Preferred Ref.	MLO80052
Name	65 Gray's Inn Road
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30916 82094 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/644 (West side) Nos.63-69 (Odd) GV II 4 terraced houses with later shops. c1791, altered. Multi-coloured stock brick with some patching and refacing. Slated mansard roofs with dormers. 3 storeys, attics and basements. Later 20th century shopfronts. Upper floors have gauged brick flat arches to recessed sashes; 1st floor set in shallow round-arched recesses linked by stucco impost bands. Parapets, Nos 63-67 with brick cornices below. INTERIORS: not inspected but likely to be of interest. Listing NGR: TQ3091682094

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 63 Gray's Inn Road, London, WC1X 8TL
 - 65 Gray's Inn Road, London, WC1X 8TL
 - 67 Gray's Inn Road, London, WC1X 8TL
 - 69 Gray's Inn Road, London, WC1X 8TP
 - 69 Gray's Inn Road, London, WC1X 8TP

Monument/Component Types

- TERRACED HOUSE (18th Century to 19th Century - 1771 AD to 1811 AD)
- SHOP (19th Century to Unknown - 1812 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477477	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/644 (West side) Nos.63-69 (Odd) GV II 4 terraced houses with later shops. c1791, altered. Multi-coloured stock brick with some patching and refacing. Slated mansard roofs with dormers. 3 storeys, attics and basements. Later C20 shopfronts. Upper floors have gauged brick flat arches to recessed sashes; 1st floor set in shallow round-arched recesses linked by stucco impost bands. Parapets, Nos 63-67 with brick cornices below. INTERIORS: not inspected but likely to be of interest. Listing NGR: TQ3091682094

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81421
Monument Type	Listed Building
Preferred Ref.	MLO81421
Name	65 Kingsway
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30612 81356 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE KINGSWAY 798-1/106/993 (East side) 14/05/74 Nos.40 AND 42 (Formerly Listed as: KINGSWAY Nos.40 AND 42 Redland House) GV II Office block. 1908-9. With facade and hall by Edwin Lutyens, and plan by Pilditch and Company. Portland stone with rusticated ground, 1st and 2nd floor. Modified Classical style. 6 storeys and attic. Double fronted with 3 windows. Square-headed ground floor openings flanked by distyle-in-antis Greek Doric order pilasters rising through ground and 1st floor. All windows casements with leaded panes except the ground floor which has plate glass. Left hand entrance with head on keystone; right entrance replaced by a window. 2nd floor windows with vertically set sidelights. Architraved 3rd and 4th floor windows. Entablature with modillion cornice at 5th floor level. 5th floor windows with voussoirs and flanked by enriched pilasters carrying secondary cornice below balustraded parapet. Pediment flanked by chimney-stacks. INTERIOR: not inspected but noted to contain a vaulted hall. HISTORICAL NOTE: built for William Robinson, proprietor of 'The Garden'. Listing NGR: TQ3061281356

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- OFFICE (Modern - 1908 AD to 1909 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478626	CAMDEN TQ3081SE KINGSWAY 798-1/106/993 (East side) 14/05/74 Nos.40 AND 42 (Formerly Listed as: KINGSWAY Nos.40 AND 42 Redland House) GV II Office block. 1908-9. With facade and hall by Edwin Lutyens, and plan by Pilditch and Company. Portland stone with rusticated ground, 1st and 2nd floor. Modified Classical style. 6 storeys and attic. Double fronted with 3 windows. Square-headed ground floor openings flanked by distyle-in-antis Greek Doric order pilasters rising through ground and 1st floor. All windows casements with leaded panes except the ground floor which has plate glass. Left hand entrance with head on keystone; right entrance replaced by a window. 2nd floor windows with vertically set sidelights. Architraved 3rd and 4th floor windows. Entablature with modillion cornice at 5th floor level. 5th floor windows with voussoirs and flanked by enriched pilasters carrying secondary cornice below balustraded parapet. Pediment flanked by chimney-stacks. INTERIOR: not inspected but noted to contain a vaulted hall. HISTORICAL NOTE: built for William Robinson, proprietor of 'The Garden'. Listing NGR: TQ3061281356

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80396
Monument Type	Listed Building
Preferred Ref.	MLO80396
Name	65 Southampton Row
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30362 81789 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY PLACE 798-1/100/96 (North side) 28/02/69 Nos.1-5 (Consecutive) and attached railings II Includes: No.65 SOUTHAMPTON ROW. 5 terraced houses. Late C17, refronted 1857-62 possibly by Searle & Trehearne. Stucco with rusticated ground floor with band above. 4 storeys and basements. 3 windows each. Each house treated as a bay with paired rusticated pilasters rising through ground, 1st and 2nd floors and extending as panelled pilasters through 3rd floor. Entrances with consoles, pulvinated friezes, cornices; square-headed fanlights and panelled doors. Recessed sash windows; 1st floor with consoles, bracketed cornice and cast-iron window-box guards; 2nd and 3rd floor with architraves. 3rd floor with pulvinated frieze and cornice. Bracketed cornice at 3rd floor. Cornice and blocking course. INTERIORS: No 3, some panelling and turned balusters to stairs. No.4, panelled staircase and square balusters and shaped ends to stairs. SUBSIDIARY FEATURES: attached cast-iron railings. HISTORICAL NOTE: No.4 was the home of Sir Hans Sloane (GLC plaque). No.65 Southampton Row forms part of No.1 Bloomsbury Place with 3 window return (all blank) and double entrance. CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/96 No.65 28/02/69 II See under: Nos.1-5 and attached railings BLOOMSBURY PLACE. Listing NGR: TQ3036281789

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Southampton Row, London, WC1B 4ET

Monument/Component Types

- RAILINGS (17th Century - 1667 AD to 1699 AD)
- TERRACE (17th Century - 1667 AD to 1699 AD)
- TERRACED HOUSE (17th Century - 1667 AD to 1699 AD)
- HOUSE (19th Century - 1857 AD to 1862 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476723	CAMDEN TQ3081NW BLOOMSBURY PLACE 798-1/100/96 (North side) 28/02/69 Nos.1-5 (Consecutive) and attached railings II Includes: No.65 SOUTHAMPTON ROW. 5 terraced houses. Late C17, refronted 1857-62 possibly by Searle & Trehearne. Stucco with rusticated ground floor with band above. 4 storeys and basements. 3 windows each. Each house treated as a bay with paired rusticated pilasters rising through ground, 1st and 2nd floors and extending as panelled pilasters through 3rd floor. Entrances with consoles, pulvinated friezes, cornices; square-headed fanlights and panelled doors. Recessed sash windows; 1st floor with consoles, bracketed cornice and cast-iron window-box guards; 2nd and 3rd floor with architraves. 3rd floor with pulvinated frieze and cornice. Bracketed cornice at 3rd floor. Cornice and blocking course. INTERIORS: No 3, some panelling and turned balusters to stairs. No.4, panelled staircase and square balusters and shaped ends to stairs. SUBSIDIARY FEATURES: attached cast-iron railings. HISTORICAL NOTE: No.4 was the home of Sir Hans Sloane (GLC plaque). No.65 Southampton Row forms part of No.1 Bloomsbury Place with 3 window return (all blank) and double entrance. CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/96 No.65 28/02/69 II See under: Nos.1-5 and attached railings BLOOMSBURY PLACE. Listing NGR: TQ3036281789

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81491
Monument Type	Listed Building
Preferred Ref.	MLO81491
Name	65-66 Lincoln's Inn Fields
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30739 81479 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1055 (North side) 24/10/51 Nos.15 AND 16 GV II 2 terraced houses. No.15, c1742, No.16. 1742-1750. Multi-coloured stock brick with stone 1st floor sill bands and cornices below parapets. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. No.15: wooden doorcase with ionic columns, pulvinated frieze, mutule pedimented cornice, rusticated doorway surround, fanlight and panelled door. Brick band at 1st floor level. Gauged flat brick arches to recessed sash windows. INTERIOR: not inspected but noted to contain turned balusters and carved ends to dog-leg stairs. Good panelled rooms, chimney-piece with caryatids, plaster ceilings and other features. No.16: semicircular Doric porch. Arched doorway with radial fanlight and panelled door. Architraved first floor windows. INTERIOR: not inspected but noted to contain some original panelling. (Survey of London: Vol. III, St Giles-in-the-Fields, part I: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3073981479

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- TERRACED HOUSE (18th Century - 1722 AD to 1762 AD)
- TERRACED HOUSE (18th Century - 1742 AD to 1750 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478707	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1055 (North side) 24/10/51 Nos.15 AND 16 GV II 2 terraced houses. No.15, c1742, No.16. 1742-1750. Multi-coloured stock brick with stone 1st floor sill bands and cornices below parapets. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. No.15: wooden doorcase with ionic columns, pulvinated frieze, mutule pedimented cornice, rusticated doorway surround, fanlight and panelled door. Brick band at 1st floor level. Gauged flat brick arches to recessed sash windows. INTERIOR: not inspected but noted to contain turned balusters and carved ends to dog-leg stairs. Good panelled rooms, chimney-piece with caryatids, plaster ceilings and other features. No.16: semicircular Doric porch. Arched doorway with radial fanlight and panelled door. Architraved first floor windows. INTERIOR: not inspected but noted to contain some original panelling. (Survey of London: Vol. III, St Giles-in-the-Fields, part I: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3073981479

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81498
Monument Type	Listed Building
Preferred Ref.	MLO81498
Name	65-66 Lincoln's Inn Fields
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30608 81403 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1062 (West side) 24/10/51 No.65 (Formerly Listed as: LINCOLN'S INN FIELDS Nos.65 AND 66) GV II* House. 1772. By Thomas Leverton for H Kendall. Stone facade with rusticated ground floor. 4 storeys and basement. 3 windows. Openings on ground floor with semicircular heads and plain recessed jambs. Doorway with fanlight and panelled door. Square-headed sash windows, 2nd and 3rd floor with original glazing bars. 1st floor windows on plinth with blind balustrade below; centre window pedimented. Main entablature at 3rd floor level with dentil cornice with fluted frieze with paterae. 4th storey an attic with cornice and balustraded parapet above. INTERIOR: crinoline shaped balusters to stone staircase. Good Adam-style ceilings to 1st floor rooms. (Survey of London: Vol. III, St Giles-in-the-Field: London: -1912: 108-109). Listing NGR: TQ3060881403

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- HOUSE (18th Century - 1772 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478714	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1062 (West side) 24/10/51 No.65 (Formerly Listed as: LINCOLN'S INN FIELDS Nos.65 AND 66) GV II* House. 1772. By Thomas Leverton for H Kendall. Stone facade with rusticated ground floor. 4 storeys and basement. 3 windows. Openings on ground floor with semicircular heads and plain recessed jambs. Doorway with fanlight and panelled door. Square-headed sash windows, 2nd and 3rd floor with original glazing bars. 1st floor windows on plinth with blind balustrade below; centre window pedimented. Main entablature at 3rd floor level with dentil cornice with fluted frieze with paterae. 4th storey an attic with cornice and balustraded parapet above. INTERIOR: crinoline shaped balusters to stone staircase. Good Adam-style ceilings to 1st floor rooms. (Survey of London: Vol. III, St Giles-in-the-Field: London: -1912: 108-109). Listing NGR: TQ3060881403

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81447
Monument Type	Listed Building
Preferred Ref.	MLO81447
Name	67-69 Leather Lane
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31234 81892 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 Nos.51-75 (Odd) GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 (West side) Bourne Estate (southern part); formerly Union Buildings Estate GV II Includes: Nigel House 1-71, Laney House 1-72, Kirkeby House 1-45, Buckridge House 1-30 LEATHER LANE. Includes: Nos.11, 11A AND 12 PORTPOOL LANE. Includes: Nos.51-75 LEATHER LANE. Housing estate built by the London County Council. 1905-9. Designed by LCC Architect's Department (chief assistant for scheme EH Parkes, under WE Riley). Elevations of yellow and red bricks with some blue and glazed bricks. Portions of elevations towards Leather Lane and Portpool Lane stuccoed. Brick chimneys, slated roofs. Stone string courses, parapets and segmental arches. Concrete open stairs and balconies with iron railings. Wooden sash and casement windows. Free Classical style, with Arts and Crafts touches, developing the idiom established by the LCC Boundary Street and Millbank Estates in a formal direction. EXTERIOR: 5-storey flats with balcony access; some portions with sixth storey in roof. Enclosed layout, with Kirkeby and Buckridge Houses in parallel on a north-south axis behind frontage. Open courtyard (formerly with crazy paving and cobbles) between Kirkeby House and Laney House. Laney House and Nigel House form a continuous perimeter along Leather Lane and Portpool Lane respectively, the latter parallel with Redman House on north side of Portpool Lane (see Clerkenwell Road, Nos 87-121, Bourne Estate, northern part (qv). Some later alterations. Laney House: elevation to Leather Lane with shopfronts between granite piers on ground storey. Upper portions with brick quoins and alternating between 3 and 4 full storeys with deep cornices, the centres of the 3 lower portions having rubbed brick pilasters with Ionic capitals rising to triangular pediments (two removed after war damage). Dormers in roof. Curved corner between Leather Lane and Portpool Lane with giant pilasters in stucco running through upper storeys. Rear elevation with ground storey projecting, terminated by high parapet wall with chequered brickwork pattern; the windows at this level now filled in. Balconied elevations above and complex roof line. Kirkeby and Buckridge Houses: similar in design, with plain brick elevations in one direction having slightly projecting ends with triangular pediments and centres with segmental pediments, both with quoins; rear elevations irregular, with open stairs and balconies and some distinctive glazed-brick entrances towards Laney House. Nigel House: long elevation to Portpool Lane, aligned with Redman House on north side of Portpool Lane and identical in design, with solid ground and first storeys of channelled brickwork and alternating sections of plain brickwork and giant pilasters above. Continuous moulded parapet, and dormer windows in roof. Rear with quoined projections and broad triangular pediments over arched entrances, open stairs and balconies, and angled projection through 4 storeys near west end of group. INTERIORS not inspected. HISTORICAL NOTE: listed as part of the last of the 3 major centre-city housing estates built by the LCC before the First World War, with a different layout and approach from Boundary Street Estate (Tower Hamlets) and Millbank Estate (Westminster). A significant precursor in form and style of inter-war housing estates throughout Britain, and influential on tenement housing throughout Europe. This southern portion of the estate was a slum-clearance scheme, conceived and probably designed before the northern portion but built later. Forms a group with northern part of Bourne Estate, Clerkenwell Road (qv). CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 Nigel House 1-71, Laney House 1-72, Kirkeby House 1-45, Buckridge House 1-30 GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. CAMDEN TQ3181NW PORTPOOL LANE 798-1/102/1770 Nos.11, 11A AND 12 GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. Listing NGR: TQ3123481892</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 51 Leather Lane, London, EC1N 7TJ
 - 53 Leather Lane, London, EC1N 7TJ
 - 55 Leather Lane, London, EC1N 7TJ
 - 57 Leather Lane, London, EC1N 7TJ
 - 59 Leather Lane, London, EC1N 7TJ
 - 59 Leather Lane, London, EC1N 7TJ
 - 61 Leather Lane, London, EC1N 7TJ
 - 63 Leather Lane, London, EC1N 7TJ
 - 65 Leather Lane, London, EC1N 7TJ
 - 67-69 Leather Lane, London, EC1N 7TJ
 - 67-69 Leather Lane, London, EC1N 7TJ
 - 71 Leather Lane, London, EC1N 7TJ
 - 73 Leather Lane, London, EC1N 7TJ
 - 75 Leather Lane, London, EC1N 7TJ

Monument/Component Types

- COUNCIL FLATS (Modern - 1905 AD to 1909 AD)

- COURTYARD (Modern - 1905 AD to 1909 AD)
- HOUSING ESTATE (Modern - 1905 AD to 1909 AD)
- SHOP (Modern - 1905 AD to 1909 AD)
- COUNCIL FLATS (Modern to Unknown - 1910 AD)
- COURTYARD (Modern to Unknown - 1910 AD)
- HOUSING ESTATE (Modern to Unknown - 1910 AD)
- SHOP (Modern to Unknown - 1910 AD)
- COUNCIL FLATS (Modern - 1939 AD to 1945 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II)	478652	<p>CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 Nos.51-75 (Odd) GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 (West side) Bourne Estate (southern part); formerly Union Buildings Estate GV II Includes: Nigel House 1-71, Laney House 1-72, Kirkeby House 1-45, Buckridge House 1-30 LEATHER LANE. Includes: Nos.11, 11A AND 12 PORTPOOL LANE. Includes: Nos.51-75 LEATHER LANE. Housing estate built by the London County Council. 1905-9. Designed by LCC Architect's Department (chief assistant for scheme EH Parkes, under WE Riley). Elevations of yellow and red bricks with some blue and glazed bricks. Portions of elevations towards Leather Lane and Portpool Lane stuccoed. Brick chimneys, slated roofs. Stone string courses, parapets and segmental arches. Concrete open stairs and balconies with iron railings. Wooden sash and casement windows. Free Classical style, with Arts and Crafts touches, developing the idiom established by the LCC Boundary Street and Millbank Estates in a formal direction. EXTERIOR: 5-storey flats with balcony access; some portions with sixth storey in roof. Enclosed layout, with Kirkeby and Buckridge Houses in parallel on a north-south axis behind frontage. Open courtyard (formerly with crazy paving and cobbles) between Kirkeby House and Laney House. Laney House and Nigel House form a continuous perimeter along Leather Lane and Portpool Lane respectively, the latter parallel with Redman House on north side of Portpool Lane (see Clerkenwell Road, Nos 87-121, Bourne Estate, northern part (qv)). Some later alterations. Laney House: elevation to Leather Lane with shopfronts between granite piers on ground storey. Upper portions with brick quoins and alternating between 3 and 4 full storeys with deep cornices, the centres of the 3 lower portions having rubbed brick pilasters with Ionic capitals rising to triangular pediments (two removed after war damage). Dormers in roof. Curved corner between Leather Lane and Portpool Lane with giant pilasters in stucco running through upper storeys. Rear elevation with ground storey projecting, terminated by high parapet wall with chequered brickwork pattern; the windows at this level now filled in. Balconied elevations above and complex roof line. Kirkeby and Buckridge Houses: similar in design, with plain brick elevations in one direction having slightly projecting ends with triangular pediments and centres with segmental pediments, both with quoins; rear elevations irregular, with open stairs and balconies and some distinctive glazed-brick entrances towards Laney House. Nigel House: long elevation to Portpool Lane, aligned with Redman House on north side of Portpool Lane and identical in design, with solid ground and first storeys of channelled brickwork and alternating sections of plain brickwork and giant pilasters above. Continuous moulded parapet, and dormer windows in roof. Rear with quoined projections and broad triangular pediments over arched entrances, open stairs and balconies, and angled projection through 4 storeys near west end of group. INTERIORS not inspected. HISTORICAL NOTE: listed as part of the last of the 3 major centre-city housing estates built by the LCC before the First World War, with a different layout and approach from Boundary Street Estate (Tower Hamlets) and Millbank Estate (Westminster). A significant precursor in form and style of inter-war housing estates throughout Britain, and influential on tenement housing throughout Europe. This southern portion of the estate was a slum-clearance scheme, conceived and probably designed before the northern portion but built later. Forms a group with northern part of Bourne Estate, Clerkenwell Road (qv). CAMDEN TQ3181NW LEATHER LANE 798-1/102/1770 Nigel House 1-71, Laney House 1-72, Kirkeby House 1-45, Buckridge House 1-30 GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. CAMDEN TQ3181NW PORTPOOL LANE 798-1/102/1770 Nos.11, 11A AND 12 GV II See under: Bourne Estate (southern part); formerly Union Buildings Estate LEATHER LANE. Listing NGR: TQ3123481892</p>

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80766
Monument Type	Listed Building
Preferred Ref.	MLO80766
Name	69-71 Monmouth Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30065 81010 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1143 (East side) 15/01/73 Nos.65-71 (Odd) (Formerly Listed as: MONMOUTH STREET Nos.63-71 (Odd)) GV II Row of 4 terraced houses with later shops. Probably early C18, altered mid C19, restored and altered 1978-85 by Terry Farrell as part of his Comyn Ching triangle refurbishment and restoration. Yellow stock brick, nos 69 & 71 being tuck pointed. 4 storeys and basements, no 69 with an attic & dormer. Shopfronts restored or renewed as part of Farrell scheme. Gauged brick segmental arches to recessed sash windows. Parapet. Rear elevations renewed as part of Farrell scheme. INTERIORS: not inspected. Listing NGR: TQ3006581010

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 69-71 Monmouth Street, London, WC2H 9DG

- 69-71 Monmouth Street, London, WC2H 9DG

Monument/Component Types

- ROW (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- HOUSE (Modern - 1978 AD to 1985 AD)
- SHOP (Modern - 1978 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477531	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1143 (East side) 15/01/73 Nos.65-71 (Odd) (Formerly Listed as: MONMOUTH STREET Nos.63-71 (Odd)) GV II Row of 4 terraced houses with later shops. Probably early C18, altered mid C19, restored and altered 1978-85 by Terry Farrell as part of his Comyn Ching triangle refurbishment and restoration. Yellow stock brick, nos 69 & 71 being tuck pointed. 4 storeys and basements, no 69 with an attic & dormer. Shopfronts restored or renewed as part of Farrell scheme. Gauged brick segmental arches to recessed sash windows. Parapet. Rear elevations renewed as part of Farrell scheme. INTERIORS: not inspected. Listing NGR: TQ3006581010

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95920
Monument Type	Listed Building
Preferred Ref.	MLO95920
Name	7 LAMPSTANDARDS NUMBERED 1 TO 7 (CONSECUTIVE)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30551 80950 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NE CITY OF WESTMINSTER CATHERINE STREET, WC2 73/7 7 Lampstandards numbered 1 to 7 (consec) GV II Lampstandards. Late C19 and c.1910, Cast iron. 5 fluted standards of the 1910 Eddystone column type with Nico lanterns and 2 of the Bradshaw column model with Nico lanterns. Listing NGR: TQ3055180950

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 15 Catherine Street, London, WC2B 5JZ

Monument/Component Types

- LAMP POST (19th Century - 1867 AD to 1899 AD)
- LAMP POST (19th Century to Modern - 1890 AD to 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209016 7 LAMPSTANDARDS NUMBERED 1 TO 7 (CONSECUTIVE)	TQ 3080 NE CITY OF WESTMINSTER CATHERINE STREET, WC2 73/7 7 Lampstandards numbered 1 to 7 (consec) GV II Lampstandards. Late C19 and c.1910, Cast iron. 5 fluted standards of the 1910 Eddystone column type with Nico lanterns and 2 of the Bradshaw column model with Nico lanterns. Listing NGR: TQ3055180950

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80560
Monument Type	Listed Building
Preferred Ref.	MLO80560
Name	7 Rugby Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30692 82007 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1411 (South side) 19/02/80 No.7 (Formerly Listed as: RUGBY STREET Nos.7 AND 9) GV II Terraced house. c1725 with late C19 alterations. Yellow stock brick, parapet rebuilt with multi-coloured stock brick. 4 storeys and cellar. 3 windows. Ground floor, late C19 public house treatment with Corinthian capitals on granite pilasters carrying a fascia with projecting cornice and bracket and pediment consoles. Gauged brick flat arches to recessed sashes, centre window of 2nd and 3rd floor with bracketed sills. Parapet. INTERIOR: not inspected but noted to retain the original staircase and some panelling. Listing NGR: TQ3069282007

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Rugby Street, London, WC1N 3QT

Monument/Component Types

- TERRACED HOUSE (18th Century - 1705 AD to 1745 AD)
- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477902	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1411 (South side) 19/02/80 No.7 (Formerly Listed as: RUGBY STREET Nos.7 AND 9) GV II Terraced house. c1725 with late C19 alterations. Yellow stock brick, parapet rebuilt with multi-coloured stock brick. 4 storeys and cellar. 3 windows. Ground floor, late C19 public house treatment with Corinthian capitals on granite pilasters carrying a fascia with projecting cornice and bracket and pediment consoles. Gauged brick flat arches to recessed sashes, centre window of 2nd and 3rd floor with bracketed sills. Parapet. INTERIOR: not inspected but noted to retain the original staircase and some panelling. Listing NGR: TQ3069282007

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81362
Monument Type	Listed Building
Preferred Ref.	MLO81362
Name	77 Wicklow Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30545 82850 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE WICKLOW STREET 798-1/91/1721 (West side) 14/05/74 No.75 II Church School of St Jude's Church (demolished 1936) now offices and storage. 1872. By Joseph Peacock. Yellow stock brick with red brick bands and stone dressings. Hipped and gabled slate roofs. Gothic style. Irregular 2 storey and 3 storey facade on the corner of Britannia Street. 3 windows and 6-window return. Round-arched doorways with panelled doors; former main entrance on return with stone hood-mould. Stone dressed transom and mullion windows; ground floor windows to right separated by a brick buttress terminating in a stone faced, pointed niche. Stone string above 1st floor windows with brick relieving arches over. 1st floor window on gable end with pointed head and hood-mould, 3 lights and trefoil tracery. A similar window on the return forming a gable. Ground floor windows on the return altered. INTERIOR: not inspected. Listing NGR: TQ3054582850

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 77 Wicklow Street, London, WC1X 9JY

Monument/Component Types

- OFFICE (Undated)
- WAREHOUSE (Undated)
- CHURCH SCHOOL (19th Century - 1872 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478560	CAMDEN TQ3082NE WICKLOW STREET 798-1/91/1721 (West side) 14/05/74 No.75 II Church School of St Jude's Church (demolished 1936) now offices and storage. 1872. By Joseph Peacock. Yellow stock brick with red brick bands and stone dressings. Hipped and gabled slate roofs. Gothic style. Irregular 2 storey and 3 storey facade on the corner of Britannia Street. 3 windows and 6-window return. Round-arched doorways with panelled doors; former main entrance on return with stone hood-mould. Stone dressed transom and mullion windows; ground floor windows to right separated by a brick buttress terminating in a stone faced, pointed niche. Stone string above 1st floor windows with brick relieving arches over. 1st floor window on gable end with pointed head and hood-mould, 3 lights and trefoil tracery. A similar window on the return forming a gable. Ground floor windows on the return altered. INTERIOR: not inspected. Listing NGR: TQ3054582850

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94083
Monument Type	Listed Building
Preferred Ref.	MLO94083
Name	7-8 Bow Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30362 81066 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER BOW STREET, WC2 59/14 15.1.73 Nos. 7 and 8 G.V. II End of terrace houses. c.1838. Stucco faced, slate roofs. 4 storeys. Each front 2 windows wide with 2-window return to Floral Street. Ground floors with later C.20 shop and office frontages. Upper floors have markedly widely spaced glazing bar sashes in architrave surrounds. Parapet with coping. Similar details to both fronts. Included for group interest on corner site adjacent to the Royal Opera House. Survey of London; Vol, XXXVI. Listing NGR: TQ3036281066

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 7-8 Bow Street, London, WC2E 7AH

- 7-8 Bow Street, London, WC2E 7AH

Monument/Component Types

- TERRACED HOUSE (19th Century - 1818 AD to 1858 AD)
- OFFICE (Modern - 1967 AD to 1999 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208786	TQ 3081 SW CITY OF WESTMINSTER BOW STREET, WC2 59/14 15.1.73 Nos. 7 and 8 G.V. II End of terrace houses. c.1838. Stucco faced, slate roofs. 4 storeys. Each front 2 windows wide with 2-window return to Floral Street. Ground floors with later C.20 shop and office frontages. Upper floors have markedly widely spaced glazing bar sashes in architrave surrounds. Parapet with coping. Similar details to both fronts. Included for group interest on corner site adjacent to the Royal Opera House. Survey of London; Vol, XXXVI. Listing NGR: TQ3036281066

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94086
Monument Type	Listed Building
Preferred Ref.	MLO94086
Name	7-8 Bow Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30370 81088 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER BROAD COURT, WC2 59/8 No. 5 Including Nos. 19 and 20 Bow Street G.V. II Office chambers and bank. 1897 by R.S. Wornum. Portland stone ground floor with stone dressed red brick above, slate roof. Asymmetrical Queen Anne style corner composition with good Arts and Crafts detailing. 2 and 3 storeys with attic. 3 windows wide to Bow Street, 3-window gable end return and 3-window wing linking with corner pavilion-tower to right. Doorways to left of Bow Street front and to gable end return, in architraves with heads swept up into point below cornices, oculus over Bow Street doorway. 2 large semicircular arched ground floor windows to Bow Street, recessed for one order with keystones, 3 lights divided by wooden pilasters and transom. Flush framed segmental arched glazing bar sashes to upper floors. Bracketed stone cornice. Barrel roofed dormers. The cornice is returned across gable end with generally similar fenestration to ground and upper floors with in addition, contained in the shaped gable, an elaborated "Baroque" window framed by blocked columns; stone cartouche to corner at 1st floor level. The link wing is of 2 storeys with same sash windows to 1st floor, parapet with coping and dormered mansard. The right hand corner pavilion is canted with 2 windows to Broad Court and one to corner, and is developed at attic level as an octagonal tower with ogee lead cupola and finial. Survey of London; Vol. XXXVI. Listing NGR: TQ3037081088

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 7-8 Bow Street, London, WC2E 7AH

Monument/Component Types

- BANK (FINANCIAL) (19th Century - 1897 AD)
- OFFICE (19th Century - 1897 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208807	TQ 3081 SW CITY OF WESTMINSTER BROAD COURT, WC2 59/8 No. 5 Including Nos. 19 and 20 Bow Street G.V. II Office chambers and bank. 1897 by R.S. Wornum. Portland stone ground floor with stone dressed red brick above, slate roof. Asymmetrical Queen Anne style corner composition with good Arts and Crafts detailing. 2 and 3 storeys with attic. 3 windows wide to Bow Street, 3-window gable end return and 3-window wing linking with corner pavilion-tower to right. Doorways to left of Bow Street front and to gable end return, in architraves with heads swept up into point below cornices, oculus over Bow Street doorway. 2 large semicircular arched ground floor windows to Bow Street, recessed for one order with keystones, 3 lights divided by wooden pilasters and transom. Flush framed segmental arched glazing bar sashes to upper floors. Bracketed stone cornice. Barrel roofed dormers. The cornice is returned across gable end with generally similar fenestration to ground and upper floors with in addition, contained in the shaped gable, an elaborated "Baroque" window framed by blocked columns; stone cartouche to corner at 1st floor level. The link wing is of 2 storeys with same sash windows to 1st floor, parapet with coping and dormered mansard. The right hand corner pavilion is canted with 2 windows to Broad Court and one to corner, and is developed at attic level as an octagonal tower with ogee lead cupola and finial. Survey of London; Vol. XXXVI. Listing NGR: TQ3037081088

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81794
Monument Type	Listed Building
Preferred Ref.	MLO81794
Name	78 Fetter Lane
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31269 81515 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	FETTER LANE EC4 1. 5002 (West Side) Nos 78 to 81 (consec) TQ 3181 NW 1/7 5.6.72. II 2. Dated 1902. By Threadwell and Martin (?) Stone front in modified Flemish gothic style with carved decoration. 3 storeys plus 2 in large gable. Slated roof. Altered ground storey with wide central opening and 2 narrower ones. Finials, etc to gable and 2 crouching figures supporting shell pediment. Listing NGR: TQ3126981515

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 78 Fetter Lane, London, EC4A 1EQ
 - 78 Fetter Lane, London, EC4A 1EQ

Monument/Component Types

- BUILDING (Modern - 1902 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	199442	FETTER LANE EC4 1. 5002 (West Side) Nos 78 to 81 (consec) TQ 3181 NW 1/7 5.6.72. II 2. Dated 1902. By Threadwell and Martin (?) Stone front in modified Flemish gothic style with carved decoration. 3 storeys plus 2 in large gable. Slated roof. Altered ground storey with wide central opening and 2 narrower ones. Finials, etc to gable and 2 crouching figures supporting shell pediment. Listing NGR: TQ3126981515

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80739
Monument Type	Listed Building
Preferred Ref.	MLO80739
Name	78 Neal Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30102 81236 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEAL STREET 798-1/105/1185 (North East side) 15/01/73 Nos.78, 78A AND 78B GV II House with later shop. Late C17 or early C18, altered mid C19. Painted stucco with plain bands at 2nd floor level and below the parapet. Bitumen felt mansard roof with continuous workshop dormer window. 3 storeys and attic. 4 windows. Mid C19 stucco shopfront with Corinthian pilasters carrying entablature with bracketed cornice. Central house doorway and 2 shop doorways with fanlights. Shops windows altered. Slightly recessed sash windows with exposed boxing. INTERIOR: not inspected. Listing NGR: TQ3010281236

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 78 Neal Street, London, WC2H 9PA
 - A 78 Neal Street, London, WC2H 9PA
 - A 78 Neal Street, London, WC2H 9PA

Monument/Component Types

- HOUSE (17th Century to 18th Century - 1667 AD to 1732 AD)
- HOUSE (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- WORKSHOP (19th Century to Unknown - 1867 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477573	CAMDEN TQ3081SW NEAL STREET 798-1/105/1185 (North East side) 15/01/73 Nos.78, 78A AND 78B GV II House with later shop. Late C17 or early C18, altered mid C19. Painted stucco with plain bands at 2nd floor level and below the parapet. Bitumen felt mansard roof with continuous workshop dormer window. 3 storeys and attic. 4 windows. Mid C19 stucco shopfront with Corinthian pilasters carrying entablature with bracketed cornice. Central house doorway and 2 shop doorways with fanlights. Shops windows altered. Slightly recessed sash windows with exposed boxing. INTERIOR: not inspected. Listing NGR: TQ3010281236

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80714
Monument Type	Listed Building
Preferred Ref.	MLO80714
Name	8 Northington Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30881 82054 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE NORTHINGTON STREET 798-1/96/1237 (North side) 14/05/74 No.8 II Terraced house and shop. Late C18. Brown brick with multi-coloured stock brick patching. 3 storeys 2 windows. Good wooden shopfront with pilasters carrying entablature with dentil cornice. Slightly bowed shop window with large panes and wrought-iron grill. Shop and house doorways with panelled doors and rectangular fanlights. Gauged brick (reddened) flat arches to recessed sashes. Parapet. INTERIOR: not inspected. Listing NGR: TQ3088182054

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 8 Northington Street, London, WC1N 2JG

Monument/Component Types

- SHOP (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477642	CAMDEN TQ3082SE NORTHINGTON STREET 798-1/96/1237 (North side) 14/05/74 No.8 II Terraced house and shop. Late C18. Brown brick with multi-coloured stock brick patching. 3 storeys 2 windows. Good wooden shopfront with pilasters carrying entablature with dentil cornice. Slightly bowed shop window with large panes and wrought-iron grill. Shop and house doorways with panelled doors and rectangular fanlights. Gauged brick (reddened) flat arches to recessed sashes. Parapet. INTERIOR: not inspected. Listing NGR: TQ3088182054

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80881
Monument Type	Listed Building
Preferred Ref.	MLO80881
Name	8 Shorts Gardens
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30111 81112 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW EARLHAM STREET 798-1/105/353 (North side) 15/01/73 Nos.29-43 (Odd) The Crafts Centre (Formerly Listed as: EARLHAM STREET Nos.29-43 (Odd)) GV II Includes: Nos.8-26 SHORT'S GARDENS. Warehouse, probably originally a brewery; now a crafts centre. Mid C19. Stock brick; roof not visible. 3 storeys. 19 bays to Earlham Street, No.43 with splayed corner and return to Neal Street. Shorts Gardens elevation of 2 storeys. Brick band above ground floor. Segmental headed windows and doorways, those to ground floor on Earlham Street elevation set in segmental headed reveals. INTERIOR: internal structure comprises brick barrel vaults supported by cast-iron columns. Nos 29-41 (odd) and Nos 8-26 (even) Shorts Gardens were listed on 10/03/88. CAMDEN TQ3081SW SHORT'S GARDENS 798-1/105/353 Nos.8-26 (Even) 15/01/73 GV II See under: Nos.29-43 The Crafts Centre EARLHAM STREET. Listing NGR: TQ3011181112

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Shorts Gardens, London, WC2H 9AU
- 10 Shorts Gardens, London, WC2H 9AU
- 16 Shorts Gardens, London, WC2H 9AU
- 18 Shorts Gardens, London, WC2H 9AU
- 8 Shorts Gardens, London, WC2H 9AU

Monument/Component Types

- CRAFT CENTRE (Undated)
- BREWERY (19th Century - 1833 AD to 1866 AD)
- WAREHOUSE (19th Century to Unknown - 1867 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477153	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/353 (North side) 15/01/73 Nos.29-43 (Odd) The Crafts Centre (Formerly Listed as: EARLHAM STREET Nos.29-43 (Odd)) GV II Includes: Nos.8-26 SHORT'S GARDENS. Warehouse, probably originally a brewery; now a crafts centre. Mid C19. Stock brick; roof not visible. 3 storeys. 19 bays to Earlham Street, No.43 with splayed corner and return to Neal Street. Shorts Gardens elevation of 2 storeys. Brick band above ground floor. Segmental headed windows and doorways, those to ground floor on Earlham Street elevation set in segmental headed reveals. INTERIOR: internal structure comprises brick barrel vaults supported by cast-iron columns. Nos 29-41 (odd) and Nos 8-26 (even) Shorts Gardens were listed on 10/03/88. CAMDEN TQ3081SW SHORT'S GARDENS 798-1/105/353 Nos.8-26 (Even) 15/01/73 GV II See under: Nos.29-43 The Crafts Centre EARLHAM STREET. Listing NGR: TQ3011181112

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80740
Monument Type	Listed Building
Preferred Ref.	MLO80740
Name	80 Neal Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30093 81243 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEAL STREET 798-1/105/1186 (North East side) 15/01/73 No.80 GV II Terraced house with later shop. Early C18, refaced early C19. Painted brick. 4 storeys and basement. 2 windows. 20th century replica of early C19 shopfront. Gauged brick flat arches to recessed 20th century casements. INTERIOR: has good panelling to 1st floor and above with fireplaces. Original dog-leg staircase with closed string, square newels and turned balusters. Listing NGR: TQ3009381243

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 80 Neal Street, London, WC2H 9PA

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477574	CAMDEN TQ3081SW NEAL STREET 798-1/105/1186 (North East side) 15/01/73 No.80 GV II Terraced house with later shop. Early C18, refaced early C19. Painted brick. 4 storeys and basement. 2 windows. C20 replica of early C19 shopfront. Gauged brick flat arches to recessed C20 casements. INTERIOR: has good panelling to 1st floor and above with fireplaces. Original dog-leg staircase with closed string, square newels and turned balusters. Listing NGR: TQ3009381243

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81445
Monument Type	Listed Building
Preferred Ref.	MLO81445
Name	83 Leather Lane
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31210 81959 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW LEATHER LANE 798-1/102/1017 (West side) 16/05/78 Nos.83-89 (Odd) GV II 4 terraced houses with later shops. Early C18. Multi-coloured brick under slate mansard roofs with dormers. 3 storeys and attics. 2 windows each. Ground floor with C19, altered 20th century shopfronts. Segmental finely gauged red brick arches to sash windows, No.83 recessed with stucco reveals, No.85 recessed, No.87 flush with exposed boxing. Continuous brick cornice to parapets. Centrally placed brick stacks with pots. INTERIORS: not inspected but noted to retain panelling to upper floors. No.89 restored 1989. Listing NGR: TQ3121081959

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 83 Leather Lane, London, EC1N 7TS
 - 83 Leather Lane, London, EC1N 7TS

Monument/Component Types

- TERRACE (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478650	CAMDEN TQ3181NW LEATHER LANE 798-1/102/1017 (West side) 16/05/78 Nos.83-89 (Odd) GV II 4 terraced houses with later shops. Early C18. Multi-coloured brick under slate mansard roofs with dormers. 3 storeys and attics. 2 windows each. Ground floor with C19, altered C20 shopfronts. Segmental finely gauged red brick arches to sash windows, No.83 recessed with stucco reveals, No.85 recessed, No.87 flush with exposed boxing. Continuous brick cornice to parapets. Centrally placed brick stacks with pots. INTERIORS: not inspected but noted to retain panelling to upper floors. No.89 restored 1989. Listing NGR: TQ3121081959

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80332
Monument Type	Listed Building
Preferred Ref.	MLO80332
Name	87 Chancery Lane
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31091 81331 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181SW CHANCERY LANE 798-1/107/1838 (West side) 10/11/86 No.87 (Formerly Listed as: WESTMINSTER CHANCERY LANE No.87) GV II Attached house and shop, now bank. Late C18 with mid 20th century alterations. Colourwashed render with stone dressings, pantile roof with south gable and ridge rendered stacks. STYLE: Late Georgian. PLAN: double-depth plan. EXTERIOR: 2-storey; 6-window range. Ground-floor has Regency style mid 20th century bank frontage articulated by Doric pilasters supporting an entablature; 6 recessed 12-pane sash windows with incised panels below and 2 recessed panelled doors with rectangular fanlights. The main doorway is in the second bay to left; further doorway to end bay on right. The configuration of the original 2 properties is denoted by the spacing of the upper-floor windows: 2 plate-glass sashes widely spaced to left-hand (former house) and similar sashes closer together to right-hand (former shop). INTERIOR: nothing survives inside either of the original room layout or any architectural features of note. (Summerson J: The London Building World of the 1860s). Listing NGR: TQ3109181331

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 87 Chancery Lane, London, WC2A 1EU

Monument/Component Types

- HOUSE (18th Century - 1767 AD to 1799 AD)
- SHOP (18th Century - 1767 AD to 1799 AD)
- BANK (FINANCIAL) (Modern - 1933 AD to 1966 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476878	CAMDEN TQ3181SW CHANCERY LANE 798-1/107/1838 (West side) 10/11/86 No.87 (Formerly Listed as: WESTMINSTER CHANCERY LANE No.87) GV II Attached house and shop, now bank. Late C18 with mid C20 alterations. Colourwashed render with stone dressings, pantile roof with south gable and ridge rendered stacks. STYLE: Late Georgian. PLAN: double-depth plan. EXTERIOR: 2-storey; 6-window range. Ground-floor has Regency style mid C20 bank frontage articulated by Doric pilasters supporting an entablature; 6 recessed 12-pane sash windows with incised panels below and 2 recessed panelled doors with rectangular fanlights. The main doorway is in the second bay to left; further doorway to end bay on right. The configuration of the original 2 properties is denoted by the spacing of the upper-floor windows: 2 plate-glass sashes widely spaced to left-hand (former house) and similar sashes closer together to right-hand (former shop). INTERIOR: nothing survives inside either of the original room layout or any architectural features of note. (Summerson J: The London Building World of the 1860s). Listing NGR: TQ3109181331

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80450
Monument Type	Listed Building
Preferred Ref.	MLO80450
Name	9 Cosmo Place
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30336 81920 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW COSMO PLACE 798-1/100/279 (North side) 14/05/74 No.9 II Terraced house with later shop. Early C18, with 20th century Neo-Georgian refronting of upper storeys. Multi-colour stock brick with red brick dressings. Slated mansard roof. 3 storeys, attic and cellar. 3 windows. Good early C19 wooden double shopfront with entablature having inswept frieze and projecting egg-and-dart cornice. Slightly projecting shop window with small panes and patterned iron grille to cellar light beneath. Doorway overlights with patterned iron grilles; panelled house door and 20th century half glazed shop door. Gauged brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain some panelling and cornices; stairs with turned balusters and shaped ends. Listing NGR: TQ3033681920

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 9 Cosmo Place, London, WC1N 3AP

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477025	CAMDEN TQ3081NW COSMO PLACE 798-1/100/279 (North side) 14/05/74 No.9 II Terraced house with later shop. Early C18, with C20 Neo-Georgian refronting of upper storeys. Multi-colour stock brick with red brick dressings. Slated mansard roof. 3 storeys, attic and cellar. 3 windows. Good early C19 wooden double shopfront with entablature having inswept frieze and projecting egg-and-dart cornice. Slightly projecting shop window with small panes and patterned iron grille to cellar light beneath. Doorway overlights with patterned iron grilles; panelled house door and C20 half glazed shop door. Gauged brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain some panelling and cornices; stairs with turned balusters and shaped ends. Listing NGR: TQ3033681920

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80171
Monument Type	Listed Building
Preferred Ref.	MLO80171
Name	9 Great Russell Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29859 81465 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/682 (South side) 19/12/88 Nos.8-12 (Consecutive) GV II 5 terraced houses, originally forming a terrace with No.5 (qv). Built 1764 for the Bedford Estate and refronted c1850. Brick with mid C19 stucco front, flat roofs and rendered brick stacks. 4 storeys; 10 window range. 20th century shop windows and doors except No.9 which has a C19 shopfront. 4-pane sashes and 20th century windows set in moulded architraves (lugged to 1st & 2nd floor), with cornices to first floor. Rusticated pilaster strips to party walls, continuous sill band at 3rd floor level and moulded cornice. INTERIORS: most houses retain C18 moulded cornices, fireplace surrounds and closed-string staircase. Listing NGR: TQ2985981465

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Great Russell Street, London, WC1B 3NH
- 10 Great Russell Street, London, WC1B 3NH
- 11 Great Russell Street, London, WC1B 3NH
- 12 Great Russell Street, London, WC1B 3NH
- 8 Great Russell Street, London, WC1B 3NH
- 9 Great Russell Street, London, WC1B 3NH

Monument/Component Types

- TERRACE (18th Century - 1764 AD)
- TERRACED HOUSE (18th Century - 1764 AD)
- TERRACE (19th Century - 1830 AD to 1870 AD)
- TERRACED HOUSE (19th Century - 1830 AD to 1870 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477669	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/682 (South side) 19/12/88 Nos.8-12 (Consecutive) GV II 5 terraced houses, originally forming a terrace with No.5 (qv). Built 1764 for the Bedford Estate and refronted c1850. Brick with mid C19 stucco front, flat roofs and rendered brick stacks. 4 storeys; 10 window range. C20 shop windows and doors except No.9 which has a C19 shopfront. 4-pane sashes and C20 windows set in moulded architraves (lugged to 1st & 2nd floor), with cornices to first floor. Rusticated pilaster strips to party walls, continuous sill band at 3rd floor level and moulded cornice. INTERIORS: most houses retain C18 moulded cornices, fireplace surrounds and closed-string staircase. Listing NGR: TQ2985981465

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80562
Monument Type Listed Building
Preferred Ref. MLO80562
Name 9 Rugby Street
Map Sheet TQ38SW
Grid References Centre Point: TQ 30683 82008 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE RUGBY STREET 798-1/96/1412 (South side) 19/02/80 No.9 (Formerly Listed as: RUGBY STREET Nos.7 AND 9) GV II Terraced house. c1725, refronted probably c1800, renovated late 20th century. Yellow stock brick (parapet rebuilt with multi-coloured stocks) with channelled cement rendered ground floor. 4 storeys and basement. 2 windows. Arched doorway. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected but noted to retain a staircase with turned balustrades and panelling. Listing NGR: TQ3068382008

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 9 Rugby Street, London, WC1N 3QT

Monument/Component Types

- TERRACED HOUSE (18th Century - 1705 AD to 1745 AD)
- HOUSE (18th Century to 19th Century - 1780 AD to 1820 AD)
- HOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477904	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1412 (South side) 19/02/80 No.9 (Formerly Listed as: RUGBY STREET Nos.7 AND 9) GV II Terraced house. c1725, refronted probably c1800, renovated late C20. Yellow stock brick (parapet rebuilt with multi-coloured stocks) with channelled cement rendered ground floor. 4 storeys and basement. 2 windows. Arched doorway. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected but noted to retain a staircase with turned balustrades and panelling. Listing NGR: TQ3068382008

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96402
Monument Type	Listed Building
Preferred Ref.	MLO96402
Name	9 Tavistock Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30523 80931 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description In the entry for:- TQ 3080 NE TAVISTOCK STREET, WC2 (North Side) 73/9 No 11 (Including No 28 Wellington Street) 15.1.73 The address and description shall be amended to read:- TAVISTOCK STREET, WC2 (north side) No 11 (including Nos 3-9 odd Tavistock Street & 28 Wellington Street) II Corner terrace house with shop. C1752 with early C19 and later alterations. Painted brick, slate roof. 4 storeys and dormered mansard. 3 windows wide, with 4 window return to Wellington Street including one blind bay. Early 20th century iron framed neo-Georgian shop front returned under entablature-fascia. Upper floors have recessed C19 plate glass sashes under flat gauged arches. 1st floor painted stone sill band and band cornice over 2nd floor; parapet with coping. The basement is No 28 Wellington Street, ground floor No 3 Tavistock Street, 1st floor No 5, 2nd floor No 7, 3rd floor No 9 and 4th floor no 11. Survey of London: Vol XXXVI TQ 3080 NE CITY OF WESTMINSTER TAVISTOCK STREET, WC2 73/9 (north side) 15.1.73 No 11 (Including No 28 Wellington street) G.V. II Corner terrace house with shop. c1752 with early C19 and later alterations. Painted brick, slate roof. 4 storeys and dormered mansard. 3 windows wide,with 4 window return to Wellington Street including one blind bay. Early 20th century iron framed neo-Georgian shop front returned under entablature-fascia. Upper floors have recessed C19 plate glass sashes under flat gauged arches. 1st floor painted stone sill band and band cornice over 2nd floor; parapet with coping. Survey of London; Vol XXXVI Listing NGR: TQ3052380931

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 5 Tavistock Street, London, WC2E 7PA
 - 5 Tavistock Street, London, WC2E 7PA
 - 7 Tavistock Street, London, WC2E 7PA
 - 9 Tavistock Street, London, WC2E 7PA

Monument/Component Types

- SHOP (18th Century - 1735 AD to 1772 AD)
- TERRACED HOUSE (18th Century - 1735 AD to 1772 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century to Unknown - 1833 AD)
- TERRACED HOUSE (19th Century to Unknown - 1833 AD)
- SHOP (19th Century to Modern - 1900 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	207233	In the entry for:- TQ 3080 NE TAVISTOCK STREET, WC2 (North Side) 73/9 No 11 (Including No 28 Wellington Street) 15.1.73 The address and description shall be amended to read:- TAVISTOCK STREET, WC2 (north side) No 11 (including Nos 3-9 odd Tavistock Street & 28 Wellington Street) II Corner terrace house with shop. C1752 with early C19 and later alterations. Painted brick, slate roof. 4 storeys and dormered mansard. 3 windows wide, with 4 window return to Wellington Street including one blind bay. Early C20 iron framed neo-Georgian shop front returned under entablature-fascia. Upper floors have recessed C19 plate glass sashes under flat gauged arches. 1st floor painted stone sill band and band cornice over 2nd floor; parapet with coping. The basement is No 28 Wellington Street, ground floor No 3 Tavistock Street, 1st floor No 5, 2nd floor No 7, 3rd floor No 9 and 4th floor no 11. Survey of London: Vol XXXVI TQ 3080 NE CITY OF WESTMINSTER TAVISTOCK STREET, WC2 73/9 (north side) 15.1.73 No 11 (Including No 28 Wellington street) G.V. II Corner terrace house with shop. c1752 with early C19 and later alterations. Painted brick, slate roof. 4 storeys and dormered mansard. 3 windows wide,with 4 window return to Wellington Street including one blind bay. Early C20 iron framed neo-Georgian shop front returned under entablature-fascia. Upper floors have recessed C19 plate glass sashes under flat gauged arches. 1st floor painted stone sill band and band cornice over 2nd floor; parapet with coping. Survey of London; Vol XXXVI Listing NGR: TQ3052380931

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96636
Monument Type	Listed Building
Preferred Ref.	MLO96636
Name	9-10 Sheffield Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30749 81218 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SE CITY OF WESTMINSTER PORTSMOUTH STREET WC2 60/3 Nos 2 to 4 consec (Lincoln Chambers) including No 11 Sheffield Street GV II Chambers. C.1905 and stylistically close to H Fuller Clark. Ceramic brick and Portland stone dressings, slate roof. Original Edwardian Free Style design for offices. 3 storeys and attic. 7 windows wide. Stone faced ground floor has central, wide, recessed porch under lintel, the sides splayed-in with semicircular fanlight over central panelled and glazed door and flanked by side door and window with arched heads; good Arts and Crafts lettering in gold mosaic to name panel over lintel. Flanking the recessed porch are 2 large office windows of 3 ashlar flat-mullioned lights above small-paned glazed and tall risers to basement. Upper floors have box framed sashes with feature of central Diocletian windows to 1st floor and tripartite squat-columned windows to 2nd floor, the outermost windows treated as 2 storey, canted, flat stone mullioned bays, beneath gables. Deep stone eaves cornices running between coped gables. Coursed dormers in steep roof. Interesting island block development of chambers with No 3 St Clement's Lane qv. Listing NGR: TQ3074981218

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 9-10 Sheffield Street, London, WC2A 2EY

Monument/Component Types

- LEGAL CHAMBERS (19th Century to Modern - 1895 AD to 1915 AD)
- OFFICE (19th Century to Modern - 1895 AD to 1915 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	424761	TQ 3081 SE CITY OF WESTMINSTER PORTSMOUTH STREET WC2 60/3 Nos 2 to 4 consec (Lincoln Chambers) including No 11 Sheffield Street GV II Chambers. C.1905 and stylistically close to H Fuller Clark. Ceramic brick and Portland stone dressings, slate roof. Original Edwardian Free Style design for offices. 3 storeys and attic. 7 windows wide. Stone faced ground floor has central, wide, recessed porch under lintel, the sides splayed-in with semicircular fanlight over central panelled and glazed door and flanked by side door and window with arched heads; good Arts and Crafts lettering in gold mosaic to name panel over lintel. Flanking the recessed porch are 2 large office windows of 3 ashlar flat-mullioned lights above small-paned glazed and tall risers to basement. Upper floors have box framed sashes with feature of central Diocletian windows to 1st floor and tripartite squat-columned windows to 2nd floor, the outermost windows treated as 2 storey, canted, flat stone mullioned bays, beneath gables. Deep stone eaves cornices running between coped gables. Coursed dormers in steep roof. Interesting island block development of chambers with No 3 St Clement's Lane qv. Listing NGR: TQ3074981218

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86577
Monument Type	Listed Building
Preferred Ref.	MLO86577
Name	94 Farringdon Road
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31367 82122 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/393 (West side) 29/09/72 Nos.109 AND 111 GV II Printing Warehouse. 1864-1865. By Henry Jarvis for William Dickes, chromolithographer. Red brick set in Flemish bond with painted stone dressings, extensive glazing; roof obscured by parapet. Fine Venetian Gothic Style. Five storeys; 6-window range (each with tripartite sashes) all in pointed form. Windows diminish in height as they go up. 2nd and 3rd storeys have 2-light windows with colonnettes. Tripartite sashes to top storey with pierced trefoil decoration to stucco recess above windows. Pierced parapet with Gothic style balustrade. Round-arches to ground-floor set beneath pointed archivolts; bays articulated by engaged columns. Entrance at left end bay with doors of Gothic design; entrance at right end has been replaced by window. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3136782122

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 94 Farringdon Road, London, EC1R 3EA

Monument/Component Types

- PRINTING WORKS (19th Century - 1864 AD to 1865 AD)
- WAREHOUSE (19th Century - 1864 AD to 1865 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368893	ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/393 (West side) 29/09/72 Nos.109 AND 111 GV II Printing Warehouse. 1864-1865. By Henry Jarvis for William Dickes, chromolithographer. Red brick set in Flemish bond with painted stone dressings, extensive glazing; roof obscured by parapet. Fine Venetian Gothic Style. Five storeys; 6-window range (each with tripartite sashes) all in pointed form. Windows diminish in height as they go up. 2nd and 3rd storeys have 2-light windows with colonnettes. Tripartite sashes to top storey with pierced trefoil decoration to stucco recess above windows. Pierced parapet with Gothic style balustrade. Round-arches to ground-floor set beneath pointed archivolts; bays articulated by engaged columns. Entrance at left end bay with doors of Gothic design; entrance at right end has been replaced by window. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3136782122

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80402
Monument Type	Listed Building
Preferred Ref.	MLO80402
Name	A 26 Morwell Street
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29739 81622 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/78 (West side) 24/10/51 Nos.28-38 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I Includes: Nos.26, 26A AND 27 MORWELL STREET. Terrace of 11 houses forming the west side of a square. 1776-1781. All built by W Scott and R Grews; perhaps designed either by Thomas Leverton or Robert Palmer; for the Bedford Estate. Nos 28-36 form a symmetrical terrace. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The centre house, No.32, is stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each. Recessed round-headed entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. The following have cast-iron balconies to 1st floor windows: Nos 29 & 30, 32-36 & 38. Cornice and parapets, Nos 28 & 36 with balustraded parapets. INTERIORS not inspected save for Nos 34-36, but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.28: 3 window return to Bayley Street, 1 blind. Rear elevation with full height bow. Major renovation in 1910. 3 plaster ceilings, one dating from the renovation. No.29: rear elevation with full height canted bay, bowed internally. A plaster ceiling. No.30: rear elevation with full height bowed bay. Fine ceilings, one with painted cameos. No.31: rear elevation with full height bowed bay. 2 fine ceilings. No.32: rusticated ground floor; 4 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze, with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on the tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. Entrance of Doric columns supporting an entablature beneath the fanlight; double panelled doors. Rear elevation with full height bowed bay. INTERIOR detailing and joinery particularly good. No.33: rear elevation with full height bowed bay. Internal distyle-in-antis screen with capitals derived from the Athenian Tower of the Winds. Plaster ceiling. No.37: rear elevation with full height bowed bay. Original wine cellar in the basement. No.38: a late C19 timber staircase. Some houses with original lead rainwater heads and pipes. Nos 34 and 35 acquired by the Architectural Association - Britain's first full-time school of architecture - in 1917, whose Head and, from 1920, Director of Education, was Robert Atkinson. In 1919-21 he made many alterations and added studios to the rear, which latter are of very austere design. Ground floor and first-floor front rooms made into one, now respectively lecture room and library, with missing mouldings to No.34 matched up with those surviving in No.35. This includes first-floor ceiling to No.34. First-floor library is a war memorial, with fitted bookcases by Atkinson and a memorial tablet to fallen members, unveiled 1921 and recarved after 1945 to commemorate both World Wars. No.35 has no staircase, but retains some fireplaces and original mouldings. Both houses have rear elevations with full-height bowed bays. No.36 also with full-height bowed bay to rear. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch flambe finials. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13 (qv). Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.35 was the residence of Thomas Wakley, reformer & founder of The Lancet, also of Thomas Hodgkin, physician, reformer & philanthropist (LCC/ GLC plaques). No.36 was acquired by the Architectural Association in 1927 and adapted as offices and members' rooms by Atkinson, who added more studios to the rear - these last again of very simple design. The presence of the Architectural Association in one of London's most important squares did much to promote the special interest and importance of Georgian London, especially amongst the many international architects and writers who came there. Here, for example, Steen Eiler Rasmussen lectured in 1928 and his book on the quintessentials of London architecture, 'London, the Unique City', perfectly captures the homely spirit for which London's Georgian squares and terraces have since been venerated. (Byrne A: Bedford Square, An architectural study: London: -1990; Summerson J: The Architectural Association, a Centenary History: Architectural Association: -1948). CAMDEN TQ2981NE MORWELL STREET 798-1/99/78 Nos.26, 26A AND 27 24/10/51 GV I See under: Nos.28-38 and attached railings BEDFORD SQUARE. Listing NGR: TQ2973981622</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- A 26 Morwell Street, London, WC1B 3AR

- A 26 Morwell Street, London, WC1B 3AR

Monument/Component Types

- RAILINGS (18th Century - 1776 AD to 1781 AD)
- TERRACE (18th Century - 1776 AD to 1781 AD)
- TERRACED HOUSE (18th Century - 1776 AD to 1781 AD)
- HOUSE (18th Century to Unknown - 1782 AD)
- HOUSE (Modern - 1910 AD)

- ARCHITECTURE SCHOOL (Modern - 1917 AD)
- DRAWING OFFICE (Modern - 1919 AD to 1921 AD)
- HOUSE (Modern - 1919 AD to 1921 AD)
- DRAWING OFFICE (Modern - 1927 AD)
- OFFICE (Modern - 1927 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (I)	476700	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/78 (West side) 24/10/51 Nos.28-38 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I Includes: Nos.26, 26A AND 27 MORWELL STREET. Terrace of 11 houses forming the west side of a square. 1776-1781. All built by W Scott and R Grews; perhaps designed either by Thomas Leverton or Robert Palmer; for the Bedford Estate. Nos 28-36 form a symmetrical terrace. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The centre house, No.32, is stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each. Recessed round-headed entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. The following have cast-iron balconies to 1st floor windows: Nos 29 & 30, 32-36 & 38. Cornice and parapets, Nos 28 & 36 with balustraded parapets. INTERIORS not inspected save for Nos 34-36, but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.28: 3 window return to Bayley Street, 1 blind. Rear elevation with full height bow. Major renovation in 1910. 3 plaster ceilings, one dating from the renovation. No.29: rear elevation with full height canted bay, bowed internally. A plaster ceiling. No.30: rear elevation with full height bowed bay. Fine ceilings, one with painted cameos. No.31: rear elevation with full height bowed bay. 2 fine ceilings. No.32: rusticated ground floor; 4 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze, with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on the tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. Entrance of Doric columns supporting an entablature beneath the fanlight; double panelled doors. Rear elevation with full height bowed bay. INTERIOR detailing and joinery particularly good. No.33: rear elevation with full height bowed bay. Internal distyle-in-antis screen with capitals derived from the Athenian Tower of the Winds. Plaster ceiling. No.37: rear elevation with full height bowed bay. Original wine cellar in the basement. No.38: a late C19 timber staircase. Some houses with original lead rainwater heads and pipes. Nos 34 and 35 acquired by the Architectural Association - Britain's first full-time school of architecture - in 1917, whose Head and, from 1920, Director of Education, was Robert Atkinson. In 1919-21 he made many alterations and added studios to the rear, which latter are of very austere design. Ground floor and first-floor front rooms made into one, now respectively lecture room and library, with missing mouldings to No.34 matched up with those surviving in No.35. This includes first-floor ceiling to No.34. First-floor library is a war memorial, with fitted bookcases by Atkinson and a memorial tablet to fallen members, unveiled 1921 and recarved after 1945 to commemorate both World Wars. No.35 has no staircase, but retains some fireplaces and original mouldings. Both houses have rear elevations with full-height bowed bays. No.36 also with full-height bowed bay to rear. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch flambe finials. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13 (qv). Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.35 was the residence of Thomas Wakley, reformer & founder of The Lancet, also of Thomas Hodgkin, physician, reformer & philanthropist (LCC/ GLC plaques). No.36 was acquired by the Architectural Association in 1927 and adapted as offices and members' rooms by Atkinson, who added more studios to the rear - these last again of very simple design. The presence of the Architectural Association in one of London's most important squares did much to promote the special interest and importance of Georgian London, especially amongst the many international architects and writers who came there. Here, for example, Steen Eiler Rasmussen lectured in</p>

1928 and his book on the quintessentials of London architecture, 'London, the Unique City', perfectly captures the homely spirit for which London's Georgian squares and terraces have since been venerated. (Byrne A: Bedford Square, An architectural study: London: -1990; Summerson J: The Architectural Association, a Centenary History: Architectural Association: -1948). CAMDEN TQ2981NE MORWELL STREET 798-1/99/78 Nos.26, 26A AND 27 24/10/51 GV I See under: Nos.28-38 and attached railings BEDFORD SQUARE. Listing NGR: TQ2973981622

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86011
Monument Type	Listed Building
Preferred Ref.	MLO86011
Name	Abbots Court 34 Farringdon Lane
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31417 82173 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/390 (East side) No.34 GV II Warehouse and showrooms, now offices. Dated 1875. By Rowland Plumbe for John Greenwood, a watch and clock manufacturer and importer. Beige stock brick set in English bond, rubbed red brick and painted Bath and Portland stone and stucco dressings; roof obscured by parapet, end-wall brick stacks. Side-hall entrance plan to right: ground and 1st floors were originally planned as showrooms; upper floors for warehouse accommodation. Elaborate Gothic Revival style. Four storeys with raised basement and attic; 5-window range. Richly decorated elevation clearly divided into 2 sections, above and below the 1st floor cornice line; clock to top centre of gable. Ground-floor arches all in pointed form. Steps rise to deeply recessed entrance in far right bay: 20th century doors and overlight; scored stucco reveal. To left, ground-floor recessed casements with plain pointed fanlights, archivolt and engaged banded columns and antae. 1st-floor stucco sill band beneath shouldered segmental-arched casement windows; projecting stucco 1st floor cornice with floral pattern to frieze. To 2nd and 3rd storeys, two tall arched bays with stucco recess rising through both storeys into which pairs of windows with colonnettes have been inserted. Single arched sashes flank tall arched bays at each floor level. Top floor with single tall gable that cuts through machicolated cornice and balustraded parapet: clock to centre of gable set in roundel; parapet termini piers capped with pyramidal finials. Gable also capped with elaborate finial. Elevation includes many details: to gable, coat of arms of Greenwood family; to tympana above 3rd storey windows are the arms of the City of London and Middlesex, and the Greenwood family motto 'ut proxim'; to 2nd storey tympana symbols of the family trade are included such as the hour glass, the sundial, the sickle and the serpent. Foundation stone reads: 'This stone was laid by Amelia Fisher Granddaughter of John Greenwood June V MDCCCLXXV'. INTERIOR: : altered; mezzanine floor inserted between ground and 1st floors. This is one of the outstanding Gothic warehouses in the Farringdon Road area and an important survival of the local clock-making and watch-making industry, of which there are few extant examples. Designed by a well-known architect who was responsible for housing work at Noel Park. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3141782173

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- Abbots Court 34 Farringdon Lane, London, EC1R 3AX

Monument/Component Types

- COAT OF ARMS (Undated)
- OFFICE (Undated)
- SHOWROOM (19th Century - 1875 AD)
- STEPS (19th Century - 1875 AD)
- WAREHOUSE (19th Century - 1875 AD)
- WATCHMAKERS WORKSHOP (19th Century - 1875 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368890	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/390 (East side) No.34 GV II Warehouse and showrooms, now offices. Dated 1875. By Rowland Plumbe for John Greenwood, a watch and clock manufacturer and importer. Beige stock brick set in English bond, rubbed red brick and painted Bath and Portland stone and stucco dressings; roof obscured by parapet, end-wall brick stacks. Side-hall entrance plan to right: ground and 1st floors were originally planned as showrooms; upper floors for warehouse accommodation. Elaborate Gothic Revival style. Four storeys with raised basement and attic; 5-window range. Richly decorated elevation clearly divided into 2 sections, above and below the 1st floor cornice line; clock to top centre of gable. Ground-floor arches all in pointed form. Steps rise to deeply recessed entrance in far right bay: C20 doors and overlight; scored stucco reveal. To left, ground-floor recessed casements with plain pointed fanlights, archivolt and engaged banded columns and antae. 1st-floor stucco sill band beneath shouldered segmental-arched casement windows; projecting stucco 1st floor cornice with floral pattern to frieze. To 2nd and 3rd storeys, two tall arched bays with stucco recess rising through both storeys into which pairs of windows with colonnettes have been inserted. Single arched sashes flank tall arched bays at each floor level. Top floor with single tall gable that cuts through

machicolated cornice and balustraded parapet: clock to centre of gable set in roundel; parapet termini piers capped with pyramidal finials. Gable also capped with elaborate finial. Elevation includes many details: to gable, coat of arms of Greenwood family; to tympana above 3rd storey windows are the arms of the City of London and Middlesex, and the Greenwood family motto 'ut prosim'; to 2nd storey tympana symbols of the family trade are included such as the hour glass, the sundial, the sickle and the serpent. Foundation stone reads: 'This stone was laid by Amelia Fisher Granddaughter of John Greenwood June V MDCCCLXXV'. INTERIOR: : altered; mezzanine floor inserted between ground and 1st floors. This is one of the outstanding Gothic warehouses in the Farringdon Road area and an important survival of the local clock-making and watch-making industry, of which there are few extant examples. Designed by a well-known architect who was responsible for housing work at Noel Park. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3141782173

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO101028
Monument Type	Listed Building
Preferred Ref.	MLO101028
Name	Aldwych, Bush House, Pair of K6 Telephone Kiosks, Westminster {Two K6 Telephone Box}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30717 81025 (point) (Centred on)
Summary	Two K6 telephone kiosks.
Description	DESCRIPTION: The K6 is a standardised design made of cast iron, painted red overall with long horizontal glazing in door and sides and with the crowns situated on. The top panels being applied not perforated. There are rectangular white display signs, reading TELEPHONE beneath the shallow curved roof. It has modernised internal equipment. These two kiosks are located at the junction of Kingsway and the Aldwych. These two streets were laid out in 1905 and comprise a wide, tree-lined boulevard (Kingsway) terminating in a grand crescent (Aldwych) with an underground tunnel for electric trams beneath. This was the London County Council's first large urban improvement scheme in central London and cut through older street patterns and buildings. The kiosks are placed on the axis of Kingsway, one to each side of the Grade II-listed Bush House which closes the vista at the end of the street. HISTORY: The K6 telephone kiosk is a milestone of 20th century industrial design. The K6 was designed by Sir Giles Gilbert Scott in 1935 for the General Post Office, on the occasion of King George V's Silver Jubilee. The K6 was a development from his earlier highly successful K2 telephone kiosk design of 1924, of Neo-classical inspiration. The K6 was more streamlined aesthetically, more compact and more cost-effective to mass produce. Sir Giles Gilbert Scott (1880-1960) was one of the most important of modern British architects; his many celebrated commissions include the Anglican cathedral of Liverpool and Battersea power station. The K2 and K6 telephone kiosks can be said to represent a very thoughtful adaptation of architectural tradition to contemporary technological requirements. Well over 1 0,000 K6s were eventually produced. In the 1960s many were replaced with far plainer kiosk types. But many still remain, and continue to be an iconic feature on Britain's streetscapes.(1)

Sources

Number	Reference
SLO81663	Listing Record: English Heritage. 2010. Amendment to Listing English Heritage Volume 1900, City of Westminster, 507713 [Addition to listing]

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- Aldwych, Westminster

Monument/Component Types

- TELEPHONE BOX ((between) Modern - 1935 AD? to 2050 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	DL33704 Aldwych, Bush House, Westminster Two K6 Telephone Kiosks	DESCRIPTION: The K6 is a standardised design made of cast iron, painted red overall with long horizontal glazing in door and sides and with the crowns situated on. The top panels being applied not perforated. There are rectangular white display signs, reading TELEPHONE beneath the shallow curved roof. It has modernised internal equipment. These two kiosks are located at the junction of Kingsway and the Aldwych. These two streets were laid out in 1905 and comprise a wide, tree-lined boulevard (Kingsway) terminating in a grand crescent (Aldwych) with an underground tunnel for electric trams beneath. This was the London County Council's first large urban improvement scheme in central London and cut through older street patterns and buildings. The kiosks are placed on the axis of Kingsway, one to each side of the Grade II-listed Bush House which closes the vista at the end of the street. HISTORY: The K6 telephone kiosk is a milestone of C20 industrial design. The K6 was designed by Sir Giles Gilbert Scott in 1935 for the General Post Office, on the occasion of King George V's Silver Jubilee. The K6 was a development from his earlier highly successful K2 telephone kiosk design of 1924, of Neo-classical inspiration. The K6 was more streamlined aesthetically, more compact and more cost-effective to mass produce. Sir Giles Gilbert Scott (1880-1960) was one of the most important of modern British architects; his many celebrated commissions include the Anglican cathedral of Liverpool and Battersea power station. The K2 and K6 telephone kiosks can be said to represent a very thoughtful adaptation of architectural tradition to contemporary technological requirements. Well over 1 0,000 K6s were eventually produced. In the 1960s many were replaced with far plainer kiosk types. But many still remain, and continue to be an iconic feature on Britain's streetscapes. REASONS FOR DESIGNATION: The two K6 telephone kiosks at the Aldwych are listed for the following principle reasons: the kiosks have a strong

visual relationship with Bush House, and are close to other listed buildings including the Waldorf Hotel, India House and the Aldwych and Strand theatres they are located in a setting of particular interest, one of the grandest examples of Edwardian town planning in the capital; Giles Gilbert Scott's design has special interest for its artistry and functionality as well its iconic status as a milestone of C20 industrial design.

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO101028

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80102
Monument Type	Listed Building
Preferred Ref.	MLO80102
Name	APPLE TREE PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31075 82197 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3182SW MOUNT PLEASANT 798-1/97/1162 (East side) 14/05/74 No.45 Apple Tree Public House GV II Public house. Mid 19th century, altered 20th century. Grey stock brick with stucco dressings. 3 windows with 3-window return and 4-window 2 storey extension to Warner Street. 3 storeys and cellars. 20th century wooden public house frontage with pilasters supporting a fascia, with original consoles, and windows with small panes. Segmental arched 1st floor 4-pane sashes with moulded hoods and keystones, linked by impost bands. Moulded 2nd floor string. 2nd floor architraved sashes. Cornice topped by a parapet with pierced decoration. INTERIOR: altered. Listing NGR: TQ3107582197

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Mount Pleasant, London, WC1X 0AE

Monument/Component Types

- PUBLIC HOUSE (19th Century - 1833 AD to 1866 AD)
- PUBLIC HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477550 APPLE TREE PUBLIC HOUSE	CAMDEN TQ3182SW MOUNT PLEASANT 798-1/97/1162 (East side) 14/05/74 No.45 Apple Tree Public House GV II Public house. Mid C19, altered C20. Grey stock brick with stucco dressings. 3 windows with 3-window return and 4-window 2 storey extension to Warner Street. 3 storeys and cellars. C20 wooden public house frontage with pilasters supporting a fascia, with original consoles, and windows with small panes. Segmental arched 1st floor 4-pane sashes with moulded hoods and keystones, linked by impost bands. Moulded 2nd floor string. 2nd floor architraved sashes. Cornice topped by a parapet with pierced decoration. INTERIOR: altered. Listing NGR: TQ3107582197

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97273
Monument Type	Listed Building
Preferred Ref.	MLO97273
Name	AUSTRALIA HOUSE AND GOVERNMENT OF VICTORIA OFFICES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30849 81009 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ 3080 NE and 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/14 ;73/6 (South side) Australia House and Government of Victoria Offices G.V. II High Commission offices. 1912-18 by A. Marshall Mackenzie with sculpture by H. Palmer, incorporating the Government of Victoria offices of 1907-09 by Alfred Burr. Portland stone on steel Frame, slate roof. Monumental Beaux Arts - Imperial Baroque on a trapezoidal island site as part of the Aldwych-Kingsway development. 6 storeys including mezzanine and attic storey and 2 tiers of dormers in steep mansard. 6 windows wide on convex Aldwych front and 7 windows wide to Strand with vast single bay entrance front to splayed apex of site and the Government of Victoria Offices incorporated as west terminal pavilion fronting Melbourne Place. The splayed apex contains main entrance with lofty architraved doorway with cornice on consoles flanked by large pedestals bearing pyramidal groups of over life size allegorical figures carved in stone. The vertically grouped, bronze framed, 3 floors of windows above flanked by colossal Roman Doric columns in antis between pilasters, the whole double stepped in advance of channelled flanks. Above the deep main entablature and set in front of the blind attic, framed by dies, is a huge bronze group of Apollo and quadriga rising from the sea. The return elevations have channelled podium with ground floor and mezzanine arcade. Above rises a colossal order of coupled Roman Doric columns in antis, as above entrance, screening 3 storeys of bronze framed windows. Above the main entablature the grouping of the colossal order is echoed in the pilastered dies advanced from the recessed attic storey. The lower tier of dormers have pilaster-terms and block cornices while the upper tier are treated as oeil de boeuf. Roof ridges metal-cased in the form of be-ribboned fasces stopped with cartouches. The Government of Victoria Offices have arcaded ground floor and mezzanine with boldly pulvinated banding. Vertically grouped 1st and 2nd floor windows with segmental cornices on consoles, 2 and 3-light 3rd floor windows, the 3 storeys framed by giant order of banded Ionic quoin pilasters. Lofty attic with quoin piers and attic and blocking course. Interior has marble lined principal ground floor rooms along main axis leading to grand staircase. Listing NGR: TQ3084981009

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 75 Strand, London, WC2R 0DE

Monument/Component Types

- GOVERNMENT OFFICE (Modern - 1907 AD to 1909 AD)
- EMBASSY (Modern - 1912 AD to 1918 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208535 AUSTRALIA HOUSE AND GOVERNMENT OF VICTORIA OFFICES	TQ 3080 NE and 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/14 ;73/6 (South side) Australia House and Government of Victoria Offices G.V. II High Commission offices. 1912-18 by A. Marshall Mackenzie with sculpture by H. Palmer, incorporating the Government of Victoria offices of 1907-09 by Alfred Burr. Portland stone on steel Frame, slate roof. Monumental Beaux Arts - Imperial Baroque on a trapezoidal island site as part of the Aldwych-Kingsway development. 6 storeys including mezzanine and attic storey and 2 tiers of dormers in steep mansard. 6 windows wide on convex Aldwych front and 7 windows wide to Strand with vast single bay entrance front to splayed apex of site and the Government of Victoria Offices incorporated as west terminal pavilion fronting Melbourne Place. The splayed apex contains main entrance with lofty architraved doorway with cornice on consoles flanked by large pedestals bearing pyramidal groups of over life size allegorical figures carved in stone. The vertically grouped, bronze framed, 3 floors of windows above flanked by colossal Roman Doric columns in antis between pilasters, the whole double stepped in advance of channelled flanks. Above the deep main entablature and set in front of the blind attic, framed by dies, is a huge bronze group of Apollo and quadriga rising from the sea. The return elevations have channelled podium with ground floor and mezzanine arcade. Above rises a colossal order of coupled Roman Doric columns in antis, as above entrance, screening 3 storeys of bronze framed windows. Above the main entablature the grouping of the colossal order is echoed in the pilastered dies advanced from the recessed attic storey. The lower tier of dormers have pilaster-terms and block cornices while the upper tier are treated as oeil de boeuf. Roof ridges metal-cased in the form of be-

ribboned fascias stopped with cartouches. The Government of Victoria Offices have arcaded ground floor and mezzanine with boldly pulvinated banding. Vertically grouped 1st and 2nd floor windows with segmental cornices on consoles, 2 and 3-light 3rd floor windows, the 3 storeys framed by giant order of banded Ionic quoin pilasters. Lofty attic with quoin piers and attic and blocking course. Interior has marble lined principal ground floor rooms along main axis leading to grand staircase. Listing NGR: TQ3084981009

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81261
Monument Type	Listed Building
Preferred Ref.	MLO81261
Name	AVENUE CHAMBERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30452 81648 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW VERNON PLACE 798-1/100/1669 (North West side) 14/05/74 Nos.1-6 (Consecutive) Avenue Chambers GV II Shopping parade with offices, formerly flats, over, forming the north-west return to Sicilian Avenue (qv). 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys and later 20th century attic with dormers. 7 window bays plus splayed left hand return and projecting oriel on right hand return to Sicilian Avenue. Ground floor with round-headed entrance to offices in central bay flanked by later 20th century shopfronts. Bays separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at end bays. 1st floor with 4, 3 and 2-light square-headed casement windows except the entrance bay with a 5-light oriel, the apron with wreath and swags inscribed "Avenue Chambers". 2nd, 3rd and 4th floor with 2-light transom and mullion windows at either end, 4-light canted bay windows with transom and mullions and in the central entrance bay 4-light bow windows. Projecting oriel of 7 lights with transoms and mullions, from 2nd to 4th floor. Beneath, an arched entrance with 4 large brackets supporting a cornice over. All windows with small leaded panes, some with shields. Modillion cornice surmounted by terracotta balustrade, the central bay with a pedimented gable with 2-light transom and mullion window. To either side, tall slab chimneys. Over the left hand splayed return, a domed terracotta lantern. INTERIORS: not inspected. Nos 1-6 (consec) Vernon Place form a homogeneous development with Nos 1-29 (odd) and 6-20 (even) Sicilian Avenue (qqv), Nos 15-23, 25-35 (odd) and 35A Southampton Row (qqv). Listing NGR: TQ3045281648

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1-6 Vernon Place, London, WC1A 2EP
- 1-6 Vernon Place, London, WC1A 2EP
- 1-6 Vernon Place, London, WC1A 2EP
- 1-6 Vernon Place, London, WC1A 2EP
- 1-6 Vernon Place, London, WC1A 2EP

Monument/Component Types

- MANSION FLATS (Modern - 1906 AD to 1910 AD)
- SHOPPING PARADE (Modern - 1906 AD to 1910 AD)
- OFFICE (Modern - 1967 AD to 1999 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478458 AVENUE CHAMBERS	CAMDEN TQ3081NW VERNON PLACE 798-1/100/1669 (North West side) 14/05/74 Nos.1-6 (Consecutive) Avenue Chambers GV II Shopping parade with offices, formerly flats, over, forming the north-west return to Sicilian Avenue (qv). 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys and later C20 attic with dormers. 7 window bays plus splayed left hand return and projecting oriel on right hand return to Sicilian Avenue. Ground floor with round-headed entrance to offices in central bay flanked by later C20 shopfronts. Bays separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at end bays. 1st floor with 4, 3 and 2-light square-headed casement windows except the entrance bay with a 5-light oriel, the apron with wreath and swags inscribed "Avenue Chambers". 2nd, 3rd and 4th floor with 2-light transom and mullion windows at either end, 4-light canted bay windows with transom and mullions and in the central entrance bay 4-light bow windows. Projecting oriel of 7 lights with transoms and mullions, from 2nd to 4th floor. Beneath, an arched entrance with 4 large brackets supporting a cornice over. All windows with small leaded panes, some with shields. Modillion cornice surmounted by terracotta balustrade, the central bay with a pedimented gable with 2-light transom and mullion window. To either side, tall slab chimneys. Over the left hand splayed return, a domed terracotta lantern. INTERIORS: not inspected. Nos 1-6 (consec) Vernon Place form a homogeneous development with Nos 1-29 (odd) and 6-20 (even) Sicilian Avenue (qqv), Nos 15-23, 25-35 (odd) and 35A

Southampton Row (qqv). Listing NGR: TQ3045281648

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80225
Monument Type	Listed Building
Preferred Ref.	MLO80225
Name	BAPTIST CHURCH HOUSE AND KINGSGATE HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30546 81574 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3081NE CATTON STREET 798-1/101/1477 Kingsgate House 15/02/82 GV II* See under: Nos.2, 4 AND 6 Baptist Church House SOUTHAMPTON ROW. CAMDEN TQ3081NE SOUTHAMPTON ROW 798-1/101/1477 (East side) 15/02/82 Nos.2, 4 AND 6 Baptist Church House GV II* Includes: Kingsgate House CATTON STREET. Office block and shops with former chapel; Kingsgate House, Catton Street forms the return and rear of this building. 1901-1903. By Arthur Keen, architect for the Baptist Union of Great Britain and Ireland. Restored in 1946 by RM Piggott. Exterior sculpture by Richard Garbe and internal plasterwork by Lawrence Turner. Portland stone ashlar with tiled roofs. STYLE: "Wrenaissance" style with Flemish inspired shaped gables, eclectic Baroque and Arts and Crafts details. EXTERIOR: 4 storeys with attic gables and 4 stage attic tower. 5 bays to Southampton Row, 3-bay return and 6-bay wing to Catton Street. North west corner splayed. Ground floor has 3 wide segmental-arched shopfronts, at south the surviving original shop window. Off-centre centre doors and fanlight. First floor has segmental-arched tripartite windows, over entrance with attached Corinthian columns, at south end bay flanked with 2 additional openings. Second and third floors have alternate flush rusticated bays with recessed bays having giant Ionic columns through both storeys. Third floor with 4 arch headed windows with Ionic half columns and pediments; 4th floor with 4 straight headed windows; additional flanking openings to south end bay on both floors. First and second floor bands, rusticated angle quoins, and attic cornice. Sashes with glazing bars throughout. Attic pediment over entrance bay with attic tower above, Wrennian inspiration angle pilasters, urns, dentil cornice, octagonal bell stage with arched louvred openings. Concave octagonal arched windows with lunettes over, shaped verges and apex aedicules. Much metalwork decoration to balconies and sills. Splayed north-west angle has foundation tablet dated 1901 and, above, a statue of John Bunyan by Richard Garbe, sculptor. Return to Catton Street has 3 stone ashlar and 6 red brick and stone dressed bays. Arched ground floor openings. Gabled 1st floor and arch-headed second floor sashes with glazing bars. Attached at north-east, former Kingsgate Chapel. 2 storeys with attic; polygonal on plan. Tripartite lunettes, angle pilasters, polygonal tiled cupola with clerestory and conical roof. 2 storey advanced porch. 3 stage tower with angle quoins, gabled windows, swept lead roof with cupola. INTERIORS: Baptist Church House retains tiled and vaulted ground and first floor corridors. The statue of Charles Haddon Spurgeon by Derwent Wood which formerly stood on an inscribed plinth under a niche in the entrance hall is now missing; the entrance hall is pilastered and has a barrel vault, a ceiling treatment which recurs throughout the ground and first floors. Dog-leg stone tread stair in C17 manner with fat balusters and handrail in wood to first floor; metal-work balustrade to stair on upper floors. Four interiors of very good quality inspected in September 1994: The original 2-storey Kingsgate Chapel to the rear of the site was divided at gallery level in 1939. It is octagonal in plan with a dome finishing in a columned light monitor. Fine plaster ornament augmented by low relief panels depicting varieties of British trees in an Arts and Crafts manner by Lawrence Turner; the inside has recently been sealed to the weather and fumigated. After it was divided in two the top half of the Chapel became the Union's Council Chamber. In 1939 the former Council Chamber became the 'Shakespeare Room', named after the Union Secretary at the time the complex was built. This is a barrel-vaulted room of 3 bays on the first floor (now No.108) with splendid Arts and Crafts plaster work by Lawrence Turner; the chimney piece is made from polished alabaster and features a low relief terracotta plaque depicting Baptist missionaries liberating aboriginals; this is signed Doulton of Lambeth and is said to be by George Tinworth; wood panelling to lower walls; tympanum of barrel vault opposite entrance bears low relief portrait bust of Robert Hall in stone; Diocletian windows with original leaded glazing. The former Committee Room is also on the first floor (now No.107, it is found in the north-west corner): this is entered via a short barrel-vaulted corridor which is top glazed; in the side wall of this corridor is a plaque erected at the time the building was completed recording those associated with the project; ceiling divided into nine compartments, the principal divisions ornamented by rich plasterwork; a second terracotta low relief plaque, also said to be the work of Tinworth is set above the fireplace. Finally, there is the former Library on the second floor, now room No.208, with wood panelling and an exceptionally fine chimney surround with inlaid wood and roundels in an Arts and Crafts manner; the original book cases fixed to the walls survive; ceiling divided into 12 compartments, across 4 bays; 4 segmental-arched clerestory windows to east wall above library cases and two to the west wall; all windows with lead glazing of an original design. The General Secretary's room, said to have a plaster cornice with central pendant could not be located, nor could the Visitor's Room with panelled ceiling and cornice, although the rooms have been renamed and may be those inspected. Many original doors survive, and several features from the 1939 refurbishment, including stair rails and floors. HISTORICAL NOTE: The British Council of Churches was inaugurated here in 1942. Listing NGR: TQ3054681574</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 Kingsgate House 3 Catton Street, London, WC1R 4AB

Monument/Component Types

- BAPTIST CHAPEL (Modern - 1901 AD to 1903 AD)
- DATE STONE (Modern - 1901 AD)
- LIBRARY (Modern - 1901 AD to 1903 AD)
- OFFICE (Modern - 1901 AD to 1903 AD)

- SHOP (Modern - 1901 AD to 1903 AD)
- BAPTIST CHAPEL (Modern - 1939 AD)
- FUNCTION ROOM (Modern - 1939 AD)
- OFFICE (Modern - 1939 AD)
- OFFICE (Modern - 1946 AD)
- SHOP (Modern - 1946 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	478136 BAPTIST CHURCH HOUSE AND KINGSGATE HOUSE	<p>Description</p> <p>CAMDEN TQ3081NE CATTON STREET 798-1/101/1477 Kingsgate House 15/02/82 GV II* See under: Nos.2, 4 AND 6 Baptist Church House SOUTHAMPTON ROW. CAMDEN TQ3081NE SOUTHAMPTON ROW 798-1/101/1477 (East side) 15/02/82 Nos.2, 4 AND 6 Baptist Church House GV II* Includes: Kingsgate House CATTON STREET. Office block and shops with former chapel; Kingsgate House, Catton Street forms the return and rear of this building. 1901-1903. By Arthur Keen, architect for the Baptist Union of Great Britain and Ireland. Restored in 1946 by RM Piggott. Exterior sculpture by Richard Garbe and internal plasterwork by Lawrence Turner. Portland stone ashlar with tiled roofs. STYLE: "Wrenaissance" style with Flemish inspired shaped gables, eclectic Baroque and Arts and Crafts details. EXTERIOR: 4 storeys with attic gables and 4 stage attic tower. 5 bays to Southampton Row, 3-bay return and 6-bay wing to Catton Street. North west corner splayed. Ground floor has 3 wide segmental-arched shopfronts, at south the surviving original shop window. Off-centre centre doors and fanlight. First floor has segmental-arched tripartite windows, over entrance with attached Corinthian columns, at south end bay flanked with 2 additional openings. Second and third floors have alternate flush rusticated bays with recessed bays having giant Ionic columns through both storeys. Third floor with 4 arch headed windows with Ionic half columns and pediments; 4th floor with 4 straight headed windows; additional flanking openings to south end bay on both floors. First and second floor bands, rusticated angle quoins, and attic cornice. Sashes with glazing bars throughout. Attic pediment over entrance bay with attic tower above, Wrennian inspiration angle pilasters, urns, dentil cornice, octagonal bell stage with arched louvred openings. Concave octagonal arched windows with lunettes over, shaped verges and apex aedicules. Much metalwork decoration to balconies and sills. Splayed north-west angle has foundation tablet dated 1901 and, above, a statue of John Bunyan by Richard Garbe, sculptor. Return to Catton Street has 3 stone ashlar and 6 red brick and stone dressed bays. Arched ground floor openings. Gabled 1st floor and arch-headed second floor sashes with glazing bars. Attached at north-east, former Kingsgate Chapel. 2 storeys with attic; polygonal on plan. Tripartite lunettes, angle pilasters, polygonal tiled cupola with clerestory and conical roof. 2 storey advanced porch. 3 stage tower with angle quoins, gabled windows, swept lead roof with cupola. INTERIORS: Baptist Church House retains tiled and vaulted ground and first floor corridors. The statue of Charles Haddon Spurgeon by Derwent Wood which formerly stood on an inscribed plinth under a niche in the entrance hall is now missing; the entrance hall is pilastered and has a barrel vault, a ceiling treatment which recurs throughout the ground and first floors. Dog-leg stone tread stair in C17 manner with fat balusters and handrail in wood to first floor; metal-work balustrade to stair on upper floors. Four interiors of very good quality inspected in September 1994: The original 2-storey Kingsgate Chapel to the rear of the site was divided at gallery level in 1939. It is octagonal in plan with a dome finishing in a columned light monitor. Fine plaster ornament augmented by low relief panels depicting varieties of British trees in an Arts and Crafts manner by Lawrence Turner; the inside has recently been sealed to the weather and fumigated. After it was divided in two the top half of the Chapel became the Union's Council Chamber. In 1939 the former Council Chamber became the 'Shakespeare Room', named after the Union Secretary at the time the complex was built. This is a barrel-vaulted room of 3 bays on the first floor (now No.108) with splendid Arts and Crafts plaster work by Lawrence Turner; the chimney piece is made from polished alabaster and features a low relief terracotta plaque depicting Baptist missionaries liberating aboriginals; this is signed Doulton of Lambeth and is said to be by George Tinworth; wood panelling to lower walls; tympanum of barrel vault opposite entrance bears low relief portrait bust of Robert Hall in stone; Diocletian windows with original leaded glazing. The former Committee Room is also on the first floor (now No.107, it is found in the north-west corner): this is entered via a short barrel-vaulted corridor which is top glazed; in the side wall of this corridor is a plaque erected at the time the building was completed recording those associated with the project; ceiling divided into nine compartments, the principal divisions ornamented by rich plasterwork; a second terracotta low relief plaque, also said to be the work of Tinworth is set above the fireplace. Finally, there is the</p>

former Library on the second floor, now room No.208, with wood panelling and an exceptionally fine chimney surround with inlaid wood and roundels in an Arts and Crafts manner; the original book cases fixed to the walls survive; ceiling divided into 12 compartments, across 4 bays; 4 segmental-arched clerestory windows to east wall above library cases and two to the west wall; all windows with lead glazing of an original design. The General Secretary's room, said to have a plaster cornice with central pendant could not be located, nor could the Visitor's Room with panelled ceiling and cornice, although the rooms have been renamed and may be those inspected. Many original doors survive, and several features from the 1939 refurbishment, including stair rails and floors. HISTORICAL NOTE: The British Council of Churches was inaugurated here in 1942. Listing NGR: TQ3054681574

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80573
Monument Type	Listed Building
Preferred Ref.	MLO80573
Name	BLOOMSBURY CENTRAL BAPTIST CHURCH
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30078 81386 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1428 (East side) 04/11/94 No.235 Bloomsbury Central Baptist Church (Formerly Listed as: SHAFTESBURY AVENUE Central Baptist Church) GV II Baptist church. c1845-8. By John Gibson. For Sir Samuel Morton Peto on speculation because he considered a church was needed in the area. Grey brick with stone dressings and vertical bands. Early Italian Gothic style. Rectangular plan. EXTERIOR: 2 storeys and attics. West front of 3 windows flanked by rectangular towers. 3 central moulded arch entrances above which a Lombardic frieze and large rose window flanked by 2 round-arched windows. Deep Lombardic frieze beneath arcaded attic windows crowned by a balustrade. 4-stage towers with vertical bands and small windows; 4th stages are belfries with round-arched openings, friezes and cornices having trefoil enriched dies at angles; formerly with short spires, removed due to war damage. INTERIOR: horseshoe-shaped auditorium with curved gallery supported on polygonal cast-iron columns; the gallery with arcaded-patterned front. Decorated square columns rise from gallery to roof. Good curved pews, and stained glass incorporating texts. Balcony reached by winding wrought-iron stairs in angles either side of narrow central entrance foyer refitted c1960s. HISTORICAL NOTE: this was the first Baptist chapel to stand prominently on a London street, looking like a "church", reflecting the improved status of Victorian dissenters. Legend records that when Peto sought to lease the land, the First Commissioner of Woods & Forests told him that Nonconformist chapels were too dull: he liked a church with a spire. "A spire?" exclaimed Peto, "My Lord, we shall have two!". Listing NGR: TQ3007881386

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 235 Shaftesbury Avenue, London, WC2H 8EL

Monument/Component Types

- BAPTIST CHAPEL (19th Century - 1845 AD to 1848 AD)
- BAPTIST CHAPEL (Modern - 1939 AD to 1945 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477974 BLOOMSBURY CENTRAL BAPTIST CHURCH	CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1428 (East side) 04/11/94 No.235 Bloomsbury Central Baptist Church (Formerly Listed as: SHAFTESBURY AVENUE Central Baptist Church) GV II Baptist church. c1845-8. By John Gibson. For Sir Samuel Morton Peto on speculation because he considered a church was needed in the area. Grey brick with stone dressings and vertical bands. Early Italian Gothic style. Rectangular plan. EXTERIOR: 2 storeys and attics. West front of 3 windows flanked by rectangular towers. 3 central moulded arch entrances above which a Lombardic frieze and large rose window flanked by 2 round-arched windows. Deep Lombardic frieze beneath arcaded attic windows crowned by a balustrade. 4-stage towers with vertical bands and small windows; 4th stages are belfries with round-arched openings, friezes and cornices having trefoil enriched dies at angles; formerly with short spires, removed due to war damage. INTERIOR: horseshoe-shaped auditorium with curved gallery supported on polygonal cast-iron columns; the gallery with arcaded-patterned front. Decorated square columns rise from gallery to roof. Good curved pews, and stained glass incorporating texts. Balcony reached by winding wrought-iron stairs in angles either side of narrow central entrance foyer refitted c1960s. HISTORICAL NOTE: this was the first Baptist chapel to stand prominently on a London street, looking like a "church", reflecting the improved status of Victorian dissenters. Legend records that when Peto sought to lease the land, the First Commissioner of Woods & Forests told him that Nonconformist chapels were too dull: he liked a church with a spire. "A spire?" exclaimed Peto, "My Lord, we shall have two!". Listing NGR: TQ3007881386

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86763
Monument Type	Listed Building
Preferred Ref.	MLO86763
Name	BOLLARD ADJACENT TO NUMBER 1
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31299 82134 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW HERBAL HILL 635-1/73/450 (East side) 29/09/72 Bollard adjacent to No.1 (Formerly Listed as: HERBAL HILL 1 bollard (Similar to 8 bollards in Camden LB)) GV II Bollard. C19. Cast-iron of cannon, and column and ball type (ball missing) inscribed 'Liberty of...' (illegible). Listing NGR: TQ3129982134

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 1-2 Herbal Hill, London, EC1R 5EF

Monument/Component Types

- BOLLARD (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368960 BOLLARD ADJACENT TO NUMBER 1	ISLINGTON TQ3182SW HERBAL HILL 635-1/73/450 (East side) 29/09/72 Bollard adjacent to No.1 (Formerly Listed as: HERBAL HILL 1 bollard (Similar to 8 bollards in Camden LB)) GV II Bollard. C19. Cast-iron of cannon, and column and ball type (ball missing) inscribed 'Liberty of...' (illegible). Listing NGR: TQ3129982134

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80569
Monument Type	Listed Building
Preferred Ref.	MLO80569
Name	BOLLARD AT JUNCTION WITH DOUGHTY STREET
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30733 82266 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/726 (South side) Bollard at junction with Doughty Street GV II Bollard. C19. Cast-iron of cannon type. Inscribed "Foundling Hospital" and with a relief of a lamb. Listing NGR: TQ3073382266

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- BOLLARD (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477970 BOLLARD AT JUNCTION WITH DOUGHTY STREET	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/726 (South side) Bollard at junction with Doughty Street GV II Bollard. C19. Cast-iron of cannon type. Inscribed "Foundling Hospital" and with a relief of a lamb. Listing NGR: TQ3073382266

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80570
Monument Type	Listed Building
Preferred Ref.	MLO80570
Name	BOLLARD AT JUNCTION WITH MECKLENBURGH PLACE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30627 82227 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/727 (North side) Bollard at junction with Mecklenburgh Place GV II Bollard. C19. Cast-iron of cannon type. Inscribed "Foundling Estate" and with a relief of a lamb. Listing NGR: TQ3062782227

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- BOLLARD (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477971 BOLLARD AT JUNCTION WITH MECKLENBURGH PLACE	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/727 (North side) Bollard at junction with Mecklenburgh Place GV II Bollard. C19. Cast-iron of cannon type. Inscribed "Foundling Estate" and with a relief of a lamb. Listing NGR: TQ3062782227

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86529
Monument Type	Listed Building
Preferred Ref.	MLO86529
Name	BOLLARD AT NORTH ENTRANCE TO GRANVILLE SQUARE (NORTHEAST CORNER)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30942 82681 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/422 (North East side) 29/09/72 Bollard at north entrance to Granville Square (northeast corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard at north entrance to Granville Square sited on NE corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on granite stone base. Cannon type. Listing NGR: TQ3094282681

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- BOLLARD (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368924 BOLLARD AT NORTH ENTRANCE TO GRANVILLE SQUARE (NORTHEAST CORNER)	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/422 (North East side) 29/09/72 Bollard at north entrance to Granville Square (northeast corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard at north entrance to Granville Square sited on NE corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on granite stone base. Cannon type. Listing NGR: TQ3094282681

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86530
Monument Type	Listed Building
Preferred Ref.	MLO86530
Name	BOLLARD AT NORTH ENTRANCE TO GRANVILLE SQUARE (NORTHWEST CORNER)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30934 82673 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/423 (North West side) 29/09/72 Bollard at north entrance to Granville Square (northwest corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard at north entrance to Granville Square sited on NW corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on granite stone base. Cannon type. Listing NGR: TQ3093482673

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- BOLLARD (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368925 BOLLARD AT NORTH ENTRANCE TO GRANVILLE SQUARE (NORTHWEST CORNER)	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/423 (North West side) 29/09/72 Bollard at north entrance to Granville Square (northwest corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard at north entrance to Granville Square sited on NW corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on granite stone base. Cannon type. Listing NGR: TQ3093482673

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86021
Monument Type	Listed Building
Preferred Ref.	MLO86021
Name	BOLLARD AT SOUTH ENTRANCE (SOUTHEAST CORNER)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30982 82642 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/424 (South East side) 29/09/72 Bollard at south entrance (southeast corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard located at south entrance of Granville Square at SE corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on square iron base. Cannon type. Listing NGR: TQ3098282642

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- BOLLARD (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368926 BOLLARD AT SOUTH ENTRANCE (SOUTHEAST CORNER)	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/424 (South East side) 29/09/72 Bollard at south entrance (southeast corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard located at south entrance of Granville Square at SE corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on square iron base. Cannon type. Listing NGR: TQ3098282642

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86531
Monument Type	Listed Building
Preferred Ref.	MLO86531
Name	BOLLARD AT SOUTH ENTRANCE (SOUTHWEST CORNER)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30974 82634 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/425 (South West side) 29/09/72 Bollard at south entrance (southwest corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard located at south entrance of Granville Square at SW corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on square iron base. Cannon type. Listing NGR: TQ3097482634

Sources

Number	Reference
--------	-----------

Location

Administrative Area
- [Borough] ISLINGTON

Address

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- BOLLARD (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368927 BOLLARD AT SOUTH ENTRANCE (SOUTHWEST CORNER)	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/425 (South West side) 29/09/72 Bollard at south entrance (southwest corner) (Formerly Listed as: GRANVILLE SQUARE 2 Bollards at north and south entrances to Granville Square) GV II Bollard located at south entrance of Granville Square at SW corner of intersection with Granville Street. c.1841-1843. Cast-iron bollard supported on square iron base. Cannon type. Listing NGR: TQ3097482634

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81446
Monument Type	Listed Building
Preferred Ref.	MLO81446
Name	BOLLARD WITH SPUR STONE AT JUNCTION WITH DORRINGTON STREET
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31272 81785 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW LEATHER LANE 798-1/102/1018 (East side) Bollard with spur stone at junction with Dorrington Street GV II Bollard with spur stone. 1841. Cast-iron of cannon type. Inscribed "St. Andrew & St. George/1841". Listing NGR: TQ3127281785

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 82 Leather Lane, London, EC1N 7TR

Monument/Component Types

- CANNON BOLLARD (19th Century - 1841 AD)
- PARISH BOUNDARY (19th Century - 1841 AD)
- RUBBING STONE (19th Century - 1841 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478651 BOLLARD WITH SPUR STONE AT JUNCTION WITH DORRINGTON STREET	CAMDEN TQ3181NW LEATHER LANE 798-1/102/1018 (East side) Bollard with spur stone at junction with Dorrington Street GV II Bollard with spur stone. 1841. Cast-iron of cannon type. Inscribed "St. Andrew & St. George/1841". Listing NGR: TQ3127281785

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80045
Monument Type	Listed Building
Preferred Ref.	MLO80045
Name	BOUNDARY WALL AND GATEWAY WITH SPUR STONES EAST OF VERULAM BUILDINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31008 81916 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/623 (East side) 14/05/74 Boundary wall and gateway with spur stones east of Verulam Buildings GV II Boundary wall and vehicle and foot gateways with spur stones to vehicle entrance piers. Early C18. Multi-coloured brick with stone coping. Later wooden gates. Listing NGR: TQ3100881916

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- BOUNDARY WALL (17th Century to 18th Century - 1700 AD to 1732 AD)
- GATE PIER (17th Century to 18th Century - 1700 AD to 1732 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477469 BOUNDARY WALL AND GATEWAY WITH SPUR STONES EAST OF VERULAM BUILDINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/623 (East side) 14/05/74 Boundary wall and gateway with spur stones east of Verulam Buildings GV II Boundary wall and vehicle and foot gateways with spur stones to vehicle entrance piers. Early C18. Multi-coloured brick with stone coping. Later wooden gates. Listing NGR: TQ3100881916

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96933
Monument Type	Listed Building
Preferred Ref.	MLO96933
Name	Bow Street, [Bow Street Magistrates Court and Police Station], {late 19th century station and court}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 3041 8108 (MBR: 58m by 63m)
Summary	This court and police station were built together in 1879-80 by Sir John Taylor of the Office of Works of Portland stone and brick, with a slate roof. The buildings are in a dignified eclectic Graeco-Roman style with some Vanbrughian details.
Description	Record created from imported Listed Buildings On-line dataset 11-Jan-2006. Court and police station. 1879-80 by Sir John Taylor of the Office of Works. Portland stone, slate roof, the Broad Court front of white Suffolk brick with Portland dressings. Dignified, eclectic Graeco-Roman with some slightly Vanbrughian details, rather in the Pennethorne manner. Free standing quadrangular block. Three storeys, basement and attic storey over five-bay centrepiece. Eight windows wide, composed as five-window centrepiece including advanced flanking entrance-pavilion bays, with three-window wing either side, splayed one window corner and eight-window return to Broad Court. Channelled ground floor with van and police station entrances in centrepiece pavilions, that to police station to right with flight of steps and stone architrave doorway and segmental pediment on consoles projecting above from ground floor cornice, the van entrance plain under segmental arch, both framed, as are central ground floor windows, by deeply channelled piers which are carried up as quoin piers on the pavilions and are repeated as broader terminal piers to the wings. Recessed sash windows, those on first floor in architraves with segmental pediments on consoles but with triangular pediments in the pavilions; eared architraves to second floor and centrepiece attic. The three central bays between pavilions have engaged giant Corinthian order to first and second floors and panelled piers in the attic, repeated on the pavilion attics. Pseudo-pedestals to ground and first floors with apron panels to the wings and fully expressed as balustraded balcony in front of three central bays. Second floor sill course carried over quoin and terminal piers, bed mould to frieze and bold main cornice over second floor, broken forward over piers and giant order, with balustraded parapets over wings and Vanbrughian belvedere features over terminal piers; similarly handled cornice to centrepiece attic, with acroteria and miniature belvedere features above quoin piers of pavilions and balustraded parapet with projecting dies. Corniced chimney stacks. The splayed corner is similarly treated and contains the Court entrance with straight entablature instead of segmental pediment but otherwise same detail as police station doorway, tripartite 1st floor window under arched recess with Royal Arms in tympanum. Sturdy cast iron area railings with stone pedestal-parapets, surmounted by cast iron lamps with crowned globe lanterns, bridging area flanking the three entrances. See linked Designation record and (1) for full details. An archaeological desk based assessment was conducted in 2001 in AOC Archaeology Group at the Bow Street Police Station site in Westminster. The police station lies within the Covent Garden Conservation Area and is a grade II listed building. The contractor indicates that the site is known to have archaeological potential, and that there is a long history of human activity in the vicinity of the site, from the prehistoric times to the present day. The site is situated in an area particularly renowned as the location of Middle Saxon London, and the station itself has existed on the site since the late 19th century. The proposed development plan involves the construction of a new building within the courtyard area to the rear of the existing police station. It is proposed that the basement will extend over the area covered by the existing basement and extend into the currently unbasemented area up to the boundary with the Magistrates building. It is also proposed to add a turntable to the yard way in an area currently without basemementing. The listed building is to be retained. The contractor concluded that it is extremely probable that archaeological remains survive on this site, particularly those dating to the Saxon period, and therefore recommended an archaeological evaluation. For more information see (2). In 2008, plans to turn the former station into a hotel were approved, including a small space in the basement for a museum. R Fillery-Travis, 30/06/2009.

Sources

Number	Reference
SLO76305	Unpublished document: AOC Archaeology Group. 2001. Bow Street Police Station, City of Westminster, London WC2: An Archaeological Assessment, [An archaeological desk based assessment was conducted in 2001 in AOC Archaeology Group at the Bow Street Police Station site in Westminster. The police station lies within the Covent Garden Conservation Area and is a grade II listed building. The contr
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- Magistrates Court and Police Station, Bow Street, Westminster, London, WC2E 7AH

Monument/Component Types

- (Former Type) MAGISTRATES COURT (19th Century to Modern - 1879 AD to 2006 AD)
- (Former Type) POLICE STATION (19th Century to Modern - 1879 AD to 2006 AD?)
- BUILDING (19th Century to Modern - 1879 AD? to 2050 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
-------------------	------------------------	--------------------

Listed Building (II)	208784 Bow Street Magistrates Court and Police Station, Bow Street, City of Westminster	TO 3081 SW CITY OF WESTMINSTER BOW STREET, WC2 59/15 15.1.73 Bow Street magistrates Court and Police Station G.V. II Court and police station. 1879-80 by Sir John Taylor of the Office of Works. Portland stone, slate roof, the Broad Court front of white Suffolk brick with Portland dressings. Dignified, eclectic Graeco-Roman with some slightly Vanbrughian details, rather in the Pennethorne manner. Free standing quadrangular block. 3 storeys, basement and attic storey over 5-bay centrepiece. 8 windows wide, composed as 5-window centrepiece including advanced flanking entrance-pavilion bays, with 3-window wing either side, splayed one window corner and 8-window return to Broad Court. Channelled ground floor with van and police station entrances in centrepiece pavilions, that to police station to right with flight of steps and stone architrave doorway and segmental pediment on consoles projecting above from ground floor cornice, the van entrance plain under segmental arch, both framed, as are central ground floor windows, by deeply channelled piers which are carried up as quoin piers on the pavilions and are repeated as broader terminal piers to the wings. Recessed sash windows, those on 1st floor in architraves with segmental pediments on consoles but with triangular pediments in the pavilions; eared architraves to 2nd floor and centrepiece attic. The 3 central bays between pavilions have engaged giant Corinthian order to 1st and 2nd floors and panelled piers in the attic, repeated on the pavilion attics. Pseudo-pedestals to ground and 1st floors with apron panels to the wings and fully expressed as balustraded balcony in front of 3 central bays. 2nd floor sill course carried over quoin and terminal piers, bed mould to frieze and bold main cornice over 2nd floor, broken forward over piers and giant order, with balustraded parapets over wings and Vanbrughian belvedere features over terminal piers; similarly handled cornice to centrepiece attic, with acroteria and miniature belvedere features above quoin piers of pavilions and balustraded parapet with projecting dies. Corniced chimney stacks. The splayed corner is similarly treated and contains the Court entrance with straight entablature instead of segmental pediment but otherwise same detail as police station doorway, tripartite 1st floor window under arched recess with Royal Arms in tympanum. Sturdy cast iron area railings with stone pedestal-parapets, surmounted by cast iron lamps with crowned globe lanterns, bridging area flanking the 3 entrances. Survey of London; Vol. XXXVI. Listing NGR: TQ3039781090
----------------------	---	---

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO96933

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
ELO694	Bow Street, (Police Station), Westminster, Desk Based Assessment	An archaeological desk based assessment was conducted in 2001 in ... AOC Archaeology Group at the Bow Street Police Station site in We

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81311
Monument Type	Listed Building
Preferred Ref.	MLO81311
Name	BRITISH COLLEGE OF ACUPUNCTURE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30292 82420 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW HUNTER STREET 798-1/95/931 (East side) No.8 British College of Acupuncture GV II Formerly known as: London School of Medicine for Women HUNTER STREET. School of medicine for women, now college of acupuncture. 1897-1900. By JM Brydon. Red brick with stone dressings. Tiled mansard roof with dormers and tall brick chimney-stacks with stone cornices; 2 central chimneys banded and linked to form an arch with keystone above a dormer with keystone and section of cornice; dormers to end bays have segmental pediments and barrel roofs, each with a round-arched sash flanked by upswept parapets. Stepped and shaped gable to right hand return. EXTERIOR: 3 storeys, attic and basement. 8 windows. E-shaped plan; main wing with projecting end bays. Symmetrical design apart from entrance set next to right hand end bay with a Doric doorcase having a broken pediment and round-arched door with patterned fanlight and rusticated voussoirs. Slightly recessed sashes; ground floor segmental-arched with keystone, 1st floor have keystones flanked by lugged voussoirs and continuous sill band, 2nd floor, flat-arched with mutule cornice at sill band level and Gibbs type surrounds to end bay windows. Eaves cornice. Return to Handel Street in similar but less elaborate style with a hipped courtyard bay appearing above the roofline with a cupola and weathervane. INTERIOR: not inspected. Listing NGR: TQ3029282420

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 8 Hunter Street, London, WC1N 1BN

Monument/Component Types

- LADIES COLLEGE (19th Century - 1897 AD to 1900 AD)
- MEDICAL COLLEGE (19th Century - 1897 AD to 1900 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478508 BRITISH COLLEGE OF ACUPUNCTURE	CAMDEN TQ3082SW HUNTER STREET 798-1/95/931 (East side) No.8 British College of Acupuncture GV II Formerly known as: London School of Medicine for Women HUNTER STREET. School of medicine for women, now college of acupuncture. 1897-1900. By JM Brydon. Red brick with stone dressings. Tiled mansard roof with dormers and tall brick chimney-stacks with stone cornices; 2 central chimneys banded and linked to form an arch with keystone above a dormer with keystone and section of cornice; dormers to end bays have segmental pediments and barrel roofs, each with a round-arched sash flanked by upswept parapets. Stepped and shaped gable to right hand return. EXTERIOR: 3 storeys, attic and basement. 8 windows. E-shaped plan; main wing with projecting end bays. Symmetrical design apart from entrance set next to right hand end bay with a Doric doorcase having a broken pediment and round-arched door with patterned fanlight and rusticated voussoirs. Slightly recessed sashes; ground floor segmental-arched with keystone, 1st floor have keystones flanked by lugged voussoirs and continuous sill band, 2nd floor, flat-arched with mutule cornice at sill band level and Gibbs type surrounds to end bay windows. Eaves cornice. Return to Handel Street in similar but less elaborate style with a hipped courtyard bay appearing above the roofline with a cupola and weathervane. INTERIOR: not inspected. Listing NGR: TQ3029282420

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81125
Monument Type	Listed Building
Preferred Ref.	MLO81125
Name	BRITISH MEDICAL ASSOCIATION HOUSE INCLUDING SCREEN AND GATES
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29903 82430 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1596 (East side) 09/03/82 British Medical Association House incl. screen and gates GV II Administrative Headquarters of the British Medical Association and rented offices. Begun by Sir Edwin Lutyens as the headquarters and Temple for the Theosophical Society; his work unfinished. Sir E Lutyens 1913-25 (east courtyard; 3 sides and elevation to Burton Street): C Wontner Smith 1928-9 (central entrance facing Tavistock Square of gateway and blocks extending eastwards to form the western courtyard); D Wood 1938-50 (flanking blocks to the entrance). Red brick with Portland stone dressings and green Westmorland slate roofs with dormers. Steel frame construction. All windows with glazing bars. EXTERIOR: central entrance of centre bay and 2 slightly projecting bays. 4 storeys, attics and basement. Ground floor, Portland stone with 3 round-arched openings with keystones and impost bands to each bay; central opening a vaulted vehicle passageway, flanked by pedestrian passageways to courtyard. Plain stone 1st floor band. Centre bay with distyle-in-antis attached Corinthian columns (brick shafts, stone capitals) rising from 1st to 4th floor and supporting a modillion entablature with open segmental pediment, flanked by architraved sashes with keystones in attic storey. Above the vehicle entrance, a tall architraved sash with bracketed pediment surmounted by a cartouche, a small architraved sash with keystone and keyed oculus in the pediment. Cornice at eaves level and hipped roof, behind which 2 tall moulded brick slab chimney-stacks. Flanking bays with similar columns and entablature. Architraved 1st floor windows with balustraded balconies and bracketed segmental pediments; 2nd and 3rd floor, architraved sashes with an oculus in the attic storeys. Cornices at eaves level and hipped roofs. Courtyard facade similar to centre bay but flanked by extra bays with 2 brick pilasters and narrow architraved sashes. Attached blocks forming the western courtyard of 4 storeys; stone ground floors with 2-light round-arched openings. Plain 1st floor sill band. Architraved sashes; 1st floor with alternating segmental and triangular pediments with balustraded window guards. Stone entablature at 4th floor level; architraved attic windows with keystones, above which a stone cornice. Eastern elevations with brick chimney-stacks rising from 1st floor. D Wood's extension blocks, flanking the entrance, 3 bays 2 storeys each plus 2 bay, 4 storey pavilions. Stone ground floors with square-headed, square pillar arcading and 2 square-headed, metal framed windows to each bay. Stone capped parapet at 1st floor level. Square-headed architraved sashes in each bay on 1st floor, above which the cornice. Stone capped parapet. Each pavilion with slightly projecting stone entrance surround with impost bands, fanlight and 2-leaf wooden doors. Above, tall architraved sash with bracketed pediment and balustraded balcony flanked by similar columns and entablature to the central entrance. Cornice at eaves level and hipped roof. Eastern courtyard: west facade; 3 storeys, 5 bays. Stone ground floor with round-arched openings linked by impost bands except those flanking the central entrance which are square-headed. All with keystones. Hexastyle in antis stone Corinthian columns from 1st to 2nd floor supporting a modillion pediment with a clock in the tympanum. Entablature continued one bay each side, supported at angles by Corinthian pilasters. Each bay with architraved sash with bracketed pediment. Small, architraved sashes with keystones in attic storey with stone cornice. North and south blocks, forming the sides of the courtyard, similar to those of western courtyard. East facade to Burton Street, massive 2 storey 7 windows. Round-arched ground floor openings of 2 lights with stone architraves, soffits and keystones, linked by impost bands. Centre opening with 2-leaf doors and fanlight. Plain stone band and stone string at 1st floor level with carved stone shell motifs above each keystone. Main floor with large square-headed, architraved windows with alternating triangular and segmental pediments. Central window with bracketed cornice surmounted by a multi-layer feature of rectangular blocks. Projecting stone cornice. INTERIOR: altered and sub-divided. The Great Hall (the Theosophist's temple), occupying the entire length of Lutyens eastern courtyard east block, divided by a second floor 1985 to provide a library with committee rooms above. Features such as gallery columns and uncompleted coffered barrel vaulted ceiling remain. SUBSIDIARY FEATURES: east and west courtyards separated by an intricate wrought-iron war memorial (1st World War) screen and gates, 1952 by J Woodford and S Rowland Pierce; plaque over the main gates inscribed on west side "Memory and praise", on east side "Faithful have been your warfare". A small southern courtyard, The Council Garden, behind the southern wing of Lutyens buildings, contains a small garden with oval pool laid out by Lutyens. HISTORICAL NOTE: building began 1913 by Lutyens for the Theosophical Society who, after the 1st World War, could not afford to finish the work. It was intended to be a quadrangular building with a large cupola on the western side of the courtyard, over its arched entrance. Bought by the BMA in 1923 and subsequently expanded as membership increased and to provide income from letting. Listing NGR: TQ2990382430</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Bma House Tavistock Square, London, WC1H 9LD

Monument/Component Types

- COURTYARD (Modern - 1913 AD to 1925 AD)
- GARDEN (Modern - 1913 AD to 1925 AD)
- MEETING HALL (Modern - 1913 AD to 1925 AD)
- METAL FRAMED BUILDING (Modern - 1913 AD to 1925 AD)
- OFFICE (Modern - 1913 AD to 1925 AD)
- POOL (Modern - 1913 AD to 1925 AD)

- TEMPLE (Modern - 1913 AD to 1925 AD)
- WAR MEMORIAL (Modern to Unknown - 1918 AD)
- OFFICE (Modern - 1928 AD to 1929 AD)
- OFFICE (Modern - 1938 AD to 1950 AD)
- GARDEN SCREEN (Modern - 1952 AD)
- GATE (Modern - 1952 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II)	478331 BRITISH MEDICAL ASSOCIATION HOUSE INCLUDING SCREEN AND GATES	<p>CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1596 (East side) 09/03/82 British Medical Association House incl. screen and gates GV II Administrative Headquarters of the British Medical Association and rented offices. Begun by Sir Edwin Lutyens as the headquarters and Temple for the Theosophical Society; his work unfinished. Sir E Lutyens 1913-25 (east courtyard; 3 sides and elevation to Burton Street): C Wontner Smith 1928-9 (central entrance facing Tavistock Square of gateway and blocks extending eastwards to form the western courtyard): D Wood 1938-50 (flanking blocks to the entrance). Red brick with Portland stone dressings and green Westmorland slate roofs with dormers. Steel frame construction. All windows with glazing bars. EXTERIOR: central entrance of centre bay and 2 slightly projecting bays. 4 storeys, attics and basement. Ground floor, Portland stone with 3 round-arched openings with keystones and impost bands to each bay; central opening a vaulted vehicle passageway, flanked by pedestrian passageways to courtyard. Plain stone 1st floor band. Centre bay with distyle-in-antis attached Corinthian columns (brick shafts, stone capitals) rising from 1st to 4th floor and supporting a modillion entablature with open segmental pediment, flanked by architraved sashes with keystones in attic storey. Above the vehicle entrance, a tall architraved sash with bracketed pediment surmounted by a cartouche, a small architraved sash with keystone and keyed oculus in the pediment. Cornice at eaves level and hipped roof, behind which 2 tall moulded brick slab chimney-stacks. Flanking bays with similar columns and entablature. Architraved 1st floor windows with balustraded balconies and bracketed segmental pediments; 2nd and 3rd floor, architraved sashes with an oculus in the attic storeys. Cornices at eaves level and hipped roofs. Courtyard facade similar to centre bay but flanked by extra bays with 2 brick pilasters and narrow architraved sashes. Attached blocks forming the western courtyard of 4 storeys; stone ground floors with 2-light round-arched openings. Plain 1st floor sill band. Architraved sashes; 1st floor with alternating segmental and triangular pediments with balustraded window guards. Stone entablature at 4th floor level; architraved attic windows with keystones, above which a stone cornice. Eastern elevations with brick chimney-stacks rising from 1st floor. D Wood's extension blocks, flanking the entrance, 3 bays 2 storeys each plus 2 bay, 4 storey pavilions. Stone ground floors with square-headed, square pillar arcading and 2 square-headed, metal framed windows to each bay. Stone capped parapet at 1st floor level. Square-headed architraved sashes in each bay on 1st floor, above which the cornice. Stone capped parapet. Each pavilion with slightly projecting stone entrance surround with impost bands, fanlight and 2-leaf wooden doors. Above, tall architraved sash with bracketed pediment and balustraded balcony flanked by similar columns and entablature to the central entrance. Cornice at eaves level and hipped roof. Eastern courtyard: west facade; 3 storeys, 5 bays. Stone ground floor with round-arched openings linked by impost bands except those flanking the central entrance which are square-headed. All with keystones. Hexastyle in antis stone Corinthian columns from 1st to 2nd floor supporting a modillion pediment with a clock in the tympanum. Entablature continued one bay each side, supported at angles by Corinthian pilasters. Each bay with architraved sash with bracketed pediment. Small, architraved sashes with keystones in attic storey with stone cornice. North and south blocks, forming the sides of the courtyard, similar to those of western courtyard. East facade to Burton Street, massive 2 storey 7 windows. Round-arched ground floor openings of 2 lights with stone architraves, soffits and keystones, linked by impost bands. Centre opening with 2-leaf doors and fanlight. Plain stone band and stone string at 1st floor level with carved stone shell motifs above each keystone. Main floor with large square-headed, architraved windows with alternating triangular and segmental pediments. Central window with bracketed cornice surmounted by a multi-layer feature of rectangular blocks. Projecting stone cornice. INTERIOR: altered and sub-divided. The Great Hall (the Theosophist's temple), occupying the entire length of Lutyens eastern courtyard east block, divided by a second floor 1985 to provide a library with committee rooms above. Features such as gallery columns and uncompleted coffered barrel vaulted ceiling remain. SUBSIDIARY FEATURES: east and west courtyards separated by an intricate wrought-iron war memorial (1st World War) screen and gates,</p>

1952 by J Woodford and S Rowland Pierce; plaque over the main gates inscribed on west side "Memory and praise", on east side "Faithful have been your warfare". A small southern courtyard, The Council Garden, behind the southern wing of Lutyens buildings, contains a small garden with oval pool laid out by Lutyens. HISTORICAL NOTE: building began 1913 by Lutyens for the Theosophical Society who, after the 1st World War, could not afford to finish the work. It was intended to be a quadrangular building with a large cupola on the western side of the courtyard, over its arched entrance. Bought by the BMA in 1923 and subsequently expanded as membership increased and to provide income from letting. Listing NGR: TQ2990382430

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80391
Monument Type	Listed Building
Preferred Ref.	MLO80391
Name	BROWNLOW HOUSE AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30259 81227 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW BETTERTON STREET 798-1/105/91 (North side) 15/01/73 No.24 Brownlow House and attached railings GV II* House with later shop. Late C17 or early C18. Brown brick with stucco ground floor. Stuccoed brick band at 2nd floor level. 4 storeys and basement. 3 bays. Entrance in centre with wood doorcase with paired reeded pilasters carrying entablature with dentil cornice. Left of entrance later shop and doorway with 4 fielded panel door under a continuous entablature. Shop window with small panes. Gauged flat red brick arches to flush framed windows with exposed boxing and late C18 glazing bars. Repaired parapet. INTERIOR: fine original interior with panelled rooms and staircase rising full height of building. Listed II* for interior. SUBSIDIARY FEATURES: attached, good wrought-iron railings with urn finials. Listing NGR: TQ3025981227

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 24 Betterton Street, London, WC2H 9BU

Monument/Component Types

- HOUSE (17th Century to 18th Century - 1667 AD to 1732 AD)
- RAILINGS (17th Century to 18th Century - 1667 AD to 1732 AD)
- SHOP (18th Century to Unknown - 1733 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476718 BROWNLOW HOUSE AND ATTACHED RAILINGS	CAMDEN TQ3081SW BETTERTON STREET 798-1/105/91 (North side) 15/01/73 No.24 Brownlow House and attached railings GV II* House with later shop. Late C17 or early C18. Brown brick with stucco ground floor. Stuccoed brick band at 2nd floor level. 4 storeys and basement. 3 bays. Entrance in centre with wood doorcase with paired reeded pilasters carrying entablature with dentil cornice. Left of entrance later shop and doorway with 4 fielded panel door under a continuous entablature. Shop window with small panes. Gauged flat red brick arches to flush framed windows with exposed boxing and late C18 glazing bars. Repaired parapet. INTERIOR: fine original interior with panelled rooms and staircase rising full height of building. Listed II* for interior. SUBSIDIARY FEATURES: attached, good wrought-iron railings with urn finials. Listing NGR: TQ3025981227

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97242
Monument Type	Listed Building
Preferred Ref.	MLO97242
Name	BRUCE HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30576 81120 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ 3081 SE CITY OF WESTMINSTER KEMBLE STREET, WC2 60/9 14.1.70 Bruce House G.V. II Large lodging house. 1907 by W E Riley for London County Council. Red brick with some glazed brown brick and rendering, slate roof. Humane, Arts and Crafts Free Georgian design for a charitable lodging house, incorporating a former dispensary. The large block extends between Drury Lane and Kean Street. Principally of 5 storeys and basement with attic dormers in mansard and mansard gables. Slight asymmetry in the grouping of the 20-bay Kemble Street front with right hand half advanced. Semicircular arched entrance off centre in 1st bay of advance, large semicircular arched ground floor windows. Upper floor windows take the form of narrow 2-light recessed sashes. The rendered facing is applied to the top floor beneath the eaves. 2 mansard gabled attics with dormers between. Return to Drury Lane ends with a staircase tower and 2-storeyed oriel beyond. Lower north wing with return to Kean Street, of 4 storeys, basement and mansard, same details. Good Arts and Crafts area railings of elongated design with ball finialed standards. Listing NGR: TQ3057681120

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 75 Strand, London, WC2R 0DE

Monument/Component Types

- DISPENSARY (Modern - 1907 AD)
- LODGING HOUSE (Modern - 1907 AD)
- RAILINGS (Modern to Unknown - 1907 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	411499 BRUCE HOUSE	TQ 3081 SE CITY OF WESTMINSTER KEMBLE STREET, WC2 60/9 14.1.70 Bruce House G.V. II Large lodging house. 1907 by W E Riley for London County Council. Red brick with some glazed brown brick and rendering, slate roof. Humane, Arts and Crafts Free Georgian design for a charitable lodging house, incorporating a former dispensary. The large block extends between Drury Lane and Kean Street. Principally of 5 storeys and basement with attic dormers in mansard and mansard gables. Slight asymmetry in the grouping of the 20-bay Kemble Street front with right hand half advanced. Semicircular arched entrance off centre in 1st bay of advance, large semicircular arched ground floor windows. Upper floor windows take the form of narrow 2-light recessed sashes. The rendered facing is applied to the top floor beneath the eaves. 2 mansard gabled attics with dormers between. Return to Drury Lane ends with a staircase tower and 2-storeyed oriel beyond. Lower north wing with return to Kean Street, of 4 storeys, basement and mansard, same details. Good Arts and Crafts area railings of elongated design with ball finialed standards. Listing NGR: TQ3057681120

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80964
Monument Type	Listed Building
Preferred Ref.	MLO80964
Name	Brunswick Square, [Gates and railings to the West of the fourcourt] {20th century cast iron gates and railings}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30467 82217 (point)
Summary	Cast-iron 20th century pedestrian gates and railings for the former foundling hospital.
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/731 (North side) 14/05/74 GV II West side gates & railings to Coram's Field Playground (Formerly Listed as: GUILFORD STREET Gates & railings on the West side of the forecourt to former Foundling Hospital) Pedestrian gates and railings. 20th century. Cast-iron. Railings with urn finials. Listing NGR: TQ3046782217

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- GATE (19th Century to Modern - 1900 AD to 1926 AD)
- RAILINGS (19th Century to Modern - 1900 AD to 1926 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477979 GATES AND RAILINGS ON WEST SIDE OF FORECOURT TO FORMER FOUNDLING HOSPITAL	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/731 (North side) 14/05/74 West side gates & railings to Coram's Field Playground (Formerly Listed as: GUILFORD STREET Gates & railings on W side of forecourt to former Foundling Hospital) GV II Pedestrian gates and railings. C20. Cast-iron. Railings with urn finials. Listing NGR: TQ3046782217

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80627
Monument Type	Listed Building
Preferred Ref.	MLO80627
Name	Brunswick Square, [K2 Telephone Kiosk] {1927 K2 Telephone box}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30348 82306 (point)
Summary	Telephone kiosk. 1927. Designed by Giles Gilbert Scott.
Description	CAMDEN TQ3082SW BRUNSWICK SQUARE 798-1/95/121 (West side) 27/02/87 K2 Telephone Kiosk GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3034882306

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- The Foundling Museum, 40 Brunswick Square, London, WC1N 1AU

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476764 K2 TELEPHONE KIOSK	CAMDEN TQ3082SW BRUNSWICK SQUARE 798-1/95/121 (West side) 27/02/87 K2 Telephone Kiosk GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3034882306

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO81713
Monument Type Listed Building
Preferred Ref. MLO81713
Name BUILDINGS ADJOINING MERCER'S SCHOOL HALL AND MERCER'S SCHOOL HALL
Map Sheet TQ38SW
Grid References Centre Point: TQ 31248 81540 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description ** FOR INTERNAL EH USE ONLY ** 22/MAR/1995 Late C14 hall. Undamaged.{1} Stands on the S. side of Holborn. One storey with walls of brick and timber-framing; the roofs are tiled. The Hall is the only remaining part of the house of John Mackworth, Dean of Lincoln (d.1451) and dates from late in the C14. Mackworth left the property to the Dean and Chapter of Lincoln and they leased the premises first to Lionel Barnard. In his time it was occupied by law students becoming an Inn of Chancery attached to Grays Inn. The medieval lantern to the roof is the chief feature. There are also original features: linefold panelling and 16th century and C17 heraldic glass. The hall is 37ft by 22 1/2ft.{2} In 1892, Barnards Inn was purchased by the Mercers' Company to house their school (closed 1959). Of the original buildings the only ones to remain besides the Hall are the 18th century Chambers and the reception room (Masters' Common Room and Headmaster's study of the Mercers' School). Hall originated in 15th century, was reconstructed in the 16th century, restored in C19 and largely rebuilt in 1932 using C17 roundels in new windows, restored panelling and original crown post roof.{3}

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 1 Barnard's Inn, London, EC1N 2JA

Monument/Component Types

- HALL HOUSE (Medieval to Unknown - 1367 AD)
- SCHOOL HALL (Medieval to Unknown - 1367 AD)
- TIMBER FRAMED BUILDING (Medieval - 1367 AD to 1399 AD)
- BUILDING (Medieval to Unknown - 1400 AD)
- BUILDING (19th Century - 1805 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Scheduled Monument	LO18 Barnard's Inn Hall (Mercers' School)	** FOR INTERNAL EH USE ONLY ** 22/MAR/1995 Late C14 hall. Undamaged.{1} Stands on the S. side of Holborn. One storey with walls of brick and timber-framing; the roofs are tiled. The Hall is the only remaining part of the house of John Mackworth, Dean of Lincoln (d.1451) and dates from late in the C14. Mackworth left the property to the Dean and Chapter of Lincoln and they leased the premises first to Lionel Barnard. In his time it was occupied by law students becoming an Inn of Chancery attached to Grays Inn. The medieval lantern to the roof is the chief feature. There are also original features: linefold panelling and 16th century and C17 heraldic glass. The hall is 37ft by 22 1/2ft.{2} In 1892, Barnards Inn was purchased by the Mercers' Company to house their school (closed 1959). Of the original buildings the only ones to remain besides the Hall are the 18th century Chambers and the reception room (Masters' Common Room and Headmaster's study of the Mercers' School). Hall originated in 15th century, was reconstructed in the 16th century, restored in C19 and largely rebuilt in 1932 using C17 roundels in new windows, restored panelling and original crown post roof.{3}
Listed Building (II*)	199296 BUILDINGS ADJOINING MERCER'S SCHOOL HALL AND MERCER'S SCHOOL HALL	BARNARD'S INN EC1 1. 5002 4.1.50. Mercer's School Hall [Formerly listed as Nos 85/87 (Barnard's Inn Hall Mercer's School)]. 5.6.72. Buildings adjoining Mercer's School Hall. TQ 3181 NW 1/6 II* 2. Late C14 hall of brick and timber framing, refaced with yellow brick. Timber roof covered with tiles. 16th century panelling and C17 stained glass. Later wing with arched passage to east. Single storeyed wing, dated 1805, to south: yellow brick with 2 round-arched windows, strip-pilasters, cornice and blocking course with tablet flanked by consoles. Scheduled AM. Listing NGR: TQ3124881540

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81200
Monument Type	Listed Building
Preferred Ref.	MLO81200
Name	BURTONS HEADQUARTERS AND SHOP
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29857 81402 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE NEW OXFORD STREET 798-1/104/1642 Nos.118-132 (Even) 11/09/90 Burton's Headquarters and Shop GV II See under: No.279 Burton's Headquarters and Shop TOTTENHAM COURT ROAD. CAMDEN TQ2981SE TOTTENHAM COURT ROAD 798-1/104/1642 (East side) 11/09/90 No.279 Burton's Headquarters and Shop GV II Includes: Nos.118-132 Burton's Headquarters and Shop NEW OXFORD STREET. Headquarters office and shop. c1929-30. By Harry Wilson. For Montague Burton. Stone faced steel frame. EXTERIOR: 7 storeys on a corner site. 7 bays to main Oxford Street facade, recessed canted angles 1 bay each, left hand return to Tottenham Court Road 3 bays, right hand return 2 bays. Ground floor shop altered late 20th century. Mezzanine 1st floor with margin glazed, tripartite metal framed windows in plain rectangular recesses. Main facade with Greek detailing to 6 Corinthian pilasters rising from 1st to 3rd floor to support an entablature with projecting cornice surmounted by antefixae. Within this frame, metal framed tripartite windows with spandrel panels to 2nd and 3rd floors. Outer bays with narrow, vertically set windows to 1st, 2nd and 3rd floors. Attic storey has short, horizontally set windows above which a stepped parapet with shaped, arched, horizontally set window surmounted by a winged cartouche. Tottenham Court Road facade similar. Recessed angles with distyle-in-antis fluted columns, otherwise similar with stepped back parapets. Right hand return, plain recessed openings on 4 floors, tripartite to left bay, paired to recessed left bay. INTERIOR: not inspected. HISTORICAL NOTE: this store and offices was the flagship of an organisation founded in 1914 which became the largest men's clothing organisation in the world, offering quality clothes at the cheapest possible prices. Burton was also a pioneer in the field of industrial welfare in an exploitative industry. Listing NGR: TQ2985781402

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 New Oxford Street, London, WC1A 1BL

Monument/Component Types

- METAL FRAMED BUILDING (Modern - 1929 AD to 1930 AD)
- OFFICE (Modern - 1929 AD to 1930 AD)
- SHOP (Modern - 1929 AD to 1930 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478396 BURTONS HEADQUARTERS AND SHOP	CAMDEN TQ2981SE NEW OXFORD STREET 798-1/104/1642 Nos.118-132 (Even) 11/09/90 Burton's Headquarters and Shop GV II See under: No.279 Burton's Headquarters and Shop TOTTENHAM COURT ROAD. CAMDEN TQ2981SE TOTTENHAM COURT ROAD 798-1/104/1642 (East side) 11/09/90 No.279 Burton's Headquarters and Shop GV II Includes: Nos.118-132 Burton's Headquarters and Shop NEW OXFORD STREET. Headquarters office and shop. c1929-30. By Harry Wilson. For Montague Burton. Stone faced steel frame. EXTERIOR: 7 storeys on a corner site. 7 bays to main Oxford Street facade, recessed canted angles 1 bay each, left hand return to Tottenham Court Road 3 bays, right hand return 2 bays. Ground floor shop altered late C20. Mezzanine 1st floor with margin glazed, tripartite metal framed windows in plain rectangular recesses. Main facade with Greek detailing to 6 Corinthian pilasters rising from 1st to 3rd floor to support an entablature with projecting cornice surmounted by antefixae. Within this frame, metal framed tripartite windows with spandrel panels to 2nd and 3rd floors. Outer bays with narrow, vertically set windows to 1st, 2nd and 3rd floors. Attic storey has short, horizontally set windows above which a stepped parapet with shaped, arched, horizontally set window surmounted by a winged cartouche. Tottenham Court Road facade similar. Recessed angles with distyle-in-antis fluted columns, otherwise similar with stepped back parapets. Right hand return, plain recessed openings on 4 floors, tripartite to left bay, paired to recessed left bay. INTERIOR: not inspected. HISTORICAL NOTE: this store and offices was the flagship of an organisation founded in 1914 which became the largest men's clothing organisation in the world, offering quality clothes at the cheapest possible prices. Burton was also a pioneer in the field of industrial welfare in an exploitative industry.

Listing NGR: TQ2985781402

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96432
Monument Type	Listed Building
Preferred Ref.	MLO96432
Name	BUSH HOUSE CENTRE BLOCK WITH FLANKING COLONNADES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30742 81008 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TO 3080 NE and 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/21 ;73/5 (South side) 13.9.76 Bush House Centre Block with flanking colonnades G.V. II Headquarters offices. 1925-35, by the American architects Helmle and Corbett. Portland ashlar on steel frame, slate roofs. Monumental composition "big-business classicism" closing Kingsway vista. 6 storeys and attic. 3 windows wide. The centre bay is taken up by a full height, coffered semi-dome, giant niche, screened by 2 huge Corinthian columns carrying an entablature surmounted by symbolical figures of England and America sculpted by Malvina Hoffman. Plain outer bays with flat arched recessed metal casement windows. Broken pediment and recessed attic storey above. 3 bay colonnade-screens flank the centre block. The Strand elevation is a more restrained design with deep, central, straight-sided recess beneath the pediment, similar flanking colonnades. Listing NGR: TQ3074281008

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 75 Strand, London, WC2R 0DE

Monument/Component Types

- OFFICE (Modern - 1925 AD to 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208533 BUSH HOUSE CENTRE BLOCK WITH FLANKING COLONNADES	TO 3080 NE and 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/21 ;73/5 (South side) 13.9.76 Bush House Centre Block with flanking colonnades G.V. II Headquarters offices. 1925-35, by the American architects Helmle and Corbett. Portland ashlar on steel frame, slate roofs. Monumental composition "big-business classicism" closing Kingsway vista. 6 storeys and attic. 3 windows wide. The centre bay is taken up by a full height, coffered semi-dome, giant niche, screened by 2 huge Corinthian columns carrying an entablature surmounted by symbolical figures of England and America sculpted by Malvina Hoffman. Plain outer bays with flat arched recessed metal casement windows. Broken pediment and recessed attic storey above. 3 bay colonnade-screens flank the centre block. The Strand elevation is a more restrained design with deep, central, straight-sided recess beneath the pediment, similar flanking colonnades. Listing NGR: TQ3074281008

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80506
Monument Type	Listed Building
Preferred Ref.	MLO80506
Name	CABMANS SHELTER
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29986 81992 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1422 (North side) 10/03/88 Cabmen's Shelter GV II Cabmen's shelter. 1897, restored 1987. Timber-framed and clad; painted. Steeply pitched half-hipped roof to eaves, covered with feather edged boards. Central louvred fleche. 7 bays by 3 bays wide. Single storey. Central square-head entrance and square-headed windows with glazing bars to 2nd and 6th bays. Similar windows in alternating bays on other facades. Fretwork panels to roof and below eaves. INTERIOR: not inspected. Listing NGR: TQ2998681992

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 30 Russell Square, London, WC1B 5DP

Monument/Component Types

- CABMENS SHELTER (19th Century - 1897 AD)
- TIMBER FRAMED BUILDING (19th Century - 1897 AD)
- CABMENS SHELTER (Modern - 1987 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477922 CABMANS SHELTER	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1422 (North side) 10/03/88 Cabmen's Shelter GV II Cabmen's shelter. 1897, restored 1987. Timber-framed and clad; painted. Steeply pitched half-hipped roof to eaves, covered with feather edged boards. Central louvred fleche. 7 bays by 3 bays wide. Single storey. Central square-head entrance and square-headed windows with glazing bars to 2nd and 6th bays. Similar windows in alternating bays on other facades. Fretwork panels to roof and below eaves. INTERIOR: not inspected. Listing NGR: TQ2998681992

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80083
Monument Type Listed Building
Preferred Ref. MLO80083
Name CALTHORPE ARMS PUBLIC HOUSE
Map Sheet TQ38SW
Grid References Centre Point: TQ 30793 82343 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/653 (East side) 14/05/74 No.252 Calthorpe Arms Public House GV II End of terrace public house. Early 19th century. Yellow stock brick. 4 storeys and cellar. 2 windows and 3-window return to Wren Street, plus 2 and single storey, 4-window extension to Wren Street return. 20th century wooden public house frontage with Corinthian pilasters carrying entablature with modillion cornice. Plain stucco 1st floor sill band. Gauged brick flat arches to recessed 2-pane sashes. Parapet. Extension with 1st floor 2-light bowed oriel window. INTERIOR: with early 20th century grained bar counter and back. Listing NGR: TQ3079382343

Sources

Number	Reference

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 252 Gray's Inn Road, London, WC1X 8JR

Monument/Component Types

- PUBLIC HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477508 CALTHORPE ARMS PUBLIC HOUSE	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/653 (East side) 14/05/74 No.252 Calthorpe Arms Public House GV II End of terrace public house. Early C19. Yellow stock brick. 4 storeys and cellar. 2 windows and 3-window return to Wren Street, plus 2 and single storey, 4-window extension to Wren Street return. C20 wooden public house frontage with Corinthian pilasters carrying entablature with modillion cornice. Plain stucco 1st floor sill band. Gauged brick flat arches to recessed 2-pane sashes. Parapet. Extension with 1st floor 2-light bowed oriel window. INTERIOR: with early C20 grained bar counter and back. Listing NGR: TQ3079382343

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80883
Monument Type	Listed Building
Preferred Ref.	MLO80883
Name	CAMBRIDGE THEATRE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30108 81062 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/355 (South side) Cambridge Theatre GV II Theatre on a corner site facing Seven Dials with returns to Mercer Street and Shelton Street. 1929-30. By Wimperis, Simpson and Guthrie; interior partly by Serge Chermayeff, friezes by Anthony Gibbons Grinling. Portland stone to front, brick to rear. EXTERIOR: 5 storeys. Entrance on chamfered corner with 3 main round-arched doorways under a projecting plain canopy; further openings, round-arched to Earlam Street and flat arched to Mercer Street. Upper floors on corner have plain metal framed windows to each face, the 4th floor forming a balcony of distyle-in-antis piers with a similar window to the rear and rising above the cornice. Returns have similar windows but at 1st floor alternate windows have cornices; Mercer Street with pilaster architraved round-arched window and lugged stone balcony. Brick portion has mostly small metal-framed windows and a large entrance for scenery. INTERIOR: retains original features including lighting sequence. Circular entrance foyer with bronze frieze depicting nudes in exercise poses. Main foyer has similar panels of dancing nudes, walls partly of fictive marble with uplighters on pilasters, a multi-layer ceiling, with diamond patterned edges, for concealed lighting; chandeliers; stair has chrome handrails. Bar in similar style. Corridor has barrel-vaulted corrugated ceiling uplit from coved cornice; main doors brass clad with etched moderne design of zig-zag pattern threaded with undulations, small paned windows and plain double strip pushers. Auditorium fan-shaped sweeping up unbroken to the elliptical form of the ceiling which is arranged in broad concentric bands for lighting. 2-tier balcony with moderne triangular patterned balustrade which continues at 1st tier level to front 2 bow-fronted boxes; to right of stage with panel of schematic sun and buildings, to left, sun and waves. Uplighters, 2 with crystal fountain effect chandeliers. Tall fictive marble dado to stalls; moulded proscenium. HISTORICAL NOTE: the Cambridge Theatre is a rare, complete and early example of a London theatre adopting the moderne, expressionist style pioneered in Germany during the 1920s. It marked a conscious reaction to the design excesses of the music hall and contemporary cinemas. Theatres looked for a new style appropriate to the greater sophistication of their entertainment and found it in the Germanic moderne forms of simple shapes enlivened by concealed lighting, shiny steelwork and touches of bright colour; this was not taken up by cinema designers until 1935. At the time of designing Chermayeff was an interior designer with Waring & Gillow; the original colour scheme was dusky pink contrasted with pale blue and silver. Listing NGR: TQ3010881062

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Earlam Street, London, WC2H 9HU

Monument/Component Types

- THEATRE (Modern - 1929 AD to 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477155 CAMBRIDGE THEATRE	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/355 (South side) Cambridge Theatre GV II Theatre on a corner site facing Seven Dials with returns to Mercer Street and Shelton Street. 1929-30. By Wimperis, Simpson and Guthrie; interior partly by Serge Chermayeff, friezes by Anthony Gibbons Grinling. Portland stone to front, brick to rear. EXTERIOR: 5 storeys. Entrance on chamfered corner with 3 main round-arched doorways under a projecting plain canopy; further openings, round-arched to Earlam Street and flat arched to Mercer Street. Upper floors on corner have plain metal framed windows to each face, the 4th floor forming a balcony of distyle-in-antis piers with a similar window to the rear and rising above the cornice. Returns have similar windows but at 1st floor alternate windows have cornices; Mercer Street with pilaster architraved round-arched window and lugged stone balcony. Brick portion has mostly small metal-framed windows and a large entrance for scenery. INTERIOR: retains original features including lighting sequence. Circular entrance foyer with bronze frieze depicting nudes in exercise poses. Main foyer has similar panels of dancing nudes, walls partly of fictive marble with uplighters on pilasters, a multi-layer ceiling, with diamond patterned edges, for concealed lighting; chandeliers; stair has chrome handrails. Bar in similar style. Corridor has barrel-vaulted corrugated ceiling uplit from coved cornice; main doors brass clad with etched moderne design of zig-zag pattern threaded with undulations, small paned windows and plain double strip pushers. Auditorium fan-shaped sweeping up

unbroken to the elliptical form of the ceiling which is arranged in broad concentric bands for lighting. 2-tier balcony with moderne triangular patterned balustrade which continues at 1st tier level to front 2 bow-fronted boxes; to right of stage with panel of schematic sun and buildings, to left, sun and waves. Uplighters, 2 with crystal fountain effect chandeliers. Tall fictive marble dado to stalls; moulded proscenium. HISTORICAL NOTE: the Cambridge Theatre is a rare, complete and early example of a London theatre adopting the moderne, expressionist style pioneered in Germany during the 1920s. It marked a conscious reaction to the design excesses of the music hall and contemporary cinemas. Theatres looked for a new style appropriate to the greater sophistication of their entertainment and found it in the Germanic moderne forms of simple shapes enlivened by concealed lighting, shiny steelwork and touches of bright colour; this was not taken up by cinema designers until 1935. At the time of designing Chermayeff was an interior designer with Waring & Gillow; the original colour scheme was dusky pink contrasted with pale blue and silver. Listing NGR: TQ3010881062

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO81331
Monument Type Listed Building
Preferred Ref. MLO81331
Name CAMDEN TOWN HALL
Map Sheet TQ38SW

Grid References Centre Point: TQ 30139 82795 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW EUSTON ROAD 798-1/90/1752 Camden Town Hall 19/04/96 GV II See under: Camden Town Hall JUDD STREET. CAMDEN TQ3082NW JUDD STREET 798-1/90/1752 (East side) 19/04/96 Camden Town Hall GV II Includes: Camden Town Hall EUSTON ROAD. Town hall. 1934-7. By AJ Thomas. Exterior clad in Portland stone ashlar over a steel frame on all 4 fronts. EXTERIOR: 3 main storeys. Channelled base, with plinth. Keystones over entrances carved by WCH King. Judd Street front: wings of 5 windows width, each with central aedicule and windows with alternating rhythm of channelled and unchannelled surrounds on first floor; projecting centre over entrances of three windows width with giant Corinthian order consisting of outer pilasters and inner attached columns rising to a full pediment embedded in raised attic with pitched roof. Euston Road front: 23 windows width, with wings of 5 windows width as in Judd Street and centre on the model of the Place de la Concorde with projecting pedimented pavilions as in centre of Judd Street front over subsidiary entrances flanking seven bays with giant Corinthian columns, and raised attic with pitched roof over whole centre. Tonbridge Street front: 23 windows width, with slightly recessed centre and raised attic of 13 windows width with pitched roof. East front: with single-storey ground-floor projection including side entrances on flanks, 3 round-arched windows on first floor in centre rising through second storey, and raised central attic of 3 windows width with pitched roof. INTERIOR: Judd Street entrance with black and white marble floor and deep-beamed ceiling. Main balustraded toplit staircase of white marble with dark marble pilasters and variegated marble panels on walls, branching and leading to Members' Lobby on first floor with polished marble Corinthian columns and variegated marble panels. First-floor corridors panelled throughout to impost level and plaster-vaulted in manner of London County Hall (qv Lambeth). Council Chamber in centre of building toplit, rectangular with side lobbies under galleries and giant Corinthian pilasters, oak-panelled to high level with plain frieze over and horseshoe arrangement of oak seating. Along Euston Road front at first-floor level, Mayor's Parlour oak-panelled to full height, lugged and pedimented doorcases and fine marble fireplace with burnished steel grate; Chief Executive's Room panelled to full height in Norfolk cedar with good fireplace; good panelled committee rooms. Assembly Hall on ground floor entered from Tonbridge Street, with foyer at south end, stage at north end with proscenium arch, deep south gallery and narrower west gallery communicating with Council Chamber. Light-fittings, fixtures and furniture throughout of a high standard, especially on first floor, and presumably largely designed by AJ Thomas. HISTORICAL NOTE: Camden Town Hall was designed as St Pancras Town Hall by AJ Thomas, a former assistant of EL Lutyens, the influence of whose Classical style pervades the building. Thomas designed several housing schemes for St Pancras Borough Council from 1924 onwards. (Architect and Building News: 25 June 1937: London; The Builder: 9 July 1937: London; The Building: July 1937). Listing NGR: TQ3013982795

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Euston Road, London, NW1 2BA

Monument/Component Types

- METAL FRAMED BUILDING (Modern - 1934 AD to 1937 AD)
- TOWN HALL (Modern - 1934 AD to 1937 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478529 CAMDEN TOWN HALL	CAMDEN TQ3082NW EUSTON ROAD 798-1/90/1752 Camden Town Hall 19/04/96 GV II See under: Camden Town Hall JUDD STREET. CAMDEN TQ3082NW JUDD STREET 798-1/90/1752 (East side) 19/04/96 Camden Town Hall GV II Includes: Camden Town Hall EUSTON ROAD. Town hall. 1934-7. By AJ Thomas. Exterior clad in Portland stone ashlar over a steel frame on all 4 fronts. EXTERIOR: 3 main storeys. Channelled base, with plinth. Keystones over entrances carved by WCH King. Judd Street front: wings of 5 windows width, each with central aedicule and windows with alternating rhythm of channelled and unchannelled surrounds on first floor; projecting centre over entrances of three windows width with giant Corinthian order consisting of outer pilasters and inner attached columns rising to a full pediment embedded in raised attic with pitched roof. Euston Road front: 23 windows width, with wings of 5 windows width as in Judd Street and centre on the model of the Place de la Concorde with projecting pedimented pavilions as in centre of Judd Street front over subsidiary entrances flanking seven bays with giant Corinthian columns, and raised attic with pitched roof over whole centre. Tonbridge Street front: 23 windows width, with slightly recessed centre and raised attic of 13

windows width with pitched roof. East front: with single-storey ground-floor projection including side entrances on flanks, 3 round-arched windows on first floor in centre rising through second storey, and raised central attic of 3 windows width with pitched roof. INTERIOR: Judd Street entrance with black and white marble floor and deep-beamed ceiling. Main balustraded toplit staircase of white marble with dark marble pilasters and variegated marble panels on walls, branching and leading to Members' Lobby on first floor with polished marble Corinthian columns and variegated marble panels. First-floor corridors panelled throughout to impost level and plaster-vaulted in manner of London County Hall (qv Lambeth). Council Chamber in centre of building toplit, rectangular with side lobbies under galleries and giant Corinthian pilasters, oak-panelled to high level with plain frieze over and horseshoe arrangement of oak seating. Along Euston Road front at first-floor level, Mayor's Parlour oak-panelled to full height, lugged and pedimented doorcases and fine marble fireplace with burnished steel grate; Chief Executive's Room panelled to full height in Norfolk cedar with good fireplace; good panelled committee rooms. Assembly Hall on ground floor entered from Tonbridge Street, with foyer at south end, stage at north end with proscenium arch, deep south gallery and narrower west gallery communicating with Council Chamber. Light-fittings, fixtures and furniture throughout of a high standard, especially on first floor, and presumably largely designed by AJ Thomas. HISTORICAL NOTE: Camden Town Hall was designed as St Pancras Town Hall by AJ Thomas, a former assistant of EL Lutyens, the influence of whose Classical style pervades the building. Thomas designed several housing schemes for St Pancras Borough Council from 1924 onwards. (Architect and Building News: 25 June 1937: London; The Builder: 9 July 1937: London; The Building: July 1937). Listing NGR: TQ3013982795

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80226
Monument Type	Listed Building
Preferred Ref.	MLO80226
Name	CARLISLE HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30517 81603 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE SOUTHAMPTON ROW 798-1/101/1478 (East side) 05/05/88 Nos.8 AND 10 Carlisle House GV II Hotel and offices, now office block and shop. 1905-6. By Bradshaw Gass and Hope. Stone faced with steel frame. Steeply pitched slated roof to eaves with 2 levels of dormers. Freestanding to front and sides. Edwardian Baroque manner. EXTERIOR: 6 storeys plus roof storeys at 2 levels. 5 bays with corner turrets. Rusticated ground and first floors, above ashlar faced. Main entrance on left hand corner; round-headed with rusticated keystone and voussoirs, cartouche over and broken segmental pediment. Square-headed windows except to 4th floor where round-headed with heavy keys. Segmental pediments to 1st floor centre windows and continuous cast-iron balcony. Cornices above ground and first floors; main cornice above fourth floor with subsidiary cornice to fifth floor. Giant pilaster strips rising from second, through fourth floor. Corner turrets corbelled out from first floor level rising to copper covered domes. Turrets have irregular, narrow, vertically set windows. Returns with broad segmental pediment above 4th floor and tall pedimented gable above. Tall slab chimneys. INTERIOR: retains original staircase and panelling to first floor. HISTORICAL NOTE: an early example of a substantial building of steel framed construction. (The British Architect, 1 March 1907). Listing NGR: TQ3051781603

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Southampton Row, London, WC1B 4AE

- 10 Southampton Row, London, WC1B 4AE

Monument/Component Types

- HOTEL (Modern - 1905 AD to 1906 AD)
- METAL FRAMED BUILDING (Modern - 1905 AD to 1906 AD)
- OFFICE (Modern - 1905 AD to 1906 AD)
- SHOP (Modern to Unknown - 1907 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478139 CARLISLE HOUSE	CAMDEN TQ3081NE SOUTHAMPTON ROW 798-1/101/1478 (East side) 05/05/88 Nos.8 AND 10 Carlisle House GV II Hotel and offices, now office block and shop. 1905-6. By Bradshaw Gass and Hope. Stone faced with steel frame. Steeply pitched slated roof to eaves with 2 levels of dormers. Freestanding to front and sides. Edwardian Baroque manner. EXTERIOR: 6 storeys plus roof storeys at 2 levels. 5 bays with corner turrets. Rusticated ground and first floors, above ashlar faced. Main entrance on left hand corner; round-headed with rusticated keystone and voussoirs, cartouche over and broken segmental pediment. Square-headed windows except to 4th floor where round-headed with heavy keys. Segmental pediments to 1st floor centre windows and continuous cast-iron balcony. Cornices above ground and first floors; main cornice above fourth floor with subsidiary cornice to fifth floor. Giant pilaster strips rising from second, through fourth floor. Corner turrets corbelled out from first floor level rising to copper covered domes. Turrets have irregular, narrow, vertically set windows. Returns with broad segmental pediment above 4th floor and tall pedimented gable above. Tall slab chimneys. INTERIOR: retains original staircase and panelling to first floor. HISTORICAL NOTE: an early example of a substantial building of steel framed construction. (The British Architect, 1 March 1907). Listing NGR: TQ3051781603

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80421
Monument Type	Listed Building
Preferred Ref.	MLO80421
Name	CAST IRON PUMP AND 3 BOLLARDS OPPOSITE BROWNLOW STREET
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30871 81704 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/71 Cast-iron pump and 3 bollards, 24/10/51 opposite Brownlow Street GV II Water pump and 3 bollards. C19. Cast-iron. Pump square on plan, cushion base with arms of St Andrew and St George, shaft with strapwork decoration, 2 spouts, handle and surmounted by a later lamp. Bollards set round pump of cannon type, 2 with inscriptions "St. P S.W.D. 1826." The 3 bollards were listed on 14/05/74. Listing NGR: TQ3087181704

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Bedford Row, London, WC1R 4BZ

Monument/Component Types

- CANNON BOLLARD (18th Century to 19th Century - 1800 AD to 1899 AD)
- WATER PUMP (18th Century to 19th Century - 1800 AD to 1899 AD)
- CANNON BOLLARD (19th Century - 1826 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476669 CAST IRON PUMP AND 3 BOLLARDS OPPOSITE BROWNLOW STREET	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/71 Cast-iron pump and 3 bollards, 24/10/51 opposite Brownlow Street GV II Water pump and 3 bollards. C19. Cast-iron. Pump square on plan, cushion base with arms of St Andrew and St George, shaft with strapwork decoration, 2 spouts, handle and surmounted by a later lamp. Bollards set round pump of cannon type, 2 with inscriptions "St. P S.W.D. 1826." The 3 bollards were listed on 14/05/74. Listing NGR: TQ3087181704

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO102559
Monument Type	Listed Building
Preferred Ref.	MLO102559
Name	Catherine Street, [The Duchess Theatre], Westminster {Mid 20th Century Theatre}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 30573 80923 (MBR: 27m by 28m) (Estimated from sources)
Summary	Theatre. 1928-9 to the designs of Ewen Barr for Arthur Gibbons. Interiors by Marc Henri and Laverdet. Neo-Tudor style.
Description	This building is listed under the Planning (Listed Buildings and Conservation Areas) Act 1990 as amended for its special architectural or historic interest. Steel framed building clad in horizontal stone panels to street frontage; roof not seen. A low parapet runs across the entire façade. Three central canted bays supported on console brackets, with cast panels decorated with the Tudor Rose, portcullis, Fleur de Lys, Prince of Wales feathers and carved initials for DT set between Crittall casement windows. They are linked by a large plinth that serves as a band for carrying signage. Long canopy across the entire façade is raised in centre over tympanum carrying the theatre's name under crown and sunburst motif by Arnold Auerbach, and three pairs of double timber doors. Pairs of windows in bays to either side over emergency circle exits. Interior. Main doors lead to tiny entrance hall, which retains cornice details and some timber lining; ceiling laylight obscured. Stairs to left lead down to the stalls and up to private boxes; those to right lead through small crush bar to circle. Slightly octagonal crush bar in former foyer also with laylight (disused), cornices, and with moulded plasterwork to walls. Octagonal motif repeated in wall mirror. Stalls corridors lined in stippled plasterwork, foyer area with fluted cornice and laylights complete with grid of metal kames. Tall, narrow, double-height auditorium with single balcony. Ceiling with saucer dome and dentil frieze; private boxes at the rear (an unusual feature), those to left accessed only from the separate stair. Side walls with lattice window motif either side of tripartite recess set behind fluted baseless piers in antis over side exits. The recesses originally had low reliefs by Arnold Auerbach. Balustrade and seat ends survive from 1929. The stalls simpler, but with lattice-patterned laylights under the balcony. The anteproscaenium has bronze relief decorative panels to either side of stage, now normally concealed, by Maurice Lambert, added at the behest of Mary Wyndham Lewis, wife of J B Priestley. The narrow stage reflects the limited space and the specialism in domestic drama for which it was devised. Sources Architect and Building News, 29 November 1929 The Builder, 29 November 1929 Architecture Illustrated, June 1931 Survey of London, vol. XXXVI, the Parish of St Paul, Covent Garden, 1970 The Theatres Trust, Guide to British Theatres 1750-1950, 2000 Selected Sources Book Reference - Author: John Earl and Michael Sell - Title: The Theatres Trust Guide to British Theatres 1750 to 1950 - Date: 2000 Article Reference - Title: 29 November - Date: 1929 - Journal Title: Architect and Building News Article Reference - Title: 29 November - Date: 1929 - Journal Title: The Builder Article Reference - Title: June - Date: 1931 - Journal Title: Architecture Illustrated Article Reference - Title: Volume 36 the Parish of St Paul Covent Garden - Date: 1970 - Journal Title: Survey of London (1)

Sources

Number	Reference
SLO81837	Website: English Heritage. 2011. The National Heritage List for England, http://list.english-heritage.org.uk/ , 1391525 [The National Heritage List for England is an online database which brings together information on all nationally designated heritage assets in one place.]

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- Duchess Theatre, Catherine Street, Westminster

Monument/Component Types

- METAL FRAMED BUILDING ((between) Modern - 1928 AD to 2050 AD)
- THEATRE ((between) Modern - 1929 AD to 2050 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	495616 Duchess Theatre	1900/0/10311 CATHERINE STREET 07-JUL-05 Duchess Theatre II Theatre. 1928-9 to the designs of Ewen Barr for Arthur Gibbons. Interiors by Marc Henri and Laverdet. Neo-Tudor style. Steel framed building clad in horizontal stone panels to street frontage; roof not seen. A low parapet runs across the entire façade. Three central canted bays supported on console brackets, with cast panels decorated with the Tudor Rose, portcullis, Fleur de Lys, Prince of Wales feathers and carved initials for DT set between Crittall casement windows. They are linked by a large plinth that serves as a band for carrying signage. Long canopy across the entire façade is raised in centre over tympanum carrying the theatre's name under crown and sunburst motif by Arnold Auerbach, and three pairs of double timber doors. Pairs of windows in bays to either side over emergency circle exits. Interior. Main doors lead to tiny entrance hall, which retains cornice details and some timber lining; ceiling laylight obscured. Stairs to left lead down to the stalls and up to private boxes; those to right lead through small crush bar to circle. Slightly octagonal crush bar in former foyer also with laylight (disused), cornices, and with moulded plasterwork to walls. Octagonal motif repeated in wall mirror. Stalls corridors lined in stippled plasterwork,

foyer area with fluted cornice and laylights complete with grid of metal kames. Tall, narrow, double-height auditorium with single balcony. Ceiling with saucer dome and dentil frieze; private boxes at the rear (an unusual feature), those to left accessed only from the separate stair. Side walls with lattice window motif either side of tripartite recess set behind fluted baseless piers in antis over side exits. The recesses originally had low reliefs by Arnold Auerbach. Balustrade and seat ends survive from 1929. The stalls simpler, but with lattice-patterned laylights under the balcony. The anteproscaenium has bronze relief decorative panels to either side of stage, now normally concealed, by Maurice Lambert, added at the behest of Mary Wyndham Lewis, wife of J B Priestley. The narrow stage reflects the limited space and the specialism in domestic drama for which it was devised. The Duchess Theatre compares well with other London theatres of the years around 1930 already listed grade II, and is of a style not found or which does not survive outside the capital. It is relatively little altered, with most of its original decoration inside and out surviving, and testifying to the expertise of Henri and Laverdet, specialists in theatre decoration. The panels by Maurice Lambert are of particularly good quality, but it is as an ensemble that the Duchess succeeds, rather like the Cambridge (LB Camden) and Whitehall (City of Westminster), both of 1930 and listed grade II. The planning of this theatre, with all its exits having to be on a single facade is a surprising and remarkable achievement of clarity and concision. Sources Architect and Building News, 29 November 1929 The Builder, 29 November 1929 Architecture Illustrated, June 1931 Survey of London, vol. XXXVI, the Parish of St Paul, Covent Garden, 1970 The Theatres Trust, Guide to British Theatres 1750-1950, 2000 Selected Sources Book Reference - Author: John Earl and Michael Sell - Title: The Theatres Trust Guide to British Theatres 1750 to 1950 - Date: 2000 Article Reference - Title: 29 November - Date: 1929 - Journal Title: Architect and Building News Article Reference - Title: 29 November - Date: 1929 - Journal Title: The Builder Article Reference - Title: June - Date: 1931 - Journal Title: Architecture Illustrated Article Reference - Title: Volume 36 the Parish of St Paul Covent Garden - Date: 1970 - Journal Title: Survey of London National Grid Reference: TQ 30575 80913

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
Historic Environment Record	MLO102559

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>
Not Applicable	No Associated Event

Brief Description (click Event ID for details)

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86550
Monument Type	Listed Building
Preferred Ref.	MLO86550
Name	CATTLE TROUGH
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31374 82165 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3182 SW RAY STREET BRIDGE 635-1/73/10068 Cattle trough II Drinking fountain and horse trough. Dated 1886. Granite rectangular horse trough with chamfered base on two granite supports. One end has ogee-shaped granite gable with semi-circular bowl attached. Underneath is a rectangular dog trough set between granite kerbs at ground level. Inscription reads 'Metropolitan Drinking Fountain and Cattle Trough Association'. Listing NGR: TQ3137482165

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address**Monument/Component Types**

- DOG TROUGH (19th Century - 1886 AD)
- DRINKING FOUNTAIN (19th Century - 1886 AD)
- HORSE TROUGH (19th Century - 1886 AD)
- KERBSTONE (19th Century - 1886 AD)
- PLAQUE (19th Century - 1886 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	436243 CATTLE TROUGH	TQ 3182 SW RAY STREET BRIDGE 635-1/73/10068 Cattle trough II Drinking fountain and horse trough. Dated 1886. Granite rectangular horse trough with chamfered base on two granite supports. One end has ogee-shaped granite gable with semi-circular bowl attached. Underneath is a rectangular dog trough set between granite kerbs at ground level. Inscription reads 'Metropolitan Drinking Fountain and Cattle Trough Association'. Listing NGR: TQ3137482165

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80147
Monument Type	Listed Building
Preferred Ref.	MLO80147
Name	CATTLE TROUGH IN FRONT OF NUMBER 195 (NUMBER 195 NOT INCLUDED)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30654 82511 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAYS INN ROAD 798-1/96/1762 (West side) 01/07/98 Cattle Trough in front of No.195 (No.195 not included) GV II Single cattle trough. 1885. Presented by the Metropolitan Cattle Trough and Drinking Fountain Association. In front of No.195 Grays Inn Road, and east of Eastman Dental Hospital (not included). Granite, approx 2.5m in length; supported on rectangular granite plinths at either end. Long side to street with inscription identifying it as the work of the MCT and DFA. To pavement side inscription indicates that it was given 'in loving memory of HTW and MWW 1885'. To south return an inscription from Proverbs partially obliterated. At north end an ogee cap for drinking bowl and another biblical inscription, also partly obliterated. Listing NGR: TQ3065482511

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 378 Gray's Inn Road, London, WC1X 8BB

Monument/Component Types

- CATTLE TROUGH (19th Century - 1885 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477621 CATTLE TROUGH IN FRONT OF NUMBER 195 (NUMBER 195 NOT INCLUDED)	CAMDEN TQ3082SE GRAYS INN ROAD 798-1/96/1762 (West side) 01/07/98 Cattle Trough in front of No.195 (No.195 not included) GV II Single cattle trough. 1885. Presented by the Metropolitan Cattle Trough and Drinking Fountain Association. In front of No.195 Grays Inn Road, and east of Eastman Dental Hospital (not included). Granite, approx 2.5m in length; supported on rectangular granite plinths at either end. Long side to street with inscription identifying it as the work of the MCT and DFA. To pavement side inscription indicates that it was given 'in loving memory of HTW and MWW 1885'. To south return an inscription from Proverbs partially obliterated. At north end an ogee cap for drinking bowl and another biblical inscription, also partly obliterated. Listing NGR: TQ3065482511

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97396
Monument Type	Listed Building
Preferred Ref.	MLO97396
Name	CENTRAL K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30389 81092 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Central K2 Telephone Kiosk in group to 6.8.86 north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038981092

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13 New Row, London, WC2N 4LF

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208806 CENTRAL K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Central K2 Telephone Kiosk in group to 6.8.86 north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038981092

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80231
Monument Type	Listed Building
Preferred Ref.	MLO80231
Name	CENTRAL ST MARTINS COLLEGE OF ART AND DESIGN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30500 81670 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1483 (East side) 11/11/82 Central St Martin's College of Art and Design (Formerly Listed as: SOUTHAMPTON ROW Central School of Arts and Crafts) II* Includes: Central St Martin's College of Art and Design THEOBALDS ROW. College of art and design. 1905-8. By London County Council Architects' Department, General Section, job architect AH Verstage, influenced by WR Lethaby. Base of Cornish granite, upper storeys of Portland stone, lead roof. EXTERIOR: 5 storeys and corner attic. Long front of 14 windows to Southampton Row, canted corner and short return of 6 windows to Theobalds Road and three to High Holborn. Ground storey has round-headed windows and impost bands with rectangular slabs of granite above, originally intended for relief carvings. First and second storeys have windows of irregular width, slightly recessed and united under a round-headed arch. Third storey with similar windows between string courses. Fourth storey with small, square windows alternating with decorative stone grilles in the form of lozenges with inset circles. Heavy bracketed cornice. Canted corner has enriched treatment with various styles of window to staircase, high ogee double dome in lead over cornice, and small sculpture on ground storey showing woman with a sword supporting coats of arms of St George and City of London, dated 1908 and with the inscription 'Labor omnia vincit'. Former entrance to London Day Training College on Southampton Row, right of centre, now blocked, with slightly projecting bay above it and main cornice raised into a curve. Entrance to art college towards Theobalds Road in similar style, its sliding wooden doors with enriched panelling. Above the door "LCC Central School of Arts & Crafts" in bronze. INTERIOR is interesting spatially. Vaulted entrance hall faced in Hopton Wood stone. Generous main staircase similarly lined. Exhibition hall rectangular with canted ends, partly vaulted, springing from a single central column and partly covered by a glazed dome. HISTORICAL NOTE: built as the Central School of Arts and Crafts (N section) and London Day Training College (S section). WR Lethaby was Principal of the Central School at the time of building and is commemorated on the Southampton Row elevation by a blue plaque. CAMDEN TQ3081NW THEOBALDS ROW 798-1/100/1483 Central St Martin's College of Art 11/11/82 and Design II* See under: Central St Martin's College of Art and Design SOUTHAMPTON ROW. Listing NGR: TQ3050081670

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- ART SCHOOL (Modern - 1905 AD to 1908 AD)
- EXHIBITION HALL (Modern - 1905 AD to 1908 AD)
- FURTHER EDUCATION COLLEGE (Modern - 1905 AD to 1908 AD)
- TRAINING COLLEGE (Modern - 1905 AD to 1908 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478144 CENTRAL ST MARTINS COLLEGE OF ART AND DESIGN	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1483 (East side) 11/11/82 Central St Martin's College of Art and Design (Formerly Listed as: SOUTHAMPTON ROW Central School of Arts and Crafts) II* Includes: Central St Martin's College of Art and Design THEOBALDS ROW. College of art and design. 1905-8. By London County Council Architects' Department, General Section, job architect AH Verstage, influenced by WR Lethaby. Base of Cornish granite, upper storeys of Portland stone, lead roof. EXTERIOR: 5 storeys and corner attic. Long front of 14 windows to Southampton Row, canted corner and short return of 6 windows to Theobalds Road and three to High Holborn. Ground storey has round-headed windows and impost bands with rectangular slabs of granite above, originally intended for relief carvings. First and second storeys have windows of irregular width, slightly recessed and united under a round-headed arch. Third storey with similar windows between string courses. Fourth storey with small, square windows alternating with decorative stone grilles in the form of lozenges with inset circles. Heavy bracketed cornice. Canted corner has enriched treatment with various styles of window to staircase, high ogee double dome in lead over cornice, and small sculpture on ground storey showing woman with a sword supporting coats of arms of St George and City of London, dated 1908 and with the inscription 'Labor omnia vincit'. Former entrance to London Day Training College on Southampton Row, right of centre, now blocked, with slightly projecting bay above it and main cornice raised into a curve. Entrance to art

college towards Theobalds Road in similar style, its sliding wooden doors with enriched panelling. Above the door "LCC Central School of Arts & Crafts" in bronze. INTERIOR is interesting spatially. Vaulted entrance hall faced in Hopton Wood stone. Generous main staircase similarly lined. Exhibition hall rectangular with canted ends, partly vaulted, springing from a single central column and partly covered by a glazed dome. HISTORICAL NOTE: built as the Central School of Arts and Crafts (N section) and London Day Training College (S section). WR Lethaby was Principal of the Central School at the time of building and is commemorated on the Southampton Row elevation by a blue plaque. CAMDEN TQ3081NW THEOBALDS ROW 798-1/100/1483 Central St Martin's College of Art 11/11/82 and Design II* See under: Central St Martin's College of Art and Design SOUTHAMPTON ROW. Listing NGR: TQ3050081670

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94049
Monument Type	Listed Building
Preferred Ref.	MLO94049
Name	Chancery Lane (No. 95), (Including No. 61 Carey Street), WC2
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31102 81294 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 SW CITY OF WESTMINSTER CHANCERY LANE, WC2 61/3 31.10.74 No. 95 (Including No. 61 Carey Street) G.V. II Bank. 1865 by F.W. Porter, built as the Union Bank of London. Portland stone, slate roof. Stately, richly detailed High Renaissance design. 3 storeys, basement and dormered attic. 4 window wide frontage to Chancery Lane, splayed corner entrance bay and 12-window wide front to Carey Street with central and terminal advanced pavilions. Aediculed corner entrance. 3 storey loggia treatment to Chancery Lane with semicircular arched windows contained within successive Tuscan, Ionic and Corinthian orders in coupled columns. The Carey Street front has the same theme but with coupled pilasters. Arcaded 1st floor windows. Terminal pavilions as loggias. The central pavilion 2 storeyed with stone ball finials to cornice blocking course. Heavy main cornice and entablature with semicircular, pedimented dormers above. Fine heavy cast iron area railings. Original banking hall with rich Renaissance detailing, largely intact. Listing NGR: TQ3110281294

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- BANK (FINANCIAL) (19th Century - 1865 AD)
- RAILINGS (19th Century - 1865 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209061 No. 95 Chancery Lane, WC2 (Including No. 61 Carey Street)	TQ 3181 SW CITY OF WESTMINSTER CHANCERY LANE, WC2 61/3 31.10.74 No. 95 (Including No. 61 Carey Street) G.V. II Bank. 1865 by F.W. Porter, built as the Union Bank of London. Portland stone, slate roof. Stately, richly detailed High Renaissance design. 3 storeys, basement and dormered attic. 4 window wide frontage to Chancery Lane, splayed corner entrance bay and 12-window wide front to Carey Street with central and terminal advanced pavilions. Aediculed corner entrance. 3 storey loggia treatment to Chancery Lane with semicircular arched windows contained within successive Tuscan, Ionic and Corinthian orders in coupled columns. The Carey Street front has the same theme but with coupled pilasters. Arcaded 1st floor windows. Terminal pavilions as loggias. The central pavilion 2 storeyed with stone ball finials to cornice blocking course. Heavy main cornice and entablature with semicircular, pedimented dormers above. Fine heavy cast iron area railings. Original banking hall with rich Renaissance detailing, largely intact. Listing NGR: TQ3110281294

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78533
Monument Type	Listed Building
Preferred Ref.	MLO78533
Name	Charing Cross Road, [Phoenix Theatre] {Early 20th century theatre}
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29908 81178 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE CHARING CROSS ROAD 798-1/104/197 (East side) 23/10/73 Phoenix Theatre GV II Theatre. 1929-30. By Sir Giles Gilbert Scott, Cecil Masey & Bertie Crewe. For Sydney Bernstein. Interior by Theodore Komisarjevsky. Stucco with brick and stone. EXTERIOR: facades to Charing Cross Road and Phoenix Street. Charing Cross Road facade on a curved corner with Corinthian columns from 1st to 2nd floors, curved entablature, attic storey with 7 deeply recessed rectangular lights and enriched architraves, those at right and left projecting. Cornice and pantiled roof. Ground floor has 2 pairs of enriched 2-leaf doors, each with 14 bevelled lights. Facade to Phoenix Street ground floor has 3 pairs of enriched 2-leaf doors, each with bevelled lights and decorative fanlights, recessed between decorative metal grilles, to either side of which timber panelled 2-leaf doors recessed in brick architraves. Continuous metal balcony at first floor level. Central feature of stone with 3 round-headed windows, from 1st to 2nd floors, with moulded architraves on Ionic twisted columns and a balcony. To either side, fluted, paired pilasters. Above, a richly decorated entablature, modillioned cornice, blocking course and 4 brick dormers. Flanking this feature, in brick, at 1st floor level, 12-light metal casement windows with brick pediment over, at 2nd floor level, 12-light metal windows with brick lugged architrave. INTERIOR: of elaborate Renaissance design, both auditorium and foyer with painted panels by Vladimir Polunin. The elaborately painted safety curtain forms the fourth wall of the auditorium decoration and is a key part of the composition. HISTORICAL NOTE: the interior decoration of this theatre, well-preserved, anticipates Bernstein's patronage of Komisarjevsky and Polunin in his subsequent 'Granada' chain of cinemas. Listing NGR: TQ2990881178

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- THEATRE (Modern - 1929 AD to 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476880 PHOENIX THEATRE	CAMDEN TQ2981SE CHARING CROSS ROAD 798-1/104/197 (East side) 23/10/73 Phoenix Theatre GV II Theatre. 1929-30. By Sir Giles Gilbert Scott, Cecil Masey & Bertie Crewe. For Sydney Bernstein. Interior by Theodore Komisarjevsky. Stucco with brick and stone. EXTERIOR: facades to Charing Cross Road and Phoenix Street. Charing Cross Road facade on a curved corner with Corinthian columns from 1st to 2nd floors, curved entablature, attic storey with 7 deeply recessed rectangular lights and enriched architraves, those at right and left projecting. Cornice and pantiled roof. Ground floor has 2 pairs of enriched 2-leaf doors, each with 14 bevelled lights. Facade to Phoenix Street ground floor has 3 pairs of enriched 2-leaf doors, each with bevelled lights and decorative fanlights, recessed between decorative metal grilles, to either side of which timber panelled 2-leaf doors recessed in brick architraves. Continuous metal balcony at first floor level. Central feature of stone with 3 round-headed windows, from 1st to 2nd floors, with moulded architraves on Ionic twisted columns and a balcony. To either side, fluted, paired pilasters. Above, a richly decorated entablature, modillioned cornice, blocking course and 4 brick dormers. Flanking this feature, in brick, at 1st floor level, 12-light metal casement windows with brick pediment over, at 2nd floor level, 12-light metal windows with brick lugged architrave. INTERIOR: of elaborate Renaissance design, both auditorium and foyer with painted panels by Vladimir Polunin. The elaborately painted safety curtain forms the fourth wall of the auditorium decoration and is a key part of the composition. HISTORICAL NOTE: the interior decoration of this theatre, well-preserved, anticipates Bernstein's patronage of Komisarjevsky and Polunin in his subsequent 'Granada' chain of cinemas. Listing NGR: TQ2990881178

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80894
Monument Type	Listed Building
Preferred Ref.	MLO80894
Name	CHARLES DICKENS HOUSE AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30782 82203 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/312 (East side) 10/06/54 No.48 Charles Dickens' House and attached railings (Formerly Listed as: DOUGHTY STREET Nos.39-62 (Consecutive)) GV I Terraced house. c1807-9. Darkened stock brick with slate mansard roof and dormer. Plain stucco 1st floor sill band. 3 storeys, attic and basement. 3 windows. Round-arched doorway with stucco surround, pilaster-jamb, cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes; ground floor with louvred shutters, 1st floor with cast-iron balconies. Stucco cornice and blocking course. Original lead rainwater head and pipe. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: this house was between 1837 and 1839 the home of Charles Dickens (LLC plaque) and is now a house museum: it is listed Grade I for this reason. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3078282203

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Doughty Street, London, WC1N 2PL

Monument/Component Types

- MUSEUM (Undated)
- RAILINGS (19th Century - 1807 AD to 1809 AD)
- TERRACED HOUSE (19th Century - 1807 AD to 1809 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	477070 CHARLES DICKENS HOUSE AND ATTACHED RAILINGS	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/312 (East side) 10/06/54 No.48 Charles Dickens' House and attached railings (Formerly Listed as: DOUGHTY STREET Nos.39-62 (Consecutive)) GV I Terraced house. c1807-9. Darkened stock brick with slate mansard roof and dormer. Plain stucco 1st floor sill band. 3 storeys, attic and basement. 3 windows. Round-arched doorway with stucco surround, pilaster-jamb, cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes; ground floor with louvred shutters, 1st floor with cast-iron balconies. Stucco cornice and blocking course. Original lead rainwater head and pipe. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: this house was between 1837 and 1839 the home of Charles Dickens (LLC plaque) and is now a house museum: it is listed Grade I for this reason. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3078282203

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79884
Monument Type	Listed Building
Preferred Ref.	MLO79884
Name	CHURCH OF CHRIST THE KING AND ATTACHED RAILINGS AND WALLS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29724 82163 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/597 (West side) 10/06/54 Church of Christ the King and attached railings and walls GV I Formerly known as: Catholic Apostolic Church GORDON SQUARE. Church, now the Church of England Chaplaincy to the University of London. c1851-4. By JR Brandon. Bath stone ashlar with tiled roofs. PLAN/STYLE: cruciform plan, with central tower, in Early English style on a cathedral scale. 5-bay aisled nave with full triforium and clerestory, 3-bay sanctuary with side aisles and 3-bay Lady Chapel. EXTERIOR: gabled entrance porch, at east end, with angle buttresses, moulded, pointed arch entrance above which a 2-light and oculus plate tracery window; linked to the Lady Chapel with octagonal turret and 2-light room. Entrance on the north side of the church approached by a cloister walk from the porch. East facade of Lady Chapel with arcaded lancet windows, above which a small rose window and gable. Gabled and pinnacled buttresses. Gabled east facade of nave with 3 large lancets, above which 5 smaller lancets. Octagonal corner turrets with gabled niches and terminating in spires with gablets. South facade with paired lancets to Lady Chapel separated by gabled buttresses; parapet, 2 roof dormers and lantern. 2-light, plate tracery aisle windows with quatrefoils. Paired pointed clerestory windows, those in the sanctuary being single. Pinnacled buttresses and corbelled parapets. Gabled transept with octagonal turrets at angles terminating with gablets and spires. Tripartite lancets at ground and 1st storey level with rose window above. Tower base with mostly blind arcading. West end unfinished in brick apart from entrance in stone. 3 lancets. INTERIOR: nave has timber hammer beam roof with angels and central bosses of snowflake design; double-arcaded triforium. Roll moulded crossing arches on clustered columns. 19th century south transept rose window, by Archibald Nicholson, with dove in centre surrounded by musician angels and cherubim and seraphim. In the lancets below Christ in Majesty with ranks of saints, apostles and angels and earth below. Sanctuary roof rib-vaulted in stone with foliated bosses. Brass sanctuary lamp by Pugin. Screen behind high altar with open traceried window to Lady Chapel. The Lady Chapel, formerly the English Chapel, with richly painted timber roof and stone angel corbels. Deeply cut stone sedilia around the chapel. 20th century glass. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials and brick and stone walls to areas. HISTORICAL NOTE: built as the headquarters of the Catholic Apostolic Church of the Irvingites, but only 5 of the 7 projected nave bays were completed; the west wall was a temporary one. The uncompleted crossing tower was designed to have a spire 300 feet high. When the last Catholic Apostolic priest died in 1963 the church became part of the Anglican University Chaplaincy, becoming the sole place of worship in 1968. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 92). Listing NGR: TQ2972482163

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Gordon Square, London, WC1H 0AG

Monument/Component Types

- ANGLICAN CHURCH (19th Century - 1851 AD to 1854 AD)
- CHAPLAINCY (19th Century - 1851 AD to 1854 AD)
- UNIVERSITY (19th Century - 1851 AD to 1854 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	477365 CHURCH OF CHRIST THE KING AND ATTACHED RAILINGS AND WALLS	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/597 (West side) 10/06/54 Church of Christ the King and attached railings and walls GV I Formerly known as: Catholic Apostolic Church GORDON SQUARE. Church, now the Church of England Chaplaincy to the University of London. c1851-4. By JR Brandon. Bath stone ashlar with tiled roofs. PLAN/STYLE: cruciform plan, with central tower, in Early English style on a cathedral scale. 5-bay aisled nave with full triforium and clerestory, 3-bay sanctuary with side aisles and 3-bay Lady Chapel. EXTERIOR: gabled entrance porch, at east end, with angle buttresses, moulded, pointed arch entrance above which a 2-light and oculus plate tracery window; linked to the Lady Chapel with octagonal turret and 2-light room. Entrance on the north side of the church approached by a cloister walk from the porch. East facade of Lady Chapel with arcaded lancet windows, above which a small rose window and gable. Gabled and pinnacled buttresses. Gabled east facade of nave with 3 large lancets, above which 5 smaller lancets. Octagonal corner turrets with gabled niches and terminating in spires with gablets. South facade with paired lancets to Lady Chapel separated by gabled buttresses; parapet, 2 roof dormers and lantern. 2-light, plate tracery aisle windows with

quatrefoils. Paired pointed clerestory windows, those in the sanctuary being single. Pinnacled buttresses and corbelled parapets. Gabled transept with octagonal turrets at angles terminating with gablets and spires. Tripartite lancets at ground and 1st storey level with rose window above. Tower base with mostly blind arcading. West end unfinished in brick apart from entrance in stone. 3 lancets. INTERIOR: nave has timber hammer beam roof with angels and central bosses of snowflake design; double-arcaded triforium. Roll moulded crossing arches on clustered columns. C19 south transept rose window, by Archibald Nicholson, with dove in centre surrounded by musician angels and cherubim and seraphim. In the lancets below Christ in Majesty with ranks of saints, apostles and angels and earth below. Sanctuary roof rib-vaulted in stone with foliated bosses. Brass sanctuary lamp by Pugin. Screen behind high altar with open traceried window to Lady Chapel. The Lady Chapel, formerly the English Chapel, with richly painted timber roof and stone angel corbels. Deeply cut stone sedilia around the chapel. C20 glass. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials and brick and stone walls to areas. HISTORICAL NOTE: built as the headquarters of the Catholic Apostolic Church of the Irvingites, but only 5 of the 7 projected nave bays were completed; the west wall was a temporary one. The uncompleted crossing tower was designed to have a spire 300 feet high. When the last Catholic Apostolic priest died in 1963 the church became part of the Anglican University Chaplaincy, becoming the sole place of worship in 1968. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 92). Listing NGR: TQ2972482163

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86495
Monument Type	Listed Building
Preferred Ref.	MLO86495
Name	CHURCH OF OUR MOST HOLY REDEEMER, CLERGY HOUSE, CAMPANILE AND PARISH HALL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31264 82428 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3182SW EXMOUTH MARKET 635-1/73/387 (South side) 29/12/50 Church of our most Holy Redeemer, Clergy House, campanile & parish ho (Formerly Listed as: EXMOUTH MARKET (South side) Church of the Holy Redeemer) GV II* Church with attached clergy house, campanile, and parish hall. 1887-1888, by John Dando Sedding completed by Henry Wilson 1892-1895. Clergy House, parish hall, campanile, and Lady Chapel 1894-1906. Chapel of All Souls, 1921 by Wilson. Sculptural carving to interior by F W Pomeroy, sculptor. Buff stock brick set in English bond with finely cut rubbed red brick and stone bands and dressings, and red-tile dressings; various Welsh-slate roofs: gabled roof with projecting eaves to church, half-hipped roof to clergy house, gable facing to parish hall and hipped roof with projecting eaves to campanile. Free cross-plan with narrow side aisles and diminutive transepts; interior lengthened by Wilson with Lady Chapel extending eastward behind Baldacchino. Pure Italian Renaissance style. Symmetrical front facade to church with round-arched doorway set into centre of solid brick wall at ground level: doorway with wooden panelled double doors with rectangular overlights flanked by pairs of stone pilasters (with red brick panels) carrying entablature and surmounted by moulded-stone extrados to finely-cut rubbed red-brick tympanum with brick-panelled intrados. Stone cornice at midpoint up front elevation with inscribed frieze in giant letters reading: 'CHRISTO LIBERATOR'. Red brick and stone banding to 1st stage: wheel window to centre with intricate curved and radial leaded glazing bars and moulded stone surround. Giant pediment above with wide projecting bracketed eaves; finely cut low-relief carving to tympanum. Continuation of banded decoration (in brick only) to upper stage of left-hand return wall with same wheel window as front; right-hand return wall obscured by campanile but has same detailing. Flanking front facade on left is parish hall, on the right the clergy house with its projecting campanile. Subtle Italian Romanesque style to subsidiary buildings. Parish hall breaks forward slightly: 2 storeys; 1-window range (5 lights with modillions) set in brick recess to centre. Main entrance to small covered porch to right-hand return wall; secondary 1-storey entrance to far left front facade, both with round-arched heads. Features throughout include finely detailed tile extradoses, imposts, decorative tympanum and banding; stone coping above left entrance. Clergy house breaks forward slightly: 4 storeys; 2-window range plus 1-window range to left-hand return wall. Round-arched entrance to return. Sashes (6/6, 4/4, 2/2) with round-arched heads with fine tile extradoses, stone imposts and sill bands; windows to ground and 4th floors with flat arches. Cornice, tile coping to brick parapet. Campanile breaks well-forward to southwest corner: almost square in plan, partially obscured by other buildings; 5 stages; various round-arched coupled openings (except 1st stage single opening only) with sashes to ground, 1st, 2nd and 3rd stages; other stages open; all with finely-cut tiled or brick extradoses, stone imposts and sill bands. INTERIOR: of church: Renaissance style. Colonnades of lavish, giant Corinthian-columns with panelled pedestals carrying unbroken entablature and supporting four groined vaults. Column capitals carved by sculptor F W Pomeroy. Free-standing Baldacchino high altar on pattern of Sto. Spirito in Florence in east end; Sedding's plans for frescoed walls never carried out and are now plain, Wilson responsible for most of existing interior furnishings such as font, 1909, floors, some of marble. Lady Chapel with details by Wilson and Sedding's son. All Soul's Chapel: reredos, presented by Wilson, cast of that in the chapel at Welbeck Abbey (1906). Glass is plain. Stations of Cross by Martin Travers studio and organ from Chapel Royal at Windsor Castle installed in 1889. Attached iron railings to front elevation. History: The church was consecrated in 1888 but never completed as designed in 1887. Sedding died very young in 1891, and the building was completed by Sedding's assistant Henry Wilson. He submitted plans in 1892 which included extending the building eastward behind the Baldacchino; this was done in 1894-1895. An appeal was established in 1901 to pay for the other buildings and they were completed in 1906. This church is of outstanding importance as an example of the late C19 reaction against High Victorian Gothic. Sedding accomplished this by using the pure Italian Renaissance style. In doing so, he not only created a 'monument to the Aestheticism of the late Victorian Anglo-Catholics', but made the church look Roman Catholic. Wilson's work to the church is particularly fine; and his interesting subsidiary buildings (parish-hall, clergy-house, and especially the campanile) flanking the front facade are extremely clever and idiosyncratic. This complex was built in the heart of a significant Italian community. These buildigs form a remarkable group. (Buildings of England: Pevsner, N: London: London: 1951-: FINSBURY 114; The Faber Guide to Victorian Churches: London: 1989-: 77; Stamp, G and Amery, C: Victorian Buildings of London 1837-1887: An Illustrated Guide: London: 1982-: 153-154). Listing NGR: TQ3126482428</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 56 Exmouth Market, London, EC1R 4QE

Monument/Component Types

- CHURCH (19th Century - 1887 AD to 1888 AD)
- RAILINGS (19th Century - 1887 AD to 1888 AD)
- CHURCH (19th Century - 1892 AD to 1895 AD)
- BELL TOWER (19th Century to Modern - 1894 AD to 1906 AD)
- CLERGY HOUSE (19th Century to Modern - 1894 AD to 1906 AD)
- LADY CHAPEL (19th Century to Modern - 1894 AD to 1906 AD)
- VILLAGE HALL (19th Century to Modern - 1894 AD to 1906 AD)

- CHAPEL (Modern - 1921 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	368887 CHURCH OF OUR MOST HOLY REDEEMER, CLERGY HOUSE, CAMPANILE AND PARISH HALL	<p>ISLINGTON TQ3182SW EXMOUTH MARKET 635-1/73/387 (South side) 29/12/50 Church of our most Holy Redeemer, Clergy House, campanile & parish ho (Formerly Listed as: EXMOUTH MARKET (South side) Church of the Holy Redeemer) GV II* Church with attached clergy house, campanile, and parish hall. 1887-1888, by John Dando Sedding completed by Henry Wilson 1892-1895. Clergy House, parish hall, campanile, and Lady Chapel 1894-1906. Chapel of All Souls, 1921 by Wilson. Sculptural carving to interior by F W Pomeroy, sculptor. Buff stock brick set in English bond with finely cut rubbed red brick and stone bands and dressings, and red-tile dressings; various Welsh-slate roofs: gabled roof with projecting eaves to church, half-hipped roof to clergy house, gable facing to parish hall and hipped roof with projecting eaves to campanile. Free cross-plan with narrow side aisles and diminutive transepts; interior lengthened by Wilson with Lady Chapel extending eastward behind Baldacchino. Pure Italian Renaissance style. Symmetrical front facade to church with round-arched doorway set into centre of solid brick wall at ground level: doorway with wooden panelled double doors with rectangular overlights flanked by pairs of stone pilasters (with red brick panels) carrying entablature and surmounted by moulded-stone extrados to finely-cut rubbed red-brick tympanum with brick-panelled intrados. Stone cornice at midpoint up front elevation with inscribed freize in giant letters reading: 'CHRISTO LIBERATOR'. Red brick and stone banding to 1st stage: wheel window to centre with intricate curved and radial leaded glazing bars and moulded stone surround. Giant pediment above with wide projecting bracketed eaves; finely cut low-relief carving to tympanum. Continuation of banded decoration (in brick only) to upper stage of left-hand return wall with same wheel window as front; right-hand return wall obscured by campanile but has same detailing. Flanking front facade on left is parish hall, on the right the clergy house with its projecting campanile. Subtle Italian Romanesque style to subsidiary buildings. Parish hall breaks forward slightly: 2 storeys; 1-window range (5 lights with modillions) set in brick recess to centre. Main entrance to small covered porch to right-hand return wall; secondary 1-storey entrance to far left front facade, both with round-arched heads. Features throughout include finely detailed tile extradoses, imposts, decorative tympanum and banding; stone coping above left entrance. Clergy house breaks forward slightly: 4 storeys; 2-window range plus 1-window range to left-hand return wall. Round-arched entrance to return. Sashes (6/6, 4/4, 2/2) with round-arched heads with fine tile extradoses, stone imposts and sill bands; windows to ground and 4th floors with flat arches. Cornice, tile coping to brick parapet. Campanile breaks well-forward to southwest corner: almost square in plan, partially obscured by other buildings; 5 stages; various round-arched coupled openings (except 1st stage single opening only) with sashes to ground, 1st, 2nd and 3rd stages; other stages open; all with finely-cut tiled or brick extradoses, stone imposts and sill bands. INTERIOR: of church: Renaissance style. Colonnades of lavish, giant Corinthian-columns with panelled pedestals carrying unbroken entablature and supporting four groined vaults. Column capitals carved by sculptor F W Pomeroy. Free-standing Baldacchino high altar on pattern of Sto. Spirito in Florence in east end; Sedding's plans for frescoed walls never carried out and are now plain, Wilson responsible for most of existing interior furnishings such as font, 1909, floors, some of marble. Lady Chapel with details by Wilson and Sedding's son. All Soul's Chapel: reredos, presented by Wilson, cast of that in the chapel at Welbeck Abbey (1906). Glass is plain. Stations of Cross by Martin Travers studio and organ from Chapel Royal at Windsor Castle installed in 1889. Attached iron railings to front elevation. History: The church was consecrated in 1888 but never completed as designed in 1887. Sedding died very young in 1891, and the building was completed by Sedding's assistant Henry Wilson. He submitted plans in 1892 which included extending the building eastward behind the Baldacchino; this was done in 1894-1895. An appeal was established in 1901 to pay for the other buildings and they were completed in 1906. This church is of outstanding importance as an example of the late C-19 reaction against High Victorian Gothic. Sedding accomplished this by using the pure Italian Renaissance style. In doing so, he not only created a 'monument to the Aestheticism of the late Victorian Anglo-Catholics', but made the church look Roman Catholic. Wilson's work to the church is particularly fine; and his interesting subsidiary buildings (parish-hall, clergy-house, and especially the campanile) flanking the front facade are extremely clever and idiosyncratic. This complex was built in the heart of a significant Italian community. These buildings form a remarkable group. (Buildings of England: Pevsner, N: London:</p>

London: 1951-: FINSBURY 114; The Faber Guide to Victorian Churches: London: 1989-: 77; Stamp, G and Amery, C: Victorian Buildings of London 1837-1887: An Illustrated Guide: London: 1982-: 153-154). Listing NGR: TQ3126482428

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80622
Monument Type	Listed Building
Preferred Ref.	MLO80622
Name	CHURCH OF ST ALBAN THE MARTYR
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31168 81781 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181NW BROOKE STREET 798-1/102/117 (North side) 24/10/51 Church of St Alban the Martyr (Formerly Listed as: BROOKE STREET Church of St Alban) GV II* Church. Designed 1859, built 1861-62, architect William Butterfield. Chapel 1891 by CHM Mileham. Burnt out 1941 and restored 1959-61 by Adrian Gilbert Scott. Red and yellow stock bricks with stone dressings. Tiled roofs. 7 bays in Gothic style. EXTERIOR: very tall, wide, aisled church with short transepts abutting western tower with saddleback roof. Tower with projecting, gabled central window with a small turret over. To either side tall, narrow, Geometric traceried windows. Site restrictions forced a blank east wall. Entrance through south transept which forms a small chapel. In entry approach 'Jesus being Raised from the Dead', sculpture of 1985 by Hans Feibusch. INTERIOR: Scott's simple but dignified scheme replacing Butterfield's elaborate decoration. Tower opens into the nave by a great arch (Butterfield's). Arcade rebuilt with stone to lower levels, rendered above. Two-bay chancel with aisles of one bay and east wall covered by a mural, 'The Trinity in Glory', by Hans Feibusch, 1966. Stations of the Cross by Feibusch. Some painted decoration on ribs of ceiling. Cast-iron parclose screens to aisle chapels. West gallery with organ. Mackonochie chapel by CHM Mileham survived bombing, with stained glass 1885 and 1898 by CE Kempe; two stations of the cross 1912 by Ninian Comper. St Alban's was one of Butterfield's finest mature works, and remains a powerful composition. (Thompson P: William Butterfield: London: -1971). Listing NGR: TQ3116881781

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 Brooke Street, London, EC1N 7RD

Monument/Component Types

- CHURCH (19th Century - 1861 AD to 1862 AD)
- CHAPEL (19th Century - 1891 AD)
- CHURCH (Modern - 1941 AD)
- CHURCH (Modern - 1959 AD to 1961 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476759 CHURCH OF ST ALBAN THE MARTYR	CAMDEN TQ3181NW BROOKE STREET 798-1/102/117 (North side) 24/10/51 Church of St Alban the Martyr (Formerly Listed as: BROOKE STREET Church of St Alban) GV II* Church. Designed 1859, built 1861-62, architect William Butterfield. Chapel 1891 by CHM Mileham. Burnt out 1941 and restored 1959-61 by Adrian Gilbert Scott. Red and yellow stock bricks with stone dressings. Tiled roofs. 7 bays in Gothic style. EXTERIOR: very tall, wide, aisled church with short transepts abutting western tower with saddleback roof. Tower with projecting, gabled central window with a small turret over. To either side tall, narrow, Geometric traceried windows. Site restrictions forced a blank east wall. Entrance through south transept which forms a small chapel. In entry approach 'Jesus being Raised from the Dead', sculpture of 1985 by Hans Feibusch. INTERIOR: Scott's simple but dignified scheme replacing Butterfield's elaborate decoration. Tower opens into the nave by a great arch (Butterfield's). Arcade rebuilt with stone to lower levels, rendered above. Two-bay chancel with aisles of one bay and east wall covered by a mural, 'The Trinity in Glory', by Hans Feibusch, 1966. Stations of the Cross by Feibusch. Some painted decoration on ribs of ceiling. Cast-iron parclose screens to aisle chapels. West gallery with organ. Mackonochie chapel by CHM Mileham survived bombing, with stained glass 1885 and 1898 by CE Kempe; two stations of the cross 1912 by Ninian Comper. St Alban's was one of Butterfield's finest mature works, and remains a powerful composition. (Thompson P: William Butterfield: London: -1971). Listing NGR: TQ3116881781

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94884
Monument Type	Listed Building
Preferred Ref.	MLO94884
Name	CHURCH OF ST CLEMENT DANES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30976 81040 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description
TQ 3181 SE CITY OF WESTMINSTER STRAND, WC2 60/22 24.2.58 Church of St Clement Danes G.V. I Church. Rebuild of 1680-82 by Sir Christopher Wren, reusing but recasing 15th century masonry of west tower, which above the clock stage was completed with spire by James Gibbs in 1719. Gutted in World War II and restored 1955-58 by W A S Lloyd. Portland stone. West tower and steeple, apsidal east end. The tower is flanked by 2-storey domed lobbies with segmental headed doorways, heavy porch projecting from tower base; Gibbs surrounds to bell stage openings, the steeple rising in 3 diminishing octagonal stages, the middle one with concave entablature. Squat lower register windows to sides with tall semicircular arched windows in architraves above, lighting galleries. Restored interior with broad tunnel vault, galleries and groin vaulted aisles, the latter, uniquely in a Wren church, being continued as ambulatory round east end with further semi-domed apse added. London Volume I; N Pevsner Christopher Wren; Kerry Downes. Listing NGR: TQ3097681040

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 355 Strand, London, WC2R 0HS

Monument/Component Types

- CHURCH (Medieval to 15th Century - 1400 AD to 1499 AD)
- CHURCH (17th Century - 1680 AD to 1682 AD)
- CHURCH (18th Century - 1719 AD)
- CHURCH (Modern - 1939 AD to 1945 AD)
- CHURCH (Modern - 1955 AD to 1958 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	428299 CHURCH OF ST CLEMENT DANES	TQ 3181 SE CITY OF WESTMINSTER STRAND, WC2 60/22 24.2.58 Church of St Clement Danes G.V. I Church. Rebuild of 1680-82 by Sir Christopher Wren, reusing but recasing 15th century masonry of west tower, which above the clock stage was completed with spire by James Gibbs in 1719. Gutted in World War II and restored 1955-58 by W A S Lloyd. Portland stone. West tower and steeple, apsidal east end. The tower is flanked by 2-storey domed lobbies with segmental headed doorways, heavy porch projecting from tower base; Gibbs surrounds to bell stage openings, the steeple rising in 3 diminishing octagonal stages, the middle one with concave entablature. Squat lower register windows to sides with tall semicircular arched windows in architraves above, lighting galleries. Restored interior with broad tunnel vault, galleries and groin vaulted aisles, the latter, uniquely in a Wren church, being continued as ambulatory round east end with further semi-domed apse added. London Volume I; N Pevsner Christopher Wren; Kerry Downes. Listing NGR: TQ3097681040

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80616
Monument Type	Listed Building
Preferred Ref.	MLO80616
Name	CHURCH OF ST GEORGE AND ATTACHED RAILINGS, GATES AND LAMPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30210 81533 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/113 (North side) 24/10/51 Church of St George and attached railings, gates and lamps GV I Church. 1716-1731. By Nicholas Hawksmoor. Re-ordered 1781, restored 1870 by GE Street and 1972-4 by Lawrence King. Stone faced brick. Rectangular plan of 6 bays. EXTERIOR: principal south facade with hexastyle Roman Corinthian portico on a podium approached by a broad flight of steps. Arched ground floor openings with segmental-headed openings above. To the west a tower (originally providing a conventional west entrance) with recessed arches on 3 sides, clock, tetrastyle portico to each facade of the belfry, surmounted by a stepped steeple terminating in a sculptured statue of George I in Roman attire. North facade, facing Little Russell Street, pedimented, 2 storeys of partly blind arcading on a podium with steps to entrances either side. Podium with 5 square-headed openings with massive keystones. 1st floor with Corinthian pilasters supporting entablature, 2nd with Corinthian half-columns. Lunette in pediment. INTERIOR: now north-south orientated. Paired Corinthian columns supporting an entablature and elliptical arch at the south end, behind which a panelled timber gallery and organ. Vestibule below. East wall with small apse (originally for the altar), the moulded and gilded ceiling decoration of pelican and scallop shell flanked by mitres and croziers with winged cherubs in clouds above by Isaac Mansfield. West wall with round-headed entrance to vestibule in the base of the tower and staircase to small round-headed gallery with wrought-iron balcony (originally for the gentry's servants). Current north chancel emphasised by double elliptical arches on entablatures with paired Corinthian columns. (Hawksmoor's design had galleries between these columns to emphasise the east-west orientation.) Original reredos - an aedicule with Corinthian columns and broken pediment. 5-sided, panelled and carved mahogany pulpit also original. SUBSIDIARY FEATURES: attached cast-iron railings and gates to frontage. Flanking the steps, attached C19 lamps with Windsor lanterns surmounted by cast-iron models of the stepped steeple original design which included lions and unicorns at the base. HISTORICAL NOTE: St George's was sanctioned by the Fifty New Churches Act of 1711 to relieve parishioners of the northern part of St Giles-in-the-Fields parish from having to cross the notorious Rookery district. The stepped steeple was inspired by Pliny's description of the Tomb of Mausolus at Halicarnassus. Listing NGR: TQ3021081533

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 20 Bloomsbury Way, London, WC1A 2TH

Monument/Component Types

- CHURCH (18th Century - 1716 AD to 1731 AD)
- GATE (18th Century - 1716 AD to 1731 AD)
- RAILINGS (18th Century - 1716 AD to 1731 AD)
- LAMP BRACKET (18th Century to 19th Century - 1800 AD to 1899 AD)
- CHURCH (19th Century - 1870 AD)
- CHURCH (Modern - 1972 AD to 1974 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	476747 CHURCH OF ST GEORGE AND ATTACHED RAILINGS, GATES AND LAMPS	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/113 (North side) 24/10/51 Church of St George and attached railings, gates and lamps GV I Church. 1716-1731. By Nicholas Hawksmoor. Re-ordered 1781, restored 1870 by GE Street and 1972-4 by Lawrence King. Stone faced brick. Rectangular plan of 6 bays. EXTERIOR: principal south facade with hexastyle Roman Corinthian portico on a podium approached by a broad flight of steps. Arched ground floor openings with segmental-headed openings above. To the west a tower (originally providing a conventional west entrance) with recessed arches on 3 sides, clock, tetrastyle portico to each facade of the belfry, surmounted by a stepped steeple terminating in a sculptured statue of George I in Roman attire. North facade, facing Little Russell Street, pedimented, 2 storeys of partly blind arcading on a podium with steps to entrances either side. Podium with 5 square-headed openings with massive keystones. 1st floor with Corinthian pilasters supporting entablature, 2nd with Corinthian half-columns. Lunette in pediment. INTERIOR: now north-south orientated. Paired Corinthian columns supporting an entablature and elliptical arch at the south end, behind which a panelled timber gallery and organ. Vestibule below. East wall with small apse (originally for the altar), the moulded and gilded ceiling decoration of

pelican and scallop shell flanked by mitres and croziers with winged cherubs in clouds above by Isaac Mansfield. West wall with round-headed entrance to vestibule in the base of the tower and staircase to small round-headed gallery with wrought-iron balcony (originally for the gentry's servants). Current north chancel emphasised by double elliptical arches on entablatures with paired Corinthian columns. (Hawksmoor's design had galleries between these columns to emphasise the east-west orientation.) Original reredos - an aedicule with Corinthian columns and broken pediment. 5-sided, panelled and carved mahogany pulpit also original. **SUBSIDIARY FEATURES:** attached cast-iron railings and gates to frontage. Flanking the steps, attached C19 lamps with Windsor lanterns surmounted by cast-iron models of the stepped steeple original design which included lions and unicorns at the base. **HISTORICAL NOTE:** St George's was sanctioned by the Fifty New Churches Act of 1711 to relieve parishioners of the northern part of St Giles-in-the-Fields parish from having to cross the notorious Rookery district. The stepped steeple was inspired by Pliny's description of the Tomb of Mausolus at Halicarnassus. Listing NGR: TQ3021081533

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80455
Monument Type	Listed Building
Preferred Ref.	MLO80455
Name	CHURCH OF ST GEORGE THE MARTYR
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30362 81901 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1365 (West side) 24/10/51 Church of St George the Martyr GV II* Church. c1706. Built by Arthur Tooley, repaired late C18. Recast 1867-9 by SS Teulon and restored 1952 and 1989. Stucco with rusticated lower portion. Single storey, rectangular plan with chancel to the south added by Teulon who almost entirely altered the exterior. EXTERIOR: Queen Square facade with Gothic porch to right of pedimented central projecting bay with 3 buttresses, the central buttress forming a column between two architraved, round-headed windows and an architraved oculus above. Buttresses surmounted by statues of praying angels. Beneath the windows 4 roundels containing carved reliefs of the symbols of the 4 Evangelists. To either side of this bay, 3 rounded-arched, traceried windows. Entablature and projecting cornice. Cosmo Place return pedimented with central round-arched entrance and 4 windows. Over west end, small square-plan tower with Gothic canopies (east face shielding a clock), and surmounted by zinc covered spirelet with louvred gables. INTERIOR: also remodelled, the present column and roof system being inserted by Teulon who took down all the galleries save that to the north which he retained and remodelled. Fittings: the fine original reredos was retained on the east wall when Teulon reordered the church with a new south chancel with full fittings including a reredos with mosaic inlay. Stalls, pulpit, lectern, parclose screen and altar rails also by Teulon; other fittings include font, organ and case. HISTORICAL NOTE: St George the Martyr was built as a chapel of ease for St Andrew's, Holborn, and became a parish church in 1723. Listing NGR: TQ3036281901

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- CHAPEL OF EASE (17th Century to 18th Century - 1686 AD to 1726 AD)
- PARISH CHURCH (18th Century - 1723 AD)
- PARISH CHURCH (18th Century - 1767 AD to 1799 AD)
- PARISH CHURCH (19th Century - 1867 AD to 1869 AD)
- PARISH CHURCH (Modern - 1952 AD)
- PARISH CHURCH (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477826 CHURCH OF ST GEORGE THE MARTYR	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1365 (West side) 24/10/51 Church of St George the Martyr GV II* Church. c1706. Built by Arthur Tooley, repaired late C18. Recast 1867-9 by SS Teulon and restored 1952 and 1989. Stucco with rusticated lower portion. Single storey, rectangular plan with chancel to the south added by Teulon who almost entirely altered the exterior. EXTERIOR: Queen Square facade with Gothic porch to right of pedimented central projecting bay with 3 buttresses, the central buttress forming a column between two architraved, round-headed windows and an architraved oculus above. Buttresses surmounted by statues of praying angels. Beneath the windows 4 roundels containing carved reliefs of the symbols of the 4 Evangelists. To either side of this bay, 3 rounded-arched, traceried windows. Entablature and projecting cornice. Cosmo Place return pedimented with central round-arched entrance and 4 windows. Over west end, small square-plan tower with Gothic canopies (east face shielding a clock), and surmounted by zinc covered spirelet with louvred gables. INTERIOR: also remodelled, the present column and roof system being inserted by Teulon who took down all the galleries save that to the north which he retained and remodelled. Fittings: the fine original reredos was retained on the east wall when Teulon reordered the church with a new south chancel with full fittings including a reredos with mosaic inlay. Stalls, pulpit, lectern, parclose screen and altar rails also by Teulon; other fittings include font, organ and case. HISTORICAL NOTE: St George the Martyr was built as a chapel of ease for St Andrew's, Holborn, and became a parish church in 1723. Listing NGR: TQ3036281901

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80485
Monument Type	Listed Building
Preferred Ref.	MLO80485
Name	CHURCH OF ST GILES IN THE FIELDS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29963 81261 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1509 (South side) 24/10/51 Church of St Giles-in-the-Fields GV I Church. 1731-33. By Henry Flitcroft, restored 1896, and c1952 when N Haines and G Jackson also restored interior decoration. Portland stone with copper roof. Classical style. Rectangular plan, nave of 5 bays plus vestibule at west end with tower over. EXTERIOR: rusticated stone to string course marking interior gallery level, above plain ashlar with rusticated quoins. Ground floor windows rectangular with flat arches; gallery windows round-headed with keystones, moulded architraves and plain impost blocks. Modillion cornice with blocking course above. At west end of south and north facades an entrance door with Gibbs surround. Pedimented west end has flight of 7 steps leading to 2 leaf, fielded 3-panelled entrance door with a Gibbs surround. Above, a semicircular headed window with a round-headed niche to either side and a square niche to either side above that. H FLITCROFT ARCHITECTUS carved on the entablature. East end pedimented with Doric Venetian window (glass to centre only). Tower of rusticated base, ashlar belfry with round-headed openings, coupled pilasters supporting an entablature, surmounted, on each face, by a clock & urn finials at each corner. Octagonal lantern with engaged Ionic columns supporting an entablature broken forward at each angle. Spire with rustic bands & golden ball weathervane. INTERIOR: vestibule at west end of 3 lobbies, centre being entrance to nave, to either side containing open stairs to galleries. Tunnel-vaulted nave with shallow sanctuary, groin-vaulted aisles over which galleries which continue across west end. Square panelled piers rising to the underside of galleries support Ionic columns with block entablatures, all of Portland stone; these carry the roof & ceiling. Font 1810, much restored Father Smith Organ 1671 in case probably of 1734, inlaid mahogany pulpit 1676. Carved monument to George Chapman (translator of Homer), dated 1634, probably designed by Inigo Jones. In front of west door, pedimented entrance gate by William Leverton, c1810, incorporating wooden relief of Resurrection of the Dead, 1686-7 by Love. (Survey of London: Vol. V, The Parish of St Giles-in-the-Fields Part II: London: -1914). Listing NGR: TQ2996381261

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 St. Giles High Street, London, WC2H 8LH

Monument/Component Types

- COMMEMORATIVE MONUMENT (17th Century - 1634 AD)
- CHURCH (18th Century - 1731 AD to 1733 AD)
- CHURCH (19th Century - 1896 AD)
- CHURCH (Modern - 1932 AD to 1972 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	477939 CHURCH OF ST GILES IN THE FIELDS	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1509 (South side) 24/10/51 Church of St Giles-in-the-Fields GV I Church. 1731-33. By Henry Flitcroft, restored 1896, and c1952 when N Haines and G Jackson also restored interior decoration. Portland stone with copper roof. Classical style. Rectangular plan, nave of 5 bays plus vestibule at west end with tower over. EXTERIOR: rusticated stone to string course marking interior gallery level, above plain ashlar with rusticated quoins. Ground floor windows rectangular with flat arches; gallery windows round-headed with keystones, moulded architraves and plain impost blocks. Modillion cornice with blocking course above. At west end of south and north facades an entrance door with Gibbs surround. Pedimented west end has flight of 7 steps leading to 2 leaf, fielded 3-panelled entrance door with a Gibbs surround. Above, a semicircular headed window with a round-headed niche to either side and a square niche to either side above that. H FLITCROFT ARCHITECTUS carved on the entablature. East end pedimented with Doric Venetian window (glass to centre only). Tower of rusticated base, ashlar belfry with round-headed openings, coupled pilasters supporting an entablature, surmounted, on each face, by a clock & urn finials at each corner. Octagonal lantern with engaged Ionic columns supporting an entablature broken forward at each angle. Spire with rustic bands & golden ball weathervane. INTERIOR: vestibule at west end of 3 lobbies, centre being entrance to nave, to either side containing open stairs to galleries. Tunnel-vaulted nave with shallow sanctuary, groin-vaulted aisles over which galleries which continue across west end. Square

panelled piers rising to the underside of galleries support Ionic columns with block entablatures, all of Portland stone; these carry the roof & ceiling. Font 1810, much restored Father Smith Organ 1671 in case probably of 1734, inlaid mahogany pulpit 1676. Carved monument to George Chapman (translator of Homer), dated 1634, probably designed by Inigo Jones. In front of west door, pedimented entrance gate by William Leverton, c1810, incorporating wooden relief of Resurrection of the Dead, 1686-7 by Love. (Survey of London: Vol. V, The Parish of St Giles-in-the-Fields Part II: London: -1914). Listing NGR: TQ2996381261

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81231
Monument Type	Listed Building
Preferred Ref.	MLO81231
Name	CHURCH OF ST PANCRAS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29818 82578 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE UPPER WOBURN PLACE 798-1/89/1657 (East side) 10/06/54 Church of St Pancras GV I Church. 1819-22. By H and HW Inwood, restored 1951-3. Portland stone with stone coloured terracotta detailing. Single storey, rectangular plan; nave of 6 bays plus vestibule with tower over and portico at west end; east end with apsidal sanctuary and rectangular tribunes to north and south. Greek Revival style, general plan and form influenced by St Martin-in-the-Fields, but rich detailing influenced by, and in some cases copied from, casts of the Erechtheum, Athens. EXTERIOR: west end, hexastyle ionic portico approached by 2 steps. 3 trapezoid architraved doorways with heavy, panelled wooden doors. All heavily enriched. 4-stage tower over vestibule, a free adaptation of the Tower of the Winds, with octagonal ashlar drum, columns supporting an octagonal entablature, repeated above in diminished scale and surmounted by an octagonal drum with cornice and pointed finial with a cross. North and south facades with trapezoid, architraved, recessed windows, smaller similar windows below, ionic half columns marking the vestibule and palmette brattishing above the cornice. Projecting near the east end, rectangular tribunes facing north and south; each with ionic portico supported by 4 caryatids copied from the Erechtheum by John Rossi (formerly a modeller at Coade's Manufactory) built up in terracotta pieces around cast-iron columns; behind the caryatids, a sarcophagus. 2 leaf doors with roundels in the high podium. Apsidal east end with tetrastyle in antis ionic half columns supporting an entablature and trapezoid, architraved, recessed windows. One similar window each side of the apse, to the nave, and one similar but smaller window to each east facade of the tribunes. INTERIOR: entrance via the west end through an octagonal vestibule corresponding with the tower above and ceiled over a ring of dwarf Doric columns standing in a frieze. Nave has flat, coffered ceiling with galleries supported on lotus columns around 3 sides. Apse with 6 verd-antique scagliola ionic columns on marble podium in the curve of the apse. Some early memorial tablets in Grecian style. Clerk's vestry in the north tribune with ionic columns supporting an oval ceiling. Fine mahogany pulpit carried on 4 ionic columns. High altar, 1914 by Adams & Holden. Stained glass by Clayton and Bell. HISTORICAL NOTE: the earliest Greek Revival church in London, built as part of the southern expansion of St Pancras and superseding the parish church, St Pancras Old Church, Pancras Road (qv). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 1-9). Listing NGR: TQ2981882578

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- PARISH CHURCH (19th Century - 1819 AD to 1822 AD)
- PARISH CHURCH (Modern - 1951 AD to 1953 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478428 CHURCH OF ST PANCRAS	CAMDEN TQ2982NE UPPER WOBURN PLACE 798-1/89/1657 (East side) 10/06/54 Church of St Pancras GV I Church. 1819-22. By H and HW Inwood, restored 1951-3. Portland stone with stone coloured terracotta detailing. Single storey, rectangular plan; nave of 6 bays plus vestibule with tower over and portico at west end; east end with apsidal sanctuary and rectangular tribunes to north and south. Greek Revival style, general plan and form influenced by St Martin-in-the-Fields, but rich detailing influenced by, and in some cases copied from, casts of the Erechtheum, Athens. EXTERIOR: west end, hexastyle ionic portico approached by 2 steps. 3 trapezoid architraved doorways with heavy, panelled wooden doors. All heavily enriched. 4-stage tower over vestibule, a free adaptation of the Tower of the Winds, with octagonal ashlar drum, columns supporting an octagonal entablature, repeated above in diminished scale and surmounted by an octagonal drum with cornice and pointed finial with a cross. North and south facades with trapezoid, architraved, recessed windows, smaller similar windows below, ionic half columns marking the vestibule and palmette brattishing above the cornice. Projecting near the east end, rectangular tribunes facing north and south; each with ionic portico supported by 4 caryatids copied from the Erechtheum by John Rossi (formerly a modeller at Coade's Manufactory) built up in terracotta pieces around cast-iron columns; behind the caryatids, a sarcophagus. 2 leaf doors with roundels in the high podium. Apsidal east end with tetrastyle in antis ionic half columns supporting an entablature and trapezoid, architraved, recessed windows. One similar window each side of the

apse, to the nave, and one similar but smaller window to each east facade of the tribunes. INTERIOR: entrance via the west end through an octagonal vestibule corresponding with the tower above and ceiled over a ring of dwarf Doric columns standing in a frieze. Nave has flat, coffered ceiling with galleries supported on lotus columns around 3 sides. Apse with 6 verd-antique scagliola Ionic columns on marble podium in the curve of the apse. Some early memorial tablets in Grecian style. Clerk's vestry in the north tribune with Ionic columns supporting an oval ceiling. Fine mahogany pulpit carried on 4 Ionic columns. High altar, 1914 by Adams & Holden. Stained glass by Clayton and Bell. HISTORICAL NOTE: the earliest Greek Revival church in London, built as part of the southern expansion of St Pancras and superseding the parish church, St Pancras Old Church, Pancras Road (qv). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 1-9). Listing NGR: TQ2981882578

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79718
Monument Type	Listed Building
Preferred Ref.	MLO79718
Name	CHURCH OF THE HOLY CROSS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30286 82621 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW CROMER STREET 798-1/90/282 (South side) 14/05/74 Church of the Holy Cross II Anglican church. 1887-88. By Joseph Peacock. For the Rev. Alfred Moore. Font said to be a design by JL Pearson. Charles Nicholson added a rood beam, west organ loft, canopy over altar, and other features c1913. In 1936 some fittings brought from nearby St Jude's, which was demolished in that year. Yellow stock brick in Flemish bond, inside with red banding; stone dressings inside and out. Roofs of tile. Crypt. Single-storey extension to ritual east added after 1945, not of special interest. EXTERIOR: chancel of two bays, north and south chapels, treated as diminutive transepts, the latter serving originally as an organ chamber. Aisled nave of four bays. Narthex of one shallow bay, entered through north and south porches. Spare Early English style with lancet lights used almost exclusively. The most unusual feature of the outside is a nearly full-height narthex topped by a over-scaled bellcote, the gabled roof of the west end rising behind and pierced by a simple roundel. Consecration cross set in west face of narthex; Great War Memorial Cross to west of north porch entrance. Clerestory with four lancets to each bay, the aisled bays below with two lancets each. Transept faces with two lancets below rose window. East end of five lancets. The exterior has a quirky and aggressive style that is associated with Peacock. INTERIOR: the interior, by contrast, is very spare and elegant, the proportions subtly adjusted; the nave is exceptionally broad for its length and the aisles very wide. Elevated choir and sanctuary, paved with red and black tiles set diagonally; enclosed by simply wood screen which may be attributed to Nicholson. Painted wood canopy over site of original altar, which has been brought forward by approximately one metre. Otherwise the liturgical setting has not been modernised. Along sill of east window a blind stone arcade, painted, the blank areas filled with paintings which have slightly faded. Chancel arch ends in unusual corbel stops; painted rood beam with figures intact, sitting just west of chancel arch. Metal gates and screens to side chapels, that to north with sanctuary of one shallow bay lit by tripartite east window filled with glass depicting the Virgin Mary; the stone of the window painted and blind side lights filled with adoring angels; this said to have been partially repainted in the 1970s but to an original design. Nave paved with wood blocks, set herringbone fashion along line of central aisle. There are moveable benches to nave of exceptionally fine late Victorian design; the wood pulpit at ritual north-east is of a Jacobean design and may incorporate early C17 woodwork. There is a boarded, pointed barrel vault to the chancel; lean-to roofs to nave aisles carried on pointed transverse arches irregularly set; one of the great glories of the interior is the braced king post roof in which the common rafters form scissor braces to the king post purlin. The west end of the nave is spanned by a single overscaled pointed arch, the spandrels pierced by one roundel each; the narthex set off under this arch, its west wall treated as 3-bay blank arcade, the centre recess of which serves as Baptistry. West organ gallery installed under west arch; its console moved early 1990s to north-west corner of the nave. Most glass opaque except for east window, north chapel, already noted, and two windows in the south aisle, east end. Mosaic Stations of the Cross fixed to the walls. Listing NGR: TQ3028682621

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- ANGLICAN CHURCH (19th Century - 1887 AD to 1888 AD)
- CHURCH (Modern to Unknown - 1945 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477027 CHURCH OF THE HOLY CROSS	CAMDEN TQ3082NW CROMER STREET 798-1/90/282 (South side) 14/05/74 Church of the Holy Cross II Anglican church. 1887-88. By Joseph Peacock. For the Rev. Alfred Moore. Font said to be a design by JL Pearson. Charles Nicholson added a rood beam, west organ loft, canopy over altar, and other features c1913. In 1936 some fittings brought from nearby St Jude's, which was demolished in that year. Yellow stock brick in Flemish bond, inside with red banding; stone dressings inside and out. Roofs of tile. Crypt. Single-storey extension to ritual east added after 1945, not of special interest. EXTERIOR: chancel of two bays, north and south chapels, treated as diminutive transepts, the latter serving originally as an organ chamber. Aisled nave of four bays. Narthex of one shallow bay, entered through north and south porches. Spare Early English style with lancet lights used almost exclusively. The most unusual feature of the outside is a nearly full-height narthex topped by a over-scaled bellcote, the gabled roof of the west end rising behind and pierced by a simple roundel. Consecration cross set in west face of narthex; Great War Memorial Cross to west of

north porch entrance. Clerestory with four lancets to each bay, the aisled bays below with two lancets each. Transept faces with two lancets below rose window. East end of five lancets. The exterior has a quirky and aggressive style that is associated with Peacock. INTERIOR: the interior, by contrast, is very spare and elegant, the proportions subtly adjusted; the nave is exceptionally broad for its length and the aisles very wide. Elevated choir and sanctuary, paved with red and black tiles set diagonally; enclosed by simply wood screen which may be attributed to Nicholson. Painted wood canopy over site of original altar, which has been brought forward by approximately one metre. Otherwise the liturgical setting has not been modernised. Along sill of east window a blind stone arcade, painted, the blank areas filled with paintings which have slightly faded. Chancel arch ends in unusual corbel stops; painted rood beam with figures intact, sitting just west of chancel arch. Metal gates and screens to side chapels, that to north with sanctuary of one shallow bay lit by tripartite east window filled with glass depicting the Virgin Mary; the stone of the window painted and blind side lights filled with adoring angels; this said to have been partially repainted in the 1970s but to an original design. Nave paved with wood blocks, set herringbone fashion along line of central aisle. There are moveable benches to nave of exceptionally fine late Victorian design; the wood pulpit at ritual north-east is of a Jacobean design and may incorporate early C17 woodwork. There is a boarded, pointed barrel vault to the chancel; lean-to roofs to nave aisles carried on pointed transverse arches irregularly set; one of the great glories of the interior is the braced king post roof in which the common rafters form scissor braces to the king post purlin. The west end of the nave is spanned by a single overscaled pointed arch, the spandrels pierced by one roundel each; the narthex set off under this arch, its west wall treated as 3-bay blank arcade, the centre recess of which serves as Baptistry. West organ gallery installed under west arch; its console moved early 1990s to north-west corner of the nave. Most glass opaque except for east window, north chapel, already noted, and two windows in the south aisle, east end. Mosaic Stations of the Cross fixed to the walls. Listing NGR: TQ3028682621

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81425
Monument Type	Listed Building
Preferred Ref.	MLO81425
Name	CHURCH OF THE HOLY TRINITY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30496 81455 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW KINGSWAY 798-1/105/996 (West side) 14/05/74 Nos.125 AND 127 Church of the Holy Trinity GV II Church, redundant in 1994. c1909-11. By J Belcher and JJ Joass. Portland stone. Rectangular plan with eastern apse and western concave screen wall. Edwardian Baroque style. Concave facade with central semicircular projecting portico of Corinthian columns supporting an entablature, which continues across the flanking walls, and shallow dome surmounted by a an enriched urn. Similar urns surmounted terminating pillars of flanking walls. Round-arched niches with entrances below and tablets supported by sculptured angels above, flank the portico. The projected central tower was never built; now with shaped gable appearing behind portico and having an enriched tablet surmounted by a bellcote with cast-iron balcony. INTERIOR: there was also no money to stone face the interior; now white-washed brick with exposed brick above. Tunnel vault roof in concrete with penetrations from the middle north and south windows. All windows tall, round-headed. HISTORICAL NOTE: facade design modelled loosely on S. Maria della Pace in Rome by Pietro da Cortona. Listing NGR: TQ3049681455

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- CHURCH (Modern - 1909 AD to 1911 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478630 CHURCH OF THE HOLY TRINITY	CAMDEN TQ3081SW KINGSWAY 798-1/105/996 (West side) 14/05/74 Nos.125 AND 127 Church of the Holy Trinity GV II Church, redundant in 1994. c1909-11. By J Belcher and JJ Joass. Portland stone. Rectangular plan with eastern apse and western concave screen wall. Edwardian Baroque style. Concave facade with central semicircular projecting portico of Corinthian columns supporting an entablature, which continues across the flanking walls, and shallow dome surmounted by a an enriched urn. Similar urns surmounted terminating pillars of flanking walls. Round-arched niches with entrances below and tablets supported by sculptured angels above, flank the portico. The projected central tower was never built; now with shaped gable appearing behind portico and having an enriched tablet surmounted by a bellcote with cast-iron balcony. INTERIOR: there was also no money to stone face the interior; now white-washed brick with exposed brick above. Tunnel vault roof in concrete with penetrations from the middle north and south windows. All windows tall, round-headed. HISTORICAL NOTE: facade design modelled loosely on S. Maria della Pace in Rome by Pietro da Cortona. Listing NGR: TQ3049681455

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81017
Monument Type	Listed Building
Preferred Ref.	MLO81017
Name	CITTIE OF YORKE PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31035 81648 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW HIGH HOLBORN 798-1/102/828 (North side) 14/05/74 Nos.22 AND 23 Cittie of Yorke Public House (Formerly Listed as: HIGH HOLBORN Nos.22 AND 23 Henekey's Public House) II Public house. Mostly of 1923-4, probably by Ernest R Barrow, replacing earlier wine shop of G Henekey and Co. Front faced in Portland stone with leaded lights, side and rear elevations of stock brick with wooden windows. Tiled roofs. Neo-Tudor style. EXTERIOR: 4 storeys and cellars. Front symmetrical, divided into 2 vertical units. Ground storey of front with doors at ends, centre with windows above timber base, slightly altered. Above, shallow bay windows left and right rising through 2 storeys and capped with string course carried on ornamental corbels, and then a third storey with single mullioned windows and terminating in parapet with 2 small enriched and shouldered gables. Large clock on ornamental bracket in centre between first and second storeys. INTERIOR: public entrance on right leading into wide passage with 4-centred timber arches and paved with flagstones. Front bar conventional with high panelled dado. Rear bar takes the form of a medieval-style hall running north-south with open timberwork and much dark woodwork, and lit from a clerestory and large bay window along east side. Below clerestory, 3 arches of uneven width with a series of snugs behind. On the west side the bar and above it a gallery on thin fluted cast-iron columns, probably Victorian, supporting casks and barrels of perhaps similar date, and above that again a high passage gallery for access to casks running the length of the room, partly supported from roof, partly by lower gallery and with wrought-iron handrail. Fittings include a freestanding triangular cast-iron ornamental stove fireplace with initials 'TIK', reputedly from Gray's Inn, c1815. HISTORICAL NOTE: an inscription on the fascia reads: 'Established as the site of a public house in 1430'. The present building retains few traces of pre-twentieth century work. Listing NGR: TQ3103581648

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 22 High Holborn, London, WC1V 6BS

- 22 High Holborn, London, WC1V 6BS

Monument/Component Types

- PUBLIC HOUSE (Modern - 1923 AD to 1924 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478216 CITTIE OF YORKE PUBLIC HOUSE	CAMDEN TQ3181NW HIGH HOLBORN 798-1/102/828 (North side) 14/05/74 Nos.22 AND 23 Cittie of Yorke Public House (Formerly Listed as: HIGH HOLBORN Nos.22 AND 23 Henekey's Public House) II Public house. Mostly of 1923-4, probably by Ernest R Barrow, replacing earlier wine shop of G Henekey and Co. Front faced in Portland stone with leaded lights, side and rear elevations of stock brick with wooden windows. Tiled roofs. Neo-Tudor style. EXTERIOR: 4 storeys and cellars. Front symmetrical, divided into 2 vertical units. Ground storey of front with doors at ends, centre with windows above timber base, slightly altered. Above, shallow bay windows left and right rising through 2 storeys and capped with string course carried on ornamental corbels, and then a third storey with single mullioned windows and terminating in parapet with 2 small enriched and shouldered gables. Large clock on ornamental bracket in centre between first and second storeys. INTERIOR: public entrance on right leading into wide passage with 4-centred timber arches and paved with flagstones. Front bar conventional with high panelled dado. Rear bar takes the form of a medieval-style hall running north-south with open timberwork and much dark woodwork, and lit from a clerestory and large bay window along east side. Below clerestory, 3 arches of uneven width with a series of snugs behind. On the west side the bar and above it a gallery on thin fluted cast-iron columns, probably Victorian, supporting casks and barrels of perhaps similar date, and above that again a high passage gallery for access to casks running the length of the room, partly supported from roof, partly by lower gallery and with wrought-iron handrail. Fittings include a freestanding triangular cast-iron ornamental stove fireplace with initials 'TIK', reputedly from Gray's Inn, c1815. HISTORICAL NOTE: an inscription on the fascia reads: 'Established as the site of a public house in 1430'. The present building retains few traces of pre-twentieth century work. Listing NGR: TQ3103581648

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94119
Monument Type	Listed Building
Preferred Ref.	MLO94119
Name	CLEMENT HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30897 81071 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/25 (North side) 24.2.58 Clement House: Nos. 99 9.1.70 and 101 (formerly listed as Nos 99 and 101) G.V. (General Buildings) II Offices. 1909-11 by Sir John Burnet. Portland stone ashlar cladding steel frame, slate roof. Subtle restrained handling of classical motifs incorporating figure sculpture; part of the Aldwych-Kingsway development. 6 storeys plus attic storey and dormered mansard. 7 windows wide, with front curved convexly following line of Aldwych. Ground floor has central entrance framed by coupled Doric columns as are flanking windows, the dark bronze detailing of window and door frames increasing the effect of depth and shadow in ground floor provided by the colonnade. Simplified classical detailing to surrounds of bronze casement windows on upper floors. Sharply profiled main entablature below set back attic storey. Pairs of high relief carved figures are disposed in triangular composition on upper floors. Edwardian Architecture and its Origins; Alistair Service (ed.). Listing NGR: TQ3089781071

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 99 Aldwych, London, WC2B 4JF

- 99 Aldwych, London, WC2B 4JF

Monument/Component Types

- OFFICE (Modern - 1909 AD to 1911 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208540 CLEMENT HOUSE	TQ 3081 SE CITY OF WESTMINSTER ALDWYCH, WC2 60/25 (North side) 24.2.58 Clement House: Nos. 99 9.1.70 and 101 (formerly listed as Nos 99 and 101) G.V. (General Buildings) II Offices. 1909-11 by Sir John Burnet. Portland stone ashlar cladding steel frame, slate roof. Subtle restrained handling of classical motifs incorporating figure sculpture; part of the Aldwych-Kingsway development. 6 storeys plus attic storey and dormered mansard. 7 windows wide, with front curved convexly following line of Aldwych. Ground floor has central entrance framed by coupled Doric columns as are flanking windows, the dark bronze detailing of window and door frames increasing the effect of depth and shadow in ground floor provided by the colonnade. Simplified classical detailing to surrounds of bronze casement windows on upper floors. Sharply profiled main entablature below set back attic storey. Pairs of high relief carved figures are disposed in triangular composition on upper floors. Edwardian Architecture and its Origins; Alistair Service (ed.). Listing NGR: TQ3089781071

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86168
Monument Type	Listed Building
Preferred Ref.	MLO86168
Name	CLERKENWELL MAGISTRATES COURT AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30834 82790 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/544 (East side) No.78 Clerkenwell Magistrates Court & attached railings GV II Former Police Court, now Magistrates Court, with attached former Police Station. Dated 1906, with former Police Station dated 1842. By John Dixon Butler, Architect and Surveyor to the Metropolitan Police. Fine orange brick to upper storeys, elaborate Portland stone dressings; banded stone rustication to ground-floor, Welsh-slate mansard roof with dormers, rendered and stone end stacks. Foyer entrance plan. Free-Classical/Arts and Crafts/Queen Anne Revival style. Three storeys with basement and attic; double-fronted with 4-window range (1:2:1) to King's Cross Road, and 8-window range (2:1:1:1:1:1:1) to left return in Great Percy Street; windows of varied shapes. Single storey former Police Station to front right elevation. Symmetrical main front elevation. Central 2-storey continuous stone bow window (paired sashes flanked by pilasters each floor) set in recess and surmounted by attic sashes and striking giant semi-circular pediment supported by oversized brackets: all over centre entrance. Entrance distyle in antis with dentilled cornice, and balustrated parapet, and steps rising to recessed doorway flanked by small windows. Entrance flanked on outside wall by keystoned round-arched architraved casement windows with curved and radial glazing bars to fanlights. 6/6 stone pedimented sashes to 1st and 2nd floor outer bays; moulded stone sill bands to each storey; dentilled cornice, stone balustrated parapet flanking the giant semi-circular pediment. Assymetrical and lively side elevation with oddly shaped recessed cut-away to upper storeys of blank brick wall at front corner. Banded stone rustication to ground floor for 1st two bays only. Irregular stone dressings and fenestration of 4/4, 6/6 and 9/9 sashes; windows decrease in height as they go upwards. Two ground-floor stone entrances with prominent hoods and oversized brackets with panelled doors and oeil-de-boeuf overlights; varied paired and bay windows except small single 4/4 sash to right of 1st entrance; far right bay paired sashes set beneath projecting bow. Dentilled stone cornice and balustrated parapet. Fine attached iron railings. INTERIOR: : fine details to entrance foyer and court rooms. Dixon Butler succeeded his father as Architect and Surveyor to the Metropolitan Police (1895-1920) and designed over 200 police stations and courts. He evolved his own style for the stations and courts, of which this is a good and representative example, owing much to Philip Webb and Norman Shaw, with whom he worked. Three of his police stations (2 in Tower Hamlets and 1 in Enfield) and another Magistrates' Court (Westminster) are also listed. The building occupies a prominent corner site. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3083482790</p>

Sources

Number	Reference
SLO77873	Unpublished document: Museum of London Archaeology Service. 2005. Clerkenwell Magistrate's Court, 78 King's Cross Road, 4 Great Percy Street, WC1: A Standing Building Survey,

Location

Administrative Area
- [Borough] ISLINGTON

Address
- 78 King's Cross Road, London, WC1X 9QG

Monument/Component Types

- POLICE STATION (19th Century - 1842 AD)
- MAGISTRATES COURT (Modern - 1906 AD)
- RAILINGS (Modern - 1906 AD)
- STEPS (Modern - 1906 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369059 CLERKENWELL MAGISTRATES COURT AND ATTACHED RAILINGS	ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/544 (East side) No.78 Clerkenwell Magistrates Court & attached railings GV II Former Police Court, now Magistrates Court, with attached former Police Station. Dated 1906, with former Police Station dated 1842. By John Dixon Butler, Architect and Surveyor to the Metropolitan Police. Fine orange brick to upper storeys, elaborate Portland stone dressings; banded stone rustication to ground-floor, Welsh-slate mansard roof with dormers, rendered and stone end stacks. Foyer entrance plan. Free-Classical/Arts and Crafts/Queen Anne Revival style. Three storeys with basement and attic; double-fronted with 4-window range (1:2:1) to King's Cross Road, and 8-window range (2:1:1:1:1:1:1) to left return in Great Percy Street; windows of varied shapes. Single storey former Police Station to front right elevation. Symmetrical main front elevation. Central 2-storey continuous stone bow window (paired sashes flanked by pilasters each floor) set in recess and surmounted by attic sashes and striking giant semi-circular pediment supported by oversized brackets: all over centre entrance. Entrance distyle in antis with dentilled cornice, and balustrated parapet, and steps rising to recessed

doorway flanked by small windows. Entrance flanked on outside wall by keystone round-arched architraved casement windows with curved and radial glazing bars to fanlights. 6/6 stone pedimented sashes to 1st and 2nd floor outer bays; moulded stone sill bands to each storey; dentilled cornice, stone balustraded parapet flanking the giant semi-circular pediment. Assymetrical and lively side elevation with oddly shaped recessed cut-away to upper storeys of blank brick wall at front corner. Banded stone rustication to ground floor for 1st two bays only. Irregular stone dressings and fenestration of 4/4, 6/6 and 9/9 sashes; windows decrease in height as they go upwards. Two ground-floor stone entrances with prominent hoods and oversized brackets with panelled doors and oeil-de-boeuf overlights; varied paired and bay windows except small single 4/4 sash to right of 1st entrance; far right bay paired sashes set beneath projecting bow. Dentilled stone cornice and balustraded parapet. Fine attached iron railings. INTERIOR: : fine details to entrance foyer and court rooms. Dixon Butler succeeded his father as Architect and Surveyor to the Metropolitan Police (1895-1920) and designed over 200 police stations and courts. He evolved his own style for the stations and courts, of which this is a good and representative example, owing much to Philip Webb and Norman Shaw, with whom he worked. Three of his police stations (2 in Tower Hamlets and 1 in Enfield) and another Magistrates' Court (Westminster) are also listed. The building occupies a prominent corner site. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3083482790

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
OASIS record number & status	molas1-8187
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
ELO6573	King's Cross Road (78) and Great Percy Street (4) [Clerkenwell Magistrates Court], Building Recording	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86789
Monument Type	Listed Building
Preferred Ref.	MLO86789
Name	CLERK'S WELL AND CHAMBER/ENCLOSURE IN BASEMENT OF NUMBER 16
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31452 82134 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/388 (East side) 29/12/50 No.16 Clerk's Well and chamber/enclosure in basement of No. 16 (Formerly Listed as: FARRINGDON LANE (East side) 'Clerk's Well' and enclosure in basement of no. 16) GV I Well and chamber/enclosure with pump spout, located in left side of basement of No. 16 Farringdon Lane. c.1174, altered; pump spout, 1800. Brick and stone, with 20th century cement steining and low stone curb. Circular well situated in a rectangular enclosure of medieval ashlar repaired with 16th century and C17 plumby-red brick work set in English bond. Paved stone floor. The north-east and northwest sides survive; the north-east wall probably formed part of the precinct wall of St. Mary's Priory. Well protected by wooden batten cover with strap hinges (date unknown). Set in wall above is iron plate with brief account of the well, and pump spout projecting from it. History: the well is mentioned by Fitzstephen (1174) and is described by Stow as 'curbed about square with hard stone' immediately west of the churchyard wall of Clerkenwell Church. The church and district took the name of the well, and the well took the name of the parish clerks who annually presented Passion plays there during the medieval period. The spring was provided with a pump in 1800. The plate is preserved in the well chamber. The well was closed in 1857 and rediscovered in 1924. It is now in the charge of Islington Borough Council. Listing NGR: TQ3145282134

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 14-16 Farringdon Lane, London, EC1R 3AU

Monument/Component Types

- PUMP (Medieval - 1154 AD to 1194 AD)
- STRUCTURE (Medieval - 1154 AD to 1194 AD)
- WELL (Medieval - 1154 AD to 1194 AD)
- STRUCTURE (15th Century to 16th Century - 1500 AD to 1599 AD)
- STRUCTURE (16th Century to 17th Century - 1600 AD to 1699 AD)
- PUMP (18th Century - 1800 AD)
- PUMP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	368888 CLERK'S WELL AND CHAMBER/ENCLOSURE IN BASEMENT OF NUMBER 16	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/388 (East side) 29/12/50 No.16 Clerk's Well and chamber/enclosure in basement of No. 16 (Formerly Listed as: FARRINGDON LANE (East side) 'Clerk's Well' and enclosure in basement of no. 16) GV I Well and chamber/enclosure with pump spout, located in left side of basement of No. 16 Farringdon Lane. c.1174, altered; pump spout, 1800. Brick and stone, with C20 cement steining and low stone curb. Circular well situated in a rectangular enclosure of medieval ashlar repaired with 16th century and C17 plumby-red brick work set in English bond. Paved stone floor. The north-east and northwest sides survive; the north-east wall probably formed part of the precinct wall of St. Mary's Priory. Well protected by wooden batten cover with strap hinges (date unknown). Set in wall above is iron plate with brief account of the well, and pump spout projecting from it. History: the well is mentioned by Fitzstephen (1174) and is described by Stow as 'curbed about square with hard stone' immediately west of the churchyard wall of Clerkenwell Church. The church and district took the name of the well, and the well took the name of the parish clerks who annually presented Passion plays there during the medieval period. The spring was provided with a pump in 1800. The plate is preserved in the well chamber. The well was closed in 1857 and rediscovered in 1924. It is now in the charge of Islington Borough Council. Listing NGR: TQ3145282134

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80174
Monument Type	Listed Building
Preferred Ref.	MLO80174
Name	CONGRESS HOUSE INCLUDING FORECOURT AND COURTYARD SCULPTURES
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29949 81473 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/684 (South side) 29/03/88 Nos.23-28 (Consecutive) Congress House including forecourt and courtyard sculptures GV II* Trades Union headquarters building and sculptures. 1953-7. By David du R Aberdeen. Sculptures by Jacob Epstein and Bernard Meadows. For the Trades Union Congress. Polished granite and blue tile cladding; aluminium windows. EXTERIOR: 7 storeys, 28 windows in a continuous strip. E-shaped plan round an internal courtyard on restricted site bounded by 3 streets; imposed height limitation of 80 ft. Building houses the Memorial Hall, Library, Secretariat and Council Chamber. Principal elevation to Great Russell Street a rectangular block on pilotis; recessed ground floor glazed, upper floors continuous strip windows alternating with bands of granite cladding, those at top floor being large rectangular lights with a band of half lights above. Plinth in front of entrance supporting bronze sculpture by Bernard Meadows. Side elevation to Dyott Street more boldly modelled. Small balconies to the five main storeys at the north end, the glazed drum of the horse-shoe staircase to the basement in the centre, and a projection of the first floor beneath which is the Memorial Hall. INTERIOR: is of interest spatially and retains most original fixtures and fittings. Top-lighting of the hall is provided by glazed hexagonal coffers which form part of its space-frame roof. On the west wall of the courtyard a pyramidal screen of green marble acts as a backdrop for the TUC War Memorial by Jacob Epstein (1955-6). HISTORICAL NOTE: widely regarded, at the time of its completion and since, as one of the most important institutional buildings erected in London, and one of the most significant 1950s buildings in Britain. (Architectural Review: December 1957; Jacob Epstein: Sculpture & Drawings: London: -1987). Listing NGR: TQ2994981473

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- SCULPTURE (Modern - 1953 AD to 1957 AD)
- TRADES UNION BUILDING (Modern - 1953 AD to 1957 AD)
- WAR MEMORIAL (Modern - 1955 AD to 1956 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477672 CONGRESS HOUSE INCLUDING FORECOURT AND COURTYARD SCULPTURES	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/684 (South side) 29/03/88 Nos.23-28 (Consecutive) Congress House including forecourt and courtyard sculptures GV II* Trades Union headquarters building and sculptures. 1953-7. By David du R Aberdeen. Sculptures by Jacob Epstein and Bernard Meadows. For the Trades Union Congress. Polished granite and blue tile cladding; aluminium windows. EXTERIOR: 7 storeys, 28 windows in a continuous strip. E-shaped plan round an internal courtyard on restricted site bounded by 3 streets; imposed height limitation of 80 ft. Building houses the Memorial Hall, Library, Secretariat and Council Chamber. Principal elevation to Great Russell Street a rectangular block on pilotis; recessed ground floor glazed, upper floors continuous strip windows alternating with bands of granite cladding, those at top floor being large rectangular lights with a band of half lights above. Plinth in front of entrance supporting bronze sculpture by Bernard Meadows. Side elevation to Dyott Street more boldly modelled. Small balconies to the five main storeys at the north end, the glazed drum of the horse-shoe staircase to the basement in the centre, and a projection of the first floor beneath which is the Memorial Hall. INTERIOR: is of interest spatially and retains most original fixtures and fittings. Top-lighting of the hall is provided by glazed hexagonal coffers which form part of its space-frame roof. On the west wall of the courtyard a pyramidal screen of green marble acts as a backdrop for the TUC War Memorial by Jacob Epstein (1955-6). HISTORICAL NOTE: widely regarded, at the time of its completion and since, as one of the most important institutional buildings erected in London, and one of the most significant 1950s buildings in Britain. (Architectural Review: December 1957; Jacob Epstein: Sculpture & Drawings: London: -1987). Listing NGR: TQ2994981473

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81234
Monument Type	Listed Building
Preferred Ref.	MLO81234
Name	CORA HOTEL AND CORA HOTEL AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29797 82509 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE ENDSLEIGH GARDENS 798-1/89/1658 Nos.1-3 28/03/69 Cora Hotel GV II See under: Cora Hotel and attached railings UPPER WOBURN PLACE. CAMDEN TQ2982NE UPPER WOBURN PLACE 798-1/89/1658 (West side) 28/03/69 Cora Hotel and attached railings GV II Includes: Nos.1-3 Cora Hotel ENDSLEIGH GARDENS. Hotel, formerly a symmetrical terrace of 5 house-bays linked by a single storey extension to a terrace in Endsleigh Gardens, of which 4 house-bays survive (the corner block and former Nos 1-3 Endsleigh Gardens). c1824-5. Built by Thomas Cubitt. Restored 1989. Yellow stock brick and stucco ground floors with plain 1st floor band; end and central bays of terraces rusticated. Slated mansard roofs with dormers. EXTERIOR: 4 storeys, attics and basements. House-bays with 3 windows each. The former 1 storey link has been built up to 4 storeys to match the terraces, but retains the stucco parapet at 1st floor level. Upper Woburn Place terrace: house-bays projecting in progression towards the centre bay. Round-arched ground floor openings. All former doorways converted for use as windows except southernmost house with simplified pilaster-jamb, cornice-head, patterned fanlight and panelled door; centre bay with 20th century hotel entrance and canopy. Central bay with 4 Corinthian columns, flanked by bays with pilasters, all rising through 1st and 2nd floors to support the continuous stucco entablature at 3rd floor level. Gauged brick flat arches to recessed sash windows; 1st floor casements with continuous cast-iron balconies. Parapet above attic storey with plain stucco band. Endsleigh Gardens terrace: projecting block at east end with 3-window return to Upper Woburn Place. All former doorways converted for use as windows except westernmost house with round-arched doorway with simplified pilaster-jamb, cornice-head, patterned fanlight and panelled door; doorway of easternmost house with prostyle-in-antis Ionic portico with half glazed door and radial patterned fanlight. Projecting east block with paired Corinthian pilasters rising through 1st and 2nd floors; return with 2 pilasters and paired pilasters at angles, the outer bays slightly projecting. One house-bay of former central composition at west end with pilasters rising through 1st and 2nd floor. All carrying continuous stucco entablature at 3rd floor level. Gauged brick flat arches to recessed sash windows; projecting block tripartite. 1st floor casements with continuous cast-iron balconies; central window architraved with console bracketed pediment, flanked by casements with console bracketed cornices. At 3rd floor level all pilasters carried up to stucco band on parapet with plain pilaster strips. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with foliated and urn finials with scroll brackets. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103). Listing NGR: TQ2979782509

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (19th Century - 1824 AD to 1825 AD)
- TERRACE (19th Century - 1824 AD to 1825 AD)
- TERRACED HOUSE (19th Century - 1824 AD to 1825 AD)
- HOTEL (19th Century to Unknown - 1826 AD)
- HOTEL (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478431 CORA HOTEL AND CORA HOTEL AND ATTACHED RAILINGS	CAMDEN TQ2982NE ENDSLEIGH GARDENS 798-1/89/1658 Nos.1-3 28/03/69 Cora Hotel GV II See under: Cora Hotel and attached railings UPPER WOBURN PLACE. CAMDEN TQ2982NE UPPER WOBURN PLACE 798-1/89/1658 (West side) 28/03/69 Cora Hotel and attached railings GV II Includes: Nos.1-3 Cora Hotel ENDSLEIGH GARDENS. Hotel, formerly a symmetrical terrace of 5 house-bays linked by a single storey extension to a terrace in Endsleigh Gardens, of which 4 house-bays survive (the corner block and former Nos 1-3 Endsleigh Gardens). c1824-5. Built by Thomas Cubitt. Restored 1989. Yellow stock brick and stucco ground floors with plain 1st floor band; end and central bays of terraces rusticated. Slated mansard roofs with dormers. EXTERIOR: 4 storeys, attics and basements. House-bays with 3 windows each. The former 1 storey link has been built up to 4 storeys to match the terraces, but retains the stucco parapet at 1st floor level. Upper Woburn Place terrace: house-bays projecting in progression towards the centre bay. Round-arched ground floor openings. All former doorways converted for use as windows except southernmost house with simplified pilaster-jamb, cornice-head, patterned fanlight and panelled door; centre bay with C20 hotel entrance and canopy. Central bay with

4 Corinthian columns, flanked by bays with pilasters, all rising through 1st and 2nd floors to support the continuous stucco entablature at 3rd floor level. Gauged brick flat arches to recessed sash windows; 1st floor casements with continuous cast-iron balconies. Parapet above attic storey with plain stucco band. Endsleigh Gardens terrace: projecting block at east end with 3-window return to Upper Woburn Place. All former doorways converted for use as windows except westernmost house with round-arched doorway with simplified pilaster-jamb, cornice-head, patterned fanlight and panelled door; doorway of easternmost house with prostyle-in-antis Ionic portico with half glazed door and radial patterned fanlight. Projecting east block with paired Corinthian pilasters rising through 1st and 2nd floors; return with 2 pilasters and paired pilasters at angles, the outer bays slightly projecting. One house-bay of former central composition at west end with pilasters rising through 1st and 2nd floor. All carrying continuous stucco entablature at 3rd floor level. Gauged brick flat arches to recessed sash windows; projecting block tripartite. 1st floor casements with continuous cast-iron balconies; central window arched with console bracketed pediment, flanked by casements with console bracketed cornices. At 3rd floor level all pilasters carried up to stucco band on parapet with plain pilaster strips. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with foliated and urn finials with scroll brackets. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: - 1949: 103). Listing NGR: TQ2979782509

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81473
Monument Type	Listed Building
Preferred Ref.	MLO81473
Name	COTTERELL GARDEN NORTH END ENTRANCE GATEWAY AND ATTACHED STONE PUMPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30972 81364 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1037 (North side) 14/05/74 Cotterell Garden north end entrance gateway and attached stone pumps (Formerly Listed as: LINCOLN'S INN Entrance gateway at North end of central gardens, New Square) GV II Entrance gate and water pumps. c1863. Elaborate wrought-iron screen and gates to either side. Screen with coat of arms and name "Brewster" under. Flanked by round, stone water pumps with enriched tops. Listing NGR: TQ3097281364

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- COAT OF ARMS (19th Century - 1843 AD to 1883 AD)
- GARDEN SCREEN (19th Century - 1843 AD to 1883 AD)
- GATE (19th Century - 1843 AD to 1883 AD)
- GATE PIER (19th Century - 1843 AD to 1883 AD)
- WATER PUMP (19th Century - 1843 AD to 1883 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478684 COTTERELL GARDEN NORTH END ENTRANCE GATEWAY AND ATTACHED STONE PUMPS	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1037 (North side) 14/05/74 Cotterell Garden north end entrance gateway and attached stone pumps (Formerly Listed as: LINCOLN'S INN Entrance gateway at North end of central gardens, New Square) GV II Entrance gate and water pumps. c1863. Elaborate wrought-iron screen and gates to either side. Screen with coat of arms and name "Brewster" under. Flanked by round, stone water pumps with enriched tops. Listing NGR: TQ3097281364

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79774
Monument Type	Listed Building
Preferred Ref.	MLO79774
Name	CROSS KEYS PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30213 81172 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW ENDELL STREET 798-1/105/382 (South West side) 15/01/73 No.31 Cross Keys Public House II Public house. 1848-49. Painted brick with guilloche sill band at 3rd floor level. 4 storeys and basement. 2 windows. Elaborate ground floor facade of 3 bays with arched treatment. Above, a centre piece with flanking scrolls and swags with putti in relief holding crossed keys. Recessed casement windows in enriched stucco architraves, the first floor with console-bracketed dentil cornices, the 2nd cambered arches with keystones, the 3rd round-headed with keystones. Parapet. INTERIOR: bar has original dado, panelling, ceiling and most bar fittings. Listing NGR: TQ3021381172

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 31 Endell Street, London, WC2H 9BA

Monument/Component Types

- PUBLIC HOUSE (19th Century - 1848 AD to 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477183 CROSS KEYS PUBLIC HOUSE	CAMDEN TQ3081SW ENDELL STREET 798-1/105/382 (South West side) 15/01/73 No.31 Cross Keys Public House II Public house. 1848-49. Painted brick with guilloche sill band at 3rd floor level. 4 storeys and basement. 2 windows. Elaborate ground floor facade of 3 bays with arched treatment. Above, a centre piece with flanking scrolls and swags with putti in relief holding crossed keys. Recessed casement windows in enriched stucco architraves, the first floor with console-bracketed dentil cornices, the 2nd cambered arches with keystones, the 3rd round-headed with keystones. Parapet. INTERIOR: bar has original dado, panelling, ceiling and most bar fittings. Listing NGR: TQ3021381172

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96820
Monument Type	Listed Building
Preferred Ref.	MLO96820
Name	CROWN COURT CHURCH (CHURCH OF SCOTLAND)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30482 81054 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SW CITY OF WESTMINSTER CROWN COURT, WC2 59/16; 60/13 Crown Court Church (Church of Scotland) G.V. II Church. Founded 1718, rebuilt 1909 by Eustace Balfour of Balfour and Turner. Red brick with Portland stone dressings, slate roof. Restrained and, as usual with Balfour, individual, finely crafted Free Style. 3 storeys and recessed slated attic. 4 bays wide. The outer bays contain doorways and are treated as towers though flush with wall plane; the left hand one topped by an open, pedimented pavilion, the right hand one battlemented. Mullioned and transomed windows, those to ground floor with iron grilles. Pilastered top storey with bracketed cornice and balustrade. The galleried interior is an early use of steel framing cased in wood. Clerestory lighting. Listing NGR: TQ3048281054

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- CHURCH (18th Century to Unknown - 1718 AD)
- CHURCH (Modern - 1909 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209407 CROWN COURT CHURCH (CHURCH OF SCOTLAND)	TQ 3081 SW CITY OF WESTMINSTER CROWN COURT, WC2 59/16; 60/13 Crown Court Church (Church of Scotland) G.V. II Church. Founded 1718, rebuilt 1909 by Eustace Balfour of Balfour and Turner. Red brick with Portland stone dressings, slate roof. Restrained and, as usual with Balfour, individual, finely crafted Free Style. 3 storeys and recessed slated attic. 4 bays wide. The outer bays contain doorways and are treated as towers though flush with wall plane; the left hand one topped by an open, pedimented pavilion, the right hand one battlemented. Mullioned and transomed windows, those to ground floor with iron grilles. Pilastered top storey with bracketed cornice and balustrade. The galleried interior is an early use of steel framing cased in wood. Clerestory lighting. Listing NGR: TQ3048281054

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80762
Monument Type	Listed Building
Preferred Ref.	MLO80762
Name	CROWN PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30074 81114 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1139 (East side) 15/01/73 No.43 Crown Public House GV II Public house. Mid C19. By Finch Hill and Paraire. Rusticated stucco; ground floor with late C19 glazed tiles to public house frontage. 3 storeys and cellars. On corner of Seven Dials with 1 window and 3 window returns to Monmouth Street and Short's Gardens. Main entrance of pilastered public house frontage faces Seven Dials. Paired Corinthian pilasters rise from 1st floor carrying entablature with an anthemion enriched cornice and parapet with recessed panels. Clock face in central corniced panel. Architraved sash windows at 1st floor level with console bracketed cornices alternating with pedimented windows, the centre bay on each return being blind. To the 2nd floor architraved sashes with blind pedimented windows in the centre bay on each return. INTERIOR: corner bar divided into two by screen with arched opening. This, rear area of bar and underside of open staircase retains moulded frieze. Early 20th century central bar counter and back bar. Panelled walls. Listing NGR: TQ3007481114

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 43 Monmouth Street, London, WC2H 9DD

Monument/Component Types

- PUBLIC HOUSE (19th Century - 1833 AD to 1866 AD)
- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477527 CROWN PUBLIC HOUSE	CAMDEN TQ3081SW MONMOUTH STREET 798-1/105/1139 (East side) 15/01/73 No.43 Crown Public House GV II Public house. Mid C19. By Finch Hill and Paraire. Rusticated stucco; ground floor with late C19 glazed tiles to public house frontage. 3 storeys and cellars. On corner of Seven Dials with 1 window and 3 window returns to Monmouth Street and Short's Gardens. Main entrance of pilastered public house frontage faces Seven Dials. Paired Corinthian pilasters rise from 1st floor carrying entablature with an anthemion enriched cornice and parapet with recessed panels. Clock face in central corniced panel. Architraved sash windows at 1st floor level with console bracketed cornices alternating with pedimented windows, the centre bay on each return being blind. To the 2nd floor architraved sashes with blind pedimented windows in the centre bay on each return. INTERIOR: corner bar divided into two by screen with arched opening. This, rear area of bar and underside of open staircase retains moulded frieze. Early C20 central bar counter and back bar. Panelled walls. Listing NGR: TQ3007481114

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81163
Monument Type	Listed Building
Preferred Ref.	MLO81163
Name	DILLONS BOOKSHOP AND ATTACHED RAILINGS AND GATES
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29690 82050 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/1636 Dillon's Bookshop and attached 28/03/69 railings and gates GV II See under: Nos.42-56 Dillon's Bookshop and attached railings and gates TORRINGTON PLACE. CAMDEN TQ2982SE TORRINGTON PLACE 798-1/94/1636 (South side) 28/03/69 Nos.42-56 (Even) Dillon's Bookshop and attached railings and gates GV II Includes: Dillon's Bookshop and attached railings and gates GOWER STREET. Terrace of shops with flats over, now one shop & offices. 1907-8. By Charles Fitzroy Doll, the Bedford Estate surveyor. Red brick with terracotta and stone dressings. Steeply pitched, tiled roofs with gables to each bay and tall slab chimney-stacks. Elaborate Franco-Flemish Gothic style. EXTERIOR: 3 storeys, attics and basements. 8 bays and 3-bay returns to Gower Street and Malet Street. Ground floor damaged during 2nd World War and repaired in a simple style of stone pilasters supporting an entablature at 1st floor level. Plate glass glazing. Above ground floor, the facade is articulated by vertical attached colonnettes, recessed rainwater pipes with heads dated 1908 and lion mask spouts, and horizontal strings. Each bay (except corner bays) with canted 3-light bay windows through 1st and 2nd floors and flanked by 1, 2 or 3 lights with round-arched, moulded surrounds. Bay windows with enriched transoms and tracery, aprons carved with mythical beasts, coats of arms, foliage and the word SARA on ribbons. Enriched parapets from which sprout gargoyles in the form of mythical beasts. Enriched and cusped cornice at 3rd floor level. Above each bay a large gable with carved finial, seated figures in tympanum, beneath which 3 round-arched lights. Both angles with octagonal corner turrets with tiled conical roofs. Rainwater heads with date 1908. Gower Street return in similar style but without bay windows. In right-hand bay a 3-light oriel through 2 floors surmounted by an octagonal feature with niches and gargoyles. At ground floor level, 2 shop windows, plain transom and mullion 3 and 2-light windows and round-headed entrance with keystone, fanlight and part-glazed door. (Malet Street return similar.) At 1st floor level above the entrance a carved balustrade of 3 panels in Art Nouveau style. INTERIOR: altered. SUBSIDIARY FEATURES: attached wrought and cast-iron railings and gates to areas on Gower Street and having panels with scroll design and finials with elaborate flowers. Listing NGR: TQ2969082050

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 17 Gordon Square, London, WC1H 0AG

Monument/Component Types

- OFFICE (Undated)
- GATE (Modern - 1907 AD to 1908 AD)
- RAILINGS (Modern - 1907 AD to 1908 AD)
- SHOP (Modern - 1907 AD to 1908 AD)
- TERRACE (Modern - 1907 AD to 1908 AD)
- TERRACED HOUSE (Modern - 1907 AD to 1908 AD)
- SHOP (Modern - 1939 AD to 1945 AD)
- SHOP (Modern to Unknown - 1946 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478373 DILLONS BOOKSHOP AND ATTACHED RAILINGS AND GATES	CAMDEN TQ2982SE GOWER STREET 798-1/94/1636 Dillon's Bookshop and attached 28/03/69 railings and gates GV II See under: Nos.42-56 Dillon's Bookshop and attached railings and gates TORRINGTON PLACE. CAMDEN TQ2982SE TORRINGTON PLACE 798-1/94/1636 (South side) 28/03/69 Nos.42-56 (Even) Dillon's Bookshop and attached railings and gates GV II Includes: Dillon's Bookshop and attached railings and gates GOWER STREET. Terrace of shops with flats over, now one shop & offices. 1907-8. By Charles Fitzroy Doll, the Bedford Estate surveyor. Red brick with terracotta and stone dressings. Steeply pitched, tiled roofs with gables to each bay and tall slab chimney-stacks. Elaborate Franco-Flemish Gothic style. EXTERIOR: 3 storeys, attics and basements. 8 bays and 3-bay returns to Gower Street and Malet Street. Ground floor damaged during 2nd World War and repaired in a simple style of stone pilasters supporting an entablature at 1st floor level. Plate glass glazing. Above ground floor, the facade is articulated by vertical attached colonnettes, recessed rainwater pipes with heads dated 1908 and lion mask spouts, and horizontal strings. Each bay (except corner bays) with canted 3-light bay windows through 1st and 2nd floors and flanked by 1, 2 or 3 lights with round-arched, moulded surrounds. Bay windows with

enriched transoms and tracery, aprons carved with mythical beasts, coats of arms, foliage and the word SARA on ribbons. Enriched parapets from which sprout gargoyles in the form of mythical beasts. Enriched and cusped cornice at 3rd floor level. Above each bay a large gable with carved finial, seated figures in tympanum, beneath which 3 round-arched lights. Both angles with octagonal corner turrets with tiled conical roofs. Rainwater heads with date 1908. Gower Street return in similar style but without bay windows. In right-hand bay a 3-light oriel through 2 floors surmounted by an octagonal feature with niches and gargoyles. At ground floor level, 2 shop windows, plain transom and mullion 3 and 2-light windows and round-headed entrance with keystone, fanlight and part-glazed door. (Malet Street return similar.) At 1st floor level above the entrance a carved balustrade of 3 panels in Art Nouveau style. INTERIOR: altered. SUBSIDIARY FEATURES: attached wrought and cast-iron railings and gates to areas on Gower Street and having panels with scroll design and finials with elaborate flowers. Listing NGR: TQ2969082050

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80528
Monument Type	Listed Building
Preferred Ref.	MLO80528
Name	DISCOUNT JEWELS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31397 81742 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GREVILLE STREET 798-1/102/712 (South side) Nos.10 AND 11 Discount Jewels II Pair of terraced houses with shops. Early C19. Yellow stock brick. 4 storeys 2 windows, No.11 narrower. Shop fronts retain good paired cherub herm fascia stops above mask and flora enriched corbels; original fascia and cornice. Later house door with oculus and overlight to right. Upper floors have gauged brick flat arches to recessed hornless sashes. Parapet. INTERIOR not inspected. Listing NGR: TQ3139781742

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Greville Street, London, EC1N 8SB

- 11 Greville Street, London, EC1N 8SB

Monument/Component Types

- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477911 DISCOUNT JEWELS	CAMDEN TQ3181NW GREVILLE STREET 798-1/102/712 (South side) Nos.10 AND 11 Discount Jewels II Pair of terraced houses with shops. Early C19. Yellow stock brick. 4 storeys 2 windows, No.11 narrower. Shop fronts retain good paired cherub herm fascia stops above mask and flora enriched corbels; original fascia and cornice. Later house door with oculus and overlight to right. Upper floors have gauged brick flat arches to recessed hornless sashes. Parapet. INTERIOR not inspected. Listing NGR: TQ3139781742

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81202
Monument Type	Listed Building
Preferred Ref.	MLO81202
Name	DOMINION THEATRE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29872 81442 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE TOTTENHAM COURT ROAD 798-1/104/1643 (East side) 10/10/88 Dominion Theatre GV II Theatre. 1928-29. Designed by W and TR Milburn. Steel-framed construction with Portland stone facade. EXTERIOR: narrow facade of 3 main bays; recessed entrance doors to full width of facade. Wooden doors, glazed in panels to full height, enriched with carved moulding, beneath projecting canopy facade above with pilaster strips to corners and projecting centre of 3 bays. Bases of pilaster strips with sculptured plaques with masks. Facade above concave in shape, with 3 square headed apertures filled with decorative wrought-iron work. Simple cornice band above, slightly raised to centre. INTERIOR: grand 2-storey entrance foyer with flights of stairs to left and right linking to central balcony; stripped Classical detailing and original pendant lights. Circle lounge and lower circle lounge with similar detailing. Auditorium with two galleries (one disused) also with Roman Classical detailing to walls and ceiling having 2 tiers of galleries and round cornered boxes (upper pair never seated) to left and right of proscenium. Original light fittings. HISTORICAL NOTE: The Dominion Theatre is a grand composition which embodies a transitional phase in the history of theatre design, incorporating the broad plan and decorative detailing more usually associated with cinemas of the period though always intended primarily for theatrical use. (Architects' Journal: 2 October 1929; Architect & Building News: 4 October 1929). Listing NGR: TQ2987281442

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 46 Tottenham Court Road, London, W1P 9RE

Monument/Component Types

- METAL FRAMED BUILDING (Modern - 1928 AD to 1929 AD)
- THEATRE (Modern - 1928 AD to 1929 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478398 DOMINION THEATRE	CAMDEN TQ2981SE TOTTENHAM COURT ROAD 798-1/104/1643 (East side) 10/10/88 Dominion Theatre GV II Theatre. 1928-29. Designed by W and TR Milburn. Steel-framed construction with Portland stone facade. EXTERIOR: narrow facade of 3 main bays; recessed entrance doors to full width of facade. Wooden doors, glazed in panels to full height, enriched with carved moulding, beneath projecting canopy facade above with pilaster strips to corners and projecting centre of 3 bays. Bases of pilaster strips with sculptured plaques with masks. Facade above concave in shape, with 3 square headed apertures filled with decorative wrought-iron work. Simple cornice band above, slightly raised to centre. INTERIOR: grand 2-storey entrance foyer with flights of stairs to left and right linking to central balcony; stripped Classical detailing and original pendant lights. Circle lounge and lower circle lounge with similar detailing. Auditorium with two galleries (one disused) also with Roman Classical detailing to walls and ceiling having 2 tiers of galleries and round cornered boxes (upper pair never seated) to left and right of proscenium. Original light fittings. HISTORICAL NOTE: The Dominion Theatre is a grand composition which embodies a transitional phase in the history of theatre design, incorporating the broad plan and decorative detailing more usually associated with cinemas of the period though always intended primarily for theatrical use. (Architects' Journal: 2 October 1929; Architect & Building News: 4 October 1929). Listing NGR: TQ2987281442

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80314
Monument Type	Listed Building
Preferred Ref.	MLO80314
Name	DRILL HALL ARTS CENTRE AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29659 81847 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE CHENIES STREET 798-1/99/203 (South side) 10/10/97 No.16 Drill Hall Arts Centre and attached railings GV II Drill hall, now an arts centre. 1882-3. By Samuel Knight. For the Bloomsbury Rifles. Red brick with sandstone dressings and continuous sill strings. Tiled roof with central gable. EXTERIOR: 3 storeys and basement. 3-window symmetrical facade with attached, taller, battlemented entrance tower to left. Four-centred entrance arch with a hood mould having carved Burgesian crowned lion label-stops and rose and riband spandrels. Above, a 3-light transom and mullion oriel window. 2nd floor, narrow tower window with over-panel depicting the hanging horn, symbol of the Rifle Brigade (to which the Bloomsbury Rifles was affiliated). Above this, 3 shields portraying, from left to right, the arms of the Duke of Bedford (the ground landlord), the royal arms and those of the county of Middlesex. To right, 3-light transom and mullion windows with gauged brick flat-arch heads, the ground and 1st floor having hood moulds with label stops in the form of carved heads; those to ground floor being moustached volunteers' heads. Central 2nd floor window pointed with hood mould and gable. INTERIOR: survives largely intact with a stair having turned rails. Drill hall to rear (now a theatre) with metal trussed roof and glazed lantern running the full length of the room; originally with a small stage to the south, now enclosed. The present bar was the mess room and has a gothic chimney-piece with sunken quatrefoils. 1st floor officers' mess with a good Gothic chimney-piece of Caen stone, enriched with a castellated canopy and the arms of commanding officers of the regiment; ceiling and walls panelled with diagonally-set deal planks. Adjoining small room with oriel window was the colonel's room; also with a Gothic fireplace and panelling and more ornate fittings. A 2nd floor former billiard room, above the officers' mess, with a chimney-piece similar to that in the ground floor mess. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: rifle volunteer corps sprung up in 1859-60 as a popular response to the perceived threat of invasion from France. The volunteer units were raised principally from the lower middle and upper working classes on a local basis. Patriotic in origin, they were part military forerunners of the Territorial Army and part semi-sporting outfits which offered comradeship with organised outdoor leisure activities and exotic uniforms. None saw action until the Boer War. The Bloomsbury Rifles were founded in 1859 by Thomas Hughes, whose Tom Brown's Schooldays had been published the previous year. The drill hall, necessary for both military practice and social intercourse was funded by the commanding officer, Lieut-Col. Richards; Knight, the architect, had a practice at Cornhill and was a captain in the regiment. Listing NGR: TQ2965981847

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- The Drill Hall 16 Chenies Street, London, WC1E 7EX

Monument/Component Types

- ARTS CENTRE (Undated)
- THEATRE (Undated)
- DRILL HALL (19th Century - 1882 AD to 1883 AD)
- RAILINGS (19th Century - 1882 AD to 1883 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476888 DRILL HALL ARTS CENTRE AND ATTACHED RAILINGS	CAMDEN TQ2981NE CHENIES STREET 798-1/99/203 (South side) 10/10/97 No.16 Drill Hall Arts Centre and attached railings GV II Drill hall, now an arts centre. 1882-3. By Samuel Knight. For the Bloomsbury Rifles. Red brick with sandstone dressings and continuous sill strings. Tiled roof with central gable. EXTERIOR: 3 storeys and basement. 3-window symmetrical facade with attached, taller, battlemented entrance tower to left. Four-centred entrance arch with a hood mould having carved Burgesian crowned lion label-stops and rose and riband spandrels. Above, a 3-light transom and mullion oriel window. 2nd floor, narrow tower window with over-panel depicting the hanging horn, symbol of the Rifle Brigade (to which the Bloomsbury Rifles was affiliated). Above this, 3 shields portraying, from left to right, the arms of the Duke of Bedford (the ground landlord), the royal arms and those of the county of Middlesex. To right, 3-light transom and mullion windows with gauged brick flat-arch heads, the ground and 1st floor having hood moulds with label stops in the form of carved heads; those to ground floor being moustached volunteers' heads. Central 2nd floor window pointed with hood mould and gable. INTERIOR: survives largely intact with a stair having turned rails. Drill hall to rear (now a theatre) with metal trussed roof and glazed lantern running the full

length of the room; originally with a small stage to the south, now enclosed. The present bar was the mess room and has a gothic chimney-piece with sunken quatrefoils. 1st floor officers' mess with a good Gothic chimney-piece of Caen stone, enriched with a castellated canopy and the arms of commanding officers of the regiment; ceiling and walls panelled with diagonally-set deal planks. Adjoining small room with oriel window was the colonel's room; also with a Gothic fireplace and panelling and more ornate fittings. A 2nd floor former billiard room, above the officers' mess, with a chimney-piece similar to that in the ground floor mess. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: rifle volunteer corps sprung up in 1859-60 as a popular response to the perceived threat of invasion from France. The volunteer units were raised principally from the lower middle and upper working classes on a local basis. Patriotic in origin, they were part military forerunners of the Territorial Army and part semi-sporting outfits which offered comradeship with organised outdoor leisure activities and exotic uniforms. None saw action until the Boer War. The Bloomsbury Rifles were founded in 1859 by Thomas Hughes, whose Tom Brown's Schooldays had been published the previous year. The drill hall, necessary for both military practice and social intercourse was funded by the commanding officer, Lieut-Col. Richards; Knight, the architect, had a practice at Cornhill and was a captain in the regiment. Listing NGR: TQ2965981847

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80502
Monument Type	Listed Building
Preferred Ref.	MLO80502
Name	DRINKING FOUNTAIN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30563 82182 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/717 (South side) 11/02/98 Drinking Fountain GV II Drinking fountain situated on a traffic island. 1870. Designed by architect Henry Darbishire for the Misses Whiting to commemorate their mother. Granite base with stone figure. Raised circular plinth with 2 block steps to circular base of rough-hewn granite blocks with round-arched niche for animal trough at base, supporting projecting semicircular basin and smooth granite drum surmounted by a sculptured figure of the Woman of Samaria, in loose robes and scarf, kneeling on left knee to fill a water jar. The drinking fountain forms a civic group with the cast-iron railings to the Ladies' & Gentlemen's public conveniences (qv), situated behind it. Listing NGR: TQ3056382182

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Guilford Place, London, WC1N 1EA

Monument/Component Types

- DRINKING FOUNTAIN (19th Century - 1870 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477918 DRINKING FOUNTAIN	CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/717 (South side) 11/02/98 Drinking Fountain GV II Drinking fountain situated on a traffic island. 1870. Designed by architect Henry Darbishire for the Misses Whiting to commemorate their mother. Granite base with stone figure. Raised circular plinth with 2 block steps to circular base of rough-hewn granite blocks with round-arched niche for animal trough at base, supporting projecting semicircular basin and smooth granite drum surmounted by a sculptured figure of the Woman of Samaria, in loose robes and scarf, kneeling on left knee to fill a water jar. The drinking fountain forms a civic group with the cast-iron railings to the Ladies' & Gentlemen's public conveniences (qv), situated behind it. Listing NGR: TQ3056382182

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80126
Monument Type	Listed Building
Preferred Ref.	MLO80126
Name	DRINKING FOUNTAIN AT JUNCTION WITH SHAFTESBURY AVENUE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30115 81441 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEW OXFORD STREET 798-1/105/1207 (South side) 01/07/98 Drinking Fountain at junction with Shaftesbury Avenue II Drinking fountain. 1897. Presented by the St Giles Board of Works through the Metropolitan Drinking Fountain & Cattle Trough Association to mark Queen Victoria's two Jubilees. Polished red granite. Romanesque style. Rectangular stepped base with block steps to canopy with attached columns at angles supporting an entablature, the cornice of which rises to form segmental pediments to each face; surmounted by a gadrooned dome. Beneath the canopy each face with a shallow round-arched niche with incised decoration, water spout and projecting semicircular basin. Listing NGR: TQ3011581441

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 New Oxford Street, London, WC1A 1BL

Monument/Component Types

- DRINKING FOUNTAIN (19th Century - 1897 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477597 DRINKING FOUNTAIN AT JUNCTION WITH SHAFTESBURY AVENUE	CAMDEN TQ3081SW NEW OXFORD STREET 798-1/105/1207 (South side) 01/07/98 Drinking Fountain at junction with Shaftesbury Avenue II Drinking fountain. 1897. Presented by the St Giles Board of Works through the Metropolitan Drinking Fountain & Cattle Trough Association to mark Queen Victoria's two Jubilees. Polished red granite. Romanesque style. Rectangular stepped base with block steps to canopy with attached columns at angles supporting an entablature, the cornice of which rises to form segmental pediments to each face; surmounted by a gadrooned dome. Beneath the canopy each face with a shallow round-arched niche with incised decoration, water spout and projecting semicircular basin. Listing NGR: TQ3011581441

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81357
Monument Type	Listed Building
Preferred Ref.	MLO81357
Name	DUKE OF WELLINGTON PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30280 82728 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW WHIDBORNE STREET 798-1/90/1716 (East side) 14/05/74 Nos.3 AND 5 Duke of Wellington Public House GV II Public house on a corner site with the main frontage to Argyle Walk. Early C19. Yellow stock brick. 3 storeys and basements. Main frontage 4 windows and 1-window return . Later C19 wooden public house frontage with splayed corner. Pilasters carry an entablature with projecting cornice; panelled dado, windows altered. Entrances with part glazed panelled doors. Whidbourne Street facade has a round-arched house doorway with fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapets. INTERIOR: not inspected. Listing NGR: TQ3028082728

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1-5 Whidborne Street, London, WC1H 8ET
 - 1-5 Whidborne Street, London, WC1H 8ET
 - 1-5 Whidborne Street, London, WC1H 8ET

Monument/Component Types

- PUBLIC HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478555 DUKE OF WELLINGTON PUBLIC HOUSE	CAMDEN TQ3082NW WHIDBORNE STREET 798-1/90/1716 (East side) 14/05/74 Nos.3 AND 5 Duke of Wellington Public House GV II Public house on a corner site with the main frontage to Argyle Walk. Early C19. Yellow stock brick. 3 storeys and basements. Main frontage 4 windows and 1-window return . Later C19 wooden public house frontage with splayed corner. Pilasters carry an entablature with projecting cornice; panelled dado, windows altered. Entrances with part glazed panelled doors. Whidbourne Street facade has a round-arched house doorway with fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapets. INTERIOR: not inspected. Listing NGR: TQ3028082728

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80273
Monument Type	Listed Building
Preferred Ref.	MLO80273
Name	EIGHTEEN LAMP POSTS ON THE FORECOURT OF THE BRITISH MUSEUM
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30131 81628 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/698 (North side) 14/05/74 Eighteen lamp posts in the forecourt of the British Museum GV II 18 lamp posts. Mid C19. Elaborate cast-iron lamp posts of Rochester type with ladder bars. On stone plinths, the 4 opposite the portico having 3 globes each. Listing NGR: TQ3013181628

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- LAMP POST (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477884 EIGHTEEN LAMP POSTS ON THE FORECOURT OF THE BRITISH MUSEUM	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/698 (North side) 14/05/74 Eighteen lamp posts in the forecourt of the British Museum GV II 18 lamp posts. Mid C19. Elaborate cast-iron lamp posts of Rochester type with ladder bars. On stone plinths, the 4 opposite the portico having 3 globes each. Listing NGR: TQ3013181628

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80027
Monument Type	Listed Building
Preferred Ref.	MLO80027
Name	FIELD COURT NUMBER 2 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30980 81703 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/624 (West side) 24/10/51 Field Court No.2 and attached railings GV II Chambers. Early C18. Brown brick with red brick dressings. Slated mansard roof with dormers. 4 storeys, attic and basement. Double-fronted with 5 windows. Stucco entrance surround with round-headed arch with pilasters and fanlight. Red brick segmental arches with brick keystones to flush frame sashes with exposed boxing and glazing bars. Brick aprons beneath 2nd and 3rd floor sills. Stone capped parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with torch flambe finials. Listing NGR: TQ3098081703

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (17th Century to 18th Century - 1700 AD to 1732 AD)
- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477424 FIELD COURT NUMBER 2 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/624 (West side) 24/10/51 Field Court No.2 and attached railings GV II Chambers. Early C18. Brown brick with red brick dressings. Slated mansard roof with dormers. 4 storeys, attic and basement. Double-fronted with 5 windows. Stucco entrance surround with round-headed arch with pilasters and fanlight. Red brick segmental arches with brick keystones to flush frame sashes with exposed boxing and glazing bars. Brick aprons beneath 2nd and 3rd floor sills. Stone capped parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with torch flambe finials. Listing NGR: TQ3098081703

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79721
Monument Type	Listed Building
Preferred Ref.	MLO79721
Name	FIELD LANE FOUNDATION CENTRE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30793 82699 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE CUBITT STREET 798-1/91/285 (East side) 25/10/71 No.32 Field Lane Foundation Centre (Formerly Listed as: CUBITT STREET No.32 Field Lane Community Centre) GV II Formerly the Arthur Street Baptist Chapel and later the Ampton Chapel, now community centre. 1861. Yellow stock brick with stucco dressings. 2 storey and crypt rectangular hall. 3 windows with slightly projecting central entrance bay and 6-window left hand return. Square-headed, architraved doorway with console bracketed cornice and double panelled doors approached by double ramps (formerly steps) with cast-iron railings. Round-arched, architraved windows with margin glazing; ground floor with stucco keystones and aprons, 1st floor with stucco surrounds and cornices, centre window with stucco apron. Stucco 1st floor and 1st floor sill bands. Simplified 20th century stucco cornice and blocking course. INTERIOR: not inspected. Listing NGR: TQ3079382699

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 32 Cubitt Street, London, WC1X 0LR

Monument/Component Types

- COMMUNITY CENTRE (Undated)
- BAPTIST CHAPEL (19th Century - 1861 AD)
- CHAPEL (19th Century to Unknown - 1862 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477032 FIELD LANE FOUNDATION CENTRE	CAMDEN TQ3082NE CUBITT STREET 798-1/91/285 (East side) 25/10/71 No.32 Field Lane Foundation Centre (Formerly Listed as: CUBITT STREET No.32 Field Lane Community Centre) GV II Formerly the Arthur Street Baptist Chapel and later the Ampton Chapel, now community centre. 1861. Yellow stock brick with stucco dressings. 2 storey and crypt rectangular hall. 3 windows with slightly projecting central entrance bay and 6-window left hand return. Square-headed, architraved doorway with console bracketed cornice and double panelled doors approached by double ramps (formerly steps) with cast-iron railings. Round-arched, architraved windows with margin glazing; ground floor with stucco keystones and aprons, 1st floor with stucco surrounds and cornices, centre window with stucco apron. Stucco 1st floor and 1st floor sill bands. Simplified C20 stucco cornice and blocking course. INTERIOR: not inspected. Listing NGR: TQ3079382699

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81483
Monument Type	Listed Building
Preferred Ref.	MLO81483
Name	FIFTEEN LAMP POSTS IN THE VICINITY OF OLD BUILDINGS AND STONE BUILDINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30953 81548 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1039 Fifteen lamp posts in the vicinity 14/05/74 of Old Buildings and Stone Buildings GV II 15 lamp posts. C19. Cast-iron standards, some fluted with lanterns of Windsor pattern. Listing NGR: TQ3095381548

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- LAMP POST (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478698 FIFTEEN LAMP POSTS IN THE VICINITY OF OLD BUILDINGS AND STONE BUILDINGS	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1039 Fifteen lamp posts in the vicinity 14/05/74 of Old Buildings and Stone Buildings GV II 15 lamp posts. C19. Cast-iron standards, some fluted with lanterns of Windsor pattern. Listing NGR: TQ3095381548

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86727
Monument Type	Listed Building
Preferred Ref.	MLO86727
Name	FINSBURY HEALTH CENTRE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31294 82356 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description ISLINGTON TQ3182SW PINE STREET 635-1/73/688 (East side) 29/09/72 Finsbury Health Centre I Health treatment centre. 1935-1938. By Berthold Lubetkin and the Tecton group for the Borough of Finsbury. Reinforced concrete; wings with rough cutting system consisting of hollow tile floors supported by perimeter beams and structural mullions; partially clad with faience tiles and asbestos panels (originally thermolux glass panels); glass brick screens, brass and copper detailing, metal windows, teak framing; low, curved roof to central lecture theatre and flat roof to remainder of central block and the flanking wings. H-shaped plan, with centre block projecting at rear; shanks splayed and their walls not parallel. Two-storeys; basement and roof terrace to centre block. Symmetrical facade with central canted-forward entrance-block composed of ground-storey 3-bay wall of deeply recessed glazed bricks stretching width of convex front; bays articulated by slim tile-faced concrete piers supporting plain tiled 'entablature'(which also functions as parapet wall to roof terrace planter). Entrance to centre bay approached by straight ceremonial ramp: marble jambs and transom to fully-glazed bronze double entrance doors surrounded by glass blocks; flanking bays wider. 1st floor to central block set-back from front of roof terrace: wide projecting pierced eaves supported by elliptical ventilation ducts; name in trompe l'oeil shadowed lettering to parapet of 1st floor is an important part of the design statement. Wings angled (with tapered corridors): concrete end walls tiled in panels; side walls designed on grid system with teak frame and metal casement windows alternating with spandrel panels (glass originals destroyed in the war) with tiled surround. Principal interior space is a spacious waiting area (entrance hall) across centre block: piloti; reception desk (reconstructed c.1970) opposite door backed by concave screen originally decorated with mural of large map of London and alongside 2 murals by Gordon Cullen (all removed). Fine lecture theatre to 1st floor on axis with the entrance: splayed walls, curved back and vaulted curved roof. Roof garden. History: Finsbury Health Centre was to have been the centrepiece of the 'Finsbury Plan' proposed for the redevelopment of the borough and the only element built before the war. The centre was meant to centralise and improve various healthcare projects that had evolved piecemeal in the borough; it is a vestigial element of this pioneering scheme. It was designed by Lubetkin and Tecton after the practice had already established a reputation for carefully thought-out responses to social needs. The building clearly displays Lubetkin's rational thought, constructivist and classical training, deeply social beliefs and the role he believed architecture could play in the creation of a new society. It marks the culmination of the firm's most creative period of work. Finsbury Health Centre is the finest monument to nascent clinical provision in Britain and a brilliant piece of planning; it is very important for its break with the tradition of municipal architecture, its flexible plan and up-to-date construction techniques. It was viewed as the prototype on a national level for modern construction and communal architecture such as NHS clinics, and health and treatment centres. (Allan, John: Berthold Lubetkin, Architecture and the Tradition of Progress: London: 1992-: 330-350; Buildings of England: Pevsner, N: London: Finsbury: London: 1951-: 116-117; Coe, P and Reading, M: Lubetkin and Tecton: Bristol: 1981-: 11-12; 140-144). Listing NGR: TQ3129482356

Sources

Number	Reference
--------	-----------

Location
Administrative Area
 - [Borough] ISLINGTON

Address
 - Finsbury Health Centre Pine Street, London, EC1R 0LP

Monument/Component Types
 ● CLINIC (Modern - 1935 AD to 1938 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	369205 FINSBURY HEALTH CENTRE	ISLINGTON TQ3182SW PINE STREET 635-1/73/688 (East side) 29/09/72 Finsbury Health Centre I Health treatment centre. 1935-1938. By Berthold Lubetkin and the Tecton group for the Borough of Finsbury. Reinforced concrete; wings with rough cutting system consisting of hollow tile floors supported by perimeter beams and structural mullions; partially clad with faience tiles and asbestos panels (originally thermolux glass panels); glass brick screens, brass and copper detailing, metal windows, teak framing; low, curved roof to central lecture theatre and flat roof to remainder of central block and the flanking wings. H-shaped plan, with centre block projecting at rear; shanks splayed and their walls not parallel. Two-storeys; basement and roof terrace to centre block. Symmetrical facade with central canted-forward entrance-block composed of ground-storey 3-bay wall of deeply recessed glazed bricks stretching width of convex front; bays articulated by slim tile-faced concrete piers supporting plain tiled 'entablature'(which also functions as parapet wall to roof terrace

planter). Entrance to centre bay approached by straight ceremonial ramp: marble jambs and transom to fully-glazed bronze double entrance doors surrounded by glass blocks; flanking bays wider. 1st floor to central block set-back from front of roof terrace: wide projecting pierced eaves supported by elliptical ventilation ducts; name in trompe l'oeil shadowed lettering to parapet of 1st floor is an important part of the design statement. Wings angled (with tapered corridors): concrete end walls tiled in panels; side walls designed on grid system with teak frame and metal casement windows alternating with spandrel panels (glass originals destroyed in the war) with tiled surround. Principal interior space is a spacious waiting area (entrance hall) across centre block: piloti; reception desk (reconstructed c.1970) opposite door backed by concave screen originally decorated with mural of large map of London and alongside 2 murals by Gordon Cullen (all removed). Fine lecture theatre to 1st floor on axis with the entrance: splayed walls, curved back and vaulted curved roof. Roof garden. History: Finsbury Health Centre was to have been the centrepiece of the 'Finsbury Plan' proposed for the redevelopment of the borough and the only element built before the war. The centre was meant to centralise and improve various healthcare projects that had evolved piecemeal in the borough; it is a vestigial element of this pioneering scheme. It was designed by Lubetkin and Tecton after the practice had already established a reputation for carefully thought-out responses to social needs. The building clearly displays Lubetkin's rational thought, constructivist and classical training, deeply social beliefs and the role he believed architecture could play in the creation of a new society. It marks the culmination of the firm's most creative period of work. Finsbury Health Centre is the finest monument to nascent clinical provision in Britain and a brilliant piece of planning; it is very important for its break with the tradition of municipal architecture, its flexible plan and up-to-date construction techniques. It was viewed as the prototype on a national level for modern construction and communal architecture such as NHS clinics, and health and treatment centres. (Allan, John: Berthold Lubetkin, Architecture and the Tradition of Progress: London: 1992: 330-350; Buildings of England: Pevsner, N: London: Finsbury: London: 1951: 116-117; Coe, P and Reading, M: Lubetkin and Tecton: Bristol: 1981: 11-12; 140-144). Listing NGR: TQ3129482356

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO81168
Monument Type Listed Building
Preferred Ref. MLO81168
Name Flat 1 20 Percy Street
Map Sheet TQ28SE
Grid References Centre Point: TQ 29670 81615 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE PERCY STREET 798-1/99/1638 No.20 22/01/74 GV II See under: No.38 TOTTENHAM COURT ROAD. CAMDEN TQ2981NE TOTTENHAM COURT ROAD 798-1/99/1638 (West side) 22/01/74 No.38 GV II Includes: No.20 PERCY STREET. Terraced house with later shop; return forms No.20 Percy Street. 1764-1770, altered. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. Multi-coloured stock brick, painted red on Percy Street facade. Slate mansard roof with dormers. 3 storeys, attic and basement. 2 windows (3 at 2nd floor) and 3 window return to Percy Street. Ground floor with late C19 shopfront, returning to Percy Street. Gauged brick flat arches to recessed sash windows. To right of Percy Street facade, house doorway with wooden doorcase with pilasters carrying enriched console-bracketed entablature; fanlight and panelled door. INTERIOR: not inspected. Listing NGR: TQ2967081615

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 20 Percy Street, London, W1P 9FE

Monument/Component Types

- TERRACED HOUSE (18th Century - 1764 AD to 1770 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478378	CAMDEN TQ2981NE PERCY STREET 798-1/99/1638 No.20 22/01/74 GV II See under: No.38 TOTTENHAM COURT ROAD. CAMDEN TQ2981NE TOTTENHAM COURT ROAD 798-1/99/1638 (West side) 22/01/74 No.38 GV II Includes: No.20 PERCY STREET. Terraced house with later shop; return forms No.20 Percy Street. 1764-1770, altered. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. Multi-coloured stock brick, painted red on Percy Street facade. Slate mansard roof with dormers. 3 storeys, attic and basement. 2 windows (3 at 2nd floor) and 3 window return to Percy Street. Ground floor with late C19 shopfront, returning to Percy Street. Gauged brick flat arches to recessed sash windows. To right of Percy Street facade, house doorway with wooden doorcase with pilasters carrying enriched console-bracketed entablature; fanlight and panelled door. INTERIOR: not inspected. Listing NGR: TQ2967081615

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79779
Monument Type	Listed Building
Preferred Ref.	MLO79779
Name	Flat 1 81 Endell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30112 81275 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW ENDELL STREET 798-1/105/387 (South West side) 15/01/73 No.81 GV II House. c1854. By George Vulliamy. Stucco frontage with rusticated quoins. 4 storeys 3 windows. Ground floor, round-arched recessed doorway flanked by round-arched, altered openings. To 1st & 2nd floors recessed sash windows with segmental open pediments with console brackets to 1st floor. Main cornice at 3rd floor level. Round-arched 3rd floor windows flanked by enriched, narrow, sunken panels. Cornice and blocking course above. INTERIOR: not inspected. Listing NGR: TQ3011281275

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 81 Endell Street, London, WC2H 9AJ

Monument/Component Types

- HOUSE (19th Century - 1834 AD to 1874 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477188	CAMDEN TQ3081SW ENDELL STREET 798-1/105/387 (South West side) 15/01/73 No.81 GV II House. c1854. By George Vulliamy. Stucco frontage with rusticated quoins. 4 storeys 3 windows. Ground floor, round-arched recessed doorway flanked by round-arched, altered openings. To 1st & 2nd floors recessed sash windows with segmental open pediments with console brackets to 1st floor. Main cornice at 3rd floor level. Round-arched 3rd floor windows flanked by enriched, narrow, sunken panels. Cornice and blocking course above. INTERIOR: not inspected. Listing NGR: TQ3011281275

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO81438
Monument Type Listed Building
Preferred Ref. MLO81438
Name Flat 1 Spens House 72-84 Lamb's Conduit Street
Map Sheet TQ38SW
Grid References Centre Point: TQ 30614 82092 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1011 (East side) 05/03/82 No.83 (Formerly Listed as: LAMBS CONDUIT STREET Nos.83 AND 85) GV II Terraced house. Before 1720, and perhaps before 1709, with 20th century shopfront. Yellow stock brick. 4 storeys, 2 windows wide. Panelled house door with fanlight. Gauged brick flat arches to recessed sashes, 1st floor with glazing bars. Parapets; original lead rainwater heads and pipes. INTERIOR: retains early C18 staircase with turned balusters and closed string, panelled staircase hall, with dado and deeply moulded cornice. First floor retains some dado panelling and cornices, also shutterboxes. Listing NGR: TQ3061482092

Sources

Number	Reference

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 Spens House 72-84 Lamb's Conduit Street, London, WC1N 3LT

Monument/Component Types

- TERRACED HOUSE (Unknown to 18th Century)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478643	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1011 (East side) 05/03/82 No.83 (Formerly Listed as: LAMBS CONDUIT STREET Nos.83 AND 85) GV II Terraced house. Before 1720, and perhaps before 1709, with C20 shopfront. Yellow stock brick. 4 storeys, 2 windows wide. Panelled house door with fanlight. Gauged brick flat arches to recessed sashes, 1st floor with glazing bars. Parapets; original lead rainwater heads and pipes. INTERIOR: retains early C18 staircase with turned balusters and closed string, panelled staircase hall, with dado and deeply moulded cornice. First floor retains some dado panelling and cornices, also shutterboxes. Listing NGR: TQ3061482092

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81212
Monument Type	Listed Building
Preferred Ref.	MLO81212
Name	Flat 10 Tower Court
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30044 81050 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW TOWER COURT 798-1/105/1650 (East side) 15/01/73 No.10 GV II House, formerly with shopfront; originally formed a terrace with Nos 5 to 8 (qv). Late C18, altered mid C19 and 20th century. Yellow stock brick with stucco ground floor and 1st floor sill band under a slated mansard roof with dormers. 3 storeys, basement and attic. 2 windows with 2-window return. The house originally had a wooden shopfront, lost post 1973. Gauged flat brick arches to recessed sash windows. Parapet. INTERIOR: not inspected. Listing NGR: TQ3004481050

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 10 Tower Court, London, WC2H 9NU

Monument/Component Types

- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- SHOP (Modern to Unknown - 1973 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478409	CAMDEN TQ3081SW TOWER COURT 798-1/105/1650 (East side) 15/01/73 No.10 GV II House, formerly with shopfront; originally formed a terrace with Nos 5 to 8 (qv). Late C18, altered mid C19 and C20. Yellow stock brick with stucco ground floor and 1st floor sill band under a slated mansard roof with dormers. 3 storeys, basement and attic. 2 windows with 2-window return. The house originally had a wooden shopfront, lost post 1973. Gauged flat brick arches to recessed sash windows. Parapet. INTERIOR: not inspected. Listing NGR: TQ3004481050

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81509
Monument Type	Listed Building
Preferred Ref.	MLO81509
Name	Flat 4 5 Little Russell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30149 81512 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW LITTLE RUSSELL STREET 798-1/100/1073 (South side) 30/06/69 No.5 GV II House, originally terraced. Early C18, refronted early C19. Stucco. 3 storeys single window. Plain recessed doorway with panelled door and rectangular fanlight. Band at 1st floor level. Recessed tripartite sash windows, those on the 1st and 2nd floor in shallow arched recess. 1st floor window with decorative iron guard. Cornice. INTERIOR: not inspected. Listing NGR: TQ3014981512

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 4 5 Little Russell Street, London, WC1A 2HR

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478725	CAMDEN TQ3081NW LITTLE RUSSELL STREET 798-1/100/1073 (South side) 30/06/69 No.5 GV II House, originally terraced. Early C18, refronted early C19. Stucco. 3 storeys single window. Plain recessed doorway with panelled door and rectangular fanlight. Band at 1st floor level. Recessed tripartite sash windows, those on the 1st and 2nd floor in shallow arched recess. 1st floor window with decorative iron guard. Cornice. INTERIOR: not inspected. Listing NGR: TQ3014981512

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97694
Monument Type	Listed Building
Preferred Ref.	MLO97694
Name	Flat A 8 Russell Street
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30451 80943 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NW CITY OF WESTMINSTER RUSSELL STREET, WC2 72/12 15.1.73 No. 8 - II Terrace house with shop. c.1759-60. Plum coloured stock brick, yellow stocks to rebuilt parapet, concealed roof. Astylar, 3 storey and attic storey front. 3 windows wide. Ground floor has altered 20th century "Regency" shop front. Upper floors have recessed plate glass sashes under flat gauged red brick arches. Stone bracketed cornice over 2nd floor; parapet with coping. Interior retains original turned baluster staircase in fully panelled well; more panelling in 1st floor rear room. The house was the residence and shop of the bookseller Thomas Davies from c.1760 to his death in 1785, much frequented by the literati and actors of the period; it was at Davies's that James Boswell first met Dr. Johnson. Survey of London; Vol. XXXVI. Listing NGR: TQ3045180943

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- Flat A 8 Russell Street, London, WC2B 5HZ

Monument/Component Types

- SHOP (18th Century - 1759 AD to 1760 AD)
- TERRACED HOUSE (18th Century - 1759 AD to 1760 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	425941	TQ 3080 NW CITY OF WESTMINSTER RUSSELL STREET, WC2 72/12 15.1.73 No. 8 - II Terrace house with shop. c.1759-60. Plum coloured stock brick, yellow stocks to rebuilt parapet, concealed roof. Astylar, 3 storey and attic storey front. 3 windows wide. Ground floor has altered C20 "Regency" shop front. Upper floors have recessed plate glass sashes under flat gauged red brick arches. Stone bracketed cornice over 2nd floor; parapet with coping. Interior retains original turned baluster staircase in fully panelled well; more panelling in 1st floor rear room. The house was the residence and shop of the bookseller Thomas Davies from c.1760 to his death in 1785, much frequented by the literati and actors of the period; it was at Davies's that James Boswell first met Dr. Johnson. Survey of London; Vol. XXXVI. Listing NGR: TQ3045180943

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79859
Monument Type	Listed Building
Preferred Ref.	MLO79859
Name	Flitcroft Street, [Elms Lester Painting Rooms]
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29942 81229 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	Painting rooms for theatrical scenery. 1903-4.

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1-5 Flitcroft Street, London, WC2H 8DH

Monument/Component Types

- ARTISTS STUDIO (Modern - 1903 AD to 1904 AD)
- STOREHOUSE (Modern - 1903 AD to 1904 AD)
- THEATRE (Modern - 1903 AD to 1904 AD)
- WORKSHOP (Modern - 1903 AD to 1904 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477339 ELMS LESTER PAINTING ROOMS	CAMDEN TQ2981SE FLITCROFT STREET 798-1/104/481 (East side) 10/06/88 Nos.1-5 (Consecutive) Elms Lester Painting Rooms GV II Painting rooms for theatrical scenery. 1903-4. For Messrs W & J Elms Lester. English bond yellow brick, with facade of red brick; top-lit lantern, projecting above 1st floor level and lighting painting rooms, has facing of glazed white brick. Gabled, brick-coped Welsh slate roof; brick stacks. EXTERIOR: 2-storey pedimented facade, with legend ELMS LESTERS PAINTING ROOMS & STORES inscribed on tympanum of inner pediment, which is set above row of colonnettes which rest on cornice of main pediment. This cornice is broken by panelled full-height loading doors to right and tall window with glazing bars to left, the latter above a segmental-arched 2-light window with glazing bars. Pedimented facade to lantern storey has moulded stone lintel above 2-light transomed window. Right-side wall, of 2-storey, 3-window range has concrete lintels over 2-light transomed windows, and loft door above double doors to front: to rear of this range is lean-to porch with 8-panelled double doors attached to large 3-storey canted bay with plate-glass sashes. INTERIOR: the centre of the building is occupied by the painting frames, lit by the projecting lantern which has cast-iron framework to glazing. The 1st floor painting area, supported on a steel frame, gives access to four 50'x 30' painting frames which run along the outer side walls and both sides of the inner dividing screen wall. Each cast-iron frame can be raised or lowered by electric winches. Each painting room has a sink and studio stove and they are surrounded by studios and artists' accommodation. The large entrance lobby to the front has a hoist and trap doors, which facilitated the exit of completed backcloths from the painting rooms, via the full-height doors in the facade. HISTORICAL NOTE: an important and complete survival of a theatrical scene-painting workshop. Listing NGR: TQ2994281229

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81470
Monument Type	Listed Building
Preferred Ref.	MLO81470
Name	FORECOURT RAILINGS, WALL AND GATES TO NUMBERS 14 AND 15
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31016 81342 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1033 (West side) 14/05/74 Forecourt railings, wall and gates to Nos.14 and 15 New Square GV II Railings and gates. c1928. Red brick wall on south side with piers surmounted by stone balls. Good wrought-iron railings on west side with gateway dated 1928. Listing NGR: TQ3101681342

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- FORECOURT (Modern - 1918 AD to 1938 AD)
- GATE (Modern - 1918 AD to 1938 AD)
- GATE PIER (Modern - 1918 AD to 1938 AD)
- RAILINGS (Modern - 1918 AD to 1938 AD)
- WALL (Modern - 1918 AD to 1938 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478680 FORECOURT RAILINGS, WALL AND GATES TO NUMBERS 14 AND 15	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1033 (West side) 14/05/74 Forecourt railings, wall and gates to Nos.14 and 15 New Square GV II Railings and gates. c1928. Red brick wall on south side with piers surmounted by stone balls. Good wrought-iron railings on west side with gateway dated 1928. Listing NGR: TQ3101681342

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86852
Monument Type	Listed Building
Preferred Ref.	MLO86852
Name	FORMER BOWLING GREEN LANE BOARD SCHOOL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31408 82325 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3182SW BOWLING GREEN LANE 635-1/73/89 (South side) 14/05/91 No.10 former Bowling Green Lane Board School GV II Formerly known as: No.10 Hugh Myddelton Junior School BOWLING GREEN LANE Finsbury. Former London Board School, now photographers' studios. Dated 1874. Architects Department of the London School Board (E R Robson) probably in collaboration with J J Stevenson. Beige/brown stock brick set in English bond with finely cut red brick, rubbed red brick (including quoins), and stone dressings; Welsh-slate intersecting gabled roofs with ridge tiles; tall, prominent moulded-brick stacks to ends, rear and to various intersecting bays. Queen Anne Style. Modified H block-plan with the longer wings parallel to Bowling Green Lane: symmetrical gabled front with centre bay set in brick recess; picturesque, irregular sides with projecting bays; discreet 20th century rear extension. Two storeys with attic (fine hipped roof dormers to ends of front block); gabled front to Bowling Green Lane elevation of 7-window range. Separate Girls' and Boys' entrances in attached walls flanking main front block: direct access to building via respective Boys' and Girls' entrances surmounted by stone panels to rear elevation of main block; additional entrances to ends of main block with elaborate brick dressings and discreet 20th century doors. Windows with red gauged-brick (segmental, flat or camber-arched) heads, stone sills and keystones; multi-paned wooden white-painted windows of varying widths including sashes, casements and fixed glazing; the tall ones lit the big classrooms. Elaborate red brick and stone storey bands throughout. Ground-floor front elevation with (possibly but carefully altered) cambered sash to centre partially set in brick recess and flanked by 3 segmental arched sashes set in round-arched brick recesses. 1st floor irregular: pedimented gables to intermediate bays with paired flat-arched casement sashes set in arched recess with Free-Classical detailing including flanking brick pilasters, stone panels below sills reading 'Bowling Green Lane School 1874' and brick coping. Other sashes with cambered heads except prominent centre sash which is segmental, flanked by brick pilasters supporting pediment, set in brick recess, and placed out of line with other fenestration by dropping through storey band. Most details on side and rear elevations in similar, plainer and freer manner than Bowling Green Lane front. INTERIOR: minor alterations only. Former Boy's and Girls' Schools approached by 2 separate rear entrances and staircases. Boys' and Girls' separate school rooms to either side provided with end lighting. Rooms on both floors well-preserved and airy, particularly the tall ground-floor front halls, with fine arched ceiling and large unaltered white-painted windows. There are playgrounds to rear and sides. This is one example of the very exclusive group of surviving London Board schools from E R Robson's famous early period when he actually did the designing, and possibly one where he was helped by the influential and talented private architect J J Stevenson. (Historians File, English Heritage, London Division: 1991-; Saint, A J (Historians Group): London Board Schools Report--London Division English Heritage: 1991-). Listing NGR: TQ3140882325</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 10 Bowling Green Lane, London, EC1R 0BQ

Monument/Component Types

- PHOTOGRAPHIC STUDIO (Undated)
- BOARD SCHOOL (19th Century - 1874 AD)
- BOARD SCHOOL (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368580 FORMER BOWLING GREEN LANE BOARD SCHOOL	ISLINGTON TQ3182SW BOWLING GREEN LANE 635-1/73/89 (South side) 14/05/91 No.10 former Bowling Green Lane Board School GV II Formerly known as: No.10 Hugh Myddelton Junior School BOWLING GREEN LANE Finsbury. Former London Board School, now photographers' studios. Dated 1874. Architects Department of the London School Board (E R Robson) probably in collaboration with J J Stevenson. Beige/brown stock brick set in English bond with finely cut red brick, rubbed red brick (including quoins), and stone dressings; Welsh-slate intersecting gabled roofs with ridge tiles; tall, prominent moulded-brick stacks to ends, rear and to various intersecting bays. Queen Anne Style. Modified H block-plan with the longer wings parallel to Bowling Green Lane: symmetrical gabled front with centre bay set in brick recess; picturesque, irregular sides with projecting bays; discreet C20 rear extension. Two storeys with attic (fine hipped roof dormers to ends of front block); gabled front to Bowling Green Lane elevation of 7-window range. Separate Girls' and Boys' entrances in attached walls flanking main front block: direct access to building via respective Boys'

and Girls' entrances surmounted by stone panels to rear elevation of main block; additional entrances to ends of main block with elaborate brick dressings and discreet C20 doors. Windows with red gauged-brick (segmental, flat or camber-arched) heads, stone sills and keystones; multi-paned wooden white-painted windows of varying widths including sashes, casements and fixed glazing; the tall ones lit the big classrooms. Elaborate red brick and stone storey bands throughout. Ground-floor front elevation with (possibly but carefully altered) cambered sash to centre partially set in brick recess and flanked by 3 segmental arched sashes set in round-arched brick recesses. 1st floor irregular: pedimented gables to intermediate bays with paired flat-arched casement sashes set in arched recess with Free-Classical detailing including flanking brick pilasters, stone panels below sills reading 'Bowling Green Lane School 1874' and brick coping. Other sashes with cambered heads except prominent centre sash which is segmental, flanked by brick pilasters supporting pediment, set in brick recess, and placed out of line with other fenestration by dropping through storey band. Most details on side and rear elevations in similar, plainer and freer manner than Bowling Green Lane front. INTERIOR: minor alterations only. Former Boy's and Girls' Schools approached by 2 separate rear entrances and staircases. Boys' and Girls' separate school rooms to either side provided with end lighting. Rooms on both floors well-preserved and airy, particularly the tall ground-floor front halls, with fine arched ceiling and large unaltered white-painted windows. There are playgrounds to rear and sides. This is one example of the very exclusive group of surviving London Board schools from E R Robson's famous early period when he actually did the designing, and possibly one where he was helped by the influential and talented private architect J J Stevenson. (Historians File, English Heritage, London Division: 1991-; Saint, A J (Historians Group): London Board Schools Report--London Division English Heritage: 1991-). Listing NGR: TQ3140882325

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97654
Monument Type	Listed Building
Preferred Ref.	MLO97654
Name	FORMER LAW FIRE INSURANCE OFFICE AND NUMBER 16 (EXCLUDING THE FORMER NUMBERS 13 AND 14/15)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31133 81220 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ 3181 SW CHANCERY LANE WC2 (west side) 1900/7/63 No. 114 (former Law Insurance Office) (including No.16 BELL Yard) 26.1.70 GV II* The former offices of the Law Fire Insurance Company. 1858-9 by Thomas Bellamy, extended to Bell Yard by him in 1874-6. Portland stone facades with brick internal walls, presumably incorporating some iron. Rectangular plan with two central lightwells. Three storeys and basement, with inserted mezzanine to ground-floor of No. 114. Rusticated and battered stone facade to Chancery Lane is three windows wide, with central engaged Doric portico, corniced first-floor windows in architraves, with band to set-back upper floor under heavy moulded cornice and parapet. Sash windows and double panelled door under top light. The original rear facade survives in part within the lightwell. It has three round-topped glazed arches, corniced first floor windows in architrave surrounds and a parapet topped by urns. The name 'RE INSURANCE OFFICE' survives. Present facade to Bell Yard also of three bays, the ground floor with enriched, round-arched windows, the doorway now disused. In spandrels motifs of a fireman's helmet and axes, between rosettes. Short return screens with pilasters rise each side to bracketed cornice under first floor. First floor windows have sashes with glazing bars under heavy console brackets and within moulded architraves. Second floor with architraved windows and rosettes under modillion eaves cornice. The interior remains impressive. The ground-floor of No. 114 Chancery Lane has been subdivided; heavy cornices survive on the mezzanine. Fine stair with sinuous curving handrail and an iron balustrade of Ionic columns rises to the top. (Historic) first floor landing with screen of huge Ionic columns (whose bases appear on lower floors) and balustrade in antis between Ionic pilasters. Trabeated ceiling. Board room with fireplace, trabeated ceiling and modillion cornice. No. 16 Bell Yard with stair to side: a straight flight with curly iron balustrade rises to first floor, whilst to the upper floor the stair has timber balusters with heavy fluted newels. Listing NGR: TQ3113381220

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 126 Chancery Lane, London, WC2A 1PP

Monument/Component Types

- COMMERCIAL OFFICE (19th Century - 1858 AD to 1859 AD)
- COMMERCIAL OFFICE (19th Century - 1874 AD to 1876 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	433741 FORMER LAW FIRE INSURANCE OFFICE AND NUMBER 16 (EXCLUDING THE FORMER NUMBERS 13 AND 14/15)	TQ 3181 SW CHANCERY LANE WC2 (west side) 1900/7/63 No. 114 (former Law Insurance Office) (including No.16 BELL Yard) 26.1.70 GV II* The former offices of the Law Fire Insurance Company. 1858-9 by Thomas Bellamy, extended to Bell Yard by him in 1874-6. Portland stone facades with brick internal walls, presumably incorporating some iron. Rectangular plan with two central lightwells. Three storeys and basement, with inserted mezzanine to ground-floor of No. 114. Rusticated and battered stone facade to Chancery Lane is three windows wide, with central engaged Doric portico, corniced first-floor windows in architraves, with band to set-back upper floor under heavy moulded cornice and parapet. Sash windows and double panelled door under top light. The original rear facade survives in part within the lightwell. It has three round-topped glazed arches, corniced first floor windows in architrave surrounds and a parapet topped by urns. The name 'RE INSURANCE OFFICE' survives. Present facade to Bell Yard also of three bays, the ground floor with enriched, round-arched windows, the doorway now disused. In spandrels motifs of a fireman's helmet and axes, between rosettes. Short return screens with pilasters rise each side to bracketed cornice under first floor. First floor windows have sashes with glazing bars under heavy console brackets and within moulded architraves. Second floor with architraved windows and rosettes under modillion eaves cornice. The interior remains impressive. The ground-floor of No. 114 Chancery Lane has been subdivided; heavy cornices survive on the mezzanine. Fine stair with sinuous curving handrail and an iron balustrade of Ionic columns rises to the top. (Historic) first floor landing with screen of huge Ionic columns (whose bases appear on lower floors) and balustrade in antis between Ionic pilasters. Trabeated ceiling. Board room with fireplace, trabeated

ceiling and modillion cornice. No. 16 Bell Yard with stair to side: a straight flight with curly iron balustrade rises to first floor, whilst to the upper floor the stair has timber balusters with heavy fluted newels.
Listing NGR: TQ3113381220

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86676
Monument Type	Listed Building
Preferred Ref.	MLO86676
Name	FORMER NOTTING WAREHOUSE/ENTERPRISE PRINTING MACHINE WORKS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31348 82270 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW BOWLING GREEN LANE 635-1/73/90 (South side) Nos.16 and 16A 30.09.1994 former Notting Warehouse/Enterprise Printing Machine Works GV II Former warehouse/factory for the Enterprise Printing Machine Works. Dated 1877. By Edward Walker, builder, for William Notting, typefounder and printing engineer. Buff stock brick set in English bond with red brick decorative banding and terracotta dressings; roof obscured by parapets. Narrow double-fronted block with carriage-way to centre; buildings behind (former stabling) have been essentially demolished and rebuilt 20th century (by Piers Gough for his architectural practice). Four storeys with attic; 7-window range 1:1:1:2:1:1:1. Symmetrical rugged brick facade divided into attractively brick-detailed full-height piers and tiers of segmental casement sashes with panels below; 3rd floor brick-pedimented sashes with decorative terracotta tympana. Right end has later extensions in the same style and materials but altered 20th century. INTERIOR: timber floors and joists and a series of simple iron pillars. Reconstructed staircase is off-centre. History: William Notting (1831-1911) was a prominent member of the London printing trade and had acquired the business of Henry Watts. Notting was established for a long time in Type Street, Finsbury and in 1872 his firm moved to premises off Ray Street. In 1877 he purchased this land freehold and built this warehouse/factory described as 'a five-storey warehouse with stabling, a cart house and meeting house'. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3134882270

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 10 Bowling Green Lane, London, EC1R 0BQ

Monument/Component Types

- FACTORY (19th Century - 1877 AD)
- PRINTING WORKS (19th Century - 1877 AD)
- STABLE (19th Century - 1877 AD)
- WAREHOUSE (19th Century - 1877 AD)
- DRAWING OFFICE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368581 FORMER NOTTING WAREHOUSE/ENTERPRISE PRINTING MACHINE WORKS	ISLINGTON TQ3182SW BOWLING GREEN LANE 635-1/73/90 (South side) Nos.16 and 16A 30.09.1994 former Notting Warehouse/Enterprise Printing Machine Works GV II Former warehouse/factory for the Enterprise Printing Machine Works. Dated 1877. By Edward Walker, builder, for William Notting, typefounder and printing engineer. Buff stock brick set in English bond with red brick decorative banding and terracotta dressings; roof obscured by parapets. Narrow double-fronted block with carriage-way to centre; buildings behind (former stabling) have been essentially demolished and rebuilt C20 (by Piers Gough for his architectural practice). Four storeys with attic; 7-window range 1:1:1:2:1:1:1. Symmetrical rugged brick facade divided into attractively brick-detailed full-height piers and tiers of segmental casement sashes with panels below; 3rd floor brick-pedimented sashes with decorative terracotta tympana. Right end has later extensions in the same style and materials but altered C20. INTERIOR: timber floors and joists and a series of simple iron pillars. Reconstructed staircase is off-centre. History: William Notting (1831-1911) was a prominent member of the London printing trade and had acquired the business of Henry Watts. Notting was established for a long time in Type Street, Finsbury and in 1872 his firm moved to premises off Ray Street. In 1877 he purchased this land freehold and built this warehouse/factory described as 'a five-storey warehouse with stabling, a cart house and meeting house'. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3134882270

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94566
Monument Type	Listed Building
Preferred Ref.	MLO94566
Name	FORMER NUMBER 13 (NOW PART OF NUMBER 16)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31112 81203 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	BELL YARD TQ 3181 SW (east side) 1900-/61/10041 Former no. 13 (now part of no. 16) GV II Offices, 1859-60, raised and extended to rear in 1874 by William Elsdon. Polychrome brick with some stone dressings. One bay wide and two rooms deep with staircase. Four storeys, slate roof The ground floor has a timber shop front with iron lozenge panes in top lights. Single four-light window to first floor; second floor with pair of sashes under pointed gauged-brick heads, five-light window under roundel in top-floor gable. - - Listing NGR: TQ3111281203

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- OFFICE (19th Century - 1859 AD to 1860 AD)
- SHOP (19th Century to Unknown - 1859 AD)
- OFFICE (19th Century - 1874 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	433732 FORMER NUMBER 13 (NOW PART OF NUMBER 16)	BELL YARD TQ 3181 SW (east side) 1900-/61/10041 Former no. 13 (now part of no. 16) GV II Offices, 1859-60, raised and extended to rear in 1874 by William Elsdon. Polychrome brick with some stone dressings. One bay wide and two rooms deep with staircase. Four storeys, slate roof The ground floor has a timber shop front with iron lozenge panes in top lights. Single four-light window to first floor; second floor with pair of sashes under pointed gauged-brick heads, five-light window under roundel in top-floor gable. - - Listing NGR: TQ3111281203

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95682
Monument Type	Listed Building
Preferred Ref.	MLO95682
Name	FORMER NUMBERS 14 AND 15 (NOW PART OF NUMBER 16)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31113 81196 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description BELL YARD TQ 3181 SW (east side) 1900-/61/10042 Former nos. 14 and 15 (now part of no. 16) GV II Offices, c. 1878, probably by William Elsdon. Stone facade to brick building; rectangular plan, three bays wide and two rooms deep; five storeys with slate roof Ground floor has complete timber shop front of two lightseither side fo central modern door (now numbered no.16 and serving adjacent premises also), with iron lozenge panes. First floor has single central window under pediment, whilst those either side have consoles and are made tripartite by the insertion of iron columns; all have enriched foliate capitals on stone columns. This pattern of fenestration is repeated on the second floor but with console brackets instead of an order, while the third-floor fenestration is unadorned under projecting eaves cornice. Attic storey with simpler cornice above. Interior retains original lift in iron cage at centre of stairwell. Ground floor has egg and dart cornices to principal spaces and lift lobby. Listing NGR: TQ3111381196

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- OFFICE (19th Century - 1858 AD to 1898 AD)
- SHOP (19th Century to Unknown - 1858 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	433733 FORMER NUMBERS 14 AND 15 (NOW PART OF NUMBER 16)	BELL YARD TQ 3181 SW (east side) 1900-/61/10042 Former nos. 14 and 15 (now part of no. 16) GV II Offices, c. 1878, probably by William Elsdon. Stone facade to brick building; rectangular plan, three bays wide and two rooms deep; five storeys with slate roof Ground floor has complete timber shop front of two lightseither side fo central modern door (now numbered no.16 and serving adjacent premises also), with iron lozenge panes. First floor has single central window under pediment, whilst those either side have consoles and are made tripartite by the insertion of iron columns; all have enriched foliate capitals on stone columns. This pattern of fenestration is repeated on the second floor but with console brackets instead of an order, while the third-floor fenestration is unadorned under projecting eaves cornice. Attic storey with simpler cornice above. Interior retains original lift in iron cage at centre of stairwell. Ground floor has egg and dart cornices to principal spaces and lift lobby. Listing NGR: TQ3111381196

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80576
Monument Type	Listed Building
Preferred Ref.	MLO80576
Name	FORMER SAVILLE THEATRE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29980 81145 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE SHAFTESBURY AVENUE 798-1/104/1899 Former Saville Theatre 01/07/98 II Former theatre, now cinema. Designed 1929-30, built 1930-1 by TP Bennett and Son for AE Fournier, theatrical impressario. Steel frame clad in red-brown brick with artificial stone plinth and sculpted frieze to front, and parapet round the building. Rectangular building, originally comprising a theatre on 3 levels, but converted in 1970 into 2 cinemas set one above the other and with large foyer and staircase. EXTERIOR: the elevation is particularly handsome. Rusticated stone plinth with band supports frieze by Gilbert Bayes depicting Drama through the Ages. Moulded band over, above which a blind facade of rusticated brickwork interrupted only by 5 pairs of roundel plaques, and a giant arch over the entrance, framed by simple stone banding with a flat keystone. The arch originally with bronze metal glazing, since 1970 tiled over. Simpler brickwork to side elevations and rear. INTERIOR: remodelled in 1970 and nothing of the 1930-1 work remains on view. The Saville Theatre is remarkable as a fine composition that incorporates architecture and sculpture with rare intelligence, and which fulfills Bayes' vision of a unity between the two arts. Bayes' frieze is one of the largest and most important works of public sculpture of its age, and won him the silver medal of the Institute of Sculptors for the best piece of applied sculpture of its year. It is 129 feet long and made from artificial stone. It consists of a frieze of dramatic players and dancers set between a broad curtain which is folded round the side of the building. It depicts from left to right: St Joan; the Chester players; St George; a Roman triumphal procession; Bacchanalian dancers; a Harlequinade in Comedia dell'arte costume; Shakespearean figures; figures from contemporary drama and (round the corner) a figure in Boer War uniform. The plaques above depict art of Egypt; Assyria; the Italian Renaissance; Medieval (initialled); Pompadour; Victorian period (signed); Elizabethan and Georgian. Listing NGR: TQ2998081145

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 233 Shaftesbury Avenue, London, WC2H 8EL

Monument/Component Types

- METAL FRAMED BUILDING (Modern - 1930 AD to 1931 AD)
- THEATRE (Modern - 1930 AD to 1931 AD)
- CINEMA (Modern - 1970 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477977 FORMER SAVILLE THEATRE	CAMDEN TQ2981SE SHAFTESBURY AVENUE 798-1/104/1899 Former Saville Theatre 01/07/98 II Former theatre, now cinema. Designed 1929-30, built 1930-1 by TP Bennett and Son for AE Fournier, theatrical impressario. Steel frame clad in red-brown brick with artificial stone plinth and sculpted frieze to front, and parapet round the building. Rectangular building, originally comprising a theatre on 3 levels, but converted in 1970 into 2 cinemas set one above the other and with large foyer and staircase. EXTERIOR: the elevation is particularly handsome. Rusticated stone plinth with band supports frieze by Gilbert Bayes depicting Drama through the Ages. Moulded band over, above which a blind facade of rusticated brickwork interrupted only by 5 pairs of roundel plaques, and a giant arch over the entrance, framed by simple stone banding with a flat keystone. The arch originally with bronze metal glazing, since 1970 tiled over. Simpler brickwork to side elevations and rear. INTERIOR: remodelled in 1970 and nothing of the 1930-1 work remains on view. The Saville Theatre is remarkable as a fine composition that incorporates architecture and sculpture with rare intelligence, and which fulfills Bayes' vision of a unity between the two arts. Bayes' frieze is one of the largest and most important works of public sculpture of its age, and won him the silver medal of the Institute of Sculptors for the best piece of applied sculpture of its year. It is 129 feet long and made from artificial stone. It consists of a frieze of dramatic players and dancers set between a broad curtain which is folded round the side of the building. It depicts from left to right: St Joan; the Chester players; St George; a Roman triumphal procession; Bacchanalian dancers; a Harlequinade in Comedia dell'arte costume; Shakespearean figures; figures from contemporary drama and (round the corner) a figure in Boer War uniform. The plaques

above depict art of Egypt; Assyria; the Italian Renaissance; Medieval (initialled); Pompadour; Victorian period (signed); Elizabethan and Georgian. Listing NGR: TQ2998081145

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81015
Monument Type	Listed Building
Preferred Ref.	MLO81015
Name	FRAMES COACH STATION AND LONDON BOROUGH OF CAMDEN CAR PARK
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30120 82177 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW HERBRAND STREET 798-1/95/827 (West side) 09/03/82 Frames Coach Station and LB Camden Car Park II Car park and coach station. 1931. By Wallis, Gilbert and Partners. For Daimler Car Hire Ltd. Reinforced concrete construction. "Modernistic" 4-storey garage with attached offices, lift blocks and ramp. EXTERIOR: garage with large rectangular metal framed windows of small horizontally set lights set between plain concrete continuous horizontal bands at floor levels and divided by channelled concrete pilaster strips, the channelling corresponding with the horizontally set lights. Ground floor entrance bays. Attached to left, a lift shaft with narrow vertically set window, above a door, rising the height of the shaft. 3 and 2 storeys of offices with similar fenestration to the garage, the 1st floor above an entrance bay on the diagonal right return. Parapet of lower level articulated with narrow vertical niches. Ground floor of pavement facade with deep rectangular window recess beneath central 1st floor window and small rectangular recess to the left. Moulded concrete and coloured inset faience decorative detail. At the right angle, a semicircular stair turret, with door and small window, to offices above. To the right, a projecting lift shaft, the central, narrow vertically set window emphasised with vertical strips of coloured faience and moulded concrete balcony at the base, above 3 square-headed entrances. 3 corner windows at each floor level on the left hand angle light the adjoining stair. Attached to the right of the lift, a sweeping spiral ramp (giving access to the upper floors) expressed externally and emphasised by windows (similar to the garage) which follow the rake of the ramp through 3 storeys. Vehicle entrance next to base of lift shaft. Single storey coach station entrance to the right with later doors and fascia above. INTERIOR: not inspected. HISTORICAL NOTE: Daimler-owned cars were stored on the upper floors while the basement was used as a car park, for privately owned cars, with a waiting-room, attendant's office, lavatories and telephones. Each floor had an electrically operated pressure washing plant for the cars. Listing NGR: TQ3012082177

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- BUS STATION (Modern - 1931 AD)
- CAR PARK (Modern - 1931 AD)
- CONCRETE FRAMED BUILDING (Modern - 1931 AD)
- OFFICE (Modern - 1931 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478215 FRAMES COACH STATION AND LONDON BOROUGH OF CAMDEN CAR PARK	CAMDEN TQ3082SW HERBRAND STREET 798-1/95/827 (West side) 09/03/82 Frames Coach Station and LB Camden Car Park II Car park and coach station. 1931. By Wallis, Gilbert and Partners. For Daimler Car Hire Ltd. Reinforced concrete construction. "Modernistic" 4-storey garage with attached offices, lift blocks and ramp. EXTERIOR: garage with large rectangular metal framed windows of small horizontally set lights set between plain concrete continuous horizontal bands at floor levels and divided by channelled concrete pilaster strips, the channelling corresponding with the horizontally set lights. Ground floor entrance bays. Attached to left, a lift shaft with narrow vertically set window, above a door, rising the height of the shaft. 3 and 2 storeys of offices with similar fenestration to the garage, the 1st floor above an entrance bay on the diagonal right return. Parapet of lower level articulated with narrow vertical niches. Ground floor of pavement facade with deep rectangular window recess beneath central 1st floor window and small rectangular recess to the left. Moulded concrete and coloured inset faience decorative detail. At the right angle, a semicircular stair turret, with door and small window, to offices above. To the right, a projecting lift shaft, the central, narrow vertically set window emphasised with vertical strips of coloured faience and moulded concrete balcony at the base, above 3 square-headed entrances. 3 corner windows at each floor level on the left hand angle light the adjoining stair. Attached to the right of the lift, a sweeping spiral ramp (giving access to the upper floors) expressed externally and emphasised by windows (similar to the garage) which follow the rake of the ramp through 3 storeys. Vehicle entrance next to base of lift shaft. Single storey coach station entrance to the right with later doors and

fascia above. INTERIOR: not inspected. HISTORICAL NOTE: Daimler-owned cars were stored on the upper floors while the basement was used as a car park, for privately owned cars, with a waiting-room, attendant's office, lavatories and telephones. Each floor had an electrically operated pressure washing plant for the cars. Listing NGR: TQ3012082177

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80169
Monument Type	Listed Building
Preferred Ref.	MLO80169
Name	FREEMASONS HALL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30470 81244 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW GREAT QUEEN STREET 798-1/105/680 (South East side) 09/03/82 Freemasons' Hall GV II* Central headquarters of English Freemasonry. 1927-33. By HV Ashley and Winton Newman, whose ingenious fitting of the plan to the irregular polygonal site won them the commission as the result of a competition. Steel frame construction faced with Portland stone. Massive building in stripped Classical style. Long facades (with slightly projecting entrance bays) emphasised by string courses and heavy cornice above 1st floor. 2 attics stepped above, culminating across the west angle in the corner tower, which echoes the form of the Temple entrance beneath, flanked by 2 giant fluted columns in antis. This defines the diagonal axis along which the Temple itself lies, as well as its associated processional access route. Metal-framed windows. Decorative lamp brackets. INTERIOR: principal halls, meeting rooms and staircases all marble lined, richly detailed but austere neo-Grecian in pattern. Set on diagonal axis. Grand entrance hall and museum collection on ground floor. The principal rooms on the first floor, with Grand Temple, Grand Officers' rooms, library and reading room. Grand Temple of double height with gallery, dias and organ. Walls lined with Ashburton and Botticino marbles, surmounted by cove decorated with mosaics, coffered and decorated ceiling. Bronze doors in neo-Egyptian style by Walter and Donald Gilbert. Boardroom panelled in hardwood, and with stained glass. Fine bronze and wrought-iron work throughout the building. HISTORICAL NOTE: built as the "Masonic Peace Memorial Building" and a memorial to Freemasons killed in World War I. Listing NGR: TQ3047081244

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 38 Great Queen Street, London, WC2B 5AA

Monument/Component Types

- FREEMASONS HALL (Modern - 1927 AD to 1933 AD)
- OFFICE (Modern - 1927 AD to 1933 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477667 FREEMASONS HALL	CAMDEN TQ3081SW GREAT QUEEN STREET 798-1/105/680 (South East side) 09/03/82 Freemasons' Hall GV II* Central headquarters of English Freemasonry. 1927-33. By HV Ashley and Winton Newman, whose ingenious fitting of the plan to the irregular polygonal site won them the commission as the result of a competition. Steel frame construction faced with Portland stone. Massive building in stripped Classical style. Long facades (with slightly projecting entrance bays) emphasised by string courses and heavy cornice above 1st floor. 2 attics stepped above, culminating across the west angle in the corner tower, which echoes the form of the Temple entrance beneath, flanked by 2 giant fluted columns in antis. This defines the diagonal axis along which the Temple itself lies, as well as its associated processional access route. Metal-framed windows. Decorative lamp brackets. INTERIOR: principal halls, meeting rooms and staircases all marble lined, richly detailed but austere neo-Grecian in pattern. Set on diagonal axis. Grand entrance hall and museum collection on ground floor. The principal rooms on the first floor, with Grand Temple, Grand Officers' rooms, library and reading room. Grand Temple of double height with gallery, dias and organ. Walls lined with Ashburton and Botticino marbles, surmounted by cove decorated with mosaics, coffered and decorated ceiling. Bronze doors in neo-Egyptian style by Walter and Donald Gilbert. Boardroom panelled in hardwood, and with stained glass. Fine bronze and wrought-iron work throughout the building. HISTORICAL NOTE: built as the "Masonic Peace Memorial Building" and a memorial to Freemasons killed in World War I. Listing NGR: TQ3047081244

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80524
Monument Type	Listed Building
Preferred Ref.	MLO80524
Name	FRENCHS DAIRY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30672 82004 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1414 (South side) 14/05/74 No.13 French's Dairy GV II Terraced house incorporating medieval conduit. c1721, altered. Brown brick with red brick dressings. 4 storeys and cellar. 3 windows. Mid C19 wooden shopfront with pilasters supporting a dentil entablature flanked by foliated consoles with lion masks. Dark blue tiles to shopfront; on the riser a panel of white tiles with blue lettering "Dairy". House and shop doorways with rectangular overlights and panelled doors (the shop part-glazed). Stucco strip above the shop and 1st floor sill band. Gauged red brick flat arches to recessed 2-pane sashes. Parapet (rebuilt). INTERIOR: with panelling to some of the rooms and beneath the floor of the rear extension a rectangular conduit chamber. HISTORICAL NOTE: plaque on front of shop inscribed "In the rear is the White Conduit (circa 1300) originally part of the water supply to the Greyfriars Monastery, Newgate Street." Listing NGR: TQ3067282004

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13 Rugby Street, London, WC1N 3QT

Monument/Component Types

- CONDUIT (Medieval - 1280 AD to 1320 AD)
- TERRACED HOUSE (18th Century - 1701 AD to 1741 AD)
- HOUSE (18th Century to Unknown - 1742 AD)
- DAIRY (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477907 FRENCHS DAIRY	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1414 (South side) 14/05/74 No.13 French's Dairy GV II Terraced house incorporating medieval conduit. c1721, altered. Brown brick with red brick dressings. 4 storeys and cellar. 3 windows. Mid C19 wooden shopfront with pilasters supporting a dentil entablature flanked by foliated consoles with lion masks. Dark blue tiles to shopfront; on the riser a panel of white tiles with blue lettering "Dairy". House and shop doorways with rectangular overlights and panelled doors (the shop part-glazed). Stucco strip above the shop and 1st floor sill band. Gauged red brick flat arches to recessed 2-pane sashes. Parapet (rebuilt). INTERIOR: with panelling to some of the rooms and beneath the floor of the rear extension a rectangular conduit chamber. HISTORICAL NOTE: plaque on front of shop inscribed "In the rear is the White Conduit (circa 1300) originally part of the water supply to the Greyfriars Monastery, Newgate Street." Listing NGR: TQ3067282004

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80877
Monument Type	Listed Building
Preferred Ref.	MLO80877
Name	FW COLLINS AND SON
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30009 81062 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/349 (South side) No.14 FW Collins & Son GV II Terraced shop with accommodation over. c1835. Yellow stock brick with red brick dressings. Timber shopfront. Central shop entrance of panelled part-glazed door with overlight flanked by plate-glass windows with battered panelled risers. Slightly recessed house entrance to left with panelled door and overlight. Entablature with fluted bracket to right. Red brick segmental arches to upper floor sashes; 1st floor retaining original unhorned sashes. Parapet. Between 1st floor windows a round-arched enamelled sign inscribed "Established 1835/F.W. Collins/Elastic Glue Manufacturer (Sole Inventor 1857)/Leather, Grindery & General Ironmonger/Warehouse". INTERIOR: shop retains original features. HISTORICAL NOTE: a Mr W Collins, boot blocker is first recorded at the premises in 1842. Listing NGR: TQ3000981062

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Earlham Street, London, WC2H 9LN

Monument/Component Types

- HARDWARE SHOP (19th Century - 1815 AD to 1855 AD)
- TERRACED HOUSE (19th Century - 1815 AD to 1855 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477149 FW COLLINS AND SON	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/349 (South side) No.14 FW Collins & Son GV II Terraced shop with accommodation over. c1835. Yellow stock brick with red brick dressings. Timber shopfront. Central shop entrance of panelled part-glazed door with overlight flanked by plate-glass windows with battered panelled risers. Slightly recessed house entrance to left with panelled door and overlight. Entablature with fluted bracket to right. Red brick segmental arches to upper floor sashes; 1st floor retaining original unhorned sashes. Parapet. Between 1st floor windows a round-arched enamelled sign inscribed "Established 1835/F.W. Collins/Elastic Glue Manufacturer (Sole Inventor 1857)/Leather, Grindery & General Ironmonger/Warehouse". INTERIOR: shop retains original features. HISTORICAL NOTE: a Mr W Collins, boot blocker is first recorded at the premises in 1842. Listing NGR: TQ3000981062

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80404
Monument Type	Listed Building
Preferred Ref.	MLO80404
Name	GARDEN HOUSE IN PRIVATE GARDEN IN MIDDLE OF SQUARE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29813 81642 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/1774 Garden House in private garden in middle of square GV II Garden house. Mid C19. Wooden octagonal Chinoiserie structure. Chamfered columns, openwork spandrels with circles and quatrefoils, projecting eaves. Ball and spike finial to roof. Benches with latticed ends inside a part of the composition. The garden house dates from pre-1866 and was moved to present location at west end of square from centre of gardens in 1874. (Byrne A: Bedford Square: London: -1990: 55-56). Listing NGR: TQ2981381642

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Bedford Square, London, WC1B 3RA

Monument/Component Types

- GARDEN HOUSE (19th Century - 1833 AD to 1866 AD)
- TIMBER FRAMED BUILDING (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century - 1874 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476706 GARDEN HOUSE IN PRIVATE GARDEN IN MIDDLE OF SQUARE	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/1774 Garden House in private garden in middle of square GV II Garden house. Mid C19. Wooden octagonal Chinoiserie structure. Chamfered columns, openwork spandrels with circles and quatrefoils, projecting eaves. Ball and spike finial to roof. Benches with latticed ends inside a part of the composition. The garden house dates from pre-1866 and was moved to present location at west end of square from centre of gardens in 1874. (Byrne A: Bedford Square: London: -1990: 55-56). Listing NGR: TQ2981381642

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80029
Monument Type	Listed Building
Preferred Ref.	MLO80029
Name	GATEHOUSE FRONTING ON TO HIGH HOLBORN AND GRAYS INN GATEHOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31041 81635 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/625 (North side) 24/10/51 Gatehouse fronting on to High Holborn GV II Gatehouse. 1583, rebuilt c1965 (owing to foundations slipping) with a reproduction of the stucco south facade added 1967. Stucco with rusticated ground floor. Slate roof with dormer. 4 storeys and attic. 1 window. Elliptical arch over carriage way with smaller round-headed arch to footway at left. Oriel through 1st to 3rd floor with 3-light sash windows flanked by round-headed niches. Parapet. North side rebuilt in brick. INTERIOR: not inspected. Listing NGR: TQ3104181635

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 90 High Holborn, London, WC1V 6LJ

Monument/Component Types

- GATEHOUSE (16th Century - 1583 AD)
- GATEHOUSE (Modern - 1960 AD to 1970 AD)
- GATEHOUSE (Modern - 1967 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477426 GATEHOUSE FRONTING ON TO HIGH HOLBORN AND GRAYS INN GATEHOUSE	CAMDEN TQ3181NW GRAY'S INN 798-1/102/625 (North side) 24/10/51 Gatehouse fronting on to High Holborn GV II Gatehouse. 1583, rebuilt c1965 (owing to foundations slipping) with a reproduction of the stucco south facade added 1967. Stucco with rusticated ground floor. Slate roof with dormer. 4 storeys and attic. 1 window. Elliptical arch over carriage way with smaller round-headed arch to footway at left. Oriel through 1st to 3rd floor with 3-light sash windows flanked by round-headed niches. Parapet. North side rebuilt in brick. INTERIOR: not inspected. Listing NGR: TQ3104181635

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94939
Monument Type	Listed Building
Preferred Ref.	MLO94939
Name	GATES AND RAILINGS TO HER MAJESTY'S LAND REGISTRY BUILDING
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30891 81333 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	LINCOLN'S INN FIELDS TQ 3081 SE 1900-/60/10080 Gates and railings to H M Land Registry Building II Gates and railings set between brick and stone piers. Gate piers surmounted by stone lions. The other piers are shorter and surmounted by squat obelisks. The central sections of the railings are elaborately scrolled. Gates have scrolled crests above plain bars. Listing NGR: TQ3089181333

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- GATE (Modern to Unknown - 1903 AD)
- GATE PIER (Modern to Unknown - 1903 AD)
- RAILINGS (Modern to Unknown - 1903 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	433787 GATES AND RAILINGS TO HER MAJESTY'S LAND REGISTRY BUILDING	LINCOLN'S INN FIELDS TQ 3081 SE 1900-/60/10080 Gates and railings to H M Land Registry Building II Gates and railings set between brick and stone piers. Gate piers surmounted by stone lions. The other piers are shorter and surmounted by squat obelisks. The central sections of the railings are elaborately scrolled. Gates have scrolled crests above plain bars. Listing NGR: TQ3089181333

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate (Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80058
Monument Type	Listed Building
Preferred Ref.	MLO80058
Name	GATES, BOUNDARY WALLS AND RAILINGS TO REAR GARDEN OF NUMBERS 2-20 GOWER STREET
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29890 81817 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE MALET STREET 798-1/99/1099 (West side) Gates, boundary walls and railings to rear garden of Nos.2-20 Gower Street GV II Gates, boundary walls and railings to rear gardens of Nos 2-20 Gower Street (qv), entered individually behind houses and with a main gate fronting Malet Street. Late 19th century. Made for the Bedford Estate. Brick walls with stone coping; to rear of houses with scroll enriched cast and wrought railings and openwork box gate piers having floral finials, scroll patterned gates. Main entrance gate fronting Malet Street probably later. Flanking stone piers have moulded panels with keystones and ball finials. Openwork cast and wrought-iron box piers with floral finials; scroll patterned gates with flowers. Listing NGR: TQ2989081817

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Dilke House 1 Malet Street, London, WC1E 7JN

Monument/Component Types

- BOUNDARY WALL (19th Century - 1867 AD to 1899 AD)
- GATE (19th Century - 1867 AD to 1899 AD)
- GATE PIER (19th Century - 1867 AD to 1899 AD)
- RAILINGS (19th Century - 1867 AD to 1899 AD)
- GATE (19th Century to Unknown - 1900 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477483 GATES, BOUNDARY WALLS AND RAILINGS TO REAR GARDEN OF NUMBERS 2-20 GOWER STREET	CAMDEN TQ2981NE MALET STREET 798-1/99/1099 (West side) Gates, boundary walls and railings to rear garden of Nos.2-20 Gower Street GV II Gates, boundary walls and railings to rear gardens of Nos 2-20 Gower Street (qv), entered individually behind houses and with a main gate fronting Malet Street. Late C19. Made for the Bedford Estate. Brick walls with stone coping; to rear of houses with scroll enriched cast and wrought railings and openwork box gate piers having floral finials, scroll patterned gates. Main entrance gate fronting Malet Street probably later. Flanking stone piers have moulded panels with keystones and ball finials. Openwork cast and wrought-iron box piers with floral finials; scroll patterned gates with flowers. Listing NGR: TQ2989081817

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80787
Monument Type	Listed Building
Preferred Ref.	MLO80787
Name	GATEWAY AND WALLS TO NORTH AND WEST OF RAYMOND BUILDINGS AND RAYMOND BUILDINGS GATEWAY AND WALLS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30850 81844 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/626 (North side) 14/05/74 Gateway and walls to north and west of Raymond Buildings GV II Includes: Raymond Buildings Gateway and Walls THEOBALD'S ROAD. Gateway & walls with railings. Early C19 gate to Theobald's Road with stucco gate piers and studded wooden gates to carriage entrance. Stucco stone capped wall with footway entrance to east, the north elevation with console bracketed pediment. Similar blind entrance to the west. CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/626 Raymond Buildings Gateway and Walls 14/05/74 GV II See under: Gateway and walls to north and west of Raymond Buildings GRAY'S INN. Listing NGR: TQ3085081844

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- GATE (18th Century to 19th Century - 1800 AD to 1832 AD)
- GATE PIER (18th Century to 19th Century - 1800 AD to 1832 AD)
- WALL (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477463 GATEWAY AND WALLS TO NORTH AND WEST OF RAYMOND BUILDINGS AND RAYMOND BUILDINGS GATEWAY AND WALLS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/626 (North side) 14/05/74 Gateway and walls to north and west of Raymond Buildings GV II Includes: Raymond Buildings Gateway and Walls THEOBALD'S ROAD. Gateway & walls with railings. Early C19 gate to Theobald's Road with stucco gate piers and studded wooden gates to carriage entrance. Stucco stone capped wall with footway entrance to east, the north elevation with console bracketed pediment. Similar blind entrance to the west. CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/626 Raymond Buildings Gateway and Walls 14/05/74 GV II See under: Gateway and walls to north and west of Raymond Buildings GRAY'S INN. Listing NGR: TQ3085081844

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81199
Monument Type	Listed Building
Preferred Ref.	MLO81199
Name	GLEN HOUSE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29552 81849 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE ALFRED MEWS 798-1/99/1641 Glen House GV II See under: Nos.200-208 Glen House TOTTENHAM COURT ROAD. CAMDEN TQ2981NE TOTTENHAM COURT ROAD 798-1/99/1641 (East side) Nos.200-208 (Consecutive) Glen House GV II Includes: Glen House ALFRED MEWS. Light industrial building, now offices. Southern half, Nos 204-8, 1913-14 by Hobden and Porri; northern half, Nos 200-3, built c1923 in fascimile by Ernest Souster. Originally built for the Bosch Magneto Co. Mannerist style. 5 storeys. 13 bays. Pillars with grooved panels and rectangular blocks flank ground floor openings. Upper floors have austere full height pilasters culminating in intricate Mannerist brackets supporting the parapet with geometrically patterned cast-iron railings flanked by stone dies. 1st to 3rd floor windows metal framed half-columns transom and mullion with enriched spandrel panels; 3rd floor under stone arched heads. 4th floor metal framed with stone half columns flanked by the brackets. Clock inscribed "Glen House" on elaborately enriched wall bracket at 1st floor level. Design continues on returns to Alfred Mews and Chenies Street; Alfred Mews facade with triple doorway of grooved pilasters. INTERIOR: not inspected. Listing NGR: TQ2955281849

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- OFFICE (Undated)
- INDUSTRIAL BUILDING (Modern - 1913 AD to 1914 AD)
- METAL FRAMED BUILDING (Modern - 1913 AD to 1914 AD)
- INDUSTRIAL BUILDING (Modern - 1915 AD to 1934 AD)
- METAL FRAMED BUILDING (Modern - 1915 AD to 1934 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478395 GLEN HOUSE	CAMDEN TQ2981NE ALFRED MEWS 798-1/99/1641 Glen House GV II See under: Nos.200-208 Glen House TOTTENHAM COURT ROAD. CAMDEN TQ2981NE TOTTENHAM COURT ROAD 798-1/99/1641 (East side) Nos.200-208 (Consecutive) Glen House GV II Includes: Glen House ALFRED MEWS. Light industrial building, now offices. Southern half, Nos 204-8, 1913-14 by Hobden and Porri; northern half, Nos 200-3, built c1923 in fascimile by Ernest Souster. Originally built for the Bosch Magneto Co. Mannerist style. 5 storeys. 13 bays. Pillars with grooved panels and rectangular blocks flank ground floor openings. Upper floors have austere full height pilasters culminating in intricate Mannerist brackets supporting the parapet with geometrically patterned cast-iron railings flanked by stone dies. 1st to 3rd floor windows metal framed half-columns transom and mullion with enriched spandrel panels; 3rd floor under stone arched heads. 4th floor metal framed with stone half columns flanked by the brackets. Clock inscribed "Glen House" on elaborately enriched wall bracket at 1st floor level. Design continues on returns to Alfred Mews and Chenies Street; Alfred Mews facade with triple doorway of grooved pilasters. INTERIOR: not inspected. Listing NGR: TQ2955281849

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81500
Monument Type	Listed Building
Preferred Ref.	MLO81500
Name	GOTHIC DRINKING FOUNTAIN ON NORTH WEST CORNER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30668 81409 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1065 (North West side) 01/07/98 Gothic drinking fountain on north-west corner GV II Drinking fountain. 1861, restored c1992. Stone. Rectangular gabled 2-stage slab with semicircular basin on a half pedestal flanked by block steps to plinth. 2nd stage with spout has carved Celtic crosses set in rectangular patterning to all sides. Gables with ball-flower cornices and central, cusped gable inscribed "The Fear of the Lord is a Fountain of Life". Restored stone finial being a pierced roundel with 3 swirling mouchettes. HISTORICAL NOTE: the name of the donor is unknown but a letter read out to an 1860 meeting of the District Board of Works states that "A lady residing in the neighbourhood of London is anxious to be permitted to put up a Drinking Fountain at her own expense in this Parish and prefers to place it in Lincoln's Inn Fields". This is an early public drinking fountain erected at the time when the St Giles's parish wells were polluted with sewage and the Board of Works were realising the need to provide pure public water: Lincoln's Inn Fields was being restored and renovated at the time. Listing NGR: TQ3066881409

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- DRINKING FOUNTAIN (19th Century - 1861 AD)
- DRINKING FOUNTAIN (Modern - 1987 AD to 1997 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478716 GOTHIC DRINKING FOUNTAIN ON NORTH WEST CORNER	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1065 (North West side) 01/07/98 Gothic drinking fountain on north-west corner GV II Drinking fountain. 1861, restored c1992. Stone. Rectangular gabled 2-stage slab with semicircular basin on a half pedestal flanked by block steps to plinth. 2nd stage with spout has carved Celtic crosses set in rectangular patterning to all sides. Gables with ball-flower cornices and central, cusped gable inscribed "The Fear of the Lord is a Fountain of Life". Restored stone finial being a pierced roundel with 3 swirling mouchettes. HISTORICAL NOTE: the name of the donor is unknown but a letter read out to an 1860 meeting of the District Board of Works states that "A lady residing in the neighbourhood of London is anxious to be permitted to put up a Drinking Fountain at her own expense in this Parish and prefers to place it in Lincoln's Inn Fields". This is an early public drinking fountain erected at the time when the St Giles's parish wells were polluted with sewage and the Board of Works were realising the need to provide pure public water: Lincoln's Inn Fields was being restored and renovated at the time. Listing NGR: TQ3066881409

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80031
Monument Type	Listed Building
Preferred Ref.	MLO80031
Name	GRAYS INN GARDENS GATES AND RAILINGS ON SOUTH SIDE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30970 81723 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/627 (South side) 24/10/51 Gray's Inn Gardens gates and railings on south side GV II Wrought-iron entrance gates, dated 1723, and stone piers with 16th century griffons holding pegasus shields. 20th century wrought-iron railings on brick sleeper wall replacing railings removed during Second World War. Listing NGR: TQ3097081723

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- GATE (18th Century - 1723 AD)
- GATE PIER (18th Century - 1723 AD)
- RAILINGS (18th Century - 1723 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477428 GRAYS INN GARDENS GATES AND RAILINGS ON SOUTH SIDE	CAMDEN TQ3081NE GRAY'S INN 798-1/101/627 (South side) 24/10/51 Gray's Inn Gardens gates and railings on south side GV II Wrought-iron entrance gates, dated 1723, and stone piers with 16th century griffons holding pegasus shields. C20 wrought-iron railings on brick sleeper wall replacing railings removed during Second World War. Listing NGR: TQ3097081723

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80777
Monument Type	Listed Building
Preferred Ref.	MLO80777
Name	GRAYS INN GARDENS RAILINGS AND WALL ON NORTH SIDE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30900 81924 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/628 (North side) 24/10/51 Gray's Inn Gardens railings and wall on north side GV II Railings and wall. Wall early C19, railings late 20th century. Stone capped brick sleeper wall with cast-iron railings in C18 style. Listing NGR: TQ3090081924

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- WALL (18th Century to 19th Century - 1800 AD to 1832 AD)
- RAILINGS (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477453 GRAYS INN GARDENS RAILINGS AND WALL ON NORTH SIDE	CAMDEN TQ3081NE GRAY'S INN 798-1/101/628 (North side) 24/10/51 Gray's Inn Gardens railings and wall on north side GV II Railings and wall. Wall early C19, railings late C20. Stone capped brick sleeper wall with cast-iron railings in C18 style. Listing NGR: TQ3090081924

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80778
Monument Type	Listed Building
Preferred Ref.	MLO80778
Name	GRAYS INN GARDENS RAILINGS ON WEST SIDE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30910 81724 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/629 (West side) 14/05/74 Gray's Inn Gardens railings on west side GV II Railings. Early C19. Cast-iron with urn finials. Listing NGR: TQ3091081724

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477454 GRAYS INN GARDENS RAILINGS ON WEST SIDE	CAMDEN TQ3081NE GRAY'S INN 798-1/101/629 (West side) 14/05/74 Gray's Inn Gardens railings on west side GV II Railings. Early C19. Cast-iron with urn finials. Listing NGR: TQ3091081724

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80779
Monument Type	Listed Building
Preferred Ref.	MLO80779
Name	GRAYS INN PLACE NUMBERS 1 AND 2 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30913 81705 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/630 (North side) 14/05/74 Gray's Inn Place Nos.1 and 2 and attached railings GV II Chambers. Early C18. Stucco with rusticated ground floor. Slate mansard roof with dormers. 2 storeys, attic and basement. 8-window range. South elevation has wood doorcase with Ionic columns, flush panel reveals, open pediment and round-headed doorway with patterned radial fanlight. Cartouche with crest of Gray's Inn at 1st floor level. Recessed sash windows. Cornice and blocking course. North elevation similar (without entrance) but with 2 cast-iron trellis balconies with tented canopies to both pairs of end windows at 1st floor level. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3091381705

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (17th Century to 18th Century - 1700 AD to 1732 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477455 GRAYS INN PLACE NUMBERS 1 AND 2 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/630 (North side) 14/05/74 Gray's Inn Place Nos.1 and 2 and attached railings GV II Chambers. Early C18. Stucco with rusticated ground floor. Slate mansard roof with dormers. 2 storeys, attic and basement. 8-window range. South elevation has wood doorcase with Ionic columns, flush panel reveals, open pediment and round-headed doorway with patterned radial fanlight. Cartouche with crest of Gray's Inn at 1st floor level. Recessed sash windows. Cornice and blocking course. North elevation similar (without entrance) but with 2 cast-iron trellis balconies with tented canopies to both pairs of end windows at 1st floor level. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3091381705

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO102679
Monument Type	Listed Building
Preferred Ref.	MLO102679
Name	Gray's Inn Road, [Eastman Dental Hospital], WC1X 8LD, {Early 20th Century Dental Clinic}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 30720 82452 (MBR: 53m by 60m) (Estimated from sources)
Summary	Dental clinic. Built 1928-30 to the design of Sir John Burnet and Partners. Late 20th Century alterations including window replacement.
Description	This building is listed under the Planning (Listed Buildings and Conservation Areas) Act 1990 as amended for its special architectural or historic interest. MATERIALS: Steel-frame construction clad in brown brick with Portland stone dressings. PLAN: 2 storeys high, with central block of 7 bays flanked by lower 3-bay cross wings; these have additional mezzanine floor over raised basement. Central cruciform entrance hall with small rooms set within angles of cross. Large waiting room to left leads through to N wing; central corridor to right has large rooms to either side and leads through to S wing and staircases. Room plan of each wing differs and has been altered. Upper floor of central block is large open-plan treatment room, originally for children. N wing much altered internally and interlinked with adjoining hospital buildings. EXTERIOR: Symmetrical façade in restrained, Beaux-Arts influenced Classical style. Central 7-bay block has arcaded ground floor with keystones, of which central 3 bays form engaged portico with taller central arch carried on Tuscan columns. Arches to 2 flanking bays are linked by plain impost bands and have recessed windows and tympana with herringbone brickwork and stone lozenge motif. Groin-vaulted porch. Entrance has moulded stone architrave and dentilled cornice. Tympanum has carved stone cartouche with figure of mother and child, flanked by cornucopiae, enclosed within glazed fanlight. Panelled double doors with brass letterboxes with owl motif; rectangular fanlight. Arched window bays flanking entrance, and to inner porch sides have same decorative treatment as ground-floor windows. Steps to entrance. Ashlar area walls to central recessed block continue flush with stone-faced basement of the flanking wings. Entrance flanked by pedestals with sculptures of seated boys. Ironwork has gone. Wings have three windows, plus window to inner return; those to ground floor and mezzanine are set within continuous vertical recesses with stone aprons to upper windows. String course between floors. Upper-floor windows have plain reveals. Original steel Crittall windows have been replaced. Rear elevation plainly finished. INTERIOR: Glazed timber inner doors lead through to a vaulted entrance hall with original fittings and decorative finishes. Art deco suspended wooden light fittings with decorative etched glass lights depicting owl. Walls lined with buff polished marble with gold fluted friezes; black marble bands to door surrounds, entrance fanlight and above skirtings. Above the doors (on the E side) and windows (on the W side) of the four corner rooms of the entrance hall are inset bas-relief panels of children playing. Floor of inlaid coloured marble with large central geometric pattern in form of an eight-pointed star within a circle, complementing the central circular compartment of the ceiling above. Waiting room to N has oak dado panelling with patterned frieze, black ebonised skirtings and door surrounds. Octagonal timber-clad columns to each corner supporting angles of coved ceiling. Gold fluted frieze to walls and column heads. Open-well stairs to side wings have solid, staggered balustrades with bronze handrails. Large first-floor treatment room refurbished in 1990 and has a suspended ceiling. A number of original glazed timber doors survive. Interior not fully inspected, but many areas have been modernised. N wing interior damaged by bomb in 1944 and has no visible features of special interest other than the stair. HISTORY: Built 1928-31 as the Eastman Dental Clinic, then part of the former Royal Free Hospital which stands to the north. The principal benefactor was the philanthropist George Eastman (1854-1932), founder of the Eastman Kodak Co, who had built the Rochester Dental Dispensary, New York, in 1917. This was under the directorship of Dr Harvey J Burkhart (1864-1946), one of the founding fathers of modern dental public health who promoted preventive dentistry based on the tenets of from childhood, oral hygiene and dietary care. The clinic, whose planning resembled the Rochester Dispensary, provided free dental care for the people of Holborn, St Pancras, Finsbury and Islington, and three wards for oral, ear nose and throat, cleft lip and palate surgery. In 1947-8 the Eastman became primarily a postgraduate teaching and research establishment.(1)

Sources

Number	Reference
SLO81837	Website: English Heritage. 2011. The National Heritage List for England, http://list.english-heritage.org.uk/ , 1392355 [The National Heritage List for England is an online database which brings together information on all nationally designated heritage assets in one place.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Eastman Dental Hospital, Gray's Inn Road, WC1X 8LD

Monument/Component Types

- METAL FRAMED BUILDING ((between) Modern - 1928 AD to 2050 AD)
- DENTAL HOSPITAL ((between) Modern - 1931 AD to 2050 AD)
- DENTAL SCHOOL? ((between) Modern - 1947 AD to 2050 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	495934 Eastman Dental Hospital (Former Eastman Dental Clinic)	798-1/0/10344 GRAYS INN ROAD 20-AUG-07 256 Eastman Dental Hospital (Former Eastman Dental Clinic) II Dental clinic. Built 1928-30 to the design of Sir John Burnet and Partners. Late C20 alterations including window replacement. MATERIALS: Steel-frame construction clad in brown brick with Portland stone dressings. PLAN: 2 storeys

high, with central block of 7 bays flanked by lower 3-bay cross wings; these have additional mezzanine floor over raised basement. Central cruciform entrance hall with small rooms set within angles of cross. Large waiting room to left leads through to N wing; central corridor to right has large rooms to either side and leads through to S wing and staircases. Room plan of each wing differs and has been altered. Upper floor of central block is large open-plan treatment room, originally for children. N wing much altered internally and interlinked with adjoining hospital buildings. EXTERIOR: Symmetrical façade in restrained, Beaux-Arts influenced Classical style. Central 7-bay block has arcaded ground floor with keystones, of which central 3 bays form engaged portico with taller central arch carried on Tuscan columns. Arches to 2 flanking bays are linked by plain impost bands and have recessed windows and tympana with herringbone brickwork and stone lozenge motif. Groin-vaulted porch. Entrance has moulded stone architrave and dentilled cornice. Tympanum has carved stone cartouche with figure of mother and child, flanked by cornucopiae, enclosed within glazed fanlight. Panelled double doors with brass letterboxes with owl motif; rectangular fanlight. Arched window bays flanking entrance, and to inner porch sides have same decorative treatment as ground-floor windows. Steps to entrance. Ashlar area walls to central recessed block continue flush with stone-faced basement of the flanking wings. Entrance flanked by pedestals with sculptures of seated boys. Ironwork has gone. Wings have three windows, plus window to inner return; those to ground floor and mezzanine are set within continuous vertical recesses with stone aprons to upper windows. String course between floors. Upper-floor windows have plain reveals. Original steel Crittall windows have been replaced. Rear elevation plainly finished. INTERIOR: Glazed timber inner doors lead through to a vaulted entrance hall with original fittings and decorative finishes. Art deco suspended wooden light fittings with decorative etched glass lights depicting owl. Walls lined with buff polished marble with gold fluted friezes; black marble bands to door surrounds, entrance fanlight and above skirtings. Above the doors (on the E side) and windows (on the W side) of the four corner rooms of the entrance hall are inset bas-relief panels of children playing. Floor of inlaid coloured marble with large central geometric pattern in form of an eight-pointed star within a circle, complementing the central circular compartment of the ceiling above. Waiting room to N has oak dado panelling with patterned frieze, black ebonised skirtings and door surrounds. Octagonal timber-clad columns to each corner supporting angles of coved ceiling. Gold fluted frieze to walls and column heads. Open-well stairs to side wings have solid, staggered balustrades with bronze handrails. Large first-floor treatment room refurbished in 1990 and has a suspended ceiling. A number of original glazed timber doors survive. Interior not fully inspected, but many areas have been modernised. N wing interior damaged by bomb in 1944 and has no visible features of special interest other than the stair. HISTORY: Built 1928-31 as the Eastman Dental Clinic, then part of the former Royal Free Hospital which stands to the north. The principal benefactor was the philanthropist George Eastman (1854-1932), founder of the Eastman Kodak Co, who had built the Rochester Dental Dispensary, New York, in 1917. This was under the directorship of Dr Harvey J Burkhart (1864-1946), one of the founding fathers of modern dental public health who promoted preventive dentistry based on the tenets of from childhood, oral hygiene and dietary care. The clinic, whose planning resembled the Rochester Dispensary, provided free dental care for the people of Holborn, St Pancras, Finsbury and Islington, and three wards for oral, ear nose and throat, cleft lip and palate surgery. In 1947-8 the Eastman became primarily a postgraduate teaching and research establishment. SUMMARY OF IMPORTANCE: Of special interest as a purpose-built specialist clinic which played a major role in the development of modern public dental healthcare in the UK on principles pioneered in the USA. It is a late work of the distinguished architect Sir John Burnet, in partnership with Thomas Tait, an elegant composition in the French American Beaux-Arts tradition with good surviving interior decoration in the Moderne style. The former Royal Free Hospital to the north does not form part of the listing. SOURCES: The Builder, 12 December 1930, pp 994, 998, 1000-1003 AS Gray, Edwardian Architecture, 1985, pp 128-132 Royal Commission on the Historical Monuments of England, Report 1992, NBR No 101084. Selected Sources Book Reference - Author: A Stuart Gray - Title: Edwardian Architecture A Biographical Dictionary - Date: 1985 - Page References: 128-132 Article Reference - Title: 12 December - Date: 1930 - Journal Title: The Builder - Page References: 1000-1003 National Grid Reference: TQ 30722 82454

Other Statuses and References

Type/Grade	Reference/Title
Planning Application No (Granted)	TP2814/5089
Planning Application No	9130006

Planning Application No 9100205
(Granted)
Planning Application No 8980017
(Refused)
Planning Application No 8970113
(Granted)
Planning Application No 8900265
(Granted)
Planning Application No 4577
(Granted)
Planning Application No 3516
(Granted)
Planning Application No 2009/1197/L
(Granted)
Planning Application No 9200329
(Granted)
Planning Application No 9260034
(Granted)
Planning Application No PS9705308
(Granted)
Planning Application No PS9904865
(Granted)
Planning Application No PSX0104768
(Granted)
Planning Application No PSX0205186
(Granted)
Historic Environment Record MLO102679

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80780
Monument Type	Listed Building
Preferred Ref.	MLO80780
Name	GRAYS INN SQUARE NUMBER 1 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31005 81737 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181NW GRAY'S INN 798-1/102/632 (West side) 24/10/51 Gray's Inn Square No.1 and attached railings GV II* Terraced chambers. c1676, restored c1948. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellar. Double-fronted with 8 windows. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIOR: panelled with wood cornice and turned balusters with square newels to dog-leg stairs. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to rear. Listing NGR: TQ3100581737

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (17th Century - 1656 AD to 1696 AD)
- RAILINGS (17th Century - 1656 AD to 1696 AD)
- LEGAL CHAMBERS (Modern - 1943 AD to 1953 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477456 GRAYS INN SQUARE NUMBER 1 AND ATTACHED RAILINGS	CAMDEN TQ3181NW GRAY'S INN 798-1/102/632 (West side) 24/10/51 Gray's Inn Square No.1 and attached railings GV II* Terraced chambers. c1676, restored c1948. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellar. Double-fronted with 8 windows. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIOR: panelled with wood cornice and turned balusters with square newels to dog-leg stairs. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to rear. Listing NGR: TQ3100581737

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80782
Monument Type	Listed Building
Preferred Ref.	MLO80782
Name	GRAYS INN SQUARE NUMBERS 12, 13 AND 14, GATEHOUSE AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31064 81774 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181NW GRAY'S INN 798-1/102/631 (East side) 24/10/51 Gray's Inn Square Nos.12, 13 and 14, Gatehouse and attached railings GV II* 3 terraced chambers & gatehouse fronting Gray's Inn Road. c1684-88, later restorations. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellars. 7 windows each, gatehouse 2 windows and No.14 plus 2 half windows. Stone doorcases with consoles and broken segmental pediments with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIORS: retain some panelled rooms. All with dog-leg stair of turned balusters and square newels. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Gatehouse between Nos 13 & 14: brown brick with rusticated stone ground floor. Rusticated stone quoins and stone bands. Flat arch carriage entrance with griffon carved on keystone. Windows with stone architraves and flush frames with glazing bars. Enriched modillion cornice with pediment. Gray's Inn Road elevation similar but windows have red gauged flat arches and dressings. In carriageway, windows and doorway of former C18 bookshop with frame for shutters and panelled surround. Listing NGR: TQ3106481774

Sources

Number	Reference
--------	-----------

Location

Administrative Area

- [Borough] CAMDEN

Address

Monument/Component Types

- GATEHOUSE (17th Century - 1684 AD to 1688 AD)
- LEGAL CHAMBERS (17th Century - 1684 AD to 1688 AD)
- RAILINGS (17th Century - 1684 AD to 1688 AD)
- TERRACE (17th Century - 1684 AD to 1688 AD)
- GATEHOUSE (17th Century to Unknown - 1689 AD)
- LEGAL CHAMBERS (17th Century to Unknown - 1689 AD)
- TERRACE (17th Century to Unknown - 1689 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477458 GRAYS INN SQUARE NUMBERS 12, 13 AND 14, GATEHOUSE AND ATTACHED RAILINGS	CAMDEN TQ3181NW GRAY'S INN 798-1/102/631 (East side) 24/10/51 Gray's Inn Square Nos.12, 13 and 14, Gatehouse and attached railings GV II* 3 terraced chambers & gatehouse fronting Gray's Inn Road. c1684-88, later restorations. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellars. 7 windows each, gatehouse 2 windows and No.14 plus 2 half windows. Stone doorcases with consoles and broken segmental pediments with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIORS: retain some panelled rooms. All with dog-leg stair of turned balusters and square newels. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Gatehouse between Nos 13 & 14: brown brick with rusticated stone ground floor. Rusticated stone quoins and stone bands. Flat arch carriage entrance with griffon carved on keystone. Windows with stone architraves and flush frames with glazing bars. Enriched modillion cornice with pediment. Gray's Inn Road elevation similar but windows have red gauged flat arches and dressings. In carriageway, windows and doorway of former C18 bookshop with frame for shutters and panelled surround. Listing NGR: TQ3106481774

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80781
Monument Type	Listed Building
Preferred Ref.	MLO80781
Name	GRAYS INN SQUARE NUMBERS 6, 7 AND 8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31005 81825 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/633 (North side) 24/10/51 Gray's Inn Square Nos.6, 7 and 8 and attached railings GV II* 3 terraced chambers forming the north end of Gray's Inn Square. c1676, restored (owing to war damage) c1950. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellars. 5 windows each. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIORS: retain some panelled rooms. Nos 6 & 8, stairs with turned balusters and column newels; No.7, dog-leg stairs, No.8, carved wood fireplace. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3100581825

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (17th Century - 1656 AD to 1696 AD)
- RAILINGS (17th Century - 1656 AD to 1696 AD)
- TERRACE (17th Century - 1656 AD to 1696 AD)
- LEGAL CHAMBERS (Modern - 1930 AD to 1970 AD)
- TERRACE (Modern - 1930 AD to 1970 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477457 GRAYS INN SQUARE NUMBERS 6, 7 AND 8 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/633 (North side) 24/10/51 Gray's Inn Square Nos.6, 7 and 8 and attached railings GV II* 3 terraced chambers forming the north end of Gray's Inn Square. c1676, restored (owing to war damage) c1950. Brown brick with red brick dressings. Brick bands between floors. Tiled roof. 4 storeys and cellars. 5 windows each. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches and dressings to flush frame windows with boxing and glazing bars. Wood block bracketed eaves cornice. INTERIORS: retain some panelled rooms. Nos 6 & 8, stairs with turned balusters and column newels; No.7, dog-leg stairs, No.8, carved wood fireplace. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3100581825

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80162
Monument Type	Listed Building
Preferred Ref.	MLO80162
Name	GREAT ORMOND STREET HOSPITAL CHAPEL IN CENTRAL BLOCK
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30460 82042 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GREAT ORMOND STREET 798-1/95/673 (North side) 10/03/80 Great Ormond Street Hospital Chapel in central block II* Hospital chapel. 1871-76. By EM Barry. Small rectangular chapel with apsidal east end, moved northwards to present site in 1992. INTERIOR in elaborate Franco-Italianate style. Main entrance in west end with black ebonised doors having decorative brass hinges and handles. Body of chapel divided by 4 columns of polished red Devonshire marble with richly carved and gilded capitals (flora, fauna and mythical beasts) on alabaster bases with green marble pedestals. Central dome painted with musician angels around the rim and pelican in piety in the centre. Apse windows set in pointed arch recesses with stained glass by Clayton and Bell depicting the childhood of Christ. Richly decorated apse ceiling with angels of Faith, Truth, Patience, Purity, Obedience, Charity, Honour and Hope ornamented on a gold ground; central roundel of the Lamb and flag. Chancel arch with strapwork intrados and dog tooth enrichment. Walls faced with alabaster and marble. Murals on north, south and west wall depicting "Suffer little children to come unto me", "feed my lambs + feed my sheep", St Peter and St Paul. Alabaster and marble altar rails with each panel containing a brass rose; elaborately modelled central gates of solid brass with crystal knobs. Cosmati work to floor. Fine contemporary fittings including black ebonised pews, pendant lamps, lectern and organ in recessed wall cavity. Listing NGR: TQ3046082042

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- CHAPEL (19th Century - 1871 AD to 1876 AD)
- HOSPITAL (19th Century - 1871 AD to 1876 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477660 GREAT ORMOND STREET HOSPITAL CHAPEL IN CENTRAL BLOCK	CAMDEN TQ3082SW GREAT ORMOND STREET 798-1/95/673 (North side) 10/03/80 Great Ormond Street Hospital Chapel in central block II* Hospital chapel. 1871-76. By EM Barry. Small rectangular chapel with apsidal east end, moved northwards to present site in 1992. INTERIOR in elaborate Franco-Italianate style. Main entrance in west end with black ebonised doors having decorative brass hinges and handles. Body of chapel divided by 4 columns of polished red Devonshire marble with richly carved and gilded capitals (flora, fauna and mythical beasts) on alabaster bases with green marble pedestals. Central dome painted with musician angels around the rim and pelican in piety in the centre. Apse windows set in pointed arch recesses with stained glass by Clayton and Bell depicting the childhood of Christ. Richly decorated apse ceiling with angels of Faith, Truth, Patience, Purity, Obedience, Charity, Honour and Hope ornamented on a gold ground; central roundel of the Lamb and flag. Chancel arch with strapwork intrados and dog tooth enrichment. Walls faced with alabaster and marble. Murals on north, south and west wall depicting "Suffer little children to come unto me", "feed my lambs + feed my sheep", St Peter and St Paul. Alabaster and marble altar rails with each panel containing a brass rose; elaborately modelled central gates of solid brass with crystal knobs. Fine contemporary fittings including black ebonised pews, pendant lamps, lectern and organ in recessed wall cavity. Listing NGR: TQ3046082042

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO101003
Monument Type	Listed Building
Preferred Ref.	MLO101003
Name	Great Queen Street (Nos 61-63), [Grand Connaught Rooms] St Giles, Camden (Former Freemason's Tavern)
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 30527 81292 (MBR: 75m by 78m)
Summary	At 61-63 Great Queen Street, Camden is the Grand Connaught Rooms which were a former Freemasons' Tavern, including part of façade of the Freemasons' Hall (demolished 1927). It is an 1863-64 structure by Frederick Pepys Cockerell, retaining parts of the structure from the preceding Freemasons' Tavern of 1774. There is a figure sculpture by William Grinsell Nicholl. The building was enlarged and remodelled 1905-10 as the Connaught Rooms, a suite of dining, meeting and entertainment rooms, under Alexander Brown and Ernest Barrow, detailed design by Crickmay & Sons. It was extended 1933-36 to the design of HV Ashley and Winton Newman. Extension to east (formerly Nos. 64 and 65), was built 1956-57, and is not of special interest.
Description	At 61-63 Great Queen Street, Camden is the Grand Connaught Rooms which were a former Freemasons' Tavern, including part of façade of the Freemasons' Hall (demolished 1927). It is an 1863-64 structure by Frederick Pepys Cockerell, retaining parts of the structure from the preceding Freemasons' Tavern of 1774. There is a figure sculpture by William Grinsell Nicholl. The building was enlarged and remodelled 1905-10 as the Connaught Rooms, a suite of dining, meeting and entertainment rooms, under Alexander Brown and Ernest Barrow, detailed design by Crickmay & Sons. It was extended 1933-36 to the design of HV Ashley and Winton Newman. Extension to east (formerly Nos. 64 and 65), was built 1956-57, and is not of special interest. EXTERIOR: The 1863-64 façade of the former Freemasons' Tavern (Nos. 62-63): brick with Portland stone dressings (now painted). Two main storeys plus basement and attic storey; five bays. Recessed end bays with an entrance to the west and a window in the east, each with a swan-neck pediment and balustraded balconet above. The three central ground-floor windows were altered in 1905-10 to form the main entrance to the Connaught Rooms. Central first floor windows have stone architraves, central window pedimented. Second-floor bays are pilastered; each has an oval oeil-de-boeuf above the window. Parapet has piers to each bay and a cast-iron balustrade. Entrance canopy added 1933, much altered. To the west is the surviving three bay section of Cockerell's Portland stone Freemason's Hall façade (No 61) plus small section of the central pedimented bay. Two storeys above basement, plus main attic storey and mansard attic above. Ground and first floors are framed by rusticated pilasters with Composite capitals. First floor has French windows with cast iron balconets, the bays separated by composite columns in antis. Above the windows is a frieze carved with three faces, one between each column, representing the sun, moon and stars. Above the dentilled cornice, the attic storey has three windows behind a balustrade, framed by niches containing female statues representing Wisdom and Fidelity. A deep bracketed cornice supports a scrolled parapet; to the right, a section of the pediment survives. Cast iron area railings with ball finials. Rear elevation comprises (East - West) post-war extension to Great Hall annexe (not of special interest); rear of Great Hall in red brick with Portland stone dressings with blocked Serlian window, and rear of 1933 extension faced in red brick with stone dressings. INTERIOR: The layout is complex, but room alignment essentially conforms to the former plots of Nos. 61-61, and is described accordingly: 1. Numbers 62-63 (behind 1863-64 Tavern façade): comprises a large entrance hall and stair from ground to first floor, the Drawing Room at first, the Crown and Coronet Rooms at second, and Grand Hall at the rear accessed at first floor level via a lobby. Entrance hall and stair in opulent Edwardian Baroque manner with elaborate plaster enrichment. Black-and white chequered marble floor and paired columns on the left (E) side. Imperial stair with a heavy marble balustrade and vase balusters. First floor landing has elaborate coved ceiling, swagged decoration above fielded panels on west wall and windows (now doors) on east wall. At the north end a doorway with an enriched architrave leads through to the Drawing Room, dating from 1863-64, embellished 1905-10 when it was combined with an ante-room on the south side. Enriched coffered ceiling with central square compartment carried on four columns. To south of landing, an arch flanked by paired columns leads to a lobby through to the Grand Hall. No interior views of Cockerell's original hall are known to exist, but embellishments were clearly made in 1905-10 when it was extended. The hall is of ten pilastered bays, originally six, with an elaborate cornice and barrel-vaulted ceiling with roundels inset with cast iron decorative ventilation grilles. Large Serlian window to south end, now blocked. Balcony to north end, added in 1905-10, with bronze balustrade; above is a small upper gallery beneath a segmental swagged pediment supported on caryatids. East wall was removed when the annex was created; this area is decorated in a similar manner, while the west wall had doors inserted in each bay. The Crown Room (second floor) is mainly by Cockerell, and has an elaborate deep coved ceiling with lattice plasterwork and a lantern dome, carried on paired Corinthian columns and pilasters; a door with an elaborate architrave leads through to the Coronet Room to the rear, which also has an enriched coved ceiling. 2. Number. 61: incorporating the remodelled 1788 Tavern behind the retained portion of Cockerell's Freemasons' Hall façade. Elements of 18th century plan and structure survive, comprising a front room, a square-plan, open-well stair (the West Stair) behind with a small room to the east, and larger room to the rear alongside lightwell. At ground floor a segmental barrel-vaulted lobby of 1905-10 leads from the entrance hall to the Lounge Bar, which has a dentilled cornice, again Edwardian. To the rear is the Champagne Bar created in 1963 in a neo-Edwardian style, timber panelled with alcoves. West Stair has moulded inner string. Doorways leading off the stair at first and second-floor levels have panelled linings, bolection-moulded architraves and splayed plinth blocks, probably dating from 1788. A lift shaft has been inserted into the well, and the balustrade removed. Rooms at upper levels refurbished 1933-36 and later. The Amphitheatre Room (third floor), remodelled 1905-10, has barrel-vaulted ceiling with enriched plaster ribs. 3. 1933-36 five-storey block to the rear of Number 61: at ground floor is a cloakroom with some original fittings. Above is a series of large and small rooms with interconnecting corridors and lobbies, accessed at first floor via a lobby aligned with the Grand Hall lobby. The large open-well stair in cast stone has a geometrical-pattern bronze balustrade; the landings interconnect on the west side with the Freemasons' Hall. Many rooms and lobby areas retain original fittings and decorative features incorporating Masonic symbols, including coffered ceilings, plasterwork with stylised classical and Art Deco motifs, steel-frame windows with stained glass, secondary stairs, doors and architraves, and a few mirrors. Doors to several rooms have raised rhomboid and diamond panels, and handles or knobs decorated with six-pointed stars; there is a large uplighter on the landing with brass candelabra. The Balmoral and Devon Rooms are panelled, the latter with decorative inlay. The Ulster Room is decorated in an Egyptian Art Deco manner. Post-war additions, including extension to Grand Hall annexe, are not of special interest. Not all rooms were inspected. HISTORY: The evolution of the Grand Connaught Rooms is complex, dating from

1774 when the street's association with freemasonry began. Regularly organised freemasonry in England is considered to have begun on 24 June 1717 when four lodges met at the Goose and Gridiron alehouse in St Paul's Churchyard, Covent Garden, to found the Grand Lodge of England (GLE), the world's first grand Masonic lodge. This was an itinerant body meeting at inns, taverns and livery halls, but by 1768 there were almost 400 Masonic lodges nationally, all of whose masters were eligible to attend GLE meetings, and funds were raised to build a new hall. In 1774 the GLE acquired Number 61 Great Queen Street, a five-bay house of 1637, to the rear of which had been added a second dwelling. The GLE occupied the rear building while the front house was leased to Luke Reilly, who opened it as the Freemasons' Tavern. The Tavern was an important asset to the GLE both as a source of income and for the servicing of Masonic meetings. In 1775-76 the GLE built a hall on the land at the rear of Number 61, to the design of Thomas Sandby, Grand Architect to the GLE. Believed to be the first purpose-built Masonic hall in England, it was entered at first-floor level, and had an elaborate deep coved ceiling embellished with Masonic symbols, lit by clerestory windows. The hall was rented out for non-Masonic events such as concerts and fundraising dinners. The Anti-Slavery Society was founded there in 1807, and in 1839 Daniel O'Connell addressed a meeting in support of Catholic Emancipation. In 1787 the GLE acquired Reilly's lease and rebuilt the Tavern in 1788-89, to the design of William Tyler. This four-storey building housed the Freemasons' Tavern on the ground floor and Masonic rooms above. In 1790, the GLE purchased the lease of Number 62, the adjacent house to the east, as an annex. The GLE merged with its rival, the Ancient Grand Lodge (founded 1751), as the United Grand Lodge of England (UGLE) in 1813, the year in which (Sir) John Soane became a freemason and Grand Superintendent of Works to the UGLE. Soane was duly engaged to design a second hall, exclusively for Masonic use, which was built on the rear gardens of the adjacent houses to the east, Nos. 62-63, whose freeholds were acquired in 1815 by John Cuff, then leaseholder of the Tavern (Cuff sold the freeholds to the UGLE in 1838). Soane's hall, named the Temple, was one of his most complex and refined late interiors, lit by clerestory windows with a central pendant dome. It was enlarged by Philip Hardwick in 1838, but was apparently never held in great regard. The Tavern was a popular meeting place: in 1807 the Geological Society was founded there, and in 1863 the Football Association of England. In 1867 a banquet was held there in honour of Charles Dickens prior to his departure on a reading tour of the USA. Between 1848-58 the UGLE acquired Numbers 59-60 to the west and Numbers 64-65 to the east. The latter were leased separately as a hotel and from 1899- 1939 to the Grand Lodge of the Mark Master Masons. In 1864-5 a new Tavern and Freemasons' Hall were built on the site of Numbers 59-63, retaining Sandby's hall, to the design of FP Cockerell (1833-78), son of the architect CR Cockerell. The Tavern and UGLE premises were henceforth separated functionally, while interlinked, and visually by the design of their façades. The Freemasons Hall to the west, corresponding with the plots of Numbers 59- 61, had an imposing classical façade of three storeys and nine bays, with statues in niches symbolising the four Masonic virtues: Wisdom, Fidelity, Charity and Unity, by William Grinsell Nicholl (1796-1871). The Tavern façade to the east, corresponding with the plots of Numbers 62-63, was designed in a more reticent classical manner. Behind these two discrete façades however the demarcation lines were less clear since Number 61 (behind the eastern portion of the Freemasons' Hall façade), remained part of the Tavern, hence the survival of this part of the building. This arrangement arose from Cockerell's desire to give the hall a longer street elevation than the Tavern. Moreover, a substantial part of the 18th century fabric of number 61 was retained behind the new façade, and still survives in altered form. By the mid 19th century, the catering sector was becoming increasingly commercialised: dining halls, restaurants and refreshment rooms, often connected to hotels and railway stations, proliferated, while continental chefs introduced more elaborate cuisine. The Tavern improvements were clearly aimed at exploiting this niche in the market, and in 1864 a new company was formed to run the Tavern, which in the 1870s employed the former royal chef Francatelli as manager. The Tavern had a morning room and dining rooms; at first floor a domed and columned vestibule and grand stair, leading through to the Great Hall, which was placed to the east of Sandby's hall (the latter, on the demise of Soane's building, was renamed the Temple). The Freemasons' Hall comprised a series of offices, a grand stair, and lodge and ante rooms, plus Sandby's Temple at the rear of the Tavern. In 1880 the UGLE acquired Numbers 57-58, which were rebuilt in 1899 as a library and museum, replicating Cockerell's Tavern façade. The next major phase was from 1905-10, following the expiry of the Tavern's lease and acquisition of property in Wild Court and Middle Court to the rear. Architects Alexander Brown (Grand Superintendent of Works to the UGLE) and Ernest Barrow were appointed to extend and remodel the Tavern, to be named thereafter the 'Connaught Rooms' in honour of the Grand Master, the Duke of Connaught. The detailed design however appears to have been by Crickmay & Sons. A large entrance hall was created and the grand stair rebuilt. The Great Hall was lengthened and given an annex on the east side (behind numbers 64-65); it now seated 800 and was hailed as the largest of its kind in London. The building offered a suite of newly refurbished rooms for hire for social and corporate events, and a grill room, buffet, American bar and smoking room at basement level. In 1915, Nos. 55-56, the last surviving 17th century house in Great Queen Street, was demolished to make way for an extension to the Freemasons' Hall, but this plan was superseded by a scheme for a new building to commemorate the freemasons killed in World War I. Cockerell's Freemasons' Hall was demolished (with the exception of the east portion of the façade) and the new Masonic Hall was completed in 1933 to the design of Ashley & Newman. The Connaught Rooms were further aggrandised in 1933-36 when Sandby's Temple was deemed unstable and demolished to make way for a five-storey extension, designed by Ashley & Newman. The last phase of expansion was in 1956-57 when Nos. 64-65 were rebuilt to the design of Ashley & Newman.

Sources

Number

SLO69452

Reference

Listing Record: Department for Culture, Media and Sport. 2010. Great Queen Street, Nos 61-63 Grand Connaught Rooms: Addition to The List of Buildings of Special Architectural or Historic Interest, 507823 [507283- Great Queen Street, Nos 61-63 Grand Connaught Rooms - New Listing]

Location

Administrative Area

- [Borough] CAMDEN

Address

- Grand Connaught Rooms, 61-63 Great Queen Street St Giles Camden, London

Monument/Component Types

- (Former Type) FREEMASONS HALL (18th Century to Modern - 1774 AD to 1905 AD)
- MANSARD ROOF (18th Century to 19th Century - 1774 AD to 1863 AD)

- ARCHITRAVE (18th Century to 19th Century - 1788 AD to 1864 AD)
- BALCONY (19th Century to Modern - 1863 AD to 1910 AD)
- BALUSTRADE (19th Century - 1863 AD to 1864 AD)
- BULLSEYE WINDOW (19th Century - 1863 AD to 1864 AD)
- CAPITAL (19th Century - 1863 AD to 1864 AD)
- COLUMN (19th Century - 1863 AD to 1864 AD)
- CORNICE (19th Century - 1863 AD to 1864 AD)
- DRAWING ROOM (19th Century to Modern - 1863 AD to 1910 AD)
- FINIAL (19th Century - 1863 AD to 1864 AD)
- FRIEZE (19th Century - 1863 AD to 1864 AD)
- LOBBY (19th Century to Modern - 1863 AD to 1910 AD)
- NICHE (19th Century - 1863 AD to 1864 AD)
- PARAPET (19th Century - 1863 AD to 1864 AD)
- PEDIMENT (19th Century - 1863 AD to 1864 AD)
- PIER (19th Century - 1863 AD to 1864 AD)
- PILASTER (19th Century - 1863 AD to 1864 AD)
- RAILINGS (19th Century - 1863 AD to 1864 AD)
- CARYATID (Modern - 1905 AD to 1910 AD)
- CEILING (Modern - 1905 AD to 1910 AD)
- CORINTHIAN COLUMN (Modern - 1905 AD to 1910 AD)
- GRILLE (Modern - 1905 AD to 1910 AD)
- VAULT (Modern - 1905 AD to 1910 AD)
- FUNCTION ROOM (Modern - 1910 AD to 2010 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	507823 Great Queen Street, Nos 61-63, Grand Connaught Rooms	<p>Former Freemasons' Tavern, including part of fagade of the Freemasons' Hall (demolished 1927). 1863-64 by Frederick Pepys Cockerell, retaining structure from the preceding Freemasons' Tavern of 1774. Figure sculpture by William Grinsell Nicholl" Enlarged and remodelled 190S-1 as the Connaught Rooms, a suite of dining, meeting and entertainment rooms, under Alexander Brown and Ernest Barrow, detailed design by Crickmay & Sons. Extended 1933-36 to the design of HV Ashley and Winton Newman. Extension to E (formerly Nos. 64 and 65), built 1956-57, is not of special interest. EXTERIOR: The 1863-64 fagade of the former Freemasons' Tavern (Nos. 62-63): brick with Portland stone dressings (now painted). Two main storeys plus basement and attic storey; five bays. Recessed end bays with an entrance to the W and a window in the E, each with a swan-neckpediment and balustraded balconet above. The three central ground-floor windows were altered in 1 905-10 to form the main entrance to the Connaught Rooms. Central firstfloor windows have stone architraves, central window pedimented. Second-floor bays are pilastered; each has an oval oeil-de-boeuf above the window. Parapet has piers to each bay and a cast-iron balustrade. Entrance canopy added 1933, much altered. To the W is the surviving three-bay Freemasons' Hall façade (No. 61) pedimented bay. Two storeys above mansard attic above. Ground and section of Cockerell's Portland stone plus small section of the central basement, plus main attic storey and first floors are framed by rusticated pilasters with Composite capitals. First floor has French windows with castiron balconets, the bays separated by composite columns in antis. Above the windows is a frieze carved with three faces, one between each column, representing the sun, moon and stars. Above the dentilled cornice, the attic storey has three windows behind a balustrade, framed by niches containing female statues representing Wisdom and Fidelity. A deep bracketed cornice supports a scrolled parapet; to the right, a section of the pediment survives. Castiron area railings with ball finials. Rear elevation comprises (E-W) postwar extension to Great Hall annexe (not of special interest); rear of Great Hall in red brick with Portland stone dressings with blocked Serlian window, and rear of 1933 extension faced in red brick with stone dressings. INTERIOR: The layout is complex, but room alignment essentially conforms to the former plots of Nos. 61-61 , and is described accordingly: 1 . Nos. 62-63 (behind 1863-64 Tavern façade): comprises a large entrance hall and stair from ground to first floor, the Drawing Room at first, the Crown and Coronet Rooms at second, and Grand Hall at the rear accessed at firstfloor level via a lobby. Entrance hall and stair in opulent Edwardian Baroque manner with elaborate plaster enrichment. Black-andwhite chequered marble floor and paired columns on the left (E) side. Lmperial stair with a heavy marble balustrade and vase balusters. Firstfloor landing has elaborate coved ceiling, swagged decoration above fielded panels on W wall and windows (now doors) on E wall. At the N end a doorway with an enriched architrave leads through to the Drawing Room, dating from 1863-64, embellished 1905-10 when it was combined with an ante-room on the S side. Enriched coffered ceiling with central square compartment carried on four columns. To S of landing, an arch flanked by paired columns leads to a lobby through to the Grand Hall" No interior views of Cockerell's original hall are known to exist, but</p>

embellishments were clearly made in 1905-10 when it was extended. The hall is of ten pilastered bays, originally six, with an elaborate cornice and barrel-vaulted ceiling with roundels inset with cast-iron decorative ventilation grilles. Large Serlian window to S end, now blocked. Balcony to N end, added in 1905-10, with bronze balustrade; above is a small upper gallery beneath a segmental swagged pediment supported on caryatids. E wall was removed when the annex was created; this area is decorated in a similar manner, while the W wall had doors inserted in each bay. The Crown Room (second floor) is mainly by Cockerell, and has an elaborate deep coved ceiling with lattice plasterwork and a lantern dome, carried on paired Corinthian columns and pilasters; a door with an elaborate architrave leads through to the Coronet Room to the rear, which also has an enriched coved ceiling. 2. No. 61: incorporating the remodelled 17BB Tavern behind the retained portion of Cockerell's Freemasons' Hall facade. Elements of C18 plan and structure survive, comprising a front room, a square-plan, open-well stair (the West Stair) behind with a small room to the E, and larger room to the rear alongside lightwell. At ground floor a segmental barrel-vaulted lobby of 1905-10 leads from the entrance hall to the Lounge Bar, which has a dentilled cornice, again Edwardian. To the rear is the Champagne Bar created in 1963 in a neo-Edwardian style, timber panelled with alcoves. West Stair has moulded inner string. Doorways leading off the stair at first and second-floor levels have panelled linings, bolection-moulded architraves and splayed plinth blocks, probably dating from 1788. A lift shaft has been inserted into the well, and the balustrade removed. Rooms at upper levels refurbished 1933-36 and later. The Amphitheatre Room (third floor), remodelled 1905-10, has barrel-vaulted ceiling with enriched plaster ribs. 3. 1933-36 five-storey block to the rear of No. 61: at ground floor is a cloakroom with some original fittings. Above is a series of large and small rooms with interconnecting corridors and lobbies, accessed at first floor via a lobby aligned with the Grand Hall lobby. The large open-well stair in cast stone has a geometrical-pattern bronze balustrade; the landings interconnect on the west side with the Freemasons' Hall. Many rooms and lobby areas retain original fittings and decorative features incorporating Masonic symbols, including coffered ceilings, plasterwork with stylised classical and Art Deco motifs, steel-frame windows with stained glass, secondary stairs, doors and architraves, and a few mirrors. Doors to several rooms have raised rhomboid and diamond panels, and handles or knobs decorated with six-pointed stars; there is a large uplighter on the landing with brass candelabra. The Balmoral and Devon Rooms are panelled, the latter with decorative inlay. The Ulster Room is decorated in an Egyptian Art Deco manner. Post-war additions, including extension to Grand Hall annexe, are not of special interest. Not all rooms were inspected. HISTORY: The evolution of the Grand Connaught Rooms is complex, dating from 1774 when the street's association with freemasonry began. Regularly organised freemasonry in England is considered to have begun on 24 June 1717 when four lodges met at the Goose and Gridiron alehouse in St Paul's Churchyard, Covent Garden, to found the Grand Lodge of England (GLE), the world's first grand masonic lodge. This was an itinerant body meeting at inns, taverns and livery halls, but by 1768 there were almost 400 masonic lodges nationally, all of whose masters were eligible to attend GLE meetings, and funds were raised to build a new hall. In 1774, the GLE acquired No. 61 Great Queen Street, a five-bay house of 1637, to the rear of which had been added a second dwelling. The GLE occupied the rear building while the front house was leased to Luke Reilly, who opened it as the Freemasons' Tavern. The Tavern was an important asset to the GLE both as a source of income and for the servicing of masonic meetings. In 1775-76 the GLE built a hall on the land at the rear of No. 61, to the design of Thomas Sandby, Grand Architect to the GLE. Believed to be the first purpose-built masonic hall in England, it was entered at first-floor level, and had an elaborate deep coved ceiling embellished with Masonic symbols, lit by clerestory windows. The hall was rented out for non-masonic events such as concerts and fundraising dinners. The Anti-Slavery Society was founded there in 1807, and in 1839 Daniel O'Connell addressed a meeting in support of Catholic Emancipation. In 1787 the GLE acquired Reilly's lease and rebuilt the Tavern in 17BB-89, to the design of William Tyler. This four-storey building housed the Freemasons' Tavern on the ground floor and masonic rooms above. In 1790, the GLE purchased the lease of No. 62, the adjacent house to the east, as an annex. The GLE merged with its rival, the Antient Grand Lodge (founded 1751), as the United Grand Lodge of England (UGLE) in 1813, the year in which (Sir) John Soane became a freemason and Grand Superintendent of Works to the UGLE. Soane was duly engaged to design a second hall, exclusively for masonic use, which was built on the rear gardens of the adjacent houses to the east, Nos. 62-63, whose freeholds were acquired in 1815 by John Cuff, then leaseholder of the Tavern (Cuff sold the freeholds to the UGLE in 1838). Soane's hall, named the Temple, was one of his most complex and refined late

interiors, lit by clerestorey windows with a central pendant dome. It was enlarged by Philip Hardwick in 1838, but was apparently never held in great regard. The Tavern was a popular meeting place: in 1807 the Geological Society was founded there, and in 1863 the Football Association of England. In 1867 a banquet was held there in honour of Charles Dickens prior to his departure on a reading tour of the USA. Between 1848-58 the UGLE acquired Nos. 59-60 to the west and Nos. 64-65 to the east. The latter were leased separately as a hotel and from 1899-1939 to the Grand Lodge of the Mark Master Masons. In 1864-5 a new Tavern and Freemasons' Hall were built on the site of Nos. 59-63, retaining Sandby's hall, to the design of FP Cockerell (1833-78), son of the architect CR Cockerell. The Tavern and UGLE premises were henceforth separated functionally, while interlinked, and visually by the design of their façades. The Freemasons' Hall to the west, corresponding with the plots of Nos. 59-61, had an imposing classical façade of three storeys and nine bays, with statues in niches symbolising the four Masonic virtues: Wisdom, Fidelity, Charity and Unity, by William Grinsell Nicholl (1796-1871). The Tavern façade to the east, corresponding with the plots of Nos. 62-63, was designed in a more reticent classical manner. Behind these two discrete façades however the demarcation lines were less clear since No. 61 (behind the eastern portion of the Freemasons' Hall façade), remained part of the Tavern, hence the survival of this part of the building. This arrangement arose from Cockerell's desire to give the hall a longer street elevation than the Tavern. Moreover, a substantial part of the C18 fabric of No. 61 was retained behind the new façade, and still survives in altered form. By the mid C19, the catering sector was becoming increasingly commercialised: dining halls, restaurants and refreshment rooms, often connected to hotels and railway stations, proliferated, while continental chefs introduced more elaborate cuisine. The Tavern improvements were clearly aimed at exploiting this niche in the market, and in 1864 a new company was formed to run the Tavern, which in the 1870s employed the former royal chef Francatelli as manager. The Tavern had a morning room and dining rooms; at first floor a domed and columned vestibule and grand stair, leading through to the Great Hall, which was placed to the east of Sandby's hall (the latter, on the demise of Soane's building, was renamed the Temple). The Freemasons' Hall comprised a series of offices, a grand stair, and lodge and ante rooms, plus Sandby's Temple at the rear of the Tavern. In 1880 the UGLE acquired Nos. 57-58, which were rebuilt in 1899 as a library and museum, replicating Cockerell's Tavern façade. The next major phase was from 1905-10, following the expiry of the Tavern's lease and acquisition of property in Wild Court and Middle Court to the rear. Architects Alexander Brown (Grand Superintendent of Works to the UGLE) and Ernest Barrow were appointed to extend and remodel the Tavern, to be named thereafter the 'Connaught Rooms' in honour of the Grand Master, the Duke of Connaught. The detailed design however appears to have been by Crickmay & Sons. A large entrance hall was created and the grand stair rebuilt. The Great Hall was lengthened and given an annex on the east side (behind Nos. 64-65); it now seated 800 and was hailed as the largest of its kind in London. The building offered a suite of newly refurbished rooms for hire for social and corporate events, and a grill room, buffet, American bar and smoking room at basement level. In 1915, Nos. 55-56, the last surviving C17 house in Great Queen Street, was demolished to make way for an extension to the Freemasons' Hall, but this plan was superseded by a scheme for a new building to commemorate the freemasons killed in World War I. Cockerell's Freemasons' Hall was demolished (with the exception of the E portion of the façade) and the new Masonic Hall was completed in 1933 to the design of Ashley & Newman. The Connaught Rooms were further aggrandised in 1933-36 when Sandby's Temple was deemed unstable and demolished to make way for a five-storey extension, designed by Ashley & Newman. The last phase of expansion was in 1956-57 when Nos. 64-65 were rebuilt to the design of Ashley & Newman. SOURCES: The Builder, 1 B August 1866, 61 1-61 3 Survey of London, Vol 5: St Giles in the Fields, pt II (1914), The Architecture and History of the Grand Connaught Rooms, English Heritage unpublished report (2010)

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO101003

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80170
Monument Type	Listed Building
Preferred Ref.	MLO80170
Name	Great Russell Street, No 5, Camden, {site of mid 19th century terraced house}
Map Sheet	TQ28SE
Grid References	Centre Point: Centroid TQ 29832 81456 (MBR: 8m by 9m)
Summary	This terraced house was built in 1764 for the Bedford Estate and refronted around 1850. It was scheduled for demolition in 2007, though probably retains its facia.
Description	Record created from imported Listed Buildings On-line dataset 11-Jan-2006. This terraced house is now isolated but was formerly with Nos 8-12. It was built 1764 for the Bedford Estate and refronted around 1850. It is of brick with a mid 19th century stucco front and is four storeys high with two windows on each floor. There is a 20th century shop at ground floor level. The four-pane sashes are set in moulded architraves with cornices to the first floor. The hosue has rusticated pilaster strips to the sides, and a string course at third storey level. See linked Designation record and (1) for full details. An historic building recording was conducted in 2007 by the Museum of London Archaeology Service prior to the demolition of the existing buildings. The building became part of the hotel complex at 264-7 Tottenham Court Road in 1929 when redevelopment of the hotel anenxed the ground floor and basement to provide a street delivery entrance. For more information see (2).

Sources

Number	Reference
SLO78468	Unpublished document: Museum of London Archaeology Service. 2007. 264-7 Tottenham Court Road & 5 Great Russell Street, London, W1: A Standing Building Survey Report, [An historic building recording was conducted in 2007 by the Museum of London Archaeology Service. The building is substantial and made of yellow London stock bricks with terra cotta and Portland stone dressings, and comprises a basement, ground floor an
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Great Russell Street Camden, London, WC1B 3NH

Monument/Component Types

- TERRACED HOUSE (18th Century to Modern - 1764 AD to 2007 AD?)
- SHOP (Modern - 1901 AD? to 2007 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477668	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/681 (South side) 19/12/88 No.5 GV II Terraced house, now isolated but formerly with Nos 8-12 (qv). Built 1764 for the Bedford Estate and refronted c1850. Brick with mid C19 stucco front; roof not visible. 4 storeys 2 windows. C20 shop at ground floor level. 4-pane sashes set in moulded architraves with cornices to first floor. Rusticated pilaster strips to sides, string course at 3rd storey level; moulded cornice. INTERIOR: not inspected. Listing NGR: TQ2983181439

Other Statuses and References

Type/Grade	Reference/Title
LAG number (GLAAS Ref)	06/115
OASIS record number & status	molas1-molas1-21568
Site Code	TNC06
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO80170

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
ELO7217	Tottenham Court Road (Nos 264-7) & Great Russel Street (No 5), Camden, W1, Building Recording	An historic building recording was conducted in 2007 by the Museum ... of London Archaeology Service prior to the demolition of the ex

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80574
Monument Type	Listed Building
Preferred Ref.	MLO80574
Name	Guilford St [Coram's Fields Playground Memorial Pavillion] {1936 Pavillion}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30522 82285 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GUILFORD STREET 798-1/96/729 (North side) Coram's Field Playground Memorial Pavilion Memorial pavilion forming a playground shelter. 1936. By LH Bucknell, built in memory of Harold Vyvyan and Vere Harmsworth. Brick and render with copper roofs. Swedish influenced Classical style. Central rotunda with columns to open front supporting a relief frieze depicting contemporary children at play; conical roof, with projecting bracketed eaves, crowned by a globular clock and iron weathervane. Lower brick range across the back of the rotunda extends to form wings each with a single window. Rear wall with horizontally set window. Part of the rotunda drum rises through the roof to the rear. Listing NGR: TQ3052282285

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Coram's Playground Memorial Pavillion, 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- CHILDRENS PLAYGROUND (Modern - 1936 AD)
- COMMEMORATIVE MONUMENT (Modern - 1936 AD)
- PAVILION (Modern - 1936 AD)
- SHELTER (Modern - 1936 AD)
- WEATHER VANE (Modern - 1936 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477975 CORAMS FIELD PLAYGROUND MEMORIAL PAVILION	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/729 (North side) Coram's Field Playground Memorial Pavilion GV II Memorial pavilion forming a playground shelter. 1936. By LH Bucknell, built in memory of Harold Vyvyan and Vere Harmsworth. Brick and render with copper roofs. Swedish influenced Classical style. Central rotunda with columns to open front supporting a relief frieze depicting contemporary children at play; conical roof, with projecting bracketed eaves, crowned by a globular clock and iron weathervane. Lower brick range across the back of the rotunda extends to form wings each with a single window. Rear wall with horizontally set window. Part of the rotunda drum rises through the roof to the rear. Listing NGR: TQ3052282285

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80577
Monument Type	Listed Building
Preferred Ref.	MLO80577
Name	Guilford Street [Coram's Fields] {Gates and railings on the East side of the fourcourt}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30611 82263 (point)
Summary	Gates and railings of the former foundling hospital dating to the early 20th century.
Description	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/730 (North side) 14/05/74 East side gates & railings to Coram's Field Playground (Formerly Listed as: GUILFORD STREET Gates & railings on East side of forecourt to former Foundling Hospital) Pedestrian gates and railings. 20th century. Cast-iron. Railings with urn finials. Listing NGR: TQ3061182263

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Gates and railings on the East side of the fourcourt, 7 Guilford Street Coram's Fields, London, WC1N 1DR

Monument/Component Types

- GATE (19th Century to Modern - 1900 AD to 1999 AD)
- RAILINGS (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477978 GATES AND RAILINGS ON EAST SIDE OF FORECOURT TO FORMER FOUNDLING HOSPITAL	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/730 (North side) 14/05/74 East side gates & railings to Coram's Field Playground (Formerly Listed as: GUILFORD STREET Gates & railings on E side of forecourt to former Foundling Hospital) GV II Pedestrian gates and railings. C20. Cast-iron. Railings with urn finials. Listing NGR: TQ3061182263

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80572
Monument Type	Listed Building
Preferred Ref.	MLO80572
Name	Guilford Street, [Coram's Field] {Corman's Fields playground former foundling hospital and railings}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30471 82226 (point)
Summary	Coram's Field Playground, former Foundling Hospital and gates and railings. Includes the surviving 18th century forecourt buildings to the former Foundling Hospital, the modern children's playground and its gate and railings.
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/728 (North side) 10/06/54 Coram's Field Playground, former Foundling Hospital and gates and railings. (Formerly Listed as: GUILFORD STREET Forecourt buildings, gates & railings to the former Foundling Hospital) The surviving forecourt buildings to the former Foundling Hospital, now Coram's Fields Playground. These were designed from 1742-53 by Theodore Jacobsen for Captain Thomas Coram; with various later additions and alterations. Reconstructed 1964-8 by G Bryant Hobbs. The only buildings in their original form are the northern sections of the east and west ranges, restored by English Heritage London Division in 1988. Stucco and painted brick with slated roofs. EXTERIOR: central entrance gateway: distyle central stone gate pier with engaged Doric columns, entablature, blocking course and round-arched alcoves to north and south elevations. Flanked by 20th century cast-iron railings and gates attached to Porters' lodges: small, rectangular, single storey; each with pitched roof and eaves cornice over projecting single north facing window bays with architraved, round-arched sash windows and impost bands. Pedimented porches, facing east and west, on gable ends, with round-arched doorways and narrow windows, above which stucco swags and putti. South side loggias: single storey with Doric half-columns, central round-arched doorways flanked by round-arched windows. Slated pitched roof with projecting eaves cornice. These flank projecting central 2 storey brick pavilions with pitched slated roofs. 5 window bays. Ground floor with 6 Doric half-columns supporting an entablature at 1st floor level. Round-arched doorways and windows. 1st floor with 3 oculi. Eaves cornice. The Band Room in the south-east corner. Single storey, 5 windows. Round-arched windows with lunettes above. Cornice and blocking course with slated hipped roof. Rebuilt on similar lines to a former mid 19th century building. Mary Ward Youth Club in the south-west corner. 2 storeys, 5 windows. Round-arched French doors at ground floor level. Recessed sashes to 1st floor. Cornice and blocking course with slated hipped roof. Built to balance the Band Room. East and west loggias: 2 ranges of single storey loggias with Doric columns carrying simplified entablature with bracketed eaves cornices. Slated, pitched roofs. The northern halves of each loggia are open, the southern halves closed in with round-arched French windows. Terminated at the north ends by projecting stucco pavilions with round-arched recesses and openings linked by impost bands and surmounted by a lantern. Projecting central pavilions with 3 round-arched windows and Doric half-columns supporting entablatures with pediments. Blind oculi in the tympanums formerly with modelled figures and coats of arms. HISTORICAL NOTE: the Foundling Hospital was built 1742-53 for Captain Thomas Coram and demolished 1926. The memorials and heraldic glass from the former chapel and the statue of Coram from the main entrance were transferred to the new hospital built at Berkhamstead. The former court room, committee room, picture gallery and works of art were retained in the new building at No.40 Brunswick Square (qv). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 11-41). Listing NGR: TQ3047182226

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- ORPHANAGE (18th Century to Modern - 1754 AD to 1926 AD)
- CHILDRENS PLAYGROUND (Modern - 1926 AD to 2050 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477973 CORAMS FIELD PLAYGROUND, FORMER FOUNDLING HOSPITAL AND GATES AND RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/728 (North side) 10/06/54 Coram's Field Playground, former Foundling Hospital & gates & railings (Formerly Listed as: GUILFORD STREET Forecourt buildings, gates & railings to the former Foundling Hospital) GV II The surviving forecourt buildings to the former Foundling Hospital, now Coram's Fields Playground. c1742-53 by Theodore Jacobsen for Captain Thomas Coram; with various later additions and alterations. Reconstructed 1964-8 by G Bryant Hobbs. The only buildings in their original form are the northern sections of the east and west ranges, restored by English Heritage London Division c1988. Stucco and painted brick with slated roofs. EXTERIOR: central entrance gateway: distyle central stone gate pier with engaged Doric columns, entablature, blocking course and round-arched alcoves to north and south elevations. Flanked by C20 cast-iron railings and gates attached to Porters' lodges: small, rectangular, single storey; each with pitched roof and eaves cornice over projecting single north facing window bays with architraved, round-arched sash windows and impost bands.

Pedimented porches, facing east and west, on gable ends, with round-arched doorways and narrow windows, above which stucco swags and putti. South side loggias: single storey with Doric half-columns, central round-arched doorways flanked by round-arched windows. Slated pitched roof with projecting eaves cornice. These flank projecting central 2 storey brick pavilions with pitched slated roofs. 5 window bays. Ground floor with 6 Doric half-columns supporting an entablature at 1st floor level. Round-arched doorways and windows. 1st floor with 3 oculi. Eaves cornice. The Band Room in the south-east corner. Single storey, 5 windows. Round-arched windows with lunettes above. Cornice and blocking course with slated hipped roof. Rebuilt on similar lines to a former mid C19 building. Mary Ward Youth Club in the south-west corner. 2 storeys, 5 windows. Round-arched French doors at ground floor level. Recessed sashes to 1st floor. Cornice and blocking course with slated hipped roof. Built to balance the Band Room. East and west loggias: 2 ranges of single storey loggias with Doric columns carrying simplified entablature with bracketed eaves cornices. Slated, pitched roofs. The northern halves of each loggia are open, the southern halves closed in with round-arched French windows. Terminated at the north ends by projecting stucco pavilions with round-arched recesses and openings linked by impost bands and surmounted by a lantern. Projecting central pavilions with 3 round-arched windows and Doric half-columns supporting entablatures with pediments. Blind oculi in the tympanums formerly with modelled figures and coats of arms. HISTORICAL NOTE: the Foundling Hospital was built 1742-53 for Captain Thomas Coram and demolished 1926. The memorials and heraldic glass from the former chapel and the statue of Coram from the main entrance were transferred to the new hospital built at Berkhamstead. The former court room, committee room, picture gallery and works of art were retained in the new building at No.40 Brunswick Square (qv). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 11-41). Listing NGR: TQ3047182226

Other Statutes and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80657
Monument Type	Listed Building
Preferred Ref.	MLO80657
Name	HAHNEMANN HOUSE (NUMBER 2) AND NUMBER 3 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30433 82015 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW POWIS PLACE 798-1/95/1331 (West side) 14/05/74 Nos.2 AND 3 and attached railings. Hahnemann House (No.2) (Formerly Listed as: POWIS PLACE Nos.2, 3 AND 4 Hahnemann House (No.2)) GV II Pair of houses. Late C18. Yellow stock brick, No.2 reddened, No.3 with evidence of tuck pointing. Plain stucco 1st floor sill band. 4 storeys and basements; No.3 with 20th century attic dormers. 3 windows each. Round-arched doorways with stucco block dressings and keystones, patterned cornice-heads and radial fanlights; good fielded panel doors with egg-and-dart decoration. Gauged brick (some reddened) flat arches to recessed sashes; No.3 with C30 ground floor window with stone architrave and elongated 1st floor windows with cast-iron balconies. Parapets, Nos 2 & 3 rebuilt. INTERIORS: not inspected but noted to retain original fireplaces, staircases and plaster cornices. Nos 2 & 3 with lead rainwater heads. SUBSIDIARY FEATURES: attached early 20th century wrought-iron railings to areas. Listing NGR: TQ3043382015

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Powis Place, London, WC1N 3HT

- 2 Powis Place, London, WC1N 3HT

Monument/Component Types

- HOUSE (18th Century - 1767 AD to 1799 AD)
- RAILINGS (19th Century to Modern - 1900 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477788 HAHNEMANN HOUSE (NUMBER 2) AND NUMBER 3 AND ATTACHED RAILINGS	CAMDEN TQ3082SW POWIS PLACE 798-1/95/1331 (West side) 14/05/74 Nos.2 AND 3 and attached railings. Hahnemann House (No.2) (Formerly Listed as: POWIS PLACE Nos.2, 3 AND 4 Hahnemann House (No.2)) GV II Pair of houses. Late C18. Yellow stock brick, No.2 reddened, No.3 with evidence of tuck pointing. Plain stucco 1st floor sill band. 4 storeys and basements; No.3 with C20 attic dormers. 3 windows each. Round-arched doorways with stucco block dressings and keystones, patterned cornice-heads and radial fanlights; good fielded panel doors with egg-and-dart decoration. Gauged brick (some reddened) flat arches to recessed sashes; No.3 with C30 ground floor window with stone architrave and elongated 1st floor windows with cast-iron balconies. Parapets, Nos 2 & 3 rebuilt. INTERIORS: not inspected but noted to retain original fireplaces, staircases and plaster cornices. Nos 2 & 3 with lead rainwater heads. SUBSIDIARY FEATURES: attached early C20 wrought-iron railings to areas. Listing NGR: TQ3043382015

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79988
Monument Type	Listed Building
Preferred Ref.	MLO79988
Name	Handel Street, [St George's Gardens] {18th century obelisk}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30449 82437 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1872 14/05/74 GV II Anonymous 18th century obelisk in St George's Gardens. (Formerly Listed as: HANDEL STREET Walls, lodge, cottage and monuments in St George's Gardens) Anonymous obelisk. Portland stone. Tall obelisk on tapering sarcophagus on base. Sarcophagus with gadrooned middle course supporting weathered armorial cartouches. Its patron is unidentified. Located on south side of gardens, in the former burial ground of St George the Martyr. One of the largest and most imposing outdoor monuments in any London churchyard. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: 1952-: PLATE 66). Listing NGR: TQ3044982437

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18th century obelisk, St George's Gardens Handel Street, London

Monument/Component Types

- OBELISK (17th Century to 18th Century - 1700 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478061 ANONYMOUS C18 OBELISK IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1872 Anonymous C18 Obelisk in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage and monuments in St George's Gardens) GV II Anonymous obelisk. C18. Portland stone. Tall obelisk on tapering sarcophagus on base. Sarcophagus with gadrooned middle course supporting weathered armorial cartouches. Its patron is unidentified. Located on south side of gardens, in former burial ground of St George the Martyr. One of the largest and most imposing outdoor monuments in any London churchyard. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: 1952-: PLATE 66). Listing NGR: TQ3044982437

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79989
Monument Type	Listed Building
Preferred Ref.	MLO79989
Name	Handel Street, [St George's Gardens] {Mortuary Chapel}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30358 82413 (point)
Summary	Mortuary Chapel in St George's Gardens dating to 1820.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1869 14/05/74 GVII Mortuary Chapel in St George's Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) Mortuary chapel dated 1820. Yellow brick with stucco dressings. Single storey, panelled door below front pediment, side window set within battered surround beside fine slate tablet, signed W Wootton Kegworth, erected to Taylor family 1763. INTERIOR not inspected. The building was used as a mortuary later in the nineteenth century. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 77-79). Listing NGR: TQ3035882413

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Mortuary Chapel, St George's Gardens Handel Street, London

Monument/Component Types

- MORTUARY CHAPEL (18th Century to 19th Century - 1800 AD to 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478062 MORTUARY CHAPEL IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1869 Mortuary Chapel in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) GV II Mortuary chapel. c1820. Yellow brick with stucco dressings. Single storey, panelled door below front pediment, side window set within battered surround beside fine slate tablet, signed W Wootton Kegworth, erected to Taylor family 1763. INTERIOR not inspected. The building was used as a mortuary later in the nineteenth century. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 77-79). Listing NGR: TQ3035882413

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79990
Monument Type	Listed Building
Preferred Ref.	MLO79990
Name	Handel Street, [St George's Gardens] {Perimeter wall, gates and railings}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30434 82438 (point)
Summary	Perimeter wall, gates and railings to St George's Gardens Herietta Mews and St George's Gardens Heathcote Street. Also included is the graveyard wall dating to 1713, with some local repairs of later date.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1868 14/05/74 GV II Perimeter wall, gates and railings to St George's Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) Includes: Perimeter wall, gates and railings to St George's Gardens Herietta Mews and St George's Gardens Heathcote Street. Also included is the graveyard wall dating to 1713, with some local repairs of later date. The wall consists of red brick with stone coping to piers. Wrought-iron gates, dated to 1884, to Heathcote Street, cast-iron railings to Wakefield Street, with wrought-iron railings at eastern end. Later brick infills between original piers along Henrietta Mews. Dividing wall between burial grounds of St George's, Bloomsbury, and St George the Martyr, Holborn, survives in western part of gardens. The south-west corner is now separated and used as a playground. The wall is lined with tomb stones formerly located within the burial ground. HISTORICAL NOTE: this 3 acre burial ground was acquired in 1713 to serve the new churches of St George, Bloomsbury Way, and St George the Martyr, Queen Square. The two cemeteries were divided by a brick wall which originally ran along the whole length of the burial grounds. Famous persons buried here included Anne, daughter of Richard, Protector Cromwell (d.1727), the painter Jonathan Richardson (d.1745), and the anti-slavery campaigner Zachary Macaulay (d.1838). The burial grounds were closed in 1854. After a period of neglect, they were reopened as public gardens in 1885 and 1889. The present garden layout was designed by William Holmes in 1881 (plan in Holborn Library). The gardens are listed grade II* on the English Heritage Register of Historic Parks and Gardens. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 77-79). CAMDEN TQ3082NW HEATHCOTE STREET 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. CAMDEN TQ3082NW HENRIETTA MEWS 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. CAMDEN TQ3082NW WAKEFIELD STREET 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. Listing NGR: TQ3043482438

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- CHURCHYARD (17th Century to 18th Century - 1687 AD to 1733 AD)
- WALL (17th Century to 18th Century - 1687 AD to 1733 AD)
- CHURCHYARD (18th Century to Unknown - 1734 AD)
- WALL (18th Century to Unknown - 1734 AD)
- GATE (19th Century to Modern - 1864 AD to 1904 AD)
- RAILINGS (19th Century to Modern - 1864 AD to 1904 AD)
- WALLED GARDEN (19th Century - 1885 AD to 1889 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478063 PERIMETER WALL, GATES AND RAILINGS TO ST GEORGES GARDENS AND PERIMETER WALLS, GATES AND RAILINGS TO ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) GV II Includes: Perimeter wall, gates and railings to St George's Gardens HENRIETTA MEWS. Includes: Perimeter wall, gates and railings to St George's Gardens HEATHCOTE STREET. Includes: Perimeter wall, gates and railings to St George's Gardens WAKEFIELD STREET. Graveyard wall. c1713, with some local repairs of later date. Red brick with stone coping to piers. Wrought-iron gates, c1884, to Heathcote Street, cast-iron railings to Wakefield Street, with wrought-iron railings at eastern end, c1884. Later brick infills between original piers along Henrietta Mews. Dividing wall between burial grounds of St George's, Bloomsbury, and St George the Martyr, Holborn, survives in western part of gardens. The south-west corner is now separated and used as a playground. The wall is lined with tomb stones formerly located within the burial ground. HISTORICAL NOTE: this 3 acre burial ground was acquired in 1713 to serve the new churches of St George, Bloomsbury Way (qv), and St George the Martyr, Queen Square (qv). The two cemeteries were divided by a brick wall which originally ran along the whole length of the burial grounds. Famous persons buried here included Anne, daughter of Richard,

Protector Cromwell (d.1727), the painter Jonathan Richardson (d.1745), and the anti-slavery campaigner Zachary Macaulay (d.1838). The burial grounds were closed c1854. After a period of neglect they were reopened as public gardens in 1885 and 1889. The present garden layout was designed by William Holmes in 1881 (plan in Holborn Library). The gardens are listed grade II* on the English Heritage Register of Historic Parks and Gardens. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 77-79). CAMDEN TQ3082NW HEATHCOTE STREET 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. CAMDEN TQ3082NW HENRIETTA MEWS 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. CAMDEN TQ3082NW WAKEFIELD STREET 798-1/90/1868 Perimeter wall, gates and railings 14/05/74 to St George's Gardens GV II See under: Perimeter wall, gates and railings to St George's Gardens HANDEL STREET. Listing NGR: TQ3043482438

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79992
Monument Type	Listed Building
Preferred Ref.	MLO79992
Name	Handel Street, [St George's Gardens] {Terracotta Statue}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30370 82426 (point)
Summary	Terracotta statue in St George's Gardens, erected in 1898.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1871 14/05/74 GV II Terracotta statue in St George's Gardens. (Formerly Listed as: HANDEL STREET. Walls, lodge, cottage and monument in St George's Gardens) Terracotta statue depicting Euterpe, muse of music. Erected in 1898, it was taken from the Apollo Inn on Tottenham Court Road by C Fitzroy Doll. Listing NGR: TQ3037082426

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Terracotta Statue, St George's Gardens Handel Street, London

Monument/Component Types

- STATUE (19th Century - 1898 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478065 TERRACOTTA STATUE IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1871 Terracotta statue in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage and monuments in St George's Gardens) GV II Terracotta statue depicting Euterpe, muse of music. 1898, taken from the Apollo Inn on Tottenham Court Road by C Fitzroy Doll. Listing NGR: TQ3037082426

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79993
Monument Type	Listed Building
Preferred Ref.	MLO79993
Name	Handel Street, [St George's Gardens] {Tomb of Esther Offty}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30463 82472 (point)
Summary	Tomb of Esther Offty in St George's Gardens, dated 1770.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1873 14/05/74 GV II Tomb of Esther Offty in St George's Gardens. (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) Monument to Esther Offty dated 1770. Portland stone chest tomb with fielded panels, ledger slab and angle balusters, standing on tall red brick base with stone quoins and plinth. Esther Offty, of Great Russell Street, died aged nine. Located in the centre of the former St George's Bloomsbury burial ground, and is one of the most prominent of the surviving tombs there. Listing NGR: TQ3046382472

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Tomb of Esther Offey, St George's Gardens Handel Street, London

Monument/Component Types

- CHEST TOMB (18th Century - 1770 AD)
- COMMEMORATIVE MONUMENT (18th Century - 1770 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478066 TOMB OF ESTHER OFFTY IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1873 Tomb of Esther Offty in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) GV II Monument to Esther Offty. d.1770. Portland stone chest tomb with fielded panels, ledger slab and angle balusters, standing on tall red brick base with stone quoins and plinth. Esther Offty, of Great Russell Street, died aged nine. Located in the centre of the former St George's Bloomsbury burial ground, and one of the most prominent of the surviving tombs there. Listing NGR: TQ3046382472

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79994
Monument Type	Listed Building
Preferred Ref.	MLO79994
Name	Handel Street, [St George's Gardens] {Tomb of Robert Nelson}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30508 82485 (point)
Summary	Tomb of Robert Nelson in St George's Gardens dating to 1715.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1875 14/05/74 GV II Tomb of Robert Nelson in St George's Gardens. (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) Portland Stone monument to Robert Nelson dated 1715. Gadrooned urn on tall plinth, set within partly surviving wrought-iron railings. Located on south side of former St George the Martyr- burial ground. Nelson was the first person to be buried in the new cemetery, choosing this place 'to overcome the aversion that has been discovered to its use'. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: PLATE 67). Listing NGR: TQ3050882485

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Tomb of Robert Nelson, St George's Gardens Handel Street, London

Monument/Component Types

- COMMEMORATIVE MONUMENT (18th Century - 1715 AD)
- RAILINGS (18th Century - 1715 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478067 TOMB OF ROBERT NELSON IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1875 Tomb of Robert Nelson in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) GV II Monument to Robert Nelson. d.1715. Portland stone. Gadrooned urn on tall plinth, set within partly surviving wrought-iron railings. Located on south side of former St George the Martyr burial ground. Nelson was the first person to be buried in the new cemetery, choosing this place 'to overcome the aversion that has been discovered to its use'. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: PLATE 67). Listing NGR: TQ3050882485

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79995
Monument Type	Listed Building
Preferred Ref.	MLO79995
Name	Handel Street, [St George's Gardens] {Tomb of Robert Wylie}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30478 82495 (point)
Summary	Monument to Robert Wylie dating to 1813.
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1874 14/05/74 GV II Tomb of Robert Wylie in St George's Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) Monument to Robert Wylie dating to 1813. It is a stone sarcophagus with reeded angle pilasters and fielded panels set within original cast-iron railings with spear-head finials and urn finials to corner uprights. Listing NGR: TQ3047882495

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Monument to Robert Wylie, St George's Gardens Handel Street, London

Monument/Component Types

- COMMEMORATIVE MONUMENT (19th Century - 1813 AD)
- RAILINGS (19th Century - 1813 AD)
- SARCOPHAGUS (19th Century - 1813 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478068 TOMB OF ROBERT WYLIE IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1874 Tomb of Robert Wylie in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage & monuments in St George's Gardens) GV II Monument to Robert Wylie. d.1813. Stone sarcophagus with reeded angle pilasters and fielded panels set within original cast-iron railings with spear-head finials and urn finials to corner uprights. Listing NGR: TQ3047882495

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96698
Monument Type	Listed Building
Preferred Ref.	MLO96698
Name	HER MAJESTY'S LAND REGISTRY BUILDING
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30901 81308 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	LINCOLN'S INN FIELDS TQ 3081 SE 1900-/60/10076 H M Land Registry Building II Government Office Building. Built for H.M. Land Registry in two phases: west wing and centre 1903-5; east wing 1912-13, to the designs produced by the Office of Works under Sir Henry Tanner; Richard Allison was the supervising architect. Design conceived by the Land Registrar Sir Charles Fortescue- Brickdale based on Blickling Hall, Norfolk. Stancliffe stone, Tucker's red brick, slate roof Floors reinforced with steel joists. Rectangular plan with internal lightwells. Neo-Jacobean style with shaped gables and French-style corner turrets with steep slate roofs and lanterns. Six storeys high, nine bays wide; seven bays to Portugal Street return. Central projecting bay has main entrance on raised ground floor and canted'bay running from first to third floor surmounted by stone balustrade. This feature is repeated on outer turret bays. Mullion and transom windows throughout with six-paned metal casements. Carved modillion cornices above top storey windows. Carved cartouches between first and second storey windows and on stone turret parapets. Carved Royal Coat of Arms in central gable. String course wraps right around the building at first floor level. Vertical divisions between bays articulated by lead downpipes. Entrance porch formed by paired columns supporting entablature; frieze inscribed LAND REGISTRY. Interior: ofprincipal interest is the entrance hall, panelled with marbled columns and the Chief Registrar's room on first floor above the entrance, panelled with integral classical fire surround. Listing NGR: TQ3090181308

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- COAT OF ARMS (Modern to Unknown - 1903 AD)
- GOVERNMENT OFFICE (Modern - 1903 AD to 1905 AD)
- GOVERNMENT OFFICE (Modern - 1912 AD to 1913 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	433786 HER MAJESTY'S LAND REGISTRY BUILDING	LINCOLN'S INN FIELDS TQ 3081 SE 1900-/60/10076 H M Land Registry Building II Government Office Building. Built for H.M. Land Registry in two phases: west wing and centre 1903-5; east wing 1912-13, to the designs produced by the Office of Works under Sir Henry Tanner; Richard Allison was the supervising architect. Design conceived by the Land Registrar Sir Charles Fortescue- Brickdale based on Blickling Hall, Norfolk. Stancliffe stone, Tucker's red brick, slate roof Floors reinforced with steel joists. Rectangular plan with internal lightwells. Neo-Jacobean style with shaped gables and French-style corner turrets with steep slate roofs and lanterns. Six storeys high, nine bays wide; seven bays to Portugal Street return. Central projecting bay has main entrance on raised ground floor and canted'bay running from first to third floor surmounted by stone balustrade. This feature is repeated on outer turret bays. Mullion and transom windows throughout with six-paned metal casements. Carved modillion cornices above top storey windows. Carved cartouches between first and second storey windows and on stone turret parapets. Carved Royal Coat of Arms in central gable. String course wraps right around the building at first floor level. Vertical divisions between bays articulated by lead downpipes. Entrance porch formed by paired columns supporting entablature; frieze inscribed LAND REGISTRY. Interior: ofprincipal interest is the entrance hall, panelled with marbled columns and the Chief Registrar's room on first floor above the entrance, panelled with integral classical fire surround. Listing NGR: TQ3090181308

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80563
Monument Type	Listed Building
Preferred Ref.	MLO80563
Name	Herbrand Street, [The Horse Hospital], Bloomsbury, {late 19th century double-decker stables}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 3022 8209 (MBR: 18m by 16m)
Summary	This building is a rare survival of an inner-city double-decker stables. It was constructed around 1890 of yellow brick with red brick dressings, and has cast iron railing in front of the ground floor windows. Ramped stairs lead down to a sunken ground floor and up to a first floor, which is carried on cast iron columns. The site was occupied by veterinary surgeons and farriers before being used as a print shop until 1988.

Description

Record created from imported Listed Buildings On-line dataset 11-Jan-2006. Stables, now costume storage premises. Built around 1890. Yellow stock brick with red brick dressings, cast iron railings in front of ground floor windows, slate roof. Six- window, two-storey range to northern mews elevation with twin doors to east end; splayed north-west corner; three-storey return elevation to west with diapered brick ornament. Ramped stairs of concrete leading down to sunken ground floor and up to first floor; unusual channelled concrete stable floors with stamped mark reading 'S.Ward & Co., George Street, London SW', carried on cast iron columns. Upper floor contains large former stable with open trussed roof carried on cast iron columns. Ancillary room with tongue and groove boarded panelling. History: this site has had a long history of equestrian use since its initial construction by James Burton in 1794-97. It was occupied by veterinary surgeons and farriers before being used as a print shop until 1988. The Horse Hospital is a rare survival of double-decker inner-city stables. See linked Designation record and (1) for full details.

Sources

Number	Reference
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- The Horse Hospital, Herbrand Street Bloomsbury, Camden, London

Monument/Component Types

- (Former Type) STABLE (19th Century to Modern - 1890 AD? to 2050 AD?)
- RAILINGS (19th Century to Modern - 1890 AD? to 2050 AD?)
- RAMP (19th Century to Modern - 1890 AD? to 2050 AD?)
- (Former Type) PRINT SHOP (Modern - 1930 AD? to 1988 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	487549 The Horse Hospital, 2 Herbrand Street, Bloomsbury, Camden	798-1/0/10179 HERBRAND STREET 20-JUN-01 Bloomsbury 2 The Horse Hospital II Stables, now costume storage premises. c.1890. Yellow stock brick with red brick dressings, cast iron railings in front of ground floor windows, slate roof. Six- window, two-storey range to northern mews elevation with twin doors to east end; splayed north-west corner; three-storey return elevation to west with diapered brick ornament. Ramped stairs of concrete leading down to sunken ground floor and up to first floor; unusual channelled concrete stable floors with stamped mark reading 'S.Ward & Co., George Street, London SW', carried on cast iron columns. Upper floor contains large former stable with open trussed roof carried on cast iron columns. Ancillary room with tongue and groove boarded panelling. History: this site has had a long history of equestrian use since its initial construction by James Burton in 1794-97. It was occupied by veterinary surgeons and farriers before being used as a print shop until 1988. The Horse Hospital is a rare survival of double-decker inner-city stables.

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO80563

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81051
Monument Type	Listed Building
Preferred Ref.	MLO81051
Name	HOLBORN TOWN HALL AND LIBRARY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30363 81452 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/840 (South side) 15/01/73 Holborn Town Hall and Library GV II Town hall and library, now municipal offices. Library (formerly St Giles's Library), 1894 by W Rushworth (eastern wing); town hall, 1906-8 by Hall and Warwick (centre and western wing). Ancaster and Portland stone faced. Steeply pitched slated roof with pedimented dormers and pilastered Dutch gables terminating in segmental pediments to end bays. STYLE: the library with early French Renaissance detail, the town hall in similar style but Baroque details. EXTERIOR: 4 storeys, basements and attics. Both buildings form a symmetrical facade of 9 windows. End bays slightly projecting. Eastern wing with entrance to former library of elliptical arch flanked by Corinthian pilasters supporting an entablature; enriched double doors. Former vehicle entrance to left in similar style with wrought-iron gate by the Bromsgrove Guild of Applied Art. Central 3-light oriel through 1st and 2nd floors. At 1st floor level a band of Renaissance enrichment covering the oriel apron and having flanking oculi. Upper floors pilastered, the 1st and 2nd floors with bands, 3rd floor with diapers. Western wing has round-arched entrance to former town hall with moulded head and keystone flanked by attached columns supporting an open segmental pediment with carved coat of arms in tympanum with festoon and putti heads. Central 3-light oriel through 1st and 2nd floors. A band of similar enrichment at 1st floor level covering the oriel apron. 3rd floor windows round-arched with moulded heads and keystones. Central bays have round-arched windows at ground floor level; 1st and 2nd floor, square-headed separated by pilasters, the 1st floor with a wrought-iron balcony by the Bromsgrove Guild; 3rd floor, 3 oculi linked by festoons. Most windows transom and mullion. INTERIOR: former town hall has large circular hall running up through each floor and adjoining the main stair and lift. At ground floor level main hall with floor of marble in a compass design and arcade of Doric half columns supporting an entablature under a shallow dome; oak double doors, with oculi and brass plates incorporating a coat of arms, in Baroque frames; 3 stained glass First and Second World War memorial windows; original brass pendant light. Open well main stair of artificial stone and granolithic paving with marble dado. Original wrought-iron lift enclosure, in well of stair, by the Bromsgrove Guild. Corridors mostly vaulted with granolithic paving and oak doors. Interiors of note are: the rear 1st floor Council Chamber of square plan surmounted by a central dome with small cupola light. Walls panelled in Austrian oak with Ionic pilasters and columns supporting an enriched cornice. Windows of small, patterned, leaded panes. Original brass pendant light. Beneath, on the ground floor, the former Court Room, panelled and enriched in Baroque style. Listing NGR: TQ3036381452

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 212-214 High Holborn, London, WC1V 7RN

Monument/Component Types

- LIBRARY (19th Century - 1894 AD)
- TOWN HALL (19th Century - 1894 AD)
- TOWN HALL (Modern - 1906 AD to 1908 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478254 HOLBORN TOWN HALL AND LIBRARY	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/840 (South side) 15/01/73 Holborn Town Hall and Library GV II Town hall and library, now municipal offices. Library (formerly St Giles's Library), 1894 by W Rushworth (eastern wing); town hall, 1906-8 by Hall and Warwick (centre and western wing). Ancaster and Portland stone faced. Steeply pitched slated roof with pedimented dormers and pilastered Dutch gables terminating in segmental pediments to end bays. STYLE: the library with early French Renaissance detail, the town hall in similar style but Baroque details. EXTERIOR: 4 storeys, basements and attics. Both buildings form a symmetrical facade of 9 windows. End bays slightly projecting. Eastern wing with entrance to former library of elliptical arch flanked by Corinthian pilasters supporting an entablature; enriched double doors. Former vehicle entrance to left in similar style with wrought-iron gate by the Bromsgrove Guild of Applied Art. Central 3-light oriel through 1st and 2nd floors. At 1st floor level a band of Renaissance enrichment covering the oriel apron and having flanking oculi. Upper floors pilastered, the 1st and 2nd floors with bands, 3rd floor with diapers. Western wing has round-arched entrance to former town hall with moulded head and keystone flanked by attached columns supporting an open segmental pediment with carved coat of

arms in tympanum with festoon and putti heads. Central 3-light oriel through 1st and 2nd floors. A band of similar enrichment at 1st floor level covering the oriel apron. 3rd floor windows round-arched with moulded heads and keystones. Central bays have round-arched windows at ground floor level; 1st and 2nd floor, square-headed separated by pilasters, the 1st floor with a wrought-iron balcony by the Bromsgrove Guild; 3rd floor, 3 oculi linked by festoons. Most windows transom and mullion. INTERIOR: former town hall has large circular hall running up through each floor and adjoining the main stair and lift. At ground floor level main hall with floor of marble in a compass design and arcade of Doric half columns supporting an entablature under a shallow dome; oak double doors, with oculi and brass plates incorporating a coat of arms, in Baroque frames; 3 stained glass First and Second World War memorial windows; original brass pendant light. Open well main stair of artificial stone and granolithic paving with marble dado. Original wrought-iron lift enclosure, in well of stair, by the Bromsgrove Guild. Corridors mostly vaulted with granolithic paving and oak doors. Interiors of note are: the rear 1st floor Council Chamber of square plan surmounted by a central dome with small cupola light. Walls panelled in Austrian oak with Ionic pilasters and columns supporting an enriched cornice. Windows of small, patterned, leaded panes. Original brass pendant light. Beneath, on the ground floor, the former Court Room, panelled and enriched in Baroque style. Listing NGR: TQ3036381452

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96431
Monument Type	Listed Building
Preferred Ref.	MLO96431
Name	INDIA HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30676 80970 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ 3080 NE CITY OF WESTMINSTER ALDWYCH, WC2 73/8 (South side) 16.1.81 India House G.V. II High Commission. 1928-30 by Sir Herbert Baker and A.T. Scott. Portland ashlar above grey granite 2 storey podium (on steel frame); red pantile roof. Monumental, shallowly modelled elevations with relatively small scale sculptural and decorative details of Indian derivation. 7 storeys and domered mansard. 9 windows wide, the front following convex curve of Aldwych. Central entrance of black marble with heavy bracketed cornice supporting 2 free standing "Ashokan" columns with stylised elephant bases and lioness finials, flanking semicircular arched window with Ashokan lion keystone; wooden door with Indian jaali work and jaali's flanking. Ground floor windows arcaded. Windows with moulded segmental arched heads on 1st, 3rd and 5th floors, those on 2nd floor with segmental arched heads and sills, flat arched 4th floor windows. The 3rd floor has 2 symmetrically placed aediculed windows. Band courses above ground 1st and 2nd floors, pierced work balcony in front of 6th floor above coved cornice. Iron balcony to 5th floor. Indian motifs over front including animal head brackets, tondi and frieze above 2nd floor. Royal Arms flank central 5th floor window. Return to Montreal Place of 7 bays with 3 bay balcony and aediculed window above. Principal interior spaces dressed in red "Agra" sandstone; the entrance hall domed, the 1st floor oculus-gallery with pierced work balustrade carried on vaults with murals executed by Indian artists, who likewise frescoed the dome which has a frosted glass lantern stage; bronze chandelier. Indian murals in main reception rooms as well. Baker, who had made a point at New Delhi of using Indian artists for the Secretariats murals, arranged for them to be sent to London and Rome for special fresco training for the India House decorations. Listing NGR: TQ3067680970

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13-15 Aldwych, London, WC2B 4DA

Monument/Component Types

- EMBASSY (Modern - 1928 AD to 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208532 INDIA HOUSE	TQ 3080 NE CITY OF WESTMINSTER ALDWYCH, WC2 73/8 (South side) 16.1.81 India House G.V. II High Commission. 1928-30 by Sir Herbert Baker and A.T. Scott. Portland ashlar above grey granite 2 storey podium (on steel frame); red pantile roof. Monumental, shallowly modelled elevations with relatively small scale sculptural and decorative details of Indian derivation. 7 storeys and domered mansard. 9 windows wide, the front following convex curve of Aldwych. Central entrance of black marble with heavy bracketed cornice supporting 2 free standing "Ashokan" columns with stylised elephant bases and lioness finials, flanking semicircular arched window with Ashokan lion keystone; wooden door with Indian jaali work and jaali's flanking. Ground floor windows arcaded. Windows with moulded segmental arched heads on 1st, 3rd and 5th floors, those on 2nd floor with segmental arched heads and sills, flat arched 4th floor windows. The 3rd floor has 2 symmetrically placed aediculed windows. Band courses above ground 1st and 2nd floors, pierced work balcony in front of 6th floor above coved cornice. Iron balcony to 5th floor. Indian motifs over front including animal head brackets, tondi and frieze above 2nd floor. Royal Arms flank central 5th floor window. Return to Montreal Place of 7 bays with 3 bay balcony and aediculed window above. Principal interior spaces dressed in red "Agra" sandstone; the entrance hall domed, the 1st floor oculus-gallery with pierced work balustrade carried on vaults with murals executed by Indian artists, who likewise frescoed the dome which has a frosted glass lantern stage; bronze chandelier. Indian murals in main reception rooms as well. Baker, who had made a point at New Delhi of using Indian artists for the Secretariats murals, arranged for them to be sent to London and Rome for special fresco training for the India House decorations. Listing NGR: TQ3067680970

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80534
Monument Type	Listed Building
Preferred Ref.	MLO80534
Name	INSTITUTE OF CHEMISTRY OF GREAT BRITAIN AND IRELAND AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29978 81950 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1418 (West side) 14/05/74 No.30 Institute of Chemistry of Great Britain & Ireland and attached railings GV II Institute of Chemistry. 1913-14. By Sir JJ Burnet. Brown brick with stone dressings. 3 storeys (4 to left of entrance), attic and semi-basement. 7 windows with 3-window return to Russell Square. Square-headed entrance in stone surround with open segmental pediment and seated figure of Sir Joseph Priestley; heavy panelled door. Square-headed, recessed sash windows, those right of the entrance round-headed in shallow arched recesses with keystones and linked by stone impost bands. Sash above entrance round-headed with carved stone wreath in head. 1st floor windows to left of door with stone sill band and balconies. 3rd floor stone sill band. Bracketed cornice and parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2997881950

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 30 Russell Square, London, WC1B 5DP

Monument/Component Types

- COMMEMORATIVE MONUMENT (Modern - 1913 AD to 1914 AD)
- RAILINGS (Modern - 1913 AD to 1914 AD)
- SCIENTIFIC INSTITUTE (Modern - 1913 AD to 1914 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477917 INSTITUTE OF CHEMISTRY OF GREAT BRITAIN AND IRELAND AND ATTACHED RAILINGS	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1418 (West side) 14/05/74 No.30 Institute of Chemistry of Great Britain & Ireland and attached railings GV II Institute of Chemistry. 1913-14. By Sir JJ Burnet. Brown brick with stone dressings. 3 storeys (4 to left of entrance), attic and semi-basement. 7 windows with 3-window return to Russell Square. Square-headed entrance in stone surround with open segmental pediment and seated figure of Sir Joseph Priestley; heavy panelled door. Square-headed, recessed sash windows, those right of the entrance round-headed in shallow arched recesses with keystones and linked by stone impost bands. Sash above entrance round-headed with carved stone wreath in head. 1st floor windows to left of door with stone sill band and balconies. 3rd floor stone sill band. Bracketed cornice and parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2997881950

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80537
Monument Type	Listed Building
Preferred Ref.	MLO80537
Name	INSTITUTE OF EDUCATION, CLORE INSTITUTE OF ADVANCED LEGAL STUDIES AND ACCOMMODATION FOR UNIVERSITY COLLEGE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29955 82136 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>798-1/0/10133 BEDFORD WAY 04-DEC-00 Camden (West side) 17, 20 AND 26 Institute of Education, Clore Institute of Advanced Legal Studies and accommodation for University College GV II* University teaching building, 1970-6 by Denys Lasdun and Partners, extended 1990-3, also by Sir Denys Lasdun and Partners. In situ reinforced concrete and precast mullions with a cladding of prefabricated bronze-anodised aluminium panels and window sections. In plan the building makes a strong barrier to the traffic of Bedford Way while extending the concept of flexible teaching space already explored at the University of East Anglia, Norwich. Six storeys above ground, with three basement storeys, in 1999 numbered 1-9. Flat, paved roof. Long spinal range, with wing to rear, and footings for a second incorporated in 1990-3 library extension. Large basement includes lecture theatre, the Logan Hall, under forecourt facing Lasdun's extension to the School of Oriental and African Studies opposite; conference facilities, students' union and service entrance. Split-level entrance hall gives on to library, drama studio and bookshop, with flexible teaching areas above, mainly facing street, and tutorial rooms, mainly facing courtyard and in wing. The elevational treatment is in Lasdun's mature language of strata and towers, a grid of aluminium panels and glazing set over concrete plinth on western elevation, with massively over-scaled concrete staircase towers. On the eastern elevation to Bedford Way, the entrance floors are set back behind exposed frame, and has cut-back corners which demonstrate the smooth, sharp concrete particularly forcefully. The quality of finishes is exceptional, and the contrasting texture of materials unique in Lasdun's surviving work. The single spur that was built is highly sculptural, with a striking silhouette of angular concrete escape stairs rising above the floor levels and curtain walling. A similar system of anodised aluminium and glass was adopted by Lasdun for his extension, but with more pronounced glazing bars, and with three pyramidal roof lights that are the clearest indication of the new work. Entrance doors in anodised aluminium surrounds. New entrance on Bedford Way, reached up steps, installed by Lasdun in 1993. INTERIORS. The interiors are simple, but the quality of concrete finishes is exemplary throughout. The upper teaching spaces were designed to be flexible, and continue to be altered regularly - a tribute to the success of the original concept. The areas of special interest are the lift lobbies, where Lasdun's finishes can be seen at their best, and the entrance hall and principal stair to the lecture theatre. This staircase, in a deep well in which are set giant columns, is a version in smooth concrete with brick treads of his earlier ceremonial stair at the Royal College of Physicians in Regent's Park (LB Camden, grade I), with concrete walls and balustrade. The entrance hall, with pavioured floors, is on two main levels, corresponding to the different level of Bedford Way and the square behind. Separate stairs lead to bookshop on lower level. While the University of London was discouraged from further expansion in the post-war years it was appreciated that certain departments such as Education, Law and the School of Oriental and African Studies required enlarged facilities. Lasdun was commissioned by the University of London in 1960 to develop the concept of a spinal range along Bedford Way and to its north which had been published by Sir Leslie Martin and Trevor Dannatt the year before. His task was to integrate the new buildings within an existing urban fabric, whose pattern of Georgian squares was belatedly being appreciated. Lasdun's scheme preserved more terraces than had the earlier proposals, and created a new square between his two buildings, much of it formed over the basement lecture theatre. For him, the relationship between the spine building and the SOAS pavilion is paramount. The building was formally opened by the Queen in 1977. 'Lasdun's architecture carries absolute conviction', <i>Architectural Review</i>, March 1980, p.148. Although a building constructed to a grid, it is Lasdun's interest in planes and interpenetrating masses and belief in pure form and modelling. His synthesis of the modern movement of the 1930s, inspired by working with Wells Coates and Berthold Lubetkin, and his unique understanding of the formalism of the later generation of the New Brutalists makes him a comparable figure with Louis Kahn and is demonstrated particularly well here. This building forms a contrasting mass to the square pavilion of Lasdun's extension to the School of Oriental and African Studies, with which it forms an exceptionally strong group. <i>Architects' Journal</i>, 5 March 1959, p.336 <i>Architects' Journal</i>, 14 June 1967, p.1384 <i>Building Design</i>, 15 October 1976 <i>Architects' Journal</i>, 12 December 1990, p.11 <i>Architectural Review</i>, March 1980, pp.145-54 Bridget Cherry and Nikolaus Pevsner, <i>The Buildings of England, London North, London</i>, Penguin Books, 1998, pp.279-80</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- CONFERENCE CENTRE (Modern - 1970 AD to 1976 AD)
- DRAMA SCHOOL (Modern - 1970 AD to 1976 AD)
- FACULTY BUILDING (Modern - 1970 AD to 1976 AD)
- LECTURE THEATRE (Modern - 1970 AD to 1976 AD)
- LIBRARY (Modern - 1970 AD to 1976 AD)
- STUDENTS UNION (Modern - 1970 AD to 1976 AD)
- UNIVERSITY (Modern - 1970 AD to 1976 AD)
- UNIVERSITY (Modern - 1970 AD to 1976 AD)
- FACULTY BUILDING (Modern - 1990 AD to 1993 AD)
- UNIVERSITY (Modern - 1990 AD to 1993 AD)

Find Types

Designations

Type/Grade

Listed Building (II*)

Reference/Title

486897 INSTITUTE OF EDUCATION, CLORE INSTITUTE OF ADVANCED LEGAL STUDIES AND ACCOMMODATION FOR UNIVERSITY COLLEGE

Description

798-1/0/10133 BEDFORD WAY 04-DEC-00 Camden (West side) 17, 20 AND 26 Institute of Education, Clore Institute of Advanced Legal Studies and accommodation for University College GV II* University teaching building, 1970-6 by Denys Lasdun and Partners, extended 1990-3, also by Sir Denys Lasdun and Partners. In situ reinforced concrete and precast mullions with a cladding of prefabricated bronze-anodised aluminium panels and window sections. In plan the building makes a strong barrier to the traffic of Bedford Way while extending the concept of flexible teaching space already explored at the University of East Anglia, Norwich. Six storeys above ground, with three basement storeys, in 1999 numbered 1-9. Flat, paved roof. Long spinal range, with wing to rear, and footings for a second incorporated in 1990-3 library extension. Large basement includes lecture theatre, the Logan Hall, under forecourt facing Lasdun's extension to the School of Oriental and African Studies opposite; conference facilities, students' union and service entrance. Split-level entrance hall gives on to library, drama studio and bookshop, with flexible teaching areas above, mainly facing street, and tutorial rooms, mainly facing courtyard and in wing. The elevational treatment is in Lasdun's mature language of strata and towers, a grid of aluminium panels and glazing set over concrete plinth on western elevation, with massively over-scaled concrete staircase towers. On the eastern elevation to Bedford Way, the entrance floors are set back behind exposed frame, and has cut-back corners which demonstrate the smooth, sharp concrete particularly forcefully. The quality of finishes is exceptional, and the contrasting texture of materials unique in Lasdun's surviving work. The single spur that was built is highly sculptural, with a striking silhouette of angular concrete escape stairs rising above the floor levels and curtain walling. A similar system of anodised aluminium and glass was adopted by Lasdun for his extension, but with more pronounced glazing bars, and with three pyramidal roof lights that are the clearest indication of the new work. Entrance doors in anodised aluminium surrounds. New entrance on Bedford Way, reached up steps, installed by Lasdun in 1993. INTERIORS. The interiors are simple, but the quality of concrete finishes is exemplary throughout. The upper teaching spaces were designed to be flexible, and continue to be altered regularly - a tribute to the success of the original concept. The areas of special interest are the lift lobbies, where Lasdun's finishes can be seen at their best, and the entrance hall and principal stair to the lecture theatre. This staircase, in a deep well in which are set giant columns, is a version in smooth concrete with brick treads of his earlier ceremonial stair at the Royal College of Physicians in Regent's Park (LB Camden, grade I), with concrete walls and balustrade. The entrance hall, with paved floors, is on two main levels, corresponding to the different level of Bedford Way and the square behind. Separate stairs lead to bookshop on lower level. While the University of London was discouraged from further expansion in the post-war years it was appreciated that certain departments such as Education, Law and the School of Oriental and African Studies required enlarged facilities. Lasdun was commissioned by the University of London in 1960 to develop the concept of a spinal range along Bedford Way and to its north which had been published by Sir Leslie Martin and Trevor Dannatt the year before. His task was to integrate the new buildings within an existing urban fabric, whose pattern of Georgian squares was belatedly being appreciated. Lasdun's scheme preserved more terraces than had the earlier proposals, and created a new square between his two buildings, much of it formed over the basement lecture theatre. For him, the relationship between the spine building and the SOAS pavilion is paramount. The building was formally opened by the Queen in 1977. 'Lasdun's architecture carries absolute conviction', *Architectural Review*, March 1980, p.148. Although a building constructed to a grid, it is Lasdun's interest in planes and interpenetrating masses and belief in pure form and modelling. His synthesis of the modern movement of the 1930s, inspired by working with Wells Coates and Berthold Lubetkin, and his unique understanding of the formalism of the later generation of the New Brutalists makes him a comparable figure with Louis Kahn and is demonstrated particularly well here. This building forms a contrasting mass to the square pavilion of Lasdun's extension to the School of Oriental and African Studies, with which it forms an exceptionally strong group. *Architects' Journal*, 5 March 1959, p.336 *Architects' Journal*, 14 June 1967, p.1384 *Building Design*, 15 October 1976 *Architects' Journal*, 12 December 1990, p.11 *Architectural Review*, March 1980, pp.145-54 Bridget Cherry and Nikolaus Pevsner, *The Buildings of England, London North, London*, Penguin Books, 1998, pp.279-80

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80232
Monument Type	Listed Building
Preferred Ref.	MLO80232
Name	IRON GATES AND RAILINGS TO BEDFORD PLACE REAR GARDEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30252 81867 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1484 (West side) Iron gates and railings to Bedford Place rear garden GV II Gates and railings between and to the rear of the Bedford Hotel and West Central Hotel (not included) leading to Bedford Place rear garden. Late C19. Made for the Bedford Estate. Cast and wrought-iron. Openwork box piers with floral finials; gates with scrolls and flowers and central cartouches surmounted by coronets. Listing NGR: TQ3025281867

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Southampton Row, London, WC1B 4ET

Monument/Component Types

- GATE (19th Century - 1867 AD to 1899 AD)
- GATE PIER (19th Century - 1867 AD to 1899 AD)
- RAILINGS (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478145 IRON GATES AND RAILINGS TO BEDFORD PLACE REAR GARDEN	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1484 (West side) Iron gates and railings to Bedford Place rear garden GV II Gates and railings between and to the rear of the Bedford Hotel and West Central Hotel (not included) leading to Bedford Place rear garden. Late C19. Made for the Bedford Estate. Cast and wrought-iron. Openwork box piers with floral finials; gates with scrolls and flowers and central cartouches surmounted by coronets. Listing NGR: TQ3025281867

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80770
Monument Type	Listed Building
Preferred Ref.	MLO80770
Name	IRON GATES BETWEEN NUMBERS 20 AND 21 LEADING TO REAR GARDEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30160 81767 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1147 (East side) Iron gates between Nos.20 and 21 leading to rear garden GV II Gates between Nos 20 & 21 (qv) leading to rear garden. Date 1899 incorporated in design. Made for the Bedford Estate. Cast and wrought-iron. Openwork box piers with floral finials; gates with scrolls and flowers and central cartouches surmounted by coronets. Listing NGR: TQ3016081767

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6-7 Montague Street, London, WC1B 5BP

Monument/Component Types

- GATE (19th Century - 1899 AD)
- GATE PIER (19th Century - 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477535 IRON GATES BETWEEN NUMBERS 20 AND 21 LEADING TO REAR GARDEN	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1147 (East side) Iron gates between Nos.20 and 21 leading to rear garden GV II Gates between Nos 20 & 21 (qv) leading to rear garden. Date 1899 incorporated in design. Made for the Bedford Estate. Cast and wrought-iron. Openwork box piers with floral finials; gates with scrolls and flowers and central cartouches surmounted by coronets. Listing NGR: TQ3016081767

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80456
Monument Type	Listed Building
Preferred Ref.	MLO80456
Name	ITALIAN HOSPITAL AND ATTACHED WALL AND RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30424 81887 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1366 (South side) 14/01/92 Italian Hospital and attached wall and railings GV II Hospital on a corner site. 1898-9 by TW Cutler with c1910 Boswell Street extension by JD Slater. Channelled Portland stone ground floor; upper floors red brick with stone dressings. STYLE: English Baroque. EXTERIOR: 4 storeys and basement. 6 windows to Queen Square; left return to Boswell Street, 19 window range. Central projecting canted portico with concave returns, each with a narrow light; Tuscan pilasters support a broken pediment with elaborately foliated coat of arms of the Italian Royal Family above the round-arched entrance having cast and wrought-iron gates with cross motifs and Art Nouveau influenced overthrow. Plain 4-pane sashes to ground floor. Plain band at 1st floor level above which a wide band forming the podium for giant Corinthian pilasters articulating the bays and rising through 1st and 2nd floors to support an entablature with projecting modillion cornice, the frieze inscribed "The Italian Hospital"; clasping pilasters at angles. Architraved 1st and 2nd floor 4-pane sashes with rectangular light above; 1st floor has segmental pediments, 2nd floor with scrolled architraves and scrolled pediments with swags and keystones. Attic storey articulated by pilaster strips supporting a blocking course, broken forward above pilasters; lugged architraves to 4-pane sashes. Left hand angle has cartouche inscribed "John Ortelli/ founded/ 1884/ Rebuilt/ 1898/ this/ hospital". 3 return bays similar, then a projecting circular brick stair tower (flanked by single recessed bays) the 4th storey of stone with pilasters flanking round-arched windows in round-arched recesses with keystones: this denotes the Chapel. Ribbed lead dome surmounted by a stone lantern with ball and cross. Remainder of Boswell Street facade in red brick with blue brick base. Gauged red brick flat arches to recessed sashes. Plain band at 1st floor, continuous 1st floor sill band and moulded brick cornice. Late 20th century slate mansard roof with flush windows. Extension in similar style but ground floor yellow brick with dentil cornice at 1st floor level. INTERIOR: mostly altered; plain chapel. SUBSIDIARY FEATURES: attached stone walls to areas and sweeping in to portico; cast-iron railings. HISTORICAL NOTE: the Italian Hospital was founded in 1884 by Giovanni Ortelli, originally in converted back-rooms of No.41 Queen Square. It was run by the Sisters of Charity of St Vincent de Paul for the Italian community in London, most of whom were concentrated in the Clerkenwell and Holborn areas. The hospital closed in 1990. Listing NGR: TQ3042481887

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- CHAPEL (19th Century - 1898 AD to 1899 AD)
- HOSPITAL (19th Century - 1898 AD to 1899 AD)
- RAILINGS (19th Century - 1898 AD to 1899 AD)
- WALL (19th Century - 1898 AD to 1899 AD)
- HOSPITAL (19th Century to Modern - 1900 AD to 1930 AD)
- HOSPITAL (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477827 ITALIAN HOSPITAL AND ATTACHED WALL AND RAILINGS	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1366 (South side) 14/01/92 Italian Hospital and attached wall and railings GV II Hospital on a corner site. 1898-9 by TW Cutler with c1910 Boswell Street extension by JD Slater. Channelled Portland stone ground floor; upper floors red brick with stone dressings. STYLE: English Baroque. EXTERIOR: 4 storeys and basement. 6 windows to Queen Square; left return to Boswell Street, 19 window range. Central projecting canted portico with concave returns, each with a narrow light; Tuscan pilasters support a broken pediment with elaborately foliated coat of arms of the Italian Royal Family above the round-arched entrance having cast and wrought-iron gates with cross motifs and Art Nouveau influenced overthrow. Plain 4-pane sashes to ground floor. Plain band at 1st floor level above which a wide band forming the podium for giant Corinthian pilasters articulating the bays and rising through 1st and 2nd floors to support an entablature with projecting modillion cornice, the frieze inscribed "The Italian Hospital"; clasping pilasters at angles. Architraved 1st and 2nd floor 4-pane sashes with rectangular light above; 1st floor has segmental pediments, 2nd floor with scrolled architraves and scrolled pediments with swags and keystones. Attic storey articulated by pilaster strips supporting a blocking course, broken forward above

pilasters; lugged architraves to 4-pane sashes. Left hand angle has cartouche inscribed "John Ortelli/ founded/ 1884/ Rebuilt/ 1898/ this/ hospital". 3 return bays similar, then a projecting circular brick stair tower (flanked by single recessed bays) the 4th storey of stone with pilasters flanking round-arched windows in round-arched recesses with keystones: this denotes the Chapel. Ribbed lead dome surmounted by a stone lantern with ball and cross. Remainder of Boswell Street facade in red brick with blue brick base. Gauged red brick flat arches to recessed sashes. Plain band at 1st floor, continuous 1st floor sill band and moulded brick cornice. Late C20 slate mansard roof with flush windows. Extension in similar style but ground floor yellow brick with dentil cornice at 1st floor level. INTERIOR: mostly altered; plain chapel. SUBSIDIARY FEATURES: attached stone walls to areas and sweeping in to portico; cast-iron railings. HISTORICAL NOTE: the Italian Hospital was founded in 1884 by Giovanni Ortelli, originally in converted back-rooms of No.41 Queen Square. It was run by the Sisters of Charity of St Vincent de Paul for the Italian community in London, most of whom were concentrated in the Clerkenwell and Holborn areas. The hospital closed in 1990. Listing NGR: TQ3042481887

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80124
Monument Type	Listed Building
Preferred Ref.	MLO80124
Name	JAMES SMITH AND SONS, HAZELWOOD HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30081 81432 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW NEW OXFORD STREET 798-1/105/1206 (South side) No.53 James Smith and Sons, Hazelwood House GV II* Shop with offices/workshop over on a corner site. Mid C19. Erected as part of the laying out of New Oxford Street under the supervision of Sir James Pennethorne, Surveyor of Works to the Crown. Stucco, channelled to 1st floor, 2nd & 3rd floor with long and short quoins which continue on corner as channelled stucco; 2nd floor, guilloche enriched band. Slate mansard roof with dormers. EXTERIOR: 4 storeys and attic. 5 windows, single window corner and single window right hand return. Fine ground floor shopfront, c1870s, mahogany with plate glass windows having inscribed painted glass battered stallboards, with brass fascia plates, and top panels. Battered cornice fascia of painted glass inscribed "Established 1830" above entrance, flanked by "James Smith & Sons"; surmounted by cast-iron trefoil pattern cresting with central painted glass pediment inscribed "Hazelwood House" flanked by numbers "53". Central recessed entrance surrounded by panels of inscribed painted and engraved glass, that above with 2 crossed flags; double part-glazed panelled doors with wrought-iron guard gates. Office door to left; panelled with overlight. 1st floor has recessed sashes. 2nd floor with pilasters, paired to central bay, supporting a 3rd floor cornice. Pilasters flank tall round-arched sashes, architraved with mask keystones above impost bands, and balustraded window guards; central window of Venetian type. 3rd floor pilaster strips flank square-headed sashes; central window flanked by recessed panels and paired pilaster strips. Simplified entablature and blocking course. Relief applied lettering to upper floors reading on entablature "STICKS", 3rd floor "JAS. SMITH & SONS", 2nd floor "UMBRELLAS". Chamfered corner continues window with inscribed glass pediment to ground floor; upper floors with channelled stucco and square-headed sashes in front of which applied lettering reading "UMBRELLAS". Single window return similar to the central bay. INTERIOR: of ground floor has showcases and counters of a typical high-class late Victorian or Edwardian shop and as such is a rare survival in London. HISTORICAL NOTE: since 1867 the ground floor of the building has been occupied by the firm of James Smith & Sons, umbrellas makers. New Oxford Street was a very fashionable shopping street in the mid C19. Listing NGR: TQ3008181432

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 New Oxford Street, London, WC1A 1BL

Monument/Component Types

- OFFICE (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)
- WORKSHOP (19th Century - 1833 AD to 1866 AD)
- SHOP (19th Century - 1870 AD to 1879 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477595 JAMES SMITH AND SONS, HAZELWOOD HOUSE	CAMDEN TQ3081SW NEW OXFORD STREET 798-1/105/1206 (South side) No.53 James Smith and Sons, Hazelwood House GV II* Shop with offices/workshop over on a corner site. Mid C19. Erected as part of the laying out of New Oxford Street under the supervision of Sir James Pennethorne, Surveyor of Works to the Crown. Stucco, channelled to 1st floor, 2nd & 3rd floor with long and short quoins which continue on corner as channelled stucco; 2nd floor, guilloche enriched band. Slate mansard roof with dormers. EXTERIOR: 4 storeys and attic. 5 windows, single window corner and single window right hand return. Fine ground floor shopfront, c1870s, mahogany with plate glass windows having inscribed painted glass battered stallboards, with brass fascia plates, and top panels. Battered cornice fascia of painted glass inscribed "Established 1830" above entrance, flanked by "James Smith & Sons"; surmounted by cast-iron trefoil pattern cresting with central painted glass pediment inscribed "Hazelwood House" flanked by numbers "53". Central recessed entrance surrounded by panels of inscribed painted and engraved glass, that above with 2 crossed flags; double part-glazed panelled doors with wrought-iron guard gates. Office door to left; panelled with overlight. 1st floor has recessed sashes. 2nd floor with pilasters, paired to central bay, supporting a 3rd floor cornice. Pilasters flank tall round-arched sashes, architraved with mask keystones above impost bands, and balustraded window guards; central window of Venetian type. 3rd floor pilaster strips flank square-headed sashes; central window flanked by recessed panels and paired pilaster strips.

Simplified entablature and blocking course. Relief applied lettering to upper floors reading on entablature "STICKS", 3rd floor "JAS. SMITH & SONS", 2nd floor "UMBRELLAS". Chamfered corner continues window with inscribed glass pediment to ground floor; upper floors with channelled stucco and square-headed sashes in front of which applied lettering reading "UMBRELLAS". Single window return similar to the central bay. INTERIOR: of ground floor has showcases and counters of a typical high-class late Victorian or Edwardian shop and as such is a rare survival in London. HISTORICAL NOTE: since 1867 the ground floor of the building has been occupied by the firm of James Smith & Sons, umbrellas makers. New Oxford Street was a very fashionable shopping street in the mid C19. Listing NGR: TQ3008181432

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80488
Monument Type	Listed Building
Preferred Ref.	MLO80488
Name	K2 TELEPHONE KIOSK
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29991 81282 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1512 (South side) 27/02/87 K2 Telephone Kiosk GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ2999181282

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 St. Giles High Street, London, WC2H 8LH

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477942 K2 TELEPHONE KIOSK	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1512 (South side) 27/02/87 K2 Telephone Kiosk GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ2999181282

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80367
Monument Type	Listed Building
Preferred Ref.	MLO80367
Name	K2 TELEPHONE KIOSK (1) OUTSIDE CHURCH OF CHRIST THE KING
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29732 82144 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE BYNG PLACE 798-1/94/132 (North side) 27/02/87 K2 Telephone Kiosk (1) outside Church of Christ the King (Formerly Listed as: BYNG PLACE K2 Telephone Kiosk) GV II Telephone kiosk, type K2. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. This K2 kiosk forms a group with a further K2 kiosk and a K6 kiosk all outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973282144

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Byng Place, London, WC1E 7JJ

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476774 K2 TELEPHONE KIOSK (1) OUTSIDE CHURCH OF CHRIST THE KING	CAMDEN TQ2982SE BYNG PLACE 798-1/94/132 (North side) 27/02/87 K2 Telephone Kiosk (1) outside Church of Christ the King (Formerly Listed as: BYNG PLACE K2 Telephone Kiosk) GV II Telephone kiosk, type K2. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. This K2 kiosk forms a group with a further K2 kiosk and a K6 kiosk all outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973282144

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80368
Monument Type	Listed Building
Preferred Ref.	MLO80368
Name	K2 TELEPHONE KIOSK (2) OUTSIDE CHURCH OF CHRIST THE KING
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29735 82146 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE BYNG PLACE 798-1/94/133 (North side) 27/02/87 K2 Telephone Kiosk (2) outside Church of Christ the King (Formerly Listed as: BYNG PLACE K2 Telephone Kiosk) GV II Telephone kiosk, type K2. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. This K2 kiosk forms a group with a further K2 kiosk and a K6 kiosk all outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973582146

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Byng Place, London, WC1E 7JJ

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476775 K2 TELEPHONE KIOSK (2) OUTSIDE CHURCH OF CHRIST THE KING	CAMDEN TQ2982SE BYNG PLACE 798-1/94/133 (North side) 27/02/87 K2 Telephone Kiosk (2) outside Church of Christ the King (Formerly Listed as: BYNG PLACE K2 Telephone Kiosk) GV II Telephone kiosk, type K2. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. This K2 kiosk forms a group with a further K2 kiosk and a K6 kiosk all outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973582146

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95794
Monument Type	Listed Building
Preferred Ref.	MLO95794
Name	K2 TELEPHONE KIOSK ADJACENT TO NORTHERNMOST KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30390 81095 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 K2 Telephone Kiosk 6.8.86 adjacent to northern-most kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3039081095

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13 New Row, London, WC2N 4LF

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208805 K2 TELEPHONE KIOSK ADJACENT TO NORTHERNMOST KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 K2 Telephone Kiosk 6.8.86 adjacent to northern-most kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3039081095

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95421
Monument Type	Listed Building
Preferred Ref.	MLO95421
Name	K2 TELEPHONE KIOSK ADJACENT TO SOUTHERNMOST IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30388 81090 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 K2 Telephone Kiosk 6.8.86 adjacent to southern-most in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crown to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038881090

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13 New Row, London, WC2N 4LF

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208802 K2 TELEPHONE KIOSK ADJACENT TO SOUTHERNMOST IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 K2 Telephone Kiosk 6.8.86 adjacent to southern-most in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crown to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038881090

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94938
Monument Type	Listed Building
Preferred Ref.	MLO94938
Name	K2 TELEPHONE KIOSK AT JUNCTION WITH BELL YARD
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31124 81128 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	FLEET STREET 1. 5002 K2 telephone kiosk TQ 3181 7/352 at junction with Bell Yard II GV 2. Telephone kiosk,1927, by Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. Listing NGR: TQ3112481128

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	434429 K2 TELEPHONE KIOSK AT JUNCTION WITH BELL YARD	FLEET STREET 1. 5002 K2 telephone kiosk TQ 3181 7/352 at junction with Bell Yard II GV 2. Telephone kiosk,1927, by Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. Listing NGR: TQ3112481128

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86576
Monument Type	Listed Building
Preferred Ref.	MLO86576
Name	K2 TELEPHONE KIOSK AT SOUTH WEST CORNER OF NUMBER 120A AND 122 CLERKENWELL GREEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31490 82081 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/391 (East side) 24/12/86 K2 telephone kiosk at south-west corner of nos 120A and 122 Clerkenwell Green (Formerly Listed as: CLERKENWELL ROAD K2 telephone kiosk) GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3149082081

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 14-16 Farringdon Lane, London, EC1R 3AU

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368891 K2 TELEPHONE KIOSK AT SOUTH WEST CORNER OF NUMBER 120A AND 122 CLERKENWELL GREEN	ISLINGTON TQ3182SW FARRINGDON LANE 635-1/73/391 (East side) 24/12/86 K2 telephone kiosk at south-west corner of nos 120A and 122 Clerkenwell Green (Formerly Listed as: CLERKENWELL ROAD K2 telephone kiosk) GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3149082081

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80254
Monument Type	Listed Building
Preferred Ref.	MLO80254
Name	K2 TELEPHONE KIOSK AT SOUTH WEST CORNER OPPOSITE NUMBER 15
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30376 82526 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW REGENT SQUARE 798-1/90/1381 (South West side) 27/02/87 K2 Telephone Kiosk at south west corner opposite No.15 GV II Telephone kiosk, type K2. 1927. Designed by Sir Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3037682526

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477843 K2 TELEPHONE KIOSK AT SOUTH WEST CORNER OPPOSITE NUMBER 15	CAMDEN TQ3082NW REGENT SQUARE 798-1/90/1381 (South West side) 27/02/87 K2 Telephone Kiosk at south west corner opposite No.15 GV II Telephone kiosk, type K2. 1927. Designed by Sir Giles Gilbert Scott. Cast-iron. Square kiosk with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3037682526

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94925
Monument Type	Listed Building
Preferred Ref.	MLO94925
Name	K2 TELEPHONE KIOSK NEAR JUNCTION WITH FLEET STREET
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31122 81122 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	BELL YARD 1. 5002 K2 telephone kiosk TQ 3181 7/353 near junction with Fleet Street II GV 2. Telephone kiosk,1927, by Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. Listing NGR: TQ3112281122

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	434428 K2 TELEPHONE KIOSK NEAR JUNCTION WITH FLEET STREET	BELL YARD 1. 5002 K2 telephone kiosk TQ 3181 7/353 near junction with Fleet Street II GV 2. Telephone kiosk,1927, by Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. Listing NGR: TQ3112281122

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80611
Monument Type	Listed Building
Preferred Ref.	MLO80611
Name	K2 TELEPHONE KIOSK OUTSIDE NUMBER 23 BEDFORD ROW
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30781 81866 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/72 (East side) 27/02/87 K2 Telephone Kiosk outside No.23 Bedford Row (Formerly Listed as: BEDFORD ROW K2 Telephone Kiosk) GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3078181866

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 23 Bedford Row, London, WC1R 4EB

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476682 K2 TELEPHONE KIOSK OUTSIDE NUMBER 23 BEDFORD ROW	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/72 (East side) 27/02/87 K2 Telephone Kiosk outside No.23 Bedford Row (Formerly Listed as: BEDFORD ROW K2 Telephone Kiosk) GV II Telephone kiosk. 1927. Designed by Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3078181866

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81426
Monument Type	Listed Building
Preferred Ref.	MLO81426
Name	K2 TELEPHONE KIOSK OUTSIDE PUBLIC TRUSTEE OFFICE (OFFICE NOT INCLUDED)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30646 81259 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE KINGSWAY 798-1/106/998 (East side) 27/02/87 K2 Telephone Kiosk outside Public Trustee Office (office not included) GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3064681259

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478631 K2 TELEPHONE KIOSK OUTSIDE PUBLIC TRUSTEE OFFICE (OFFICE NOT INCLUDED)	CAMDEN TQ3081SE KINGSWAY 798-1/106/998 (East side) 27/02/87 K2 Telephone Kiosk outside Public Trustee Office (office not included) GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3064681259

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81427
Monument Type	Listed Building
Preferred Ref.	MLO81427
Name	K2 TELEPHONE KIOSK OUTSIDE PUBLIC TRUSTEE OFFICE JUNCTION KINGSWAY/SARDINIA STREET
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30649 81253 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE KINGSWAY 798-1/106/999 (East side) 27/02/87 K2 Telephone Kiosk outside Public Trustee Office junction Kingsway/Sardinia St GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3064981253

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478632 K2 TELEPHONE KIOSK OUTSIDE PUBLIC TRUSTEE OFFICE JUNCTION KINGSWAY/SARDINIA STREET	CAMDEN TQ3081SE KINGSWAY 798-1/106/999 (East side) 27/02/87 K2 Telephone Kiosk outside Public Trustee Office junction Kingsway/Sardinia St GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast-iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3064981253

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86454
Monument Type	Listed Building
Preferred Ref.	MLO86454
Name	K2 TELEPHONE KIOSK TO NORTH WEST AT JUNCTION WITH MOUNT PLEASANT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31134 82296 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW ROSEBERY AVENUE 635-1/73/733 (North West side) 24/12/86 K2 telephone kiosk to NW at junction with Mount Pleasant (Formerly Listed as: ROSEBERY AVENUE (South side) K2 telephone kiosk to south corner of junction with Mount Pleasant) II Telephone kiosk. c.1927. Giles Gilbert Scott, designer. Cast iron. Square kiosk of K2 type with low domed-roof, perforated crowns to top panel and glazing bars to windows and door. Panels above door and windows read: 'TELEPHONE'. Listing NGR: TQ3113482296

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- Rosebery Avenue, London, EC1R 4TN

Monument/Component Types

- TELEPHONE BOX (Modern - 1907 AD to 1947 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369256 K2 TELEPHONE KIOSK TO NORTH WEST AT JUNCTION WITH MOUNT PLEASANT	ISLINGTON TQ3182SW ROSEBERY AVENUE 635-1/73/733 (North West side) 24/12/86 K2 telephone kiosk to NW at junction with Mount Pleasant (Formerly Listed as: ROSEBERY AVENUE (South side) K2 telephone kiosk to south corner of junction with Mount Pleasant) II Telephone kiosk. c.1927. Giles Gilbert Scott, designer. Cast iron. Square kiosk of K2 type with low domed-roof, perforated crowns to top panel and glazing bars to windows and door. Panels above door and windows read: 'TELEPHONE'. Listing NGR: TQ3113482296

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81861
Monument Type	Listed Building
Preferred Ref.	MLO81861
Name	K2 TELEPHONE KIOSK, OPPOSITE NUMBER 15
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31261 81269 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	FETTER LANE 1. 5002 TQ 3181SW 7/302 K2 Telephone Kiosk, opposite No 15 II 2. GV Telephone kiosk. 1927, designed by Giles Gilbert Scott. Cast iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3126181269

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- Winchmore House 12-15 Fetter Lane, London, EC4A 1BW

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	434528 K2 TELEPHONE KIOSK, OPPOSITE NUMBER 15	FETTER LANE 1. 5002 TQ 3181SW 7/302 K2 Telephone Kiosk, opposite No 15 II 2. GV Telephone kiosk. 1927, designed by Giles Gilbert Scott. Cast iron. Square kiosk of K2 type with domed roof, perforated crowns to top panel and glazing bars to windows and door. Listing NGR: TQ3126181269

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94266
Monument Type	Listed Building
Preferred Ref.	MLO94266
Name	K2 TELEPHONE KIOSK, THE EASTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31040 81244 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K2 telephone kiosk, the 9.9.86 easternmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of group of four kiosks, including 2 K2s and 2 K6s, arranged symmetrically outside Royal Courts of Justice. Listing NGR: TQ3104081244

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208959 K2 TELEPHONE KIOSK, THE EASTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K2 telephone kiosk, the 9.9.86 easternmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of group of four kiosks, including 2 K2s and 2 K6s, arranged symmetrically outside Royal Courts of Justice. Listing NGR: TQ3104081244

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97390
Monument Type	Listed Building
Preferred Ref.	MLO97390
Name	K2 TELEPHONE KIOSK, THE WESTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31032 81241 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K2 telephone kiosk, the westernmost of group of 9.9.86 four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated-crowns to top panels and glazing bars to windows and door. One of group of four kiosks, including 2 K2s and 2 K6s, arranged symmetrically outside Royal Courts of Justice. Listing NGR: TQ3103281241

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208958 K2 TELEPHONE KIOSK, THE WESTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K2 telephone kiosk, the westernmost of group of 9.9.86 four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated-crowns to top panels and glazing bars to windows and door. One of group of four kiosks, including 2 K2s and 2 K6s, arranged symmetrically outside Royal Courts of Justice. Listing NGR: TQ3103281241

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95304
Monument Type	Listed Building
Preferred Ref.	MLO95304
Name	K6 TELEPHONE KIOSK ADJACENT TO EASTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31039 81244 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K6 telephone kiosk 22.10.87 adjacent to easternmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1935. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K6 type with domed roof, unperforated crowns to top panels and margin glazing to windows and door. One of group of four kiosks including 2 K2s and 2 K6s arranged symmetrically outside the Royal Courts of Justice. Listing NGR: TQ3103981244

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208960 K6 TELEPHONE KIOSK ADJACENT TO EASTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 K6 telephone kiosk 22.10.87 adjacent to easternmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1935. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K6 type with domed roof, unperforated crowns to top panels and margin glazing to windows and door. One of group of four kiosks including 2 K2s and 2 K6s arranged symmetrically outside the Royal Courts of Justice. Listing NGR: TQ3103981244

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80369
Monument Type	Listed Building
Preferred Ref.	MLO80369
Name	K6 TELEPHONE KIOSK OUTSIDE CHURCH OF CHRIST THE KING
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29738 82148 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE BYNG PLACE 798-1/94/134 (North side) 10/06/87 K6 Telephone Kiosk outside Church of Christ the King GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. This K6 kiosk forms a group with two K2 kiosks also outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973882148

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Byng Place, London, WC1E 7JJ

Monument/Component Types

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476776 K6 TELEPHONE KIOSK OUTSIDE CHURCH OF CHRIST THE KING	CAMDEN TQ2982SE BYNG PLACE 798-1/94/134 (North side) 10/06/87 K6 Telephone Kiosk outside Church of Christ the King GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. This K6 kiosk forms a group with two K2 kiosks also outside the Church of Christ the King, Gordon Square (qv). Listing NGR: TQ2973882148

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80482
Monument Type	Listed Building
Preferred Ref.	MLO80482
Name	K6 TELEPHONE KIOSK OUTSIDE NUMBER 11 (NUMBER 11 NOT INCLUDED)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30409 82890 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW ST CHAD'S STREET 798-1/90/1506 (South side) 10/06/87 K6 Telephone Kiosk outside No.11 (No.11 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3040982890

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 St. Chad's Street, London, WC1H 8BG

Monument/Component Types

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477936 K6 TELEPHONE KIOSK OUTSIDE NUMBER 11 (NUMBER 11 NOT INCLUDED)	CAMDEN TQ3082NW ST CHAD'S STREET 798-1/90/1506 (South side) 10/06/87 K6 Telephone Kiosk outside No.11 (No.11 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3040982890

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80612
Monument Type	Listed Building
Preferred Ref.	MLO80612
Name	K6 TELEPHONE KIOSK OUTSIDE NUMBER 25 BEFORD ROW (NUMBER 25 NOT INCLUDED)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30771 81859 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/73 (West side) 10/06/87 K6 Telephone Kiosk outside No.25 Bedford Row (No.25 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3077181859

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Bedford Row, London, WC1R 4HE

Monument/Component Types

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476683 K6 TELEPHONE KIOSK OUTSIDE NUMBER 25 BEFORD ROW (NUMBER 25 NOT INCLUDED)	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/73 (West side) 10/06/87 K6 Telephone Kiosk outside No.25 Bedford Row (No.25 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3077181859

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80613
Monument Type	Listed Building
Preferred Ref.	MLO80613
Name	K6 TELEPHONE KIOSK OUTSIDE NUMBER 44 BEDFORD ROW (NUMBER 44 NOT INCLUDED)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30831 81706 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/74 (West side) 10/06/87 K6 Telephone Kiosk outside No.44 Bedford Row (No.44 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3083181706

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Bedford Row, London, WC1R 4LL

Monument/Component Types

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476684 K6 TELEPHONE KIOSK OUTSIDE NUMBER 44 BEDFORD ROW (NUMBER 44 NOT INCLUDED)	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/74 (West side) 10/06/87 K6 Telephone Kiosk outside No.44 Bedford Row (No.44 not included) GV II Telephone kiosk, type K6. 1935. Designed by Sir Giles Gilbert Scott. Made by W MacFarlane of Glasgow. Cast-iron. Square kiosk with domed roof, unperforated crowns to top panels and margin glazing to windows and door. Listing NGR: TQ3083181706

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96494
Monument Type	Listed Building
Preferred Ref.	MLO96494
Name	K6 TELEPHONE KIOSK, ADJCENT TO WESTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31033 81242 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 22.10.87 K6 telephone kiosk, adjacent to westernmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1935. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K6 type with domed roof, unperforated crowns to top panels and margin glazing to windows and door. One of group of four kiosks including 2 K2s and 2 K6s arranged symmetrically outside the Royal Courts of Justice. Listing NGR: TQ3103381242

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- TELEPHONE BOX (Modern - 1935 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208961 K6 TELEPHONE KIOSK, ADJCENT TO WESTERNMOST OF GROUP OF FOUR KIOSKS TO NORTH OF ROYAL COURTS OF JUSTICE	TQ 3181 CITY OF WESTMINSTER CAREY STREET, WC2 22.10.87 K6 telephone kiosk, adjacent to westernmost of group of four kiosks to north of Royal Courts of Justice GV II Telephone kiosk. 1935. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K6 type with domed roof, unperforated crowns to top panels and margin glazing to windows and door. One of group of four kiosks including 2 K2s and 2 K6s arranged symmetrically outside the Royal Courts of Justice. Listing NGR: TQ3103381242

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80480
Monument Type	Listed Building
Preferred Ref.	MLO80480
Name	KING EDWARD MANSIONS AND SOVEREIGN HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30134 81382 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW GRAPE STREET 798-1/105/1850 Nos.2-20 (Even) 07/05/96 King Edward Mansions GV II See under: Nos.210-226 Sovereign House SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1850 (South East side) 07/05/96 Nos.210-226 (Even) Sovereign House GV II Includes: Nos.2-20 King Edward Mansions GRAPE STREET. Shops with former showrooms and offices over, flats over shops to Grape Street range. 1902-8. Almost certainly by C Fitzroy Doll, surveyor to the Bedford Estate and the local District Surveyor. Brick with exuberant terracotta dressings and decorations, slate roofs with high stacks dressed in terracotta. Angled plan of 2 intersecting ranges with central courtyard serving flats reached under No.210 Shaftesbury Avenue. EXTERIOR: 5 storeys and attics. Profoundly asymmetrical composition. Angled 2-bay range with projecting 2-storey oriel adjoins Shaftesbury Theatre (qv), then 13-window range to Shaftesbury Avenue. Corner bartizans with projecting turrets, that and its adjoining bay to Grape Street with machicolations, as has a similar turret to right of centre of main composition and two 3-storey oriels. These and oriel set over entrance to chambers at right of composition are all mounted on fat columns set between shopfronts and first-floor former showrooms, and with undersides embellished with organic decoration. The other shops separated by fluted Roman Doric engaged columns with dentil cornice, over which are first-floor former showrooms separated by engaged Ionic columns. The shopfronts largely renewed in sympathetic fashion: that to No.218 may be original; first-floor showrooms, now offices, with large plate glass windows under small-paned toplights, little altered. All windows to upper floors mullion and transom casements in terracotta surrounds, with notched lintels linked as bands across composition, and with many projecting bands, moulded cornice and parapets. Attic dormers inserted mid-20th century and not of interest. Balcony over entrance to offices. Return to Grape Street (King Edward Mansions) similarly treated though with higher stacks, with broad, square bartizan on corner, a round one in the middle and one of each at far end, all with machicolations. 3 oriels inbetween, one round on moulded plinth, one canted (both with balustraded tops) and one square which rises to the line of a heavy modillion cornice. Shop fronts to ground floor, some with cast-iron grilles, have simple mouldings and tripartite toplights. First floor former showrooms with small top lights in broad mullion and transom casements. Flats served by courtyard to rear of No.210 Shaftesbury Avenue, with stone access balconies on cast-iron brackets, sash windows and part-glazed doors. INTERIORS not inspected. Included primarily for the quality of its street facades, an exceptionally powerful example of Doll's work for the Bedford Estate using fine terracotta. Listing NGR: TQ3013481382

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Grape Street, London, WC2H 8DY

- 10 Grape Street, London, WC2H 8DY

Monument/Component Types

- COURTYARD (Modern - 1902 AD to 1908 AD)
- MANSION FLATS (Modern - 1902 AD to 1908 AD)
- OFFICE (Modern - 1902 AD to 1908 AD)
- SHOP (Modern - 1902 AD to 1908 AD)
- SHOWROOM (Modern - 1902 AD to 1908 AD)
- SHOP (Modern to Unknown - 1909 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477963 KING EDWARD MANSIONS AND SOVEREIGN HOUSE	CAMDEN TQ3081SW GRAPE STREET 798-1/105/1850 Nos.2-20 (Even) 07/05/96 King Edward Mansions GV II See under: Nos.210-226 Sovereign House SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1850 (South East side) 07/05/96 Nos.210-226 (Even) Sovereign House GV II Includes: Nos.2-20 King Edward Mansions GRAPE STREET. Shops with former showrooms and offices over, flats over shops to Grape Street range. 1902-8. Almost certainly by C Fitzroy Doll, surveyor to the Bedford Estate and the local District Surveyor. Brick with exuberant terracotta dressings and decorations, slate roofs with high stacks dressed in terracotta. Angled plan of 2 intersecting ranges with central courtyard serving flats reached under No.210 Shaftesbury Avenue. EXTERIOR: 5 storeys and attics. Profoundly asymmetrical composition. Angled 2-bay range with projecting 2-storey oriel adjoins Shaftesbury Theatre (qv), then 13-window range to Shaftesbury Avenue. Corner bartizans with projecting turrets, that and its adjoining bay to Grape Street with machicolations,

as has a similar turret to right of centre of main composition and two 3-storey oriels. These and oriel set over entrance to chambers at right of composition are all mounted on fat columns set between shopfronts and first-floor former showrooms, and with undersides embellished with organic decoration. The other shops separated by fluted Roman Doric engaged columns with dentil cornice, over which are first-floor former showrooms separated by engaged Ionic columns. The shopfronts largely renewed in sympathetic fashion: that to No.218 may be original; first-floor showrooms, now offices, with large plate glass windows under small-paned toplights, little altered. All windows to upper floors mullion and transom casements in terracotta surrounds, with notched lintels linked as bands across composition, and with many projecting bands, moulded cornice and parapets. Attic dormers inserted mid-C20 and not of interest. Balcony over entrance to offices. Return to Grape Street (King Edward Mansions) similarly treated though with higher stacks, with broad, square bartizan on corner, a round one in the middle and one of each at far end, all with machicolations. 3 oriels inbetween, one round on moulded plinth, one canted (both with balustraded tops) and one square which rises to the line of a heavy modillion cornice. Shop fronts to ground floor, some with cast-iron grilles, have simple mouldings and tripartite toplights. First floor former showrooms with small top lights in broad mullion and transom casements. Flats served by courtyard to rear of No.210 Shaftesbury Avenue, with stone access balconies on cast-iron brackets, sash windows and part-glazed doors. INTERIORS not inspected. Included primarily for the quality of its street facades, an exceptionally powerful example of Doll's work for the Bedford Estate using fine terracotta. Listing NGR: TQ3013481382

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97608
Monument Type	Listed Building
Preferred Ref.	MLO97608
Name	KINGS CHAMBERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30749 81201 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description
 TQ 3081 SE CITY OF WESTMINSTER ST CLEMENT'S LANE, WC2 60/6 No 3 (Kings Chambers) GV II Chambers. C1905 and stylistically close to H Fuller Clarke. Ceramic brick, plain red brick, Portland stone and polished granite, slate roof. Original Edwardian Free Style design for offices. 3 storeys and attic storey. 6 windows wide to St Clement's Lane and 5 windows wide to Portugal Street, the corner canted and developed as cupolared tower. St Clement's Lane front has secondary doorway to left set into ashlar wall face with drip mould-cornice and lay-light with glazing bars above; 2 large office windows and a single window, flat stone mullions and transoms flush with ashlar wall, with glazed stall risers lighting basement. Main entrance, to centre of Portugal Street front, takes the form of a large round arched niche line in green mosaic with good Arts and Crafts/Art Nouveau lettering in gold: "KINGS CHAMBERS" on semi-dome; panelled and glazed door with fanlight follows curve of niche as do the curved plate glass side windows; the niche opening framed by very large broken segmental pediment rising from granite piers and encompassing centre light of tripartite, Ionic columned, 1st floor window. 2 office windows flank entrance niche on ground floor with similar detailing to those on return. Upper floors and attic storey are flanked by through storey canted bay windows. The attic storey is faced in green ceramic brick and rises from bold stone cornice to secondary cornice with pediment in parapet. The corner splay of attic between canted bays has oculus and above the parapet the combination of canted bays and corner splay read as a "tower" crowned by lead cupola. Interesting island block development of chambers with Nos 2 and 4 Portugal Street qv. Listing NGR: TQ3074981201

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- APARTMENT (19th Century to Modern - 1895 AD to 1915 AD)
- OFFICE (19th Century to Modern - 1895 AD to 1915 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	426267 KINGS CHAMBERS	TQ 3081 SE CITY OF WESTMINSTER ST CLEMENT'S LANE, WC2 60/6 No 3 (Kings Chambers) GV II Chambers. C1905 and stylistically close to H Fuller Clarke. Ceramic brick, plain red brick, Portland stone and polished granite, slate roof. Original Edwardian Free Style design for offices. 3 storeys and attic storey. 6 windows wide to St Clement's Lane and 5 windows wide to Portugal Street, the corner canted and developed as cupolared tower. St Clement's Lane front has secondary doorway to left set into ashlar wall face with drip mould-cornice and lay-light with glazing bars above; 2 large office windows and a single window, flat stone mullions and transoms flush with ashlar wall, with glazed stall risers lighting basement. Main entrance, to centre of Portugal Street front, takes the form of a large round arched niche line in green mosaic with good Arts and Crafts/Art Nouveau lettering in gold: "KINGS CHAMBERS" on semi-dome; panelled and glazed door with fanlight follows curve of niche as do the curved plate glass side windows; the niche opening framed by very large broken segmental pediment rising from granite piers and encompassing centre light of tripartite, Ionic columned, 1st floor window. 2 office windows flank entrance niche on ground floor with similar detailing to those on return. Upper floors and attic storey are flanked by through storey canted bay windows. The attic storey is faced in green ceramic brick and rises from bold stone cornice to secondary cornice with pediment in parapet. The corner splay of attic between canted bays has oculus and above the parapet the combination of canted bays and corner splay read as a "tower" crowned by lead cupola. Interesting island block development of chambers with Nos 2 and 4 Portugal Street qv. Listing NGR: TQ3074981201

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81422
Monument Type	Listed Building
Preferred Ref.	MLO81422
Name	KINGSWAY CHAMBERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30606 81366 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE KINGSWAY 798-1/106/994 (East side) Nos.44 AND 46 Kingsway Chambers GV II Chambers over ground floor shop. 1913. By Metcalf and Greig. Portland stone faced. Narrow fronted building in Arts & Crafts manner. 8 storeys. 3 bays. Shop front altered in late 20th century with plate glass. All windows to upper floors transom and mullion with small leaded panes. 1st floor with 3 shallow arch arcaded windows with modillion cornice having scrolled brackets to mark bays. Central bay has 5-light 2nd floor window, 3rd floor lunette with carved enrichment to apron and spandrels, 4th, 5th and 6th floors a 5-light bowed oriel with bowed cornice above which a tall gable with 5-light window flanked by tall chimney like features rising through roof line, enriched apex, and upswept eaves extending over outer bays to similar chimney like features at angles. Outer bays have a 2-light window to each floor until 6th floor with 3-light lunettes having enriched heads, carved cartouche aprons and projecting segmental cornice hoods on enriched brackets. INTERIOR: not inspected. Listing NGR: TQ3060681366

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- COMMERCIAL OFFICE (Modern - 1913 AD)
- SHOP (Modern - 1913 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478627 KINGSWAY CHAMBERS	CAMDEN TQ3081SE KINGSWAY 798-1/106/994 (East side) Nos.44 AND 46 Kingsway Chambers GV II Chambers over ground floor shop. 1913. By Metcalf and Greig. Portland stone faced. Narrow fronted building in Arts & Crafts manner. 8 storeys. 3 bays. Shop front altered in late C20 with plate glass. All windows to upper floors transom and mullion with small leaded panes. 1st floor with 3 shallow arch arcaded windows with modillion cornice having scrolled brackets to mark bays. Central bay has 5-light 2nd floor window, 3rd floor lunette with carved enrichment to apron and spandrels, 4th, 5th and 6th floors a 5-light bowed oriel with bowed cornice above which a tall gable with 5-light window flanked by tall chimney like features rising through roof line, enriched apex, and upswept eaves extending over outer bays to similar chimney like features at angles. Outer bays have a 2-light window to each floor until 6th floor with 3-light lunettes having enriched heads, carved cartouche aprons and projecting segmental cornice hoods on enriched brackets. INTERIOR: not inspected. Listing NGR: TQ3060681366

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80233
Monument Type	Listed Building
Preferred Ref.	MLO80233
Name	KINGSWAY TRAM SUBWAY (NORTHERN SECTION ONLY)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30472 81660 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1776 Kingsway Tram Subway (northern 11/02/98 section only) GV II Tram subway. 1904-6. By the London County Council for their tramways undertaking. Tunnel lined with white glazed brick and retains its original cobbles and tram rails; with granite-clad portal and surrounds, the latter surmounted by cast-iron railings. Tunnel entrance is square in section, heightened in 1929-31 to take double-deckers. Cast and wrought-iron gas lamp stand at south end of surviving section with monogram 'LCC' incorporated at base. HISTORICAL NOTE: the subway originally ran from the Embankment to Holborn, and was constructed as part of the original layout of Kingsway by the LCC; it closed in 1932. The southern end was adapted as a traffic underpass in 1964 and is not included. The separate northern section has considerable streetscape value for the quality of its granite massing and ironwork decoration as well as having particular historical interest as the only underpass specifically for trams. Listing NGR: TQ3047281660

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Southampton Row, London, WC1B 4ET

Monument/Component Types

- GAS LAMP (Modern - 1904 AD to 1906 AD)
- RAILINGS (Modern - 1904 AD to 1906 AD)
- TRAMWAY TUNNEL (Modern - 1904 AD to 1906 AD)
- TRAMWAY TUNNEL PORTAL (Modern - 1904 AD to 1906 AD)
- TRAMWAY TUNNEL (Modern - 1929 AD to 1931 AD)
- TRAMWAY TUNNEL PORTAL (Modern - 1929 AD to 1931 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478146 KINGSWAY TRAM SUBWAY (NORTHERN SECTION ONLY)	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1776 Kingsway Tram Subway (northern 11/02/98 section only) GV II Tram subway. 1904-6. By the London County Council for their tramways undertaking. Tunnel lined with white glazed brick and retains its original cobbles and tram rails; with granite-clad portal and surrounds, the latter surmounted by cast-iron railings. Tunnel entrance is square in section, heightened in 1929-31 to take double-deckers. Cast and wrought-iron gas lamp stand at south end of surviving section with monogram 'LCC' incorporated at base. HISTORICAL NOTE: the subway originally ran from the Embankment to Holborn, and was constructed as part of the original layout of Kingsway by the LCC; it closed in 1932. The southern end was adapted as a traffic underpass in 1964 and is not included. The separate northern section has considerable streetscape value for the quality of its granite massing and ironwork decoration as well as having particular historical interest as the only underpass specifically for trams. Listing NGR: TQ3047281660

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81423
Monument Type	Listed Building
Preferred Ref.	MLO81423
Name	KODAK HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30582 81277 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE KINGSWAY 798-1/106/995 (West side) 08/09/71 No.63 Kodak House II Office block, incorporating Nos 61 & 65. c1911. By Sir John Burnet and Partners (job architect Thomas Tait) for Kodak; later attic storey. Built by Allen Construction Co. Steel framed construction with Portland stone facing and bronze spandrel panels emphasising the method of structure. Bronze roof canopy with antefixae masks. EXTERIOR: 6 storeys, basement and 20th century attic storey. 5 window bays to main frontage, splayed 1 window corner treatment and 7 window bays to return. Windows with post 1973 glazing; originally 6 light casements with leaded panes. Plate glass ground floor frontage. Central doorway with bolection moulded surround and flanked by bronze torches. Plain stone continuous sill at 1st floor level; square-headed recessed windows. Stone pilasters between bays rise from 2nd floor level; they have bases but not capitals and lead flush into the top frieze. Coved stone cornice with band of Greek fret ornament. INTERIOR: has good original staircases, the principal staircase to 1st floor level of marble with bronze handrail. Other features may remain behind partitioning. HISTORICAL NOTE: an early example in London of an office block treated in a straightforward manner. Although a pioneering work of modern design it evolves from an Edwardian Neo-Classical design, stripped of almost all ornament and with a Beaux Arts axial plan. Burnet made a study tour of America in preparation for this project. The detail appears to be by Thomas Tait: despite Burnet's doubts about the lack of usual decoration, the client liked the simplicity. Listing NGR: TQ3058281277

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- METAL FRAMED BUILDING (Modern - 1901 AD to 1921 AD)
- OFFICE (Modern - 1901 AD to 1921 AD)
- OFFICE (Modern - 1922 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478628 KODAK HOUSE	CAMDEN TQ3081SE KINGSWAY 798-1/106/995 (West side) 08/09/71 No.63 Kodak House II Office block, incorporating Nos 61 & 65. c1911. By Sir John Burnet and Partners (job architect Thomas Tait) for Kodak; later attic storey. Built by Allen Construction Co. Steel framed construction with Portland stone facing and bronze spandrel panels emphasising the method of structure. Bronze roof canopy with antefixae masks. EXTERIOR: 6 storeys, basement and C20 attic storey. 5 window bays to main frontage, splayed 1 window corner treatment and 7 window bays to return. Windows with post 1973 glazing; originally 6 light casements with leaded panes. Plate glass ground floor frontage. Central doorway with bolection moulded surround and flanked by bronze torches. Plain stone continuous sill at 1st floor level; square-headed recessed windows. Stone pilasters between bays rise from 2nd floor level; they have bases but not capitals and lead flush into the top frieze. Coved stone cornice with band of Greek fret ornament. INTERIOR: has good original staircases, the principal staircase to 1st floor level of marble with bronze handrail. Other features may remain behind partitioning. HISTORICAL NOTE: an early example in London of an office block treated in a straightforward manner. Although a pioneering work of modern design it evolves from an Edwardian Neo-Classical design, stripped of almost all ornament and with a Beaux Arts axial plan. Burnet made a study tour of America in preparation for this project. The detail appears to be by Thomas Tait: despite Burnet's doubts about the lack of usual decoration, the client liked the simplicity. Listing NGR: TQ3058281277

Other Statutes and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80470
Monument Type	Listed Building
Preferred Ref.	MLO80470
Name	LADIES AND GENTLEMENS PUBLIC CONVENIENCES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30564 82177 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/716 Ladies' and Gentlemen's Public 11/02/98 Conveniences GV II Ladies and Gentlemen's public conveniences sited on a traffic island. Late C19. Rectangular site. Enriched railings on stone coped sleeper wall and iron gates with overthrows and lanterns. The railings form a civic group with the Francis Whiting Memorial Fountain (qv), in front of them. Lavatories with yellow tiles, mahogany doors, decorative grills and original fittings. Listing NGR: TQ3056482177

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Guilford Place, London, WC1N 1EA

Monument/Component Types

- PUBLIC CONVENIENCE (19th Century - 1867 AD to 1899 AD)
- RAILINGS (19th Century - 1867 AD to 1899 AD)
- WALL (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477953 LADIES AND GENTLEMENS PUBLIC CONVENIENCES	CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/716 Ladies' and Gentlemen's Public 11/02/98 Conveniences GV II Ladies and Gentlemen's public conveniences sited on a traffic island. Late C19. Rectangular site. Enriched railings on stone coped sleeper wall and iron gates with overthrows and lanterns. The railings form a civic group with the Francis Whiting Memorial Fountain (qv), in front of them. Lavatories with yellow tiles, mahogany doors, decorative grills and original fittings. Listing NGR: TQ3056482177

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81439
Monument Type	Listed Building
Preferred Ref.	MLO81439
Name	LAMB PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30612 82134 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1010 (East side) 02/08/73 No.94 Lamb Public House GV II Public house. First mentioned in 1731 but front of building probably mid or late-Georgian or later. Yellow stock brick, slate roof. 4 storeys and cellars. 4 windows wide with splayed angle at north end bearing parish boundary marker dated 1831. Upper storeys Georgian, ground-storey in form of pub front basically Victorian but with Edwardian faience tiling added in two shades of green. Painted fascia with the legends 'The Lamb' and 'Wine and Spirit Establishment'. Good hanging iron lamp bracket with lantern attached at first-floor level. Rear much extended. INTERIOR of pub with match-board walls and ceiling. One main area with fixed seating round perimeter and U-shaped bar in centre retaining snob screens with moveable glass panels and engaged with 4 thin cast-iron columns having palmette capitals. 2 similar columns behind front help support upper portions of front. Staircase at rear of building part of 1958 refurbishment of public house, when partitions formerly dividing the front area into two private bars were removed. The lobby partitions were inserted at this time. What remains is an exceptional piece of 'Victoriana', where the real late C19 interior was enhanced by the restoration. Some snob screens are original, others part of this restoration. Partitioned area at rear of right-hand bar with late C19 partitions; this was originally the pub's office. Listing NGR: TQ3061282134

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 Rokeby House 94 Lamb's Conduit Street, London, WC1N 3LX

Monument/Component Types

- PUBLIC HOUSE (18th Century to Unknown - 1731 AD)
- PUBLIC HOUSE (18th Century to 19th Century - 1732 AD to 1830 AD)
- BOUNDARY MARKER (19th Century - 1831 AD)
- PARISH BOUNDARY (19th Century - 1831 AD)
- PUBLIC HOUSE (19th Century to Modern - 1837 AD to 1901 AD)
- PUBLIC HOUSE (Modern - 1901 AD to 1910 AD)
- PUBLIC HOUSE (Modern to Unknown - 1911 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478644 LAMB PUBLIC HOUSE	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1010 (East side) 02/08/73 No.94 Lamb Public House GV II Public house. First mentioned in 1731 but front of building probably mid or late-Georgian or later. Yellow stock brick, slate roof. 4 storeys and cellars. 4 windows wide with splayed angle at north end bearing parish boundary marker dated 1831. Upper storeys Georgian, ground-storey in form of pub front basically Victorian but with Edwardian faience tiling added in two shades of green. Painted fascia with the legends 'The Lamb' and 'Wine and Spirit Establishment'. Good hanging iron lamp bracket with lantern attached at first-floor level. Rear much extended. INTERIOR of pub with match-board walls and ceiling. One main area with fixed seating round perimeter and U-shaped bar in centre retaining snob screens with moveable glass panels and engaged with 4 thin cast-iron columns having palmette capitals. 2 similar columns behind front help support upper portions of front. Staircase at rear of building part of 1958 refurbishment of public house, when partitions formerly dividing the front area into two private bars were removed. The lobby partitions were inserted at this time. What remains is an exceptional piece of 'Victoriana', where the real late C19 interior was enhanced by the restoration. Some snob screens are original, others part of this restoration. Partitioned area at rear of right-hand bar with late C19 partitions; this was originally the pub's office. Listing NGR: TQ3061282134

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82009
Monument Type	Listed Building
Preferred Ref.	MLO82009
Name	LAMP POST IN STAPLE INN COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31160 81557 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ3181NW STAPLE INN 627-0/1/10151 Lamp-post in Staple Inn 14/05/74 Court (Formerly Listed as: CAMDEN STAPLEINN Lamp-post in Staple Inn Court) GV II Lamp-post. CI9. Cast iron with fluted standard, lantern of Windsor pattern and ladder bar. Formerly Listed in the LB of Camden. Since 1 April 1994 Staple Inn has been within the City of London. Listing NGR: TQ3116081557

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- LAMP POST (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	454470 LAMP POST IN STAPLE INN COURT	TQ3181NW STAPLE INN 627-0/1/10151 Lamp-post in Staple Inn 14/05/74 Court (Formerly Listed as: CAMDEN STAPLEINN Lamp-post in Staple Inn Court) GV II Lamp-post. CI9. Cast iron with fluted standard, lantern of Windsor pattern and ladder bar. Formerly Listed in the LB of Camden. Since 1 April 1994 Staple Inn has been within the City of London. Listing NGR: TQ3116081557

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79888
Monument Type	Listed Building
Preferred Ref.	MLO79888
Name	LAMP POST ON CORNER OF GORDON SQUARE AND GORDON STREET
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29694 82296 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/598 (East side) 04/08/81 Lamp post on corner of Gordon Square and Gordon Street II Includes: Lamp post on corner of Gordon Square and Gordon Street GORDON STREET. Lamp post. 1890s. Cast by McDowell, Steven and Co, Glasgow and London. Cast-iron. Base decorated with acanthus leaf. Door with "St Pancras" on currently missing. Tall, plain shaft with decorated band. Top with the original carbon arc lamp cradle type fitting although converted to take an incandescent lamp and out of use since 1976. HISTORICAL NOTE: of interest as the last remaining of this type of lamp from the pioneering authority in electric street lighting (1892) in London. CAMDEN TQ2982SE GORDON STREET 798-1/94/598 Lamp post on corner of Gordon Square 04/08/81 and Gordon Street II See under: Lamp post on corner of Gordon Square and Gordon Street GORDON SQUARE. Listing NGR: TQ2969482296

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Gordon Square, London, WC1H 0AG

Monument/Component Types

- LAMP POST (19th Century - 1890 AD to 1899 AD)
- LAMP POST (Modern - 1979 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477369 LAMP POST ON CORNER OF GORDON SQUARE AND GORDON STREET	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/598 (East side) 04/08/81 Lamp post on corner of Gordon Square and Gordon Street II Includes: Lamp post on corner of Gordon Square and Gordon Street GORDON STREET. Lamp post. 1890s. Cast by McDowell, Steven and Co, Glasgow and London. Cast-iron. Base decorated with acanthus leaf. Door with "St Pancras" on currently missing. Tall, plain shaft with decorated band. Top with the original carbon arc lamp cradle type fitting although converted to take an incandescent lamp and out of use since 1976. HISTORICAL NOTE: of interest as the last remaining of this type of lamp from the pioneering authority in electric street lighting (1892) in London. CAMDEN TQ2982SE GORDON STREET 798-1/94/598 Lamp post on corner of Gordon Square 04/08/81 and Gordon Street II See under: Lamp post on corner of Gordon Square and Gordon Street GORDON SQUARE. Listing NGR: TQ2969482296

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80878
Monument Type	Listed Building
Preferred Ref.	MLO80878
Name	LAMP POST OUTSIDE NUMBER 14
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30005 81069 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/350 (South side) Lamp post outside No.14 GV II Lamp post. C19. Cast-iron column standard with bulbous enriched base, ladder bars and Windsor lantern. Listing NGR: TQ3000581069

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Earlham Street, London, WC2H 9LN

Monument/Component Types

- LAMP POST (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477150 LAMP POST OUTSIDE NUMBER 14	CAMDEN TQ3081SW EARLHAM STREET 798-1/105/350 (South side) Lamp post outside No.14 GV II Lamp post. C19. Cast-iron column standard with bulbous enriched base, ladder bars and Windsor lantern. Listing NGR: TQ3000581069

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96206
Monument Type	Listed Building
Preferred Ref.	MLO96206
Name	LAMPSTANDARD VENTILATOR NUMBERED 40 ON ISLAND IN ROAD
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31013 81064 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 SW CITY OF WESTMINSTER STRAND, WC2 61/16 Lampstandard-ventilator 5.2.70 numbered 40 on Island in Road GV II Lampstandard-ventilator. Late C19. Cast iron. Elaborate standard with 4 scroll candelabra brackets supporting lamps and 5th lamp on top. Listing NGR: TQ3101381064

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 355 Strand, London, WC2R 0HS

Monument/Component Types

- LAMP POST (19th Century - 1867 AD to 1899 AD)
- VENTILATION SHAFT (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	427844 LAMPSTANDARD VENTILATOR NUMBERED 40 ON ISLAND IN ROAD	TQ 3181 SW CITY OF WESTMINSTER STRAND, WC2 61/16 Lampstandard-ventilator 5.2.70 numbered 40 on Island in Road GV II Lampstandard-ventilator. Late C19. Cast iron. Elaborate standard with 4 scroll candelabra brackets supporting lamps and 5th lamp on top. Listing NGR: TQ3101381064

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79776
Monument Type	Listed Building
Preferred Ref.	MLO79776
Name	LATCHFORDS TIMBER YARD INCLUDING ATTACHED TIMBER SHEDS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30151 81230 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW ENDELL STREET 798-1/105/384 (South West side) 15/01/73 No.61 Latchfords Timber Yard including attached timber sheds GV II Commercial premises & timber yard. Late 19th century. Red brick with stucco dressings and ground floor. Roof not visible. 3 storeys and cellar. 2 windows. Ground floor with pilasters, having enriched capitals, carrying entablature with dentil cornice and flanked by paired, modified consoles. Left hand of front forms the entrance to the yard; window to the right with panelled apron has altered glazing. Pilasters with enriched capitals rise through the 1st and 2nd floors carrying the entablature and projecting cornice. Louvred window openings with stucco heads to 1st and 2nd floors. Attached open timber storage sheds to rear the first floor being supported mainly on cast-iron columns with mushroom capitals; pantiled hipped roofs. Area to the left may have been stables. INTERIOR: retains some original and many old fixtures and fittings. Listing NGR: TQ3015181230

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Ventana Court 61 Endell Street, London, WC2H 9AJ

Monument/Component Types

- OFFICE (19th Century - 1867 AD to 1899 AD)
- STABLE (19th Century - 1867 AD to 1899 AD)
- TIMBER SEASONING SHED (19th Century - 1867 AD to 1899 AD)
- TIMBER YARD (19th Century - 1867 AD to 1899 AD)
- WOOD SHED (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477185 LATCHFORDS TIMBER YARD INCLUDING ATTACHED TIMBER SHEDS	CAMDEN TQ3081SW ENDELL STREET 798-1/105/384 (South West side) 15/01/73 No.61 Latchfords Timber Yard including attached timber sheds GV II Commercial premises & timber yard. Late C19. Red brick with stucco dressings and ground floor. Roof not visible. 3 storeys and cellar. 2 windows. Ground floor with pilasters, having enriched capitals, carrying entablature with dentil cornice and flanked by paired, modified consoles. Left hand of front forms the entrance to the yard; window to the right with panelled apron has altered glazing. Pilasters with enriched capitals rise through the 1st and 2nd floors carrying the entablature and projecting cornice. Louvred window openings with stucco heads to 1st and 2nd floors. Attached open timber storage sheds to rear the first floor being supported mainly on cast-iron columns with mushroom capitals; pantiled hipped roofs. Area to the left may have been stables. INTERIOR: retains some original and many old fixtures and fittings. Listing NGR: TQ3015181230

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81496
Monument Type	Listed Building
Preferred Ref.	MLO81496
Name	LINDSEY HOUSE AND ATTACHED RAILINGS, PIERS AND LAMP BRACKETS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30657 81322 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1060 (West side) 24/10/51 Nos.59 AND 60 Lindsey House and attached railings, piers and lamp-brackets (Formerly Listed as: LINCOLN'S INN FIELDS Nos.57-60 (Consecutive)) GV I House. 1638-41 with alterations by Isaac Ware to form 2 houses in 1751-2 and 20th century alterations. Stuccoed front, partly painted, with rusticated ground floor. EXTERIOR: 3 storeys, basement and 20th century attic with dormers. 5 windows. Coupled entrances with enriched consoles, pulvinated frieze and cornice. Patterned arched fanlights. Architraved windows, 1st floor with pulvinated frieze and pedimented cornice, centre window with consoles and broken segmental pediment with panel and festoon. Ionic pilasters through 1st and 2nd floor between windows and on flanks. Entablature with pulvinated frieze, modillion cornice and balustraded parapet. INTERIOR: no original interiors remain. No.59 with moulded balusters and carved ends to oak staircase. No.60 with C19 wrought-iron scroll topped square balusters to stone staircase. SUBSIDIARY FEATURES: rusticated red brick piers flanking entrance to combined forecourt with carved stone terminals; piers linked to house by plain brick buttressed wall. Cast-iron railings on parapet wall along frontage with wrought-iron lamp brackets. HISTORICAL NOTE: built as the centrepiece of 'Arch Row' for the gentleman-speculator William Newton. Various attributed to Inigo Jones, John Webb, Peter Mills and Nicholas Stone. 'Perhaps, historically, the most important single house in London' (Sir John Summerson) as the model for the subsequent development of London over two centuries. The wall surface between the piers was originally of red brick. (Survey of London: Vol. III, St Giles-in-the-Field, part I: Lincoln's Inn Fields: London: -1912: 108-109; RCHME: Vol. II, West London: London: -1935: 60; Summerson J: Architecture in Britain 1530-1830: Harmondsworth: -1953: 164-166). Listing NGR: TQ3065781322

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 57-60 Lincoln's Inn Fields, London, WC2A 3LS
 - 57-60 Lincoln's Inn Fields, London, WC2A 3LS
 - 57-60 Lincoln's Inn Fields, London, WC2A 3LS

Monument/Component Types

- FORECOURT (17th Century - 1638 AD to 1641 AD)
- GATE PIER (17th Century - 1638 AD to 1641 AD)
- HOUSE (17th Century - 1638 AD to 1641 AD)
- LAMP BRACKET (17th Century - 1638 AD to 1641 AD)
- RAILINGS (17th Century - 1638 AD to 1641 AD)
- WALL (17th Century - 1638 AD to 1641 AD)
- HOUSE (18th Century - 1751 AD to 1752 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478712 LINDSEY HOUSE AND ATTACHED RAILINGS, PIERS AND LAMP BRACKETS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1060 (West side) 24/10/51 Nos.59 AND 60 Lindsey House and attached railings, piers and lamp-brackets (Formerly Listed as: LINCOLN'S INN FIELDS Nos.57-60 (Consecutive)) GV I House. 1638-41 with alterations by Isaac Ware to form 2 houses in 1751-2 and C20 alterations. Stuccoed front, partly painted, with rusticated ground floor. EXTERIOR: 3 storeys, basement and C20 attic with dormers. 5 windows. Coupled entrances with enriched consoles, pulvinated frieze and cornice. Patterned arched fanlights. Architraved windows, 1st floor with pulvinated frieze and pedimented cornice, centre window with consoles and broken segmental pediment with panel and festoon. Ionic pilasters through 1st and 2nd floor between windows and on flanks. Entablature with pulvinated frieze, modillion cornice and balustraded parapet. INTERIOR: no original interiors remain. No.59 with moulded balusters and carved ends to oak staircase. No.60 with C19 wrought-iron scroll topped square balusters to stone staircase. SUBSIDIARY FEATURES: rusticated red brick piers flanking entrance to combined forecourt with carved stone terminals; piers linked to house by plain brick buttressed wall. Cast-iron railings on parapet wall along frontage with wrought-iron lamp brackets. HISTORICAL NOTE: built as the centrepiece of 'Arch Row' for the gentleman-speculator William Newton. Various attributed to Inigo Jones, John Webb, Peter Mills and Nicholas Stone. 'Perhaps,

historically, the most important single house in London' (Sir John Summerson) as the model for the subsequent development of London over two centuries. The wall surface between the piers was originally of red brick. (Survey of London: Vol. III, St Giles-in-the-Field, part I: Lincoln's Inn Fields: London: -1912: 108-109; RCHME: Vol. II, West London: London: -1935: 60; Summerson J: Architecture in Britain 1530-1830: Harmondsworth: -1953: 164-166). Listing NGR: TQ3065781322

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
-------------------	------------------------

SHINE Candidate (Unlikely)	
-------------------------------	--

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80048
Monument Type	Listed Building
Preferred Ref.	MLO80048
Name	LODGE AT NORTH EAST CORNER OF VERULAM BUILDINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30994 81939 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GRAY'S INN 798-1/101/637 (North East side) 24/10/51 Lodge at north-east corner of Verulam Buildings GV II Lodge. Early 19th century. Rusticated stucco. Small, rectangular building with symmetrical front of two 2-leaf doors with pedimented gable over. INTERIOR: not inspected. Listing NGR: TQ3099481939

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LODGE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477473 LODGE AT NORTH EAST CORNER OF VERULAM BUILDINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/637 (North East side) 24/10/51 Lodge at north-east corner of Verulam Buildings GV II Lodge. Early C19. Rusticated stucco. Small, rectangular building with symmetrical front of two 2-leaf doors with pedimented gable over. INTERIOR: not inspected. Listing NGR: TQ3099481939

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86595
Monument Type	Listed Building
Preferred Ref.	MLO86595
Name	LONDON CITY COUNCIL FIRE BRIGADE STATION
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31181 82322 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW ROSEBERY AVENUE 635-1/73/731 (South side) 16/06/88 Nos.42 AND 44 LCC Fire Brigade Station GV II Fire Station. 1911-1913. By H F T Cooper of the London County Council. Red brick with stone dressings. Steeply pitched red tiled gambrel roof to parapet. Arts and Crafts manner. Principal elevation to Rosebery Avenue; shorter frontage to Farringdon Road topped by triangular gable. Five storeys with attic; 18-window range to Rosebery Avenue, forming almost symmetrical composition, with windows grouped in triplets to central 6 bays; outer 6 bays to either side have full attic storey above main cornice, with roof storey above, while intervening bays have 2 storeys within the roof. Small-pane sashes; flush frames to outer 6 bays to either side of centre and to first floor of centre block. Some segmental and some square-headed sashes. Banded and channelled stonework to ground-floor, with 4 carriage entrances to centre and right, having folding metal 20th century doors. Pair of tripartite pivot sashes to left with plain stone facings below. Main modillioned stone cornice above 3rd floor; subsidiary cornice to attic. 4th floor 2 centre sashes in deep recess with balcony and iron railings articulated by piers. Two triple flat-topped dormers with projecting eaves and brackets to centre block above main cornice; 9 tall hipped 9/9 sashed dormers to attic storey. Tall broad chimneys. Arts and Crafts detailing, especially to keystones to square-headed ground-floor openings and to cornices. London County Council metal coat-of-arms to 1st-floor centre bay with gold lettering on blue reading: 'Clerkenwell Fire Station' above coat-of-arms and 'London County Council' below. Listing NGR: TQ3118182322

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- Rosebery Avenue, London, EC1R 4TN

Monument/Component Types

- FIRE STATION (Modern - 1911 AD to 1913 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369252 LONDON CITY COUNCIL FIRE BRIGADE STATION	ISLINGTON TQ3182SW ROSEBERY AVENUE 635-1/73/731 (South side) 16/06/88 Nos.42 AND 44 LCC Fire Brigade Station GV II Fire Station. 1911-1913. By H F T Cooper of the London County Council. Red brick with stone dressings. Steeply pitched red tiled gambrel roof to parapet. Arts and Crafts manner. Principal elevation to Rosebery Avenue; shorter frontage to Farringdon Road topped by triangular gable. Five storeys with attic; 18-window range to Rosebery Avenue, forming almost symmetrical composition, with windows grouped in triplets to central 6 bays; outer 6 bays to either side have full attic storey above main cornice, with roof storey above, while intervening bays have 2 storeys within the roof. Small-pane sashes; flush frames to outer 6 bays to either side of centre and to first floor of centre block. Some segmental and some square-headed sashes. Banded and channelled stonework to ground-floor, with 4 carriage entrances to centre and right, having folding metal C20 doors. Pair of tripartite pivot sashes to left with plain stone facings below. Main modillioned stone cornice above 3rd floor; subsidiary cornice to attic. 4th floor 2 centre sashes in deep recess with balcony and iron railings articulated by piers. Two triple flat-topped dormers with projecting eaves and brackets to centre block above main cornice; 9 tall hipped 9/9 sashed dormers to attic storey. Tall broad chimneys. Arts and Crafts detailing, especially to keystones to square-headed ground-floor openings and to cornices. London County Council metal coat-of-arms to 1st-floor centre bay with gold lettering on blue reading: 'Clerkenwell Fire Station' above coat-of-arms and 'London County Council' below. Listing NGR: TQ3118182322

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80074
Monument Type	Listed Building
Preferred Ref.	MLO80074
Name	LONDON HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30637 82266 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/1755 London House 19/04/96 GV II See under: London House MECKLENBURGH SQUARE. CAMDEN TQ3082SE GUILFORD STREET 798-1/96/1755 London House 19/04/96 GV II See under: London House MECKLENBURGH SQUARE. CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1755 (South side) 19/04/96 London House GV II Includes: London House DOUGHTY STREET. Includes: London House GUILFORD STREET. International Hall of Residence for post-graduates. 1936-63. By Sir Herbert Baker (who prepared a complete scheme in the 1930s), Alexander T Scott and Vernon Helbing. Basement of flint with random stone blocks. Upper storeys of red brick with stone quoins, bands and cornices. Hipped roofs of tile. Neo-Georgian style, with collegiate planning. EXTERIOR: 2-4 main storeys. Irregular fenestration with sash windows; dormers in roofs. Guilford Street (south) front: centre and right wing of 1936-7, left wing of 1949-54. Basically symmetrical, with broad projecting ends and lower centre, the central entrance having three open round arches, the middle one higher, and heraldic devices in stone above. Right wing (housing library) with stone plaque between ground and upper storey commemorating Sir Charles Parsons, and cornice with large inscription in raised brickwork, 'Immortalis est ingenii memoria'. Doughty Street (east) front largely of 1961-3, similar to south front but simplified, with three open round entrance arches in centre, the middle one raised. Mecklenburgh Place (west) front of 1949-54 plain, basically symmetrical with some irregularities and occasional iron balconies. Open quadrangle within has good elevations, notably the east side where the five-bay stone-dressed hall is set left of centre with full-height central bay bearing inscription to Evan Evans Bevan below round-headed window; and south side which has projecting round-arched cloister arcade along ground storey and a bust of FC Goodenough in niche over central entrance. INTERIOR: wing of 1936-7 has generous asymmetrical staircase hall, paved and walled to half-height in Hopton Wood stone, balustrade partly stone, partly iron, urns in niches. Double-height dining hall with high oak panelling, plaster over with astronomical 'Empire clock' at south end, and cove to ceiling with coloured plaster shields and devices by Laurence Turner. Ground floor with common room with deep plastered beams. Parsons Library over (partly altered) with oak bookcases to half height and cove to ceiling with plaster shields and devices commemorating scientific institutions also by Turner. South-west wing includes on ground floor Churchill Room of 1952, oak-panelled to full height, and a small chapel formed in 1962-3 by Helbing with panelling behind altar. HISTORICAL NOTE: London House was established in 1931 by FC Goodenough - who raised the funds with which to found the Dominion Students' Hall Trust - as a place where students from the British Empire could live a collegiate life. One of Sir Herbert Baker's most characteristic later buildings, comparable with Rhodes House, Oxford, and Church House, Westminster. The post-war northern and western ranges were completed to a simplified design after Baker's death in 1944. Listing NGR: TQ3063782266

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- COMMEMORATIVE MONUMENT (Modern - 1936 AD to 1937 AD)
- HALL OF RESIDENCE (Modern - 1936 AD to 1937 AD)
- LIBRARY (Modern - 1936 AD to 1937 AD)
- COMMEMORATIVE MONUMENT (Modern - 1949 AD to 1954 AD)
- HALL OF RESIDENCE (Modern - 1949 AD to 1954 AD)
- HALL OF RESIDENCE (Modern - 1961 AD to 1963 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477499 LONDON HOUSE	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/1755 London House 19/04/96 GV II See under: London House MECKLENBURGH SQUARE. CAMDEN TQ3082SE GUILFORD STREET 798-1/96/1755 London House 19/04/96 GV II See under: London House MECKLENBURGH SQUARE. CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1755 (South side) 19/04/96 London House GV II Includes: London House DOUGHTY STREET. Includes: London House GUILFORD STREET. International Hall of Residence for post-graduates. 1936-63. By Sir Herbert Baker (who prepared a complete scheme in the 1930s), Alexander T Scott and Vernon Helbing. Basement of flint with random stone blocks. Upper storeys of red brick with stone quoins, bands and cornices. Hipped roofs of tile. Neo-Georgian style, with collegiate planning. EXTERIOR: 2-4 main storeys. Irregular fenestration with sash windows; dormers in roofs. Guilford

Street (south) front: centre and right wing of 1936-7, left wing of 1949-54. Basically symmetrical, with broad projecting ends and lower centre, the central entrance having three open round arches, the middle one higher, and heraldic devices in stone above. Right wing (housing library) with stone plaque between ground and upper storey commemorating Sir Charles Parsons, and cornice with large inscription in raised brickwork, 'Immortalis est ingenii memoria'. Doughty Street (east) front largely of 1961-3, similar to south front but simplified, with three open round entrance arches in centre, the middle one raised. Mecklenburgh Place (west) front of 1949-54 plain, basically symmetrical with some irregularities and occasional iron balconies. Open quadrangle within has good elevations, notably the east side where the five-bay stone-dressed hall is set left of centre with full-height central bay bearing inscription to Evan Evans Bevan below round-headed window; and south side which has projecting round-arched cloister arcade along ground storey and a bust of FC Goodenough in niche over central entrance. INTERIOR: wing of 1936-7 has generous asymmetrical staircase hall, paved and walled to half-height in Hopton Wood stone, balustrade partly stone, partly iron, urns in niches. Double-height dining hall with high oak panelling, plaster over with astronomical 'Empire clock' at south end, and cove to ceiling with coloured plaster shields and devices by Laurence Turner. Ground floor with common room with deep plastered beams. Parsons Library over (partly altered) with oak bookcases to half height and cove to ceiling with plaster shields and devices commemorating scientific institutions also by Turner. South-west wing includes on ground floor Churchill Room of 1952, oak-panelled to full height, and a small chapel formed in 1962-3 by Helbing with panelling behind altar. HISTORICAL NOTE: London House was established in 1931 by FC Goodenough - who raised the funds with which to found the Dominion Students' Hall Trust - as a place where students from the British Empire could live a collegiate life. One of Sir Herbert Baker's most characteristic later buildings, comparable with Rhodes House, Oxford, and Church House, Westminster. The post-war northern and western ranges were completed to a simplified design after Baker's death in 1944. Listing NGR: TQ3063782266

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80059
Monument Type	Listed Building
Preferred Ref.	MLO80059
Name	LONDON SCHOOL OF HYGIENE AND TROPICAL MEDICINE AND ATTACHED WALLS AND RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29810 81885 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE MALET STREET 798-1/99/1100 (North side) 09/03/82 London School of Hygiene and Tropical Medicine and attached walls and railings GV II School of Medicine. 1926-8. By P Morley Horder and V Rees. Steel frame construction, faced with Portland stone. Stripped Classical style. Entrance block to Keppel Street, rest of building laid out to the north in an H-plan. EXTERIOR: 3 storeys and attic. Keppel Street facade 11 windows, the end bays recessed. Return to Malet Street 23 windows, the left hand 3 bays projecting; return to Gower Street 24 windows, the right hand 3 bays projecting. Main entrance square headed and architraved with a central carving of entwined serpents supporting a panel showing Aesculapius in his chariot. Metal framed, square-headed casement windows, those on ground and 1st floor architraved. Entrance block 1st floor windows with metal balconies decorated with gilded tropical insects. Frieze with names of eminent medical scientists set between vestigial pilaster capitals with laurel wreaths. Cornice and blind attic storey above (fenestrated on returns). At the right-hand angle of the entrance block a foundation stone laid by the Rt Hon Neville Chamberlain, 7 July 1926. INTERIOR not inspected. SUBSIDIARY FEATURES: attached stone walls, on returns with plain railings of horizontal bands. Listing NGR: TQ2981081885

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Dilke House 1 Malet Street, London, WC1E 7JN

Monument/Component Types

- INFECTIOUS DISEASES HOSPITAL (Modern - 1926 AD to 1928 AD)
- METAL FRAMED BUILDING (Modern - 1926 AD to 1928 AD)
- RAILINGS (Modern - 1926 AD to 1928 AD)
- TEACHING HOSPITAL (Modern - 1926 AD to 1928 AD)
- WALL (Modern - 1926 AD to 1928 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477484 LONDON SCHOOL OF HYGIENE AND TROPICAL MEDICINE AND ATTACHED WALLS AND RAILINGS	CAMDEN TQ2981NE MALET STREET 798-1/99/1100 (North side) 09/03/82 London School of Hygiene and Tropical Medicine and attached walls and railings GV II School of Medicine. 1926-8. By P Morley Horder and V Rees. Steel frame construction, faced with Portland stone. Stripped Classical style. Entrance block to Keppel Street, rest of building laid out to the north in an H-plan. EXTERIOR: 3 storeys and attic. Keppel Street facade 11 windows, the end bays projecting; return to Malet Street 23 windows, the left hand 3 bays projecting; return to Gower Street 24 windows, the right hand 3 bays projecting. Main entrance square headed and architraved with a central carving of entwined serpents supporting a panel showing Aesculapius in his chariot. Metal framed, square-headed casement windows, those on ground and 1st floor architraved. Entrance block 1st floor windows with metal balconies decorated with gilded tropical insects. Frieze with names of eminent medical scientists set between vestigial pilaster capitals with laurel wreaths. Cornice and blind attic storey above (fenestrated on returns). At the right-hand angle of the entrance block a foundation stone laid by the Rt Hon Neville Chamberlain, 7 July 1926. INTERIOR not inspected. SUBSIDIARY FEATURES: attached stone walls, on returns with plain railings of horizontal bands. Listing NGR: TQ2981081885

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96867
Monument Type	Listed Building
Preferred Ref.	MLO96867
Name	LONDON TRANSPORT MUSEUM
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30467 80913 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NW and NE CITY OF WESTMINSTER WELLINGTON STREET, WC2 7Z/13 ;73/14 15.1.73 London Transport Museum (formerly listed as The Flower Market) G.V. II Former market hall. 1871-72 by William Rogers of Cubitts with 1884-86 extensions to Tavistock Street and new west front. Red and white brick with stone and terracotta dressings, glass roofs. Italianate detailing. Tall single storey front to Wellington Street. 3 bays wide. Arcade of 3 large arches framing double doors in outer bays and window in centre. Each arch has glazed radiating fanlight and key block, the central window key block with letter "B" for Bedford beneath coronet. Modillion cornice and balustraded parapet. Interior structure of cast iron with glazed clerestories supporting slated roofs and skylights, planned in form of 2 lofty naves between 3 aisles. Short east nave returns to form transept crossing the west nave. The Italianate red brick, stone dressed. Tavistock Street front boldly expresses the main structure: the nave and aisle divisions are masked by pilasters between which are spaced semicircular arched openings, a pair of windows to each nave, a window to the west aisle and double doors with fanlights to the middle and east aisles. Above each nave bay is a pedimented attic with large lunette window. Similar feature ends the west transept on west front which is of the same design. Survey of London; Vol. XXXVI. Covent Garden Market; Robert Thorne. Listing NGR: TQ3046780913

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- MUSEUM (Undated)
- MARKET HALL (19th Century - 1871 AD to 1872 AD)
- MARKET HALL (19th Century - 1884 AD to 1886 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	207544 LONDON TRANSPORT MUSEUM	TQ 3080 NW and NE CITY OF WESTMINSTER WELLINGTON STREET, WC2 7Z/13 ;73/14 15.1.73 London Transport Museum (formerly listed as The Flower Market) G.V. II Former market hall. 1871-72 by William Rogers of Cubitts with 1884-86 extensions to Tavistock Street and new west front. Red and white brick with stone and terracotta dressings, glass roofs. Italianate detailing. Tall single storey front to Wellington Street. 3 bays wide. Arcade of 3 large arches framing double doors in outer bays and window in centre. Each arch has glazed radiating fanlight and key block, the central window key block with letter "B" for Bedford beneath coronet. Modillion cornice and balustraded parapet. Interior structure of cast iron with glazed clerestories supporting slated roofs and skylights, planned in form of 2 lofty naves between 3 aisles. Short east nave returns to form transept crossing the west nave. The Italianate red brick, stone dressed. Tavistock Street front boldly expresses the main structure: the nave and aisle divisions are masked by pilasters between which are spaced semicircular arched openings, a pair of windows to each nave, a window to the west aisle and double doors with fanlights to the middle and east aisles. Above each nave bay is a pedimented attic with large lunette window. Similar feature ends the west transept on west front which is of the same design. Survey of London; Vol. XXXVI. Covent Garden Market; Robert Thorne. Listing NGR: TQ3046780913

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80486
Monument Type	Listed Building
Preferred Ref.	MLO80486
Name	LYCH GATE TO THE WEST OF CHURCH OF ST GILES IN THE FIELDS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29938 81259 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1511 (South side) 14/05/74 Lych gate to the west of Church of St Giles-in-the-Fields (Formerly Listed as: ST GILES HIGH STREET Vestry and lych gate to Church of St Giles) GV II Lych gate. Dated 1800 on carved inscription, east face. Stone with wrought-iron gates. In the style of a Doric triumphal arch (single). Lunette panel on the west face a cast of the oak original (restored & kept in the church), depicting the Resurrection, dated 1687 by Love. (Survey of London: Vol. V, Parish of St Giles-in-the-Field, part II: London: -1914). Listing NGR: TQ2993881259

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 St. Giles High Street, London, WC2H 8LH

Monument/Component Types

- LYCH GATE (18th Century - 1800 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477940 LYCH GATE TO THE WEST OF CHURCH OF ST GILES IN THE FIELDS	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1511 (South side) 14/05/74 Lych gate to the west of Church of St Giles-in-the-Fields (Formerly Listed as: ST GILES HIGH STREET Vestry and lych gate to Church of St Giles) GV II Lych gate. Dated 1800 on carved inscription, east face. Stone with wrought-iron gates. In the style of a Doric triumphal arch (single). Lunette panel on the west face a cast of the oak original (restored & kept in the church), depicting the Resurrection, dated 1687 by Love. (Survey of London: Vol. V, Parish of St Giles-in-the-Field, part II: London: -1914). Listing NGR: TQ2993881259

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80274
Monument Type	Listed Building
Preferred Ref.	MLO80274
Name	MAIN ENTRANCE GATEWAY, RAILINGS AND ATTACHED LODGES TO THE BRITISH MUSEUM
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30139 81619 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/699 (North side) 14/05/74 Main entrance gateway, railings and attached lodges to The British Museum (Formerly Listed as: GREAT RUSSELL STREET Railings and main entrance gateway of the British Museum) GV II* Main entrance gateway, railings & porters lodges. 1849. By Sydney Smirke. Cast-iron and granite. Large, elaborate, cast-iron double vehicle entrance gates flanked by single footgates. Engaged, fluted and foliated Corinthian columns, and pilasters, to piers surmounted by urns. Main piers of granite containing small porters' lodges with plain square-headed entrances. Elaborate cast-iron railings on granite plinth with granite interval piers, the standards in the form of candelabra on bases with clawed feet. Listing NGR: TQ3013981619

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- GATE PIER (19th Century - 1849 AD)
- PORTERS LODGE (19th Century - 1849 AD)
- RAILINGS (19th Century - 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477885 MAIN ENTRANCE GATEWAY, RAILINGS AND ATTACHED LODGES TO THE BRITISH MUSEUM	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/699 (North side) 14/05/74 Main entrance gateway, railings and attached lodges to The British Museum (Formerly Listed as: GREAT RUSSELL STREET Railings and main entrance gateway of the British Museum) GV II* Main entrance gateway, railings & porters lodges. 1849. By Sydney Smirke. Cast-iron and granite. Large, elaborate, cast-iron double vehicle entrance gates flanked by single footgates. Engaged, fluted and foliated Corinthian columns, and pilasters, to piers surmounted by urns. Main piers of granite containing small porters' lodges with plain square-headed entrances. Elaborate cast-iron railings on granite plinth with granite interval piers, the standards in the form of candelabra on bases with clawed feet. Listing NGR: TQ3013981619

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81120
Monument Type	Listed Building
Preferred Ref.	MLO81120
Name	MARY WARD CENTRE AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30032 82380 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1591 (North side) 14/05/74 No.9 Mary Ward Centre and attached railings GV II School for handicapped children, now social centre. c1903. By Arnold Dunbar Smith and Cecil Brewer. For the Passmore Edwards Settlement, later called the Mary Ward Settlement. Red brick with slated, hipped roof and dormers. Rectangular plan with projecting wings to main, east, facade in courtyard facing former Mary Ward Settlement (qv). Neo-Georgian style. EXTERIOR: 2 storeys and attics. 11 windows. Single storey entrance extension to Tavistock Place. Entrance facade with slightly projecting bay; bracketed hood to 2-leaf doors. Above the hood, a lunette with brick relief keystone and radiating strips. Bay flanked by narrow, vertically set flush sashes with exposed boxing and brick sills. Stone capped parapet, set back from which, top storey of the school; 3 similar sashes under a modillion cornice. East facade of school symmetrical; central, slightly projecting, brick porch with plain bracketed canopy over recessed doorway. Above the canopy, a fanlight with radiating brick relief strips. Gauged brick flat arches to flush sashes with exposed boxing. Beneath the central sash on each wing, a wooden door with glazing bars to the level of the flanking windows' sills. Projecting, stone modillion cornice. Central dormer of Palladian window type with date 1903 on enriched, blind centre panel. Entrance extension with 2 sashes and stone capped parapet. Decorated lead rainwater heads. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron area railings of rectangular bars set diagonally with splayed tops and posts of bars bent and riveted to form an arch. Listing NGR: TQ3003282380

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Tavistock Place, London, WC1H 9SN

Monument/Component Types

- COMMUNITY CENTRE (Undated)
- COURTYARD (19th Century to Modern - 1883 AD to 1923 AD)
- HANDICAPPED CHILDRENS HOME (19th Century to Modern - 1883 AD to 1923 AD)
- RAILINGS (19th Century to Modern - 1883 AD to 1923 AD)
- SCHOOL (19th Century to Modern - 1883 AD to 1923 AD)
- DATE STONE (Modern - 1903 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478326 MARY WARD CENTRE AND ATTACHED RAILINGS	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1591 (North side) 14/05/74 No.9 Mary Ward Centre and attached railings GV II School for handicapped children, now social centre. c1903. By Arnold Dunbar Smith and Cecil Brewer. For the Passmore Edwards Settlement, later called the Mary Ward Settlement. Red brick with slated, hipped roof and dormers. Rectangular plan with projecting wings to main, east, facade in courtyard facing former Mary Ward Settlement (qv). Neo-Georgian style. EXTERIOR: 2 storeys and attics. 11 windows. Single storey entrance extension to Tavistock Place. Entrance facade with slightly projecting bay; bracketed hood to 2-leaf doors. Above the hood, a lunette with brick relief keystone and radiating strips. Bay flanked by narrow, vertically set flush sashes with exposed boxing and brick sills. Stone capped parapet, set back from which, top storey of the school; 3 similar sashes under a modillion cornice. East facade of school symmetrical; central, slightly projecting, brick porch with plain bracketed canopy over recessed doorway. Above the canopy, a fanlight with radiating brick relief strips. Gauged brick flat arches to flush sashes with exposed boxing. Beneath the central sash on each wing, a wooden door with glazing bars to the level of the flanking windows' sills. Projecting, stone modillion cornice. Central dormer of Palladian window type with date 1903 on enriched, blind centre panel. Entrance extension with 2 sashes and stone capped parapet. Decorated lead rainwater heads. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron area railings of rectangular bars set diagonally with splayed tops and posts of bars bent and riveted to form an arch. Listing NGR: TQ3003282380

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80073
Monument Type	Listed Building
Preferred Ref.	MLO80073
Name	Mecklenburgh Square, [Entrance gates and railings to Corams's Fields] {19th century iron gates and railings}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30541 82404 (point)
Summary	Early 19th century cast-iron entrance gates and railings.
Description	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1114 (North side) 14/05/74 Entrance gates and railings to Coram's Gardens Entrance gates and railings. Early 19th century. Cast-iron. Square plan gate piers with moulded panels and roundels, surmounted by twisted lamp bases (lamps missing). Gates with diagonal struts meeting in central bosses, northern gate with a relief of a lamb. Attached railings with urn finials. Listing NGR: TQ3054182404

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Entrance gates and railings to Corams's Fields, 25 Mecklenburgh Square, London, WC1N 2AD

Monument/Component Types

- GATE (18th Century to 19th Century - 1800 AD to 1832 AD)
- GATE PIER (18th Century to 19th Century - 1800 AD to 1832 AD)
- LAMP BRACKET (18th Century to 19th Century - 1800 AD to 1832 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477498 ENTRANCE GATES AND RAILINGS TO CORAMS GARDENS	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1114 (North side) 14/05/74 Entrance gates and railings to Coram's Gardens GV II Entrance gates and railings. Early C19. Cast-iron. Square plan gate piers with moulded panels and roundels, surmounted by twisted lamp bases (lamps missing). Gates with diagonal struts meeting in central bosses, northern gate with a relief of a lamb. Attached railings with urn finials. Listing NGR: TQ3054182404

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81501
Monument Type	Listed Building
Preferred Ref.	MLO81501
Name	MEMORIAL DRINKING FOUNTAIN IN SOUTH EAST CORNER OF THE SQUARE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30895 81360 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1066 (South East side) 14/05/74 Memorial drinking fountain in south-east corner of the square GV II Drinking fountain. c1880. Granite. Rectangular 2-stage pillar on octagonal stepped base. On each face of 1st tier a triangular pediment supported by pilasters with water taps at the base and bracketed basins. The 2nd tier with roundels under segmental pediments supported by pilasters. All surmounted by a central urn. Inscription on central panel commemorating Philip Twells MP. Listing NGR: TQ3089581360

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- COMMEMORATIVE MONUMENT (19th Century - 1860 AD to 1900 AD)
- DRINKING FOUNTAIN (19th Century - 1860 AD to 1900 AD)
- URN (19th Century - 1860 AD to 1900 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478717 MEMORIAL DRINKING FOUNTAIN IN SOUTH EAST CORNER OF THE SQUARE	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1066 (South East side) 14/05/74 Memorial drinking fountain in south-east corner of the square GV II Drinking fountain. c1880. Granite. Rectangular 2-stage pillar on octagonal stepped base. On each face of 1st tier a triangular pediment supported by pilasters with water taps at the base and bracketed basins. The 2nd tier with roundels under segmental pediments supported by pilasters. All surmounted by a central urn. Inscription on central panel commemorating Philip Twells MP. Listing NGR: TQ3089581360

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81127
Monument Type	Listed Building
Preferred Ref.	MLO81127
Name	MEMORIAL TO DAME LOUISA ALDRICH BLAKE IN TAVISTOCK SQUARE GARDENS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29951 82304 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1598 Memorial to Dame Louisa 14/05/74 Aldrich-Blake in Tavistock Square Gardens GV II Memorial seat and busts of Dame Louisa Aldrich-Blake. 1926. Designed by Sir Edwin Lutyens and AG Walker. Semicircular stone seat and base by Lutyens. Rising from the centre of the seat back a stone column with, on the back and front, identical bronze busts, holding a book, by Walker and inscribed tablets giving details of her career. On either side a bronze serpent and staff. Listing NGR: TQ2995182304

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Bma House Tavistock Square, London, WC1H 9LD

Monument/Component Types

- BUST (Modern - 1926 AD)
- COLUMN (Modern - 1926 AD)
- COMMEMORATIVE MONUMENT (Modern - 1926 AD)
- SEAT (Modern - 1926 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478333 MEMORIAL TO DAME LOUISA ALDRICH BLAKE IN TAVISTOCK SQUARE GARDENS	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1598 Memorial to Dame Louisa 14/05/74 Aldrich-Blake in Tavistock Square Gardens GV II Memorial seat and busts of Dame Louisa Aldrich-Blake. 1926. Designed by Sir Edwin Lutyens and AG Walker. Semicircular stone seat and base by Lutyens. Rising from the centre of the seat back a stone column with, on the back and front, identical bronze busts, holding a book, by Walker and inscribed tablets giving details of her career. On either side a bronze serpent and staff. Listing NGR: TQ2995182304

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81502
Monument Type	Listed Building
Preferred Ref.	MLO81502
Name	MEMORIAL TO WFD SMITH ON A SEAT PEDESTAL ON NORTH EAST SIDE OF GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30846 81463 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1064 (North East side) 14/05/74 Memorial to WFD Smith on a seat pedestal on north-east side of gardens (Formerly Listed as: LINCOLN'S INN FIELDS Bust to WFD Smith on NE side of gardens) GV II Bust of WFD Smith, 2nd Viscount Hambleden, on a pedestal. c1929-30. Monument designed by Sir Edwin Lutyens, bust by Arthur Walker. Bronze bust missing (stolen 1970s), on a Portland stone pedestal in the form of a seat. Inscribed central panel with biography; rear has carved coat of arms in central panel. Listing NGR: TQ3084681463

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- BUST (Modern - 1929 AD to 1930 AD)
- COAT OF ARMS (Modern - 1929 AD to 1930 AD)
- COMMEMORATIVE MONUMENT (Modern - 1929 AD to 1930 AD)
- SEAT (Modern - 1929 AD to 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478718 MEMORIAL TO WFD SMITH ON A SEAT PEDESTAL ON NORTH EAST SIDE OF GARDENS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1064 (North East side) 14/05/74 Memorial to WFD Smith on a seat pedestal on north-east side of gardens (Formerly Listed as: LINCOLN'S INN FIELDS Bust to WFD Smith on NE side of gardens) GV II Bust of WFD Smith, 2nd Viscount Hambleden, on a pedestal. c1929-30. Monument designed by Sir Edwin Lutyens, bust by Arthur Walker. Bronze bust missing (stolen 1970s), on a Portland stone pedestal in the form of a seat. Inscribed central panel with biography; rear has carved coat of arms in central panel. Listing NGR: TQ3084681463

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80315
Monument Type	Listed Building
Preferred Ref.	MLO80315
Name	MINERVA HOUSE, NORTH CRESCENT
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29565 81862 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE CHENIES STREET 798-1/99/204 (North side) Minerva House, North Crescent GV II Former car showroom and repair workshop with offices over. 1912-13. By George Vernon. For the Minerva Motor Company. Portland stone ashlar. EXTERIOR: 4 storeys 5 bays. Symmetrical design with a concave front corresponding to the crescent. Ground floor openings with rounded corners have billet moulding and are separated by thin V-profile fillets. Entrances in outer bays segmental-arched with Mannerist detail; part-glazed panelled double doors, inscribed above "Minerva House", and overlights. Window openings formerly with sliding shutters and mahogany folding doors. The articulation of the upper 3 storeys corresponds to the ground floor, with narrower flanking bays set over the doors. Very slender engaged columns rise through the full height culminating in stylised Doric entablatures with wreaths and drops at bays. Bowed, stone transom and mullion windows, 4-light to central bays, 3-light to outer, with small panes and Ionic half-column jambs; panelled spandrel panels between 1st and 2nd floor. 3rd floor central bay supports swag enriched base to triumphal arch feature containing a carved statue of Minerva in front of a window. Flanking bays have enriched broken pediments with cartouches. Outer bays repeat the arch motif on a smaller scale to windows with swagged aprons. Cast-iron railings to bays 2 and 4. INTERIOR: not inspected. Listing NGR: TQ2956581862

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- The Drill Hall 16 Chenies Street, London, WC1E 7EX

Monument/Component Types

- GARAGE (Modern - 1912 AD to 1913 AD)
- MOTOR VEHICLE SHOWROOM (Modern - 1912 AD to 1913 AD)
- OFFICE (Modern - 1912 AD to 1913 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476889 MINERVA HOUSE, NORTH CRESCENT	CAMDEN TQ2981NE CHENIES STREET 798-1/99/204 (North side) Minerva House, North Crescent GV II Former car showroom and repair workshop with offices over. 1912-13. By George Vernon. For the Minerva Motor Company. Portland stone ashlar. EXTERIOR: 4 storeys 5 bays. Symmetrical design with a concave front corresponding to the crescent. Ground floor openings with rounded corners have billet moulding and are separated by thin V-profile fillets. Entrances in outer bays segmental-arched with Mannerist detail; part-glazed panelled double doors, inscribed above "Minerva House", and overlights. Window openings formerly with sliding shutters and mahogany folding doors. The articulation of the upper 3 storeys corresponds to the ground floor, with narrower flanking bays set over the doors. Very slender engaged columns rise through the full height culminating in stylised Doric entablatures with wreaths and drops at bays. Bowed, stone transom and mullion windows, 4-light to central bays, 3-light to outer, with small panes and Ionic half-column jambs; panelled spandrel panels between 1st and 2nd floor. 3rd floor central bay supports swag enriched base to triumphal arch feature containing a carved statue of Minerva in front of a window. Flanking bays have enriched broken pediments with cartouches. Outer bays repeat the arch motif on a smaller scale to windows with swagged aprons. Cast-iron railings to bays 2 and 4. INTERIOR: not inspected. Listing NGR: TQ2956581862

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96472
Monument Type	Listed Building
Preferred Ref.	MLO96472
Name	MORTUARY LODGE AND LINKING WALLS AND GATE PIERS OF DRURY LANE GARDENS AND MORTUARY, LODGE AND LINKING WALLS AND GATE PIERS, DRURY LANE GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30505 81112 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SE CITY OF WESTMINSTER DRURY LANE, WC2 60/11 15.1.73 Mortuary, Lodge and Linking Walls and Gate Piers, Drury Lane Gardens G.V. II Mortuary and lodge with linking walls and piers. c.1880. Red brick with stone dressings, slate roofs. Simple Gothic style. The lodge to left hand and the mortuary to right. The mortuary of one storey with canted west end and gable end to street with 2-light plate tracery window and saddlestone gable; one similar window to side and pointed arch doorway. Stone coped wall with miniature crenellated gate piers and retaining wall behind, with steps, links the mortuary with the lodge to left. This is of 1 storey and attic in gable with stone quoins and saddlestone, and pent roofed porch to side. 2-light casements, one to each floor. Listing NGR: TQ3050581112

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- GATE PIER (19th Century - 1860 AD to 1900 AD)
- MORTUARY (19th Century - 1860 AD to 1900 AD)
- MORTUARY HOUSE (19th Century - 1860 AD to 1900 AD)
- WALL (19th Century - 1860 AD to 1900 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	209528 MORTUARY LODGE AND LINKING WALLS AND GATE PIERS OF DRURY LANE GARDENS AND MORTUARY, LODGE AND LINKING WALLS AND GATE PIERS, DRURY LANE GARDENS	TQ 3081 SE CITY OF WESTMINSTER DRURY LANE, WC2 60/11 15.1.73 Mortuary, Lodge and Linking Walls and Gate Piers, Drury Lane Gardens G.V. II Mortuary and lodge with linking walls and piers. c.1880. Red brick with stone dressings, slate roofs. Simple Gothic style. The lodge to left hand and the mortuary to right. The mortuary of one storey with canted west end and gable end to street with 2-light plate tracery window and saddlestone gable; one similar window to side and pointed arch doorway. Stone coped wall with miniature crenellated gate piers and retaining wall behind, with steps, links the mortuary with the lodge to left. This is of 1 storey and attic in gable with stone quoins and saddlestone, and pent roofed porch to side. 2-light casements, one to each floor. Listing NGR: TQ3050581112

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81503
Monument Type	Listed Building
Preferred Ref.	MLO81503
Name	MRS RAMSAY MACDONALD MEMORIAL SEAT ON NORTH SIDE OF GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30724 81434 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1067 (North side) 14/05/74 Mrs Ramsay MacDonald Memorial Seat on north side of gardens GV II Monument in the form of a curved alcove with seat surmounted by a bronze group. c1911. By RR Goulden, sculptor. Granite alcove. Portrait figure of Mrs MacDonald seated with arms outstretched wearing Classical robes flanked by a group of 9 playing children. Inscription carved beneath statue reads "This seat placed here in memory of Margaret MacDonald who spent her life in helping others". Listing NGR: TQ3072481434

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- COMMEMORATIVE MONUMENT (Modern - 1901 AD to 1921 AD)
- SEAT (Modern - 1901 AD to 1921 AD)
- STATUE (Modern - 1901 AD to 1921 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478719 MRS RAMSAY MACDONALD MEMORIAL SEAT ON NORTH SIDE OF GARDENS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1067 (North side) 14/05/74 Mrs Ramsay MacDonald Memorial Seat on north side of gardens GV II Monument in the form of a curved alcove with seat surmounted by a bronze group. c1911. By RR Goulden, sculptor. Granite alcove. Portrait figure of Mrs MacDonald seated with arms outstretched wearing Classical robes flanked by a group of 9 playing children. Inscription carved beneath statue reads "This seat placed here in memory of Margaret MacDonald who spent her life in helping others". Listing NGR: TQ3072481434

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80671
Monument Type	Listed Building
Preferred Ref.	MLO80671
Name	MUSEUM TAVERN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30135 81583 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/686 (South side) 09/12/77 No.49 Museum Tavern GV II Public house. c1855-64. By William Finch Hill and EL Paraire. Stucco with wooden public house ground floor. Modified French Renaissance style. 4 storeys. 1 window with 1-window splayed corner and symmetrical 5-window return to Museum Street. Public house front with Corinthian pilasters and colonnettes carrying entablature with dentil cornice. Round-arched, recessed openings with panelled dados. Entrance on splayed corner with fanlight and double part-glazed doors. Main entrance on Museum Street with pediment, rectangular fanlight and double part-glazed doors. 1st to 3rd floors with rusticated corner and pilaster strips at angles capped by small segmental pediments. 2-pane sash windows. 1st floor round-arched, architraved, recessed sashes, above which architraved oculi with decorative grills and enriched with swags. 2nd floor segmental-arched architraved sashes. Console bracketed cornice beneath 3rd floor recessed sashes. Coved cornice and blocking course. INTERIOR: retains some original fittings including Classically styled wood back fitting to bar (glass later). Listing NGR: TQ3013581583

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Great Russell Street, London, WC1B 3BA

Monument/Component Types

- PUBLIC HOUSE (19th Century - 1855 AD to 1864 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477853 MUSEUM TAVERN	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/686 (South side) 09/12/77 No.49 Museum Tavern GV II Public house. c1855-64. By William Finch Hill and EL Paraire. Stucco with wooden public house ground floor. Modified French Renaissance style. 4 storeys. 1 window with 1-window splayed corner and symmetrical 5-window return to Museum Street. Public house front with Corinthian pilasters and colonnettes carrying entablature with dentil cornice. Round-arched, recessed openings with panelled dados. Entrance on splayed corner with fanlight and double part-glazed doors. Main entrance on Museum Street with pediment, rectangular fanlight and double part-glazed doors. 1st to 3rd floors with rusticated corner and pilaster strips at angles capped by small segmental pediments. 2-pane sash windows. 1st floor round-arched, architraved, recessed sashes, above which architraved oculi with decorative grills and enriched with swags. 2nd floor segmental-arched architraved sashes. Console bracketed cornice beneath 3rd floor recessed sashes. Coved cornice and blocking course. INTERIOR: retains some original fittings including Classically styled wood back fitting to bar (glass later). Listing NGR: TQ3013581583

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO95136
Monument Type	Listed Building
Preferred Ref.	MLO95136
Name	NAG'S HEAD PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30294 81005 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3080 NE and 3081 SW CITY OF WESTMINSTER JAMES STREET, WC2 59/25 72/4 Nos. 10 and 10A (Nag's 1.2.74 Head Public House) G.V. II Corner public house and shop. c.1900 by P.E. Pilditch. Red brick with terracotta dressings. Slate roof. Jacobethan style with feature of corner tourelle. 3 storeys and half dormer attic. 3 windows wide, corner tourelle and 4 window return to Floral Street. Ground floor with open shop front (10A) and public house front with corner entrance, returned with secondary entrance at end of Floral Street front, articulated by polished granite pilasters carrying entablature. Upper floors have 3 light mullioned terracotta dressed sash windows, whilst the tourelle has mullioned-transomed with terracotta dressings and elaborate ornament to the aprons. Terracotta entablature over 1st floor carried round tourelle. Short sections of parapet link the pedimented half dormers whilst the tourelle rises higher, finished off with ogee capped dome. Survey of London; Vol. XXXVI. Listing NGR: TQ3029481005

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 10 James Street, London, WC2E 8BT
 - 10 James Street, London, WC2E 8BT
 - 10a James Street, London, WC2E 8BT

Monument/Component Types

- PUBLIC HOUSE (19th Century to Modern - 1880 AD to 1920 AD)
- SHOP (19th Century to Modern - 1880 AD to 1920 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	407153 NAG'S HEAD PUBLIC HOUSE	TQ 3080 NE and 3081 SW CITY OF WESTMINSTER JAMES STREET, WC2 59/25 72/4 Nos. 10 and 10A (Nag's 1.2.74 Head Public House) G.V. II Corner public house and shop. c.1900 by P.E. Pilditch. Red brick with terracotta dressings. Slate roof. Jacobethan style with feature of corner tourelle. 3 storeys and half dormer attic. 3 windows wide, corner tourelle and 4 window return to Floral Street. Ground floor with open shop front (10A) and public house front with corner entrance, returned with secondary entrance at end of Floral Street front, articulated by polished granite pilasters carrying entablature. Upper floors have 3 light mullioned terracotta dressed sash windows, whilst the tourelle has mullioned-transomed with terracotta dressings and elaborate ornament to the aprons. Terracotta entablature over 1st floor carried round tourelle. Short sections of parapet link the pedimented half dormers whilst the tourelle rises higher, finished off with ogee capped dome. Survey of London; Vol. XXXVI. Listing NGR: TQ3029481005

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80457
Monument Type	Listed Building
Preferred Ref.	MLO80457
Name	NATIONAL HOSPITAL FOR NEUROLOGY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30375 82032 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW QUEEN SQUARE 798-1/95/1742 (North East side) 09/12/97 National Hospital for Neurology GV II Hospital. 1883-5. By MP Manning and J Simpson. Red Suffolk brick with Doulton's terracotta cornices and string courses; tiled roof. Single rectangular block, originally fronted earlier building which no longer survives. PLAN: symmetrical composition around central block: projecting blocks with recessed link to flanking pavilions. EXTERIOR: 3 storeys plus attic and basement. 22 bays altogether. Venetian windows and carved brick in pavilion gable ends; triangular pediments on second floor. Tall, narrow round-headed windows with hoods above and pediments on second floor. Tall, narrow round-headed windows with hoods above and aprons below on the first floor. Rusticated brickwork on ground storey. Handsome terracotta entrance porch with voussoirs. Recessed terracotta balustraded loggias to link blocks, in French Renaissance style. Ornate blind aedicules on north pavilion flank wall. INTERIOR: entrance foyer, offices, board room and chapel on ground floor; wards above. Doric screen between foyer and main staircase compartment. Staircase rises to first floor against rear wall, dominated by large Venetian window with stained glass. Chapel to right of entrance, rectangular in plan, lit by octagonal dome with coloured glass border. Green marble Corinthian columns and pilasters. Plain frieze with dentilled cornice. Coved ceiling. Stained glass window behind altar dates from 1885. Board room to right of entrance also, fronting Queen Square, panelled and with fitted cupboards having leaded glazed fronts; elaborate wooden mantelpiece above faience surround fireplace inset with De Morgan tiles. HISTORICAL NOTE: the hospital was founded in 1860 by Louisa and Joanna Chandler for the care of the paralysed and epileptic. Money for this block was raised by HRH Duke of Albany and opened by his brother Edward, Prince of Wales, in 1884. (The Builder: 22 May 1880; The Builder: 7 July 1883; Building News: 27 June 1884; Building News: 3 July 1885; Holmes G: The National Hospital in Queen Square, 1860-1948: London: 1954-). Listing NGR: TQ3037582032

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- CHAPEL (19th Century - 1883 AD to 1885 AD)
- LOGGIA (19th Century - 1883 AD to 1885 AD)
- NEUROLOGY HOSPITAL (19th Century - 1883 AD to 1885 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477828 NATIONAL HOSPITAL FOR NEUROLOGY	CAMDEN TQ3082SW QUEEN SQUARE 798-1/95/1742 (North East side) 09/12/97 National Hospital for Neurology GV II Hospital. 1883-5. By MP Manning and J Simpson. Red Suffolk brick with Doulton's terracotta cornices and string courses; tiled roof. Single rectangular block, originally fronted earlier building which no longer survives. PLAN: symmetrical composition around central block: projecting blocks with recessed link to flanking pavilions. EXTERIOR: 3 storeys plus attic and basement. 22 bays altogether. Venetian windows and carved brick in pavilion gable ends; triangular pediments on second floor. Tall, narrow round-headed windows with hoods above and pediments on second floor. Tall, narrow round-headed windows with hoods above and aprons below on the first floor. Rusticated brickwork on ground storey. Handsome terracotta entrance porch with voussoirs. Recessed terracotta balustraded loggias to link blocks, in French Renaissance style. Ornate blind aedicules on north pavilion flank wall. INTERIOR: entrance foyer, offices, board room and chapel on ground floor; wards above. Doric screen between foyer and main staircase compartment. Staircase rises to first floor against rear wall, dominated by large Venetian window with stained glass. Chapel to right of entrance, rectangular in plan, lit by octagonal dome with coloured glass border. Green marble Corinthian columns and pilasters. Plain frieze with dentilled cornice. Coved ceiling. Stained glass window behind altar dates from 1885. Board room to right of entrance also, fronting Queen Square, panelled and with fitted cupboards having leaded glazed fronts; elaborate wooden mantelpiece above faience surround fireplace inset with De Morgan tiles. HISTORICAL NOTE: the hospital was founded in 1860 by Louisa and Joanna Chandler for the care of the paralysed and

epileptic. Money for this block was raised by HRH Duke of Albany and opened by his brother Edward, Prince of Wales, in 1884. (The Builder: 22 May 1880; The Builder: 7 July 1883; Building News: 27 June 1884; Building News: 3 July 1885; Holmes G: The National Hospital in Queen Square, 1860-1948: London: 1954-). Listing NGR: TQ3037582032

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
-------------------	------------------------

SHINE Candidate (Unlikely)	
-------------------------------	--

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81044
Monument Type	Listed Building
Preferred Ref.	MLO81044
Name	NATIONAL WESTMINSTER BANK
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30462 81488 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/834 (South side) 14/05/74 No.212 National Westminster Bank II Bank. 1854. By Henry Baker. Portland stone. 4 storeys and basements. 5 bay symmetrical facade in Palladian style. Slightly projecting entrance bays at ends with rusticated quoins. 3 segmental-arched ground floor windows. Round arched doorways with vermiculated rusticated surrounds and coat of arms in cartouches on keystones; engaged columns (to left) and brackets (to east) with blind balustraded balconies at 1st floor level; doorways with fanlights and double panelled doors. Sill strings at floor levels. Architraved sash windows, 1st floor with bracketed pediments, 2nd with cornices. Console-bracketed cornice with Greek fret frieze below with paired lion-head stops. INTERIOR: not inspected. Listing NGR: TQ3046281488

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 212-214 High Holborn, London, WC1V 7RN

Monument/Component Types

- BANK (FINANCIAL) (19th Century - 1854 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478247 NATIONAL WESTMINSTER BANK	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/834 (South side) 14/05/74 No.212 National Westminster Bank II Bank. 1854. By Henry Baker. Portland stone. 4 storeys and basements. 5 bay symmetrical facade in Palladian style. Slightly projecting entrance bays at ends with rusticated quoins. 3 segmental-arched ground floor windows. Round arched doorways with vermiculated rusticated surrounds and coat of arms in cartouches on keystones; engaged columns (to left) and brackets (to east) with blind balustraded balconies at 1st floor level; doorways with fanlights and double panelled doors. Sill strings at floor levels. Architraved sash windows, 1st floor with bracketed pediments, 2nd with cornices. Console-bracketed cornice with Greek fret frieze below with paired lion-head stops. INTERIOR: not inspected. Listing NGR: TQ3046281488

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78532
Monument Type	Listed Building
Preferred Ref.	MLO78532
Name	NATIONAL WESTMINSTER BANK AND NATIONAL WESTMINSTER BANK AND AREA RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31102 81294 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181SW CAREY STREET 798-1/107/1839 No.61 31/10/74 National Westminster Bank GV II See under: No.95 National Westminster Bank and area railings CHANCERY LANE. CAMDEN TQ3181SW CHANCERY LANE 798-1/107/1839 (West side) 31/10/74 No.95 National Westminster Bank and area railings (Formerly Listed as: WESTMINSTER CHANCERY LANE (West side) No.95 National Westminster Bank) GV II Includes: No.61 National Westminster Bank CAREY STREET. Bank. 1865. By FW Porter, built as the Union Bank of London. Portland stone, slate roof. Stately, richly detailed High Renaissance design. 3 storeys, basement and dormered attic. 4 window wide frontage to Chancery Lane, splayed corner entrance bay and twelve-window wide frontage to Carey Street with central and terminal advanced pavilions. Aediculed corner entrance. 3-storey loggia treatment to Chancery Lane with semicircular arched windows contained within successive Tuscan, Ionic and Corinthian orders in coupled columns. The Carey Street front has the same theme but with coupled pilasters. Arcaded first floor windows. Terminal pavilions as loggias. The central pavilion 2 storeys with stone ball finials to cornice blocking course. Heavy main cornice and entablature with semicircular, pedimented dormers above. INTERIOR: original banking hall interior with rich Renaissance detailing and fine tiled floor. SUBSIDIARY FEATURES: fine heavy cast-iron area railings. Formerly in the LB of Westminster. Listing NGR: TQ3110281294

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 60 Carey Street, London, WC2A 2JB

Monument/Component Types

- BANK (FINANCIAL) (19th Century - 1865 AD)
- RAILINGS (19th Century - 1865 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476879 NATIONAL WESTMINSTER BANK AND NATIONAL WESTMINSTER BANK AND AREA RAILINGS	CAMDEN TQ3181SW CAREY STREET 798-1/107/1839 No.61 31/10/74 National Westminster Bank GV II See under: No.95 National Westminster Bank and area railings CHANCERY LANE. CAMDEN TQ3181SW CHANCERY LANE 798-1/107/1839 (West side) 31/10/74 No.95 National Westminster Bank and area railings (Formerly Listed as: WESTMINSTER CHANCERY LANE (West side) No.95 National Westminster Bank) GV II Includes: No.61 National Westminster Bank CAREY STREET. Bank. 1865. By FW Porter, built as the Union Bank of London. Portland stone, slate roof. Stately, richly detailed High Renaissance design. 3 storeys, basement and dormered attic. 4 window wide frontage to Chancery Lane, splayed corner entrance bay and twelve-window wide frontage to Carey Street with central and terminal advanced pavilions. Aediculed corner entrance. 3-storey loggia treatment to Chancery Lane with semicircular arched windows contained within successive Tuscan, Ionic and Corinthian orders in coupled columns. The Carey Street front has the same theme but with coupled pilasters. Arcaded first floor windows. Terminal pavilions as loggias. The central pavilion 2 storeys with stone ball finials to cornice blocking course. Heavy main cornice and entablature with semicircular, pedimented dormers above. INTERIOR: original banking hall interior with rich Renaissance detailing and fine tiled floor. SUBSIDIARY FEATURES: fine heavy cast-iron area railings. Formerly in the LB of Westminster. Listing NGR: TQ3110281294

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate (Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80334
Monument Type	Listed Building
Preferred Ref.	MLO80334
Name	NATIONAL WESTMINSTER BANK HALL OF RESIDENCE (27-43), JENKINS HOTEL (44 AND 45) AND RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29988 82520 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE CARTWRIGHT GARDENS 798-1/89/178 Nos.27-45 (Consecutive) 14/05/74 Nat West Bank Hall of Residence (27-43), Jenkins Hotel (44 & 45) & railings (Formerly Listed as: CARTWRIGHT GARDENS Nos.27-45 (Consecutive) Bentham Hall (31-44)) GV II Terrace of 19 houses forming the northern half of a crescent. Now occupied as a residential training centre and a hotel. c1809-11. Designed and built by James Burton. Darkened stock brick (evidence of tuck pointing) with rusticated stucco ground floors and stucco cornice at 3rd floor level. EXTERIOR: 4 storeys and basements. 2 and 3 windows. Centre 4 and end 3 houses projecting. Round-arched doorways, (where unaltered) with reeded jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 27 & 45 doorways on returns (4 windows, 3 blind) to Mabledon Place and Burton Place with prostyle Doric porticoes. Ground floor windows round-arched, those on the projecting bays in shallow, round-arched recesses. Gauged brick flat arches to recessed sash windows. 1st floor on projecting bays, casements with geometrically patterned glazing to top light. All 1st floor windows, except the right end projecting bay, with continuous cast-iron balconies. Parapets. No.45 with single storey, 3-window, stucco extension on the return. Articulated by pilasters carrying entablature surmounted by parapet, the centre panel balustraded. INTERIORS: retain some original features. SUBSIDIARY FEATURES: attached cast-iron railings with baluster finials to areas. Listing NGR: TQ2998882520

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 36 Cartwright Gardens, London, WC1H 9BZ

- 45 Cartwright Gardens, London, WC1H 9EH

- 45 Cartwright Gardens, London, WC1H 9EH

Monument/Component Types

- HOTEL (Undated)
- TRAINING CENTRE (Undated)
- CRESCENT (19th Century - 1809 AD to 1811 AD)
- RAILINGS (19th Century - 1809 AD to 1811 AD)
- TERRACE (19th Century - 1809 AD to 1811 AD)
- TERRACED HOUSE (19th Century - 1809 AD to 1811 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476857 NATIONAL WESTMINSTER BANK HALL OF RESIDENCE (27-43), JENKINS HOTEL (44 AND 45) AND RAILINGS	CAMDEN TQ2982NE CARTWRIGHT GARDENS 798-1/89/178 Nos.27-45 (Consecutive) 14/05/74 Nat West Bank Hall of Residence (27-43), Jenkins Hotel (44 & 45) & railings (Formerly Listed as: CARTWRIGHT GARDENS Nos.27-45 (Consecutive) Bentham Hall (31-44)) GV II Terrace of 19 houses forming the northern half of a crescent. Now occupied as a residential training centre and a hotel. c1809-11. Designed and built by James Burton. Darkened stock brick (evidence of tuck pointing) with rusticated stucco ground floors and stucco cornice at 3rd floor level. EXTERIOR: 4 storeys and basements. 2 and 3 windows. Centre 4 and end 3 houses projecting. Round-arched doorways, (where unaltered) with reeded jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 27 & 45 doorways on returns (4 windows, 3 blind) to Mabledon Place and Burton Place with prostyle Doric porticoes. Ground floor windows round-arched, those on the projecting bays in shallow, round-arched recesses. Gauged brick flat arches to recessed sash windows. 1st floor on projecting bays, casements with geometrically patterned glazing to top light. All 1st floor windows, except the right end projecting bay, with continuous cast-iron balconies. Parapets. No.45 with single storey, 3-window, stucco extension on the return. Articulated by pilasters carrying entablature surmounted by parapet, the centre panel balustraded. INTERIORS: retain some original features. SUBSIDIARY FEATURES: attached cast-iron railings with baluster finials to areas. Listing NGR: TQ2998882520

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81461
Monument Type	Listed Building
Preferred Ref.	MLO81461
Name	NEW HALL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30927 81408 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1040 (West side) 24/10/51 New Hall GV II* Banqueting hall with offices. c1843-5. By Philip Hardwick with PC Hardwick & John Loughborough Pearson. Red brick with blue diapers and stone dressings. Slate roof with tall, decorative brick chimneys. Tudor style. EXTERIOR: 2 storeys and semi-basement. Rectangular plan of 7-bay hall, plus lobby and entrance. Linked at north end to adjoining Library (qv). Gabled south end with 7-light, traceried window flanked by square twin towers. East and west elevations with five 8-light square-headed windows, separated by stone dressed buttresses topped with decorative stone finials rising through the embattled parapet, and 2 large bay windows at the high table end. 2-tier glazed fleche with weathervane. Lobby with octagonal turret in roof. Entrance approached by 3 flights of steps. INTERIOR: hall with hammer-beam trusses. Screen at south end; on north wall fresco "Justice, The Hemicycle of The Law Givers" by G F Watts, 1852-9. HISTORICAL NOTE: one of the earliest secular expressions of the revived historicism of Victorian architecture, made more correct in style by PC Hardwick who took over the commission when in 1843 his father became seriously ill. New Hall was restored c1984-87 by Peter Locke & Tony Dyson of Donald Insall Associates, particular attention being given to the roof and fresco. Listing NGR: TQ3092781408

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Lincolns Inn, London, WC2A 3TJ

Monument/Component Types

- BANQUETING HOUSE (19th Century - 1843 AD to 1845 AD)
- OFFICE (19th Century - 1843 AD to 1845 AD)
- BANQUETING HOUSE (Modern - 1984 AD to 1987 AD)
- OFFICE (Modern - 1984 AD to 1987 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478667 NEW HALL	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1040 (West side) 24/10/51 New Hall GV II* Banqueting hall with offices. c1843-5. By Philip Hardwick with PC Hardwick & John Loughborough Pearson. Red brick with blue diapers and stone dressings. Slate roof with tall, decorative brick chimneys. Tudor style. EXTERIOR: 2 storeys and semi-basement. Rectangular plan of 7-bay hall, plus lobby and entrance. Linked at north end to adjoining Library (qv). Gabled south end with 7-light, traceried window flanked by square twin towers. East and west elevations with five 8-light square-headed windows, separated by stone dressed buttresses topped with decorative stone finials rising through the embattled parapet, and 2 large bay windows at the high table end. 2-tier glazed fleche with weathervane. Lobby with octagonal turret in roof. Entrance approached by 3 flights of steps. INTERIOR: hall with hammer-beam trusses. Screen at south end; on north wall fresco "Justice, The Hemicycle of The Law Givers" by G F Watts, 1852-9. HISTORICAL NOTE: one of the earliest secular expressions of the revived historicism of Victorian architecture, made more correct in style by PC Hardwick who took over the commission when in 1843 his father became seriously ill. New Hall was restored c1984-87 by Peter Locke & Tony Dyson of Donald Insall Associates, particular attention being given to the roof and fresco. Listing NGR: TQ3092781408

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81462
Monument Type	Listed Building
Preferred Ref.	MLO81462
Name	NEW HALL LIBRARY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30907 81433 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1041 (West side) 24/10/51 New Hall Library GV II* Library. c1843-5. By Philip Hardwick and PC Hardwick, with JL Pearson. Enlarged at east end 1871-3 by Sir George Gilbert Scott. Red brick with blue diapers and stone dressings. Lead roof. Tudor style. Rectangular plan of 8 bays 2 storeys, at right angle to New Inn Hall (qv), using the same entrance. 3-light windows separated by stone dressed buttresses topped with stone finials rising through the embattled parapet. East and west gabled elevations with 2 storey canted, traceried, bay-windows. Octagonal turrets at north-west and south-east corners, that at south-east corner with glazed look-out and spire. Tall, decorative brick chimneys. INTERIOR: stone-faced with wooden open truss roof with pendentives and cast-iron galleries for shelves on 3 levels. Listing NGR: TQ3090781433

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- LIBRARY (19th Century - 1843 AD to 1845 AD)
- LIBRARY (19th Century - 1871 AD to 1873 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478668 NEW HALL LIBRARY	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1041 (West side) 24/10/51 New Hall Library GV II* Library. c1843-5. By Philip Hardwick and PC Hardwick, with JL Pearson. Enlarged at east end 1871-3 by Sir George Gilbert Scott. Red brick with blue diapers and stone dressings. Lead roof. Tudor style. Rectangular plan of 8 bays 2 storeys, at right angle to New Inn Hall (qv), using the same entrance. 3-light windows separated by stone dressed buttresses topped with stone finials rising through the embattled parapet. East and west gabled elevations with 2 storey canted, traceried, bay-windows. Octagonal turrets at north-west and south-east corners, that at south-east corner with glazed look-out and spire. Tall, decorative brick chimneys. INTERIOR: stone-faced with wooden open truss roof with pendentives and cast-iron galleries for shelves on 3 levels. Listing NGR: TQ3090781433

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80125
Monument Type	Listed Building
Preferred Ref.	MLO80125
Name	New Oxford Street (Nos 101 & 103)/St Giles' Street (Nos 5-24)/Charing Cross Road, [Centre Point]
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29880 81365 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description

Includes: Centre Point and Pond to front CHARING CROSS ROAD. Offices with shops and residential maisonettes, including pond to front. 1961-66. Richard Seifert and Partners (George Marsh designer). Reinforced concrete, that to the ground floor of the tower clad in ceramic mosaic and polished granite; that to the tower and rear block clad in high quality pre-cast panels. Flat roof. EXTERIOR: 35-storey tower block facing on to Charing Cross Road, with raised glazed link at first floor level to rear block containing shops, offices and flats. Tower of slender form with slightly convex sides. Ground floor glazed entrance hall set back behind expressed piers of angular waisted form. Open-tread staircase leading from the left up to projecting entrance platform. First floor with vertical concrete 'brise soleil' with integral hexagonal terminations to top and bottom, set to left side of façade. The right side of this floor and the remaining storeys have precast external mullions of inverted and faceted 'Y'-shape, which are partially load bearing and diminish in thickness from bottom to top. Above the top storey is an unglazed viewing gallery beneath a "cornice" which projects to the building edge and has a faceted edge which answers that of the structural frame below. Words "CENTRE POINT" in capital letters are set within. Metal framed windows. Sculpted bronze panel relief attached to wall by entrance. Original patterned floor to entrance hall. Light, single storied glazed link to rear block at first floor level with narrower link above (the latter of 1 bay in width) with full-height armour plate glazing. Rear block is glazed to round floor, with 'brise soleil' to first and second floors, forming irregular rectangular pattern in front of windows. Above, 36 cross-over maisonettes on 6 levels with 3 'banks' of projecting balconies and otherwise metal framed curtain wall glazing with opaque glass panels beneath the windows. Bank facing New Oxford Street retains original frontage and internal mosaic decoration by Jupp Dernbach-Mayen. SUBSIDIARY FEATURES: linked to front of building is a pool, its sides clad in blue mosaic and with concrete fountains set within, whose sculptural 'Y'-shaped form reflects that of the tower mullions above. HISTORICAL NOTE: Centre Point was one of the most important speculative office developments of its period in Britain. It is an early example of off-site pre-casting, the panels being hung from the frame without the use of scaffolding. (The Builder: London: 1968-: 99-105; New Society: Banham R: An Added Modern Pleasantness: London: 1966-: 13-14). (see linked designation record for full details) A standing building survey was carried out on the subsidiary features at the front of Centre Point by Museum of London Archaeology in 2009. The structure comprised: the ground-level plaza and ornamental pool; a set of steps leading from the plaza to the mezzanine floor of Centre Point; a pedestrian subway; public lavatories; and a snooker club situated below the plaza. These structures were listed at Grade II together with the office block but were demolished to make way for the enlargement of Tottenham Court Road Underground station. (1)

Sources

Number	Reference
SLO70508	Unpublished document: Museum of London Archaeology. 2009. Centre Point, 101-103 New Oxford Street, London WC2, Standing Building Survey, [A building survey was carried out at Centre Point by Museum of London Archaeology in 2008. Centre Point and the structures at its base such as the plaza and ornamental pool were analysed and recorded before the demolition of the ground level structures

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 101 and 103 New Oxford Street, London
- 5-24 St Giles' Street, London
- Charing Cross Road, London

Monument/Component Types

- APARTMENT (Modern - 1961 AD to 1966 AD)
- FOUNTAIN (Modern - 1961 AD to 1966 AD)
- MAISONETTE (Modern - 1961 AD to 1966 AD)
- OFFICE (Modern - 1961 AD to 1966 AD)
- ORNAMENTAL POND (Modern - 1961 AD to 1966 AD)
- SHOP (Modern - 1961 AD to 1966 AD)
- TOWER BLOCK (Modern - 1961 AD to 1966 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477596 Nos 101 and 103 New Oxford Street, Centre Point and Pond to front	CAMDEN TQ2981SE CHARING CROSS ROAD 798-1/104/1892 Centre Point and Pond to front 24/11/95 GV II See under: Nos.101 AND 103 NEW OXFORD STREET. Centre Point and Pond to front. CAMDEN TQ2981SE NEW OXFORD STREET (East side) Nos.101 AND 103 798-1/104/1892 24/11/95 Nos.101 AND 103 Centre Point and Pond to front GV II Includes: Nos.5-24 ST GILES HIGH STREET.

Includes: Centre Point and Pond to front CHARING CROSS ROAD. Offices with shops and residential maisonettes, including pond to front. 1961-66. Richard Seifert and Partners (George Marsh designer). Reinforced concrete, that to the ground floor of the tower clad in ceramic mosaic and polished granite; that to the tower and rear block clad in high quality pre-cast panels. Flat roof. EXTERIOR: 35-storey tower block facing on to Charing Cross Road, with raised glazed link at first floor level to rear block containing shops, offices and flats. Tower of slender form with slightly convex sides. Ground floor glazed entrance hall set back behind expressed piers of angular waisted form. Open-tread staircase leading from the left up to projecting entrance platform. First floor with vertical concrete 'brise soleil' with integral hexagonal terminations to top and bottom, set to left side of façade. The right side of this floor and the remaining storeys have precast external mullions of inverted and faceted 'Y'-shape, which are partially load bearing and diminish in thickness from bottom to top. Above the top storey is an unglazed viewing gallery beneath a "cornice" which projects to the building edge and has a faceted edge which answers that of the structural frame below. Words "CENTRE POINT" in capital letters are set within. Metal framed windows. Sculpted bronze panel relief attached to wall by entrance. Original patterned floor to entrance hall. Light, single storied glazed link to rear block at first floor level with narrower link above (the latter of 1 bay in width) with full-height armour plate glazing. Rear block is glazed to round floor, with 'brise soleil' to first and second floors, forming irregular rectangular pattern in front of windows. Above, 36 cross-over maisonettes on 6 levels with 3 'banks' of projecting balconies and otherwise metal framed curtain wall glazing with opaque glass panels beneath the windows. Bank facing New Oxford Street retains original frontage and internal mosaic decoration by Jupp Dernbach-Mayen. SUBSIDIARY FEATURES: linked to front of building is a pool, its sides clad in blue mosaic and with concrete fountains set within, whose sculptural 'Y'-shaped form reflects that of the tower mullions above. HISTORICAL NOTE: Centre Point was one of the most important speculative office developments of its period in Britain. It is an early example of off-site pre-casting, the panels being hung from the frame without the use of scaffolding. (The Builder: London: 1968-: 99-105; New Society: Banham R: An Added Modern Pleasantness: London: 1966-: 13-14). CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1892 Nos.5-24 (Consecutive) 24/11/95 GV II See under: Nos.101 AND 103 Centre Point and Pond to front NEW OXFORD STREET. Listing NGR: TQ2988081365

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>
ELO10299	New Oxford Street (Nos. 101-103) [Centre Point], London, WC2: Building Survey

Brief Description (click Event ID for details)

A building survey was carried out on ground-level structures in front ... of Centre Point by Museum of London Archaeology in 2008. Th

[Return to Top of page](#)

[End of record](#)

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81471
Monument Type	Listed Building
Preferred Ref.	MLO81471
Name	NINE LAMP POSTS IN NEW SQUARE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30986 81271 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1044 Nine lamp posts in New Square 14/05/74 GV II Lamp posts. C19. Cast-iron lampstandards with fluted or octagonal shafts. Bracketed lanterns of Windsor type, some with ladder bars. Listing NGR: TQ3098681271

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- LAMP POST (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478682 NINE LAMP POSTS IN NEW SQUARE	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1044 Nine lamp posts in New Square 14/05/74 GV II Lamp posts. C19. Cast-iron lampstandards with fluted or octagonal shafts. Bracketed lanterns of Windsor type, some with ladder bars. Listing NGR: TQ3098681271

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79681
Monument Type	Listed Building
Preferred Ref.	MLO79681
Name	North Crescent, [War Memorial] Camden, {memorial to 12th County of London Regiment, the 'Rangers'}
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 2959 8184 (point)
Summary	This war memorial was constructed around 1920 in memory of the 1193 members of the 12th County of London Regiment ('the Rangers') who died in World War One, with additional details added after World War Two. This memorial underscores the axial monumentality of this part of Bloomsbury, as well as being an eloquent reminder of the regiment's losses and war records.
Description	Record created from imported Listed Buildings On-line dataset 11-Jan-2006. The 12th County of London Regiment ('the Rangers') war memorial. Built around 1920. Designer unknown. Portland stone pylon with the regimental cap badge in bronze on the front; sandstone base. Inset corners, stepped top, placed on a square base with a cyma moulding. Front inscription reads 'THE RANGERS. 12th County of London Regt. 1914-1919. Remember with gratitude the true and faithful men who in the Great War went forth for God and the right. The memory of those who returned not again is hereby perpetuated to be honoured for evermore.' On the rear is the inscription 'To the Memory of 1193 Rangers who died for the Empire'. On each side is a list of First World War battles in which the regiment fought. Those on the west side are Ypres 1915, St Julien, Frezenburg Ridge, Somme 1916, Gommecourt, Ginchy, Morval, Transloy Ridges, Arras 1917, First Scarpe 1917, Bullecourt, Ypres 1917; those on the east side are Langemark 1917, Menin Road Ridge, Polygon Wood, 2nd Passchendaele, Cambrai 1917, First Somme 1918, St Quentin, Villers-Bretonneux, Amiens, Second Somme 1918, Albert 1918, Epehy. A number of the inscriptions were weathered at the time of inspection. Lower down on the front of the memorial are added inscriptions dating from after the Second World War: 'K.R.R.C. 1939-1945. Greece 1941 Crete Western Desert 1941. Veve, Proasteion, Canea. Retimo, Middle East 1941. Gazala. Retma, Bir Hacheim. Fuka Airfield North Africa 1942. Ruweisat. Defence of Alamein. HISTORY: an elegant Neoclassical pylon with an imposing list of engagements fought in by this rifle regiment. The setting has been transformed by the erection of the Second World War deep shelter directly behind. The location of the memorial owes much to the nearby former Bloomsbury Rifles drill hall of 1882-83 in Chenies Street. The memorial looks down Alfred Place, which, with its crescents to north and south, was laid out by George Dance in 1802-10: this memorial underscores the axial monumentality of this part of Bloomsbury, as well as being an eloquent reminder of the regiment's losses and war records. See linked Designation record and (1) for full details.

Sources

Number	Reference
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- War Memorial, North Crescent, Camden, London

Monument/Component Types

- WAR MEMORIAL (Modern - 1916 AD? to 2050 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	489617 War Memorial, North Crescent, Camden	798-1/0/10192 NORTH CRESCENT 19-JUL-02 War Memorial GV II The 12th County of London Regiment ('the Rangers') war memorial. C.1920. Designer unknown. Portland stone pylon with the regimental cap badge in bronze on the front; sandstone base. Inset corners, stepped top, placed on a square base with a cyma moulding. Front inscription reads 'THE RANGERS. 12th County of London Regt. 1914-1919. Remember with gratitude the true and faithful men who in the Great War went forth for God and the right. The memory of those who returned not again is hereby perpetuated to be honoured for evermore.' On the rear is the inscription 'To the Memory of 1193 Rangers who died for the Empire'. On each side is a list of First World War battles in which the regiment fought. Those on the west side are Ypres 1915, St Julien, Frezenburg Ridge, Somme 1916, Gommecourt, Ginchy, Morval, Transloy Ridges, Arras 1917, First Scarpe 1917, Bullecourt, Ypres 1917; those on the east side are Langemark 1917, Menin Road Ridge, Polygon Wood, 2nd Passchendaele, Cambrai 1917, First Somme 1918, St Quentin, Villers-Bretonneux, Amiens, Second Somme 1918, Albert 1918, Epehy. A number of the inscriptions were weathered at the time of inspection. Lower down on the front of the memorial are added inscriptions dating from after the Second World War: 'K.R.R.C. 1939-1945. Greece 1941 Crete Western Desert 1941. Veve, Proasteion, Canea. Retimo, Middle East 1941, Gazala. Retma, Bir Hacheim. Fuka Airfield North Africa 1942. Ruweisat. Defence of Alamein. HISTORY: an elegant Neoclassical pylon with an imposing list of engagements fought

in by this rifle regiment. The setting has been transformed by the erection of the Second World War deep shelter directly behind. The location of the memorial owes much to the nearby former Bloomsbury Rifles drill hall of 1882-83 in Chenies Street. The memorial looks down Alfred Place, which, with its crescents to north and south, was laid out by George Dance in 1802-10: this memorial underscores the axial monumentality of this part of Bloomsbury, as well as being an eloquent reminder of the regiment's losses and war records.

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO79681

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96335
Monument Type	Listed Building
Preferred Ref.	MLO96335
Name	NORTHERNMOST K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30392 81098 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Northernmost K2 6.8.86 Telephone Kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3039281098

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13 New Row, London, WC2N 4LF

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208804 NORTHERNMOST K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Northernmost K2 6.8.86 Telephone Kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3039281098

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80397
Monument Type	Listed Building
Preferred Ref.	MLO80397
Name	NUMBER 1 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30367 81591 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/98 (South side) 01/03/73 No.1 and attached railings GV II Terraced house forming the right hand side of a symmetrical facade with Nos 47 & 46 Bloomsbury Square (qv). 1840-50. Darkened brick with rusticated stucco ground floor and stucco block quoins. Stucco cornice and blocking course and 3rd floor sill band. Slate mansard roof with dormers. 4 storeys, attic and basement. 2 windows. Square-headed, recessed doorway with fanlight and panelled door. Continuous cast-iron balcony at 1st floor level with palmette motif. Square-headed, architraved sash windows, 1st floor with bracketed cornices. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3036781591

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Bloomsbury Square, London, WC1A 2TA

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476724 NUMBER 1 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/98 (South side) 01/03/73 No.1 and attached railings GV II Terraced house forming the right hand side of a symmetrical facade with Nos 47 & 46 Bloomsbury Square (qv). 1840-50. Darkened brick with rusticated stucco ground floor and stucco block quoins. Stucco cornice and blocking course and 3rd floor sill band. Slate mansard roof with dormers. 4 storeys, attic and basement. 2 windows. Square-headed, recessed doorway with fanlight and panelled door. Continuous cast-iron balcony at 1st floor level with palmette motif. Square-headed, architraved sash windows, 1st floor with bracketed cornices. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3036781591

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81356
Monument Type	Listed Building
Preferred Ref.	MLO81356
Name	NUMBER 1 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30280 82733 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW WHIDBORNE STREET 798-1/90/1715 (South side) 14/05/74 No.1 and attached railings GV II Terraced house. C19, earlier. Yellow stock brick. 3 storeys and basement. 2 windows. Round-arched ground floor openings. Doorway with fanlight and panelled door. Left hand ground floor window with margin glazing. Upper floors with gauged brick flat arches to recessed sashes. Parapets. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3028082733

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1-5 Whidborne Street, London, WC1H 8ET

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478554 NUMBER 1 AND ATTACHED RAILINGS	CAMDEN TQ3082NW WHIDBORNE STREET 798-1/90/1715 (South side) 14/05/74 No.1 and attached railings GV II Terraced house. C19, earlier. Yellow stock brick. 3 storeys and basement. 2 windows. Round-arched ground floor openings. Doorway with fanlight and panelled door. Left hand ground floor window with margin glazing. Upper floors with gauged brick flat arches to recessed sashes. Parapets. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3028082733

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79996
Monument Type	Listed Building
Preferred Ref.	MLO79996
Name	NUMBER 10 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30599 81901 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE HARPUR STREET 798-1/101/781 (East side) 01/08/73 No.10 and attached railings GV II Terraced house. c1760, altered. Multi-coloured brick. 4 storeys and basement (4th storey added). Double fronted with 3 windows and 2-window return to Dombey Street. Wooden doorcase with attached Doric columns carrying entablature with triglyphs in frieze and open mutule pediment. Round-headed fanlight with archivolt and console key; panelled door. Sash windows altered earlier 19th century with stucco architraves. Side windows tripartite, ground and 1st floor with console-bracketed cornices, 3rd floor with segmental arches. Returned with reddened gauged brick flat arches to recessed sashes. Sill band to 3rd floor. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials. Listing NGR: TQ3059981901

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (18th Century - 1740 AD to 1780 AD)
- TERRACED HOUSE (18th Century - 1740 AD to 1780 AD)
- TERRACED HOUSE (18th Century to Unknown - 1781 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478069 NUMBER 10 AND ATTACHED RAILINGS	CAMDEN TQ3081NE HARPUR STREET 798-1/101/781 (East side) 01/08/73 No.10 and attached railings GV II Terraced house. c1760, altered. Multi-coloured brick. 4 storeys and basement (4th storey added). Double fronted with 3 windows and 2-window return to Dombey Street. Wooden doorcase with attached Doric columns carrying entablature with triglyphs in frieze and open mutule pediment. Round-headed fanlight with archivolt and console key; panelled door. Sash windows altered earlier C19 with stucco architraves. Side windows tripartite, ground and 1st floor with console-bracketed cornices, 3rd floor with segmental arches. Returned with reddened gauged brick flat arches to recessed sashes. Sill band to 3rd floor. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials. Listing NGR: TQ3059981901

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80385
Monument Type	Listed Building
Preferred Ref.	MLO80385
Name	NUMBER 10 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30055 81484 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW BLOOMSBURY STREET 798-1/105/109 (East side) 30/06/69 No.10 and attached railings GV II House. c1766, altered. Multi-coloured stock brick with stone cornice at 3rd floor level. 4 storeys and cellar. 3 windows with 3-window return to Streatham Street. Ground floor has early 20th century cement shopfront with 3 round-headed openings and Doric pilasters carrying rudimentary entablature. Gauged red brick arches to recessed sash windows most with original glazing bars. Cast-iron balconies at 1st floor level. Parapet. Early 20th century prostyle Doric portico on return with pediment surmounted by a bust. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to return. Listing NGR: TQ3005581484

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 30-34 Bloomsbury Street, London, WC1B 3QJ

Monument/Component Types

- HOUSE (18th Century - 1746 AD to 1786 AD)
- RAILINGS (18th Century - 1746 AD to 1786 AD)
- HOUSE (18th Century to Unknown - 1787 AD)
- BUST (19th Century to Modern - 1900 AD to 1932 AD)
- SHOP (19th Century to Modern - 1900 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476739 NUMBER 10 AND ATTACHED RAILINGS	CAMDEN TQ3081SW BLOOMSBURY STREET 798-1/105/109 (East side) 30/06/69 No.10 and attached railings GV II House. c1766, altered. Multi-coloured stock brick with stone cornice at 3rd floor level. 4 storeys and cellar. 3 windows with 3-window return to Streatham Street. Ground floor has early C20 cement shopfront with 3 round-headed openings and Doric pilasters carrying rudimentary entablature. Gauged red brick arches to recessed sash windows most with original glazing bars. Cast-iron balconies at 1st floor level. Parapet. Early C20 prostyle Doric portico on return with pediment surmounted by a bust. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to return. Listing NGR: TQ3005581484

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82007
Monument Type	Listed Building
Preferred Ref.	MLO82007
Name	NUMBER 10 AND ATTACHED RAILINGS AND NUMBER 25 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31111 81510 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ31815W SOUTHAMPTON 627-017/10150 BUILDINGS 27/04/89 No.25 Patent Office Library (Formerly Listed as: CAMDEN SOUTHAMPTON BUILDINGS No.25) GV II Patent Office Library. 1899-1902 by Office of Works under, successively, Sir John Taylor and Sir Henry Tanner. Yellow brick with stone dressings. Plain tile mansard roof with brick stacks having moulded stone cornices. Jacobethan style. 3 storeys and attic; 13 window range. Flemish-gabled central and outer bays; articulated by Doric pilasters to each storey. Shaped pediment with carved tympanum to central Doric portico with triglyph frieze. Bold cornices to pilasters are continued as string courses. Ovolo-moulded stone mullion and transom windows; shaped pediments to dormer windows. Left and return has oriel window set above semi-circular arched window with blocked voussoirs and flanked by strapwork pilasters. INTERIOR: decorative plasterwork to hall and to double-apsed vestibule at entry to library. Library has 10-bay roof of semicircular arched steel ribs, linked by semi-circular arched clerestory set on cast-iron Corinthian columns which support 2 tiers of galleries; gallery fronts have decorative wrought-iron panels between cast-iron balusters. 2 dog-leg staircases with decorative wrought-iron balustrade to 1st floor of gallery. Rotunda to right has wrought-iron fine staircase to Conference Room, which has semi-circular apse to one end and barrel vault on Ionic pilasters. HISTORY: The Commissioners for Patents was established in 1852 and the library in 1855, which was described in "Engineering", 1897, as "the finest library of science and arts in the whole world". Formerly listed in the LB of Camden. Since 1 April 1994 the Patent Office Library has been within the City of London. Listing NGR: TQ3111181510

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- INNS OF CHANCERY (19th Century - 1842 AD to 1843 AD)
- OFFICE (19th Century - 1890 AD to 1891 AD)
- COURT ROOM (19th Century - 1891 AD to 1894 AD)
- OFFICE (19th Century - 1891 AD to 1894 AD)
- OFFICE (19th Century - 1892 AD to 1893 AD)
- FIREPROOF BUILDING (19th Century to Modern - 1897 AD to 1902 AD)
- LIBRARY (19th Century to Modern - 1897 AD to 1902 AD)
- OFFICE (19th Century to Modern - 1897 AD to 1902 AD)
- RAILINGS (19th Century to Modern - 1897 AD to 1902 AD)
- READING ROOM (19th Century to Modern - 1897 AD to 1902 AD)
- OFFICE (Modern - 1902 AD to 1912 AD)
- RAILINGS (Modern - 1902 AD to 1912 AD)
- OFFICE (Modern - 1903 AD)
- OFFICE (Modern - 1954 AD to 1955 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	455919 NUMBER 10 AND ATTACHED RAILINGS AND NUMBER 25 AND ATTACHED RAILINGS	TQ31815W SOUTHAMPTON 627-017/10150 BUILDINGS 27/04/89 No.25 Patent Office Library (Formerly Listed as: CAMDEN SOUTHAMPTON BUILDINGS No.25) GV II Patent Office Library. 1899-1902 by Office of Works under, successively, Sir John Taylor and Sir Henry Tanner. Yellow brick with stone dressings. Plain tile mansard roof with brick stacks having moulded stone cornices. Jacobethan style. 3 storeys and attic; 13 window range. Flemish-gabled central and outer bays; articulated by Doric pilasters to each storey. Shaped pediment with carved tympanum to central Doric portico with triglyph frieze. Bold cornices to pilasters are continued as string courses. Ovolo-moulded stone mullion and transom windows; shaped pediments to dormer windows. Left and return has oriel window set above semi-circular arched window with blocked voussoirs and flanked by strapwork pilasters. INTERIOR: decorative plasterwork to hall and to double-apsed vestibule at entry to library. Library has 10-bay roof of semicircular arched steel ribs, linked by semi-circular arched clerestory set on cast-iron Corinthian columns which support 2 tiers of galleries; gallery fronts have decorative wrought-iron panels between cast-iron balusters. 2 dog-leg staircases with decorative wrought-iron balustrade to 1st floor of gallery. Rotunda to right has wrought-iron fine staircase to Conference Room, which has semi-circular apse to one end and barrel

vault on Ionic pilasters. HISTORY: The Commissioners for Patents was established in 1852 and the library in 1855, which was described in "Engineering", 1897, as "the finest library of science and arts in the whole world". Formerly listed in the LB of Camden. Since 1 April 1994 the Patent Office Library has been within the City of London. Listing NGR: TQ3111181510

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80615
Monument Type	Listed Building
Preferred Ref.	MLO80615
Name	NUMBER 11 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29876 81766 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/76 (East side) 24/10/51 No.11 and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I End of terrace house on a corner site with main facade to Gower Street and return to Montague Place, but built as and visually forms the end of the east side of Bedford Square. 1776-1781. Probably designed by Robert Palmer. Built by W Scott and R Grews; for the Bedford Estate. Yellow stock brick with stucco cornice and sill band to bay on return. Slate mansard roof with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows to Gower Street, Montague Street frontage of 4 windows (2 blind) and a central 2 window full-height canted bay containing the entrance having fluted Doric pilasters carrying an entablature with enriched frieze and pediment; panelled door. Gauged brick flat arches to recessed sashes. Cornice and parapet. INTERIOR: not inspected but noted to include some original features and the original wine cellar. At basement and ground floor levels 2 original wings which contain octagonal rooms, 2 per floor, above which rises a full height bow to the garden. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. (Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2987681766

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Bedford Square, London, WC1B 3RA

Monument/Component Types

- RAILINGS (18th Century - 1776 AD to 1781 AD)
- TERRACED HOUSE (18th Century - 1776 AD to 1781 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	476697 NUMBER 11 AND ATTACHED RAILINGS	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/76 (East side) 24/10/51 No.11 and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I End of terrace house on a corner site with main facade to Gower Street and return to Montague Place, but built as and visually forms the end of the east side of Bedford Square. 1776-1781. Probably designed by Robert Palmer. Built by W Scott and R Grews; for the Bedford Estate. Yellow stock brick with stucco cornice and sill band to bay on return. Slate mansard roof with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows to Gower Street, Montague Street frontage of 4 windows (2 blind) and a central 2 window full-height canted bay containing the entrance having fluted Doric pilasters carrying an entablature with enriched frieze and pediment; panelled door. Gauged brick flat arches to recessed sashes. Cornice and parapet. INTERIOR: not inspected but noted to include some original features and the original wine cellar. At basement and ground floor levels 2 original wings which contain octagonal rooms, 2 per floor, above which rises a full height bow to the garden. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. (Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2987681766

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80788
Monument Type	Listed Building
Preferred Ref.	MLO80788
Name	NUMBER 12 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29994 82634 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE MABLEDON PLACE 798-1/89/1094 (West side) 14/05/74 No.12 and attached railings GV II Terraced house. Early C19. Stucco with rusticated ground floor. 2 storeys and basement. 2 windows. Segmental-arched ground floor openings in shallow recesses. Doorway with cornice-head, fanlight and panelled door. 1st floor with square-headed, recessed casements and cast-iron balcony. Cornice and blocking course. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2999482634

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477464 NUMBER 12 AND ATTACHED RAILINGS	CAMDEN TQ2982NE MABLEDON PLACE 798-1/89/1094 (West side) 14/05/74 No.12 and attached railings GV II Terraced house. Early C19. Stucco with rusticated ground floor. 2 storeys and basement. 2 windows. Segmental-arched ground floor openings in shallow recesses. Doorway with cornice-head, fanlight and panelled door. 1st floor with square-headed, recessed casements and cast-iron balcony. Cornice and blocking course. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2999482634

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81158
Monument Type	Listed Building
Preferred Ref.	MLO81158
Name	NUMBER 12 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30939 81969 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/1628 (North side) 14/05/74 No.12 and attached railings GV II Terraced house. C19 earlier with 20th century refacing in C18 manner to match other houses in terrace. Restored 1989. Multi-coloured stock brick with plain brick bands at 1st and 2nd floor levels. Double pitch roof. 4 storeys and basement, return to King's Mews with single storey extension. 3 windows and 3 blind windows on return. Stucco doorcase with pilasters, entablature and pediment; fanlight and double panelled doors. Gauged brick flat arches to recessed sashes. Parapet. Return with late C18 wooden doorcase re-used (similar to Nos 14, 16 & 22) with attached Ionic columns carrying pedimented entablature with frieze of Greek fret; fanlight and panelled door. Segmental heads to upper storey blind windows; oculus. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3093981969

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Theobalds Road, London, WC1X 8PN

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- HOUSE (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478368 NUMBER 12 AND ATTACHED RAILINGS	CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/1628 (North side) 14/05/74 No.12 and attached railings GV II Terraced house. C19 earlier with C20 refacing in C18 manner to match other houses in terrace. Restored 1989. Multi-coloured stock brick with plain brick bands at 1st and 2nd floor levels. Double pitch roof. 4 storeys and basement, return to King's Mews with single storey extension. 3 windows and 3 blind windows on return. Stucco doorcase with pilasters, entablature and pediment; fanlight and double panelled doors. Gauged brick flat arches to recessed sashes. Parapet. Return with late C18 wooden doorcase re-used (similar to Nos 14, 16 & 22) with attached Ionic columns carrying pedimented entablature with frieze of Greek fret; fanlight and panelled door. Segmental heads to upper storey blind windows; oculus. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3093981969

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

Export generated by HBSMR from exeGesIS SDM

Start of record

MonUID	MLO80054
Monument Type	Listed Building
Preferred Ref.	MLO80054
Name	NUMBER 121 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30833 82222 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/646 (West side) 19/06/73 No.121 and attached railings (Formerly Listed as: GRAY'S INN ROAD Nos.117-121 (Odd)) GV II Terraced house, formerly with shop. Early 19th century. Stucco, roof not seen. Plain stucco 1st floor sill bands. 4 storeys and basements, two windows wide. Round-arched recessed doorway with architraved surround and rusticated voussoir blocks. Radial fanlight and half glazed double doors. Original bowed shop window with entablature and small panes. Upper floors with recessed casement windows; 1st floor with balconies. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ308338222

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- HOUSE (Undated)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477479 NUMBER 121 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/646 (West side) 19/06/73 No.121 and attached railings (Formerly Listed as: GRAY'S INN ROAD Nos.117-121 (Odd)) GV II Terraced house, formerly with shop. Early C19. Stucco, roof not seen. Plain stucco 1st floor sill bands. 4 storeys and basements, two windows wide. Round-arched recessed doorway with architraved surround and rusticated voussoir blocks. Radial fanlight and half glazed double doors. Original bowed shop window with entablature and small panes. Upper floors with recessed casement windows; 1st floor with balconies. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3083382222

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79768
Monument Type	Listed Building
Preferred Ref.	MLO79768
Name	NUMBER 13 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31420 81659 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW ELY PLACE 798-1/102/376 (West side) 14/05/74 No.13 and attached railings (Formerly Listed as: ELY PLACE Nos.7-9 AND 13 (Consecutive)) GV II 2 houses, now one house. c1773. By C Cole and J Gorham with later alterations. Multi-coloured stock brick, tuck pointed. Stucco parapet coping, 3rd floor string and 1st floor band. 4 storeys and basement. 6 windows. 20th century door in plain recess with gauged flat arch. Gauged yellow brick flat arches to recessed sash windows, some with glazing bars. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached railings to areas. Listing NGR: TQ3142081659

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Ely Place, London, EC1N 6RY

Monument/Component Types

- HOUSE (18th Century - 1753 AD to 1793 AD)
- RAILINGS (18th Century - 1753 AD to 1793 AD)
- HOUSE (18th Century to Unknown - 1794 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477176 NUMBER 13 AND ATTACHED RAILINGS	CAMDEN TQ3181NW ELY PLACE 798-1/102/376 (West side) 14/05/74 No.13 and attached railings (Formerly Listed as: ELY PLACE Nos.7-9 AND 13 (Consecutive)) GV II 2 houses, now one house. c1773. By C Cole and J Gorham with later alterations. Multi-coloured stock brick, tuck pointed. Stucco parapet coping, 3rd floor string and 1st floor band. 4 storeys and basement. 6 windows. C20 door in plain recess with gauged flat arch. Gauged yellow brick flat arches to recessed sash windows, some with glazing bars. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached railings to areas. Listing NGR: TQ3142081659

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80056
Monument Type Listed Building
Preferred Ref. MLO80056
Name NUMBER 139 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30772 82306 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/647 (West side) 14/05/74 No.139 and attached railings GV II House at end of terrace. c1811-20, altered. Multi-coloured stock brick, partly refaced. Slated mansard roof with dormers. 3 storeys, attic and basement. Double-fronted with 3 windows. Stucco doorway surround with pilasters and modified entablature (enriched), patterned radial fanlight and panelled and part glazed door. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3077282306

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- RAILINGS (19th Century - 1811 AD to 1820 AD)
- TERRACED HOUSE (19th Century - 1811 AD to 1820 AD)
- TERRACED HOUSE (19th Century to Unknown - 1821 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477481 NUMBER 139 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/647 (West side) 14/05/74 No.139 and attached railings GV II House at end of terrace. c1811-20, altered. Multi-coloured stock brick, partly refaced. Slated mansard roof with dormers. 3 storeys, attic and basement. Double-fronted with 3 windows. Stucco doorway surround with pilasters and modified entablature (enriched), patterned radial fanlight and panelled and part glazed door. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3077282306

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80377
Monument Type	Listed Building
Preferred Ref.	MLO80377
Name	NUMBER 14 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30281 81650 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/102 (West side) 30/06/69 No.14 and attached railings GV II Terraced house. 1662-5. Built by T Coxe. Stuccoed c1750, with rusticated ground floor and sill band at 1st floor level. 4 storeys and basement. 3 windows. Round-arched doorway with radial fanlight, sidelights and panelled door. Square-headed sash windows, architraved on 1st to 3rd floors, 1st floor having wrought-iron balconies. Sill bands at 2nd and 3rd floor. Cornice and blocking course. INTERIOR: not inspected but noted to have some simple fielded panelling and original C17 staircase with turned balusters and shaped ends; straight string 2nd floor. SUBSIDIARY FEATURES: attached late C19 cast-iron railings to areas. Listing NGR: TQ3028181650

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Bloomsbury Square, London, WC1A 2TA

Monument/Component Types

- TERRACED HOUSE (17th Century - 1662 AD to 1665 AD)
- HOUSE (18th Century - 1730 AD to 1770 AD)
- RAILINGS (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476731 NUMBER 14 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/102 (West side) 30/06/69 No.14 and attached railings GV II Terraced house. 1662-5. Built by T Coxe. Stuccoed c1750, with rusticated ground floor and sill band at 1st floor level. 4 storeys and basement. 3 windows. Round-arched doorway with radial fanlight, sidelights and panelled door. Square-headed sash windows, architraved on 1st to 3rd floors, 1st floor having wrought-iron balconies. Sill bands at 2nd and 3rd floor. Cornice and blocking course. INTERIOR: not inspected but noted to have some simple fielded panelling and original C17 staircase with turned balusters and shaped ends; straight string 2nd floor. SUBSIDIARY FEATURES: attached late C19 cast-iron railings to areas. Listing NGR: TQ3028181650

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80425
Monument Type	Listed Building
Preferred Ref.	MLO80425
Name	NUMBER 14 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30820 81809 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1811 (East side) 14/05/74 No.14 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II House, now commercial premises. 1717-18 by Robert Burford, rebuilt in facsimile after wartime bombing. Brown brick. 3 windows wide, 4 storeys, basement and mansarded attic. Wood architraved doorcase with carved panelled soffit to flat hood and fanlight. Sash windows. INTERIOR not inspected. SUBSIDIARY FEATURES: cast-iron railings. Included for group value as part of the exceptional terrace on the east side of Bedford Row. Listing NGR: TQ3082081809

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Bedford Row, London, WC1R 4LL

Monument/Component Types

- HOUSE (18th Century - 1717 AD to 1718 AD)
- RAILINGS (18th Century - 1717 AD to 1718 AD)
- HOUSE (Modern - 1939 AD to 1945 AD)
- OFFICE (Modern to Unknown - 1946 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476654 NUMBER 14 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1811 (East side) 14/05/74 No.14 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II House, now commercial premises. 1717-18 by Robert Burford, rebuilt in facsimile after wartime bombing. Brown brick. 3 windows wide, 4 storeys, basement and mansarded attic. Wood architraved doorcase with carved panelled soffit to flat hood and fanlight. Sash windows. INTERIOR not inspected. SUBSIDIARY FEATURES: cast-iron railings. Included for group value as part of the exceptional terrace on the east side of Bedford Row. Listing NGR: TQ3082081809

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82006
Monument Type	Listed Building
Preferred Ref.	MLO82006
Name	NUMBER 14 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31161 81457 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ31815W TOOK'S COURT 627-0/7/10157 (East side) 24/10/51 No.14 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV II Terraced house. c1720. Brown brick with red brick dressings. Tiled mansard roof with dormers. 3 storeys, attic and basement. 3 windows. Ionic pilasters at flanks rising full height of building with architrave and pulvinated frieze above pilasters only (2nd floor rebuilt in yellow stock brick with cornice missing). Wood doorcase with segmental headed oblong fanlight, panelled reveals, pilasters on rusticated surrounds, consoles and dentil cornice with segmental pediment and panelled doors. Red brick (tuck pointed) segmental arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast iron railings to areas. Formerly Listed in the LB of Camden. Since 1 April 1994 Took's Court has been in the City of London. Listing NGR: TQ3116181457

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- RAILINGS (17th Century to 18th Century - 1700 AD to 1740 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1740 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	454503 NUMBER 14 AND ATTACHED RAILINGS	TQ31815W TOOK'S COURT 627-0/7/10157 (East side) 24/10/51 No.14 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV II Terraced house. c1720. Brown brick with red brick dressings. Tiled mansard roof with dormers. 3 storeys, attic and basement. 3 windows. Ionic pilasters at flanks rising full height of building with architrave and pulvinated frieze above pilasters only (2nd floor rebuilt in yellow stock brick with cornice missing). Wood doorcase with segmental headed oblong fanlight, panelled reveals, pilasters on rusticated surrounds, consoles and dentil cornice with segmental pediment and panelled doors. Red brick (tuck pointed) segmental arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast iron railings to areas. Formerly Listed in the LB of Camden. Since 1 April 1994 Took's Court has been in the City of London. Listing NGR: TQ3116181457

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81999
Monument Type	Listed Building
Preferred Ref.	MLO81999
Name	NUMBER 15 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31162 81451 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ31815W TOOK'S COURT 627-0/7/10158 (East side) 24/10/51 No.15 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV 11* Terraced house. c1720. Brownbrick,tuckpointed,with red brick dressings. Tiled mansard roof with dormers. 3 storeys, attic and basement. 3 windows. Ionic pilasters at flanks rising full height of building with architrave and pulvinated frieze above pilasters only and continuous dentil cornice. Wood doorcase with segmental headed oblong fanlight, panelled reveals,pilasters on rusticated surrounds, consoles and dentil cornice with segmental pediment and panelled door. Red brick segmental arches to recessed sashes. Parapet. INTERIOR: not inspected but noted to retain original panelling; staircase with open string, carved brackets, column newel and turned balusters. SUBSIDIARY FEATURES: attached 20th century railings. Listing NGR: TQ3116281451

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1740 AD)
- RAILINGS (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	472938 NUMBER 15 AND ATTACHED RAILINGS	TQ31815W TOOK'S COURT 627-0/7/10158 (East side) 24/10/51 No.15 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV 11* Terraced house. c1720. Brownbrick,tuckpointed,with red brick dressings. Tiled mansard roof with dormers. 3 storeys, attic and basement. 3 windows. Ionic pilasters at flanks rising full height of building with architrave and pulvinated frieze above pilasters only and continuous dentil cornice. Wood doorcase with segmental headed oblong fanlight, panelled reveals,pilasters on rusticated surrounds, consoles and dentil cornice with segmental pediment and panelled door. Red brick segmental arches to recessed sashes. Parapet. INTERIOR: not inspected but noted to retain original panelling; staircase with open string, carved brackets, column newel and turned balusters. SUBSIDIARY FEATURES: attached C20 railings. Listing NGR: TQ3116281451

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82000
Monument Type	Listed Building
Preferred Ref.	MLO82000
Name	NUMBER 16 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31161 81445 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ3181SW TOOK'S COURT 627-0/7/10159 (East side) 24/10151 No.16 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV II Terraced house. c1720, refronted early C19. Yellow stock brick. 3 storeys and basement. 2 windows. Pound-arched doorway with modern radial fanlight, reeded jambs with moulded transom and panelled door. Gauged red brick flat arches to recessed sash windows, the ground floor window being tripartite. Wrought iron balconies to ground and 1st floor windows. Parapet. INTERIOR: not inspected but noted to retain some panelling. Staircase with closed string, square panelled newels, turned balusters and moulded handrail. Shaped shelves to round backed cupboard in ground floor back room. SUBSIDIARY FEATUPES: attached cast iron railings with urn finials to areas. Formerly Listed in the LB of Camden. Since 1 April 1994 Took's Court has been in the City of London. Listing NGR: TQ3116181445

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- RAILINGS (17th Century to 18th Century - 1700 AD to 1740 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1740 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	472939 NUMBER 16 AND ATTACHED RAILINGS	TQ3181SW TOOK'S COURT 627-0/7/10159 (East side) 24/10151 No.16 and attached railings (Formerly Listed as: CAMDEN TOOK'S COURT Nos.14-16 (Consecutive)) GV II Terraced house. c1720, refronted early C19. Yellow stock brick. 3 storeys and basement. 2 windows. Pound-arched doorway with modern radial fanlight, reeded jambs with moulded transom and panelled door. Gauged red brick flat arches to recessed sash windows, the ground floor window being tripartite. Wrought iron balconies to ground and 1st floor windows. Parapet. INTERIOR: not inspected but noted to retain some panelling. Staircase with closed string, square panelled newels, turned balusters and moulded handrail. Shaped shelves to round backed cupboard in ground floor back room. SUBSIDIARY FEATUPES: attached cast iron railings with urn finials to areas. Formerly Listed in the LB of Camden. Since 1 April 1994 Took's Court has been in the City of London. Listing NGR: TQ3116181445

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80079
Monument Type	Listed Building
Preferred Ref.	MLO80079
Name	NUMBER 165 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30728 82362 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/649 (West side) 22/01/73 No.165 and attached railings GV II Terraced house. c1811-20, refronted late 20th century. Multi-coloured stock brick with plain stucco 1st floor sill band. 3 storeys and basement. Double fronted with 3 windows. Stucco door surround with pilasters, oval paterae, brackets and projecting cornice; radial fanlight grille and 20th century double panelled doors. Gauged brick flat arches to recessed sashes; 1st floor originally with balconies. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3072882362

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- RAILINGS (19th Century - 1811 AD to 1820 AD)
- TERRACED HOUSE (19th Century - 1811 AD to 1820 AD)
- TERRACED HOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477504 NUMBER 165 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/649 (West side) 22/01/73 No.165 and attached railings GV II Terraced house. c1811-20, refronted late C20. Multi-coloured stock brick with plain stucco 1st floor sill band. 3 storeys and basement. Double fronted with 3 windows. Stucco door surround with pilasters, oval paterae, brackets and projecting cornice; radial fanlight grille and C20 double panelled doors. Gauged brick flat arches to recessed sashes; 1st floor originally with balconies. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3072882362

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80157
Monument Type	Listed Building
Preferred Ref.	MLO80157
Name	NUMBER 17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30639 82058 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/668 (South side) 14/05/74 No.17 and attached railings GV II Terraced house. 1780-5, refronted early C19 and restored late 20th century by Donald Insall & Associates for the LBC. Yellow stock brick with evidence of tuck pointing; 3rd floor refaced. Stucco ground floor and 1st floor sill band. 4 storeys and basement. 2 windows. Round-arched doorway with fluted surround, radial fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3063982058

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- RAILINGS (18th Century - 1780 AD to 1785 AD)
- TERRACED HOUSE (18th Century - 1780 AD to 1785 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477655 NUMBER 17 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/668 (South side) 14/05/74 No.17 and attached railings GV II Terraced house. 1780-5, refronted early C19 and restored late C20 by Donald Insall & Associates for the LBC. Yellow stock brick with evidence of tuck pointing; 3rd floor refaced. Stucco ground floor and 1st floor sill band. 4 storeys and basement. 2 windows. Round-arched doorway with fluted surround, radial fanlight and panelled door. Gauged brick flat arches to recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3063982058

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80415
Monument Type	Listed Building
Preferred Ref.	MLO80415
Name	NUMBER 17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30812 81831 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1813 (East side) 24/10/51 No.17 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II Terraced house, now offices. Built 1717-18 by Robert Burford, carpenter, on land granted to him and George Devall, plumber, by Dame Margaret Skipwith in 1716. Brown brick, roof not seen behind parapet. 3 windows wide, 4 storeys, attic and basement. 2 rooms deep with closet wing. Brick band at first floor level. Gauged red brick arches to flush frame sash windows. Wood architraved doorcase with good carved brackets, panelled soffits to flat hoods, patterned fanlight and panelled door. INTERIOR: panelled entrance and staircase hall. Corinthian pilaster forming inner arch. Early C19 stair rises to second floor, with stick balusters and continuous handrail; it retains early C18 dado panelling with Corinthian pilaster strips up to first floor. Third floor reached by closed string stair with turned balusters. Ground floor opened as a single room, with early C19 Tuscan columns. Second floor front rooms retain ovolo-moulded panelling and box cornices. SUBSIDIARY FEATURES: cast-iron railings with finials. Listing NGR: TQ3081281831

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Bedford Row, London, WC1R 4LL

Monument/Component Types

- OFFICE (Undated)
- TERRACED HOUSE (18th Century - 1717 AD to 1718 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476658 NUMBER 17 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1813 (East side) 24/10/51 No.17 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II Terraced house, now offices. Built 1717-18 by Robert Burford, carpenter, on land granted to him and George Devall, plumber, by Dame Margaret Skipwith in 1716. Brown brick, roof not seen behind parapet. 3 windows wide, 4 storeys, attic and basement. 2 rooms deep with closet wing. Brick band at first floor level. Gauged red brick arches to flush frame sash windows. Wood architraved doorcase with good carved brackets, panelled soffits to flat hoods, patterned fanlight and panelled door. INTERIOR: panelled entrance and staircase hall. Corinthian pilaster forming inner arch. Early C19 stair rises to second floor, with stick balusters and continuous handrail; it retains early C18 dado panelling with Corinthian pilaster strips up to first floor. Third floor reached by closed string stair with turned balusters. Ground floor opened as a single room, with early C19 Tuscan columns. Second floor front rooms retain ovolo-moulded panelling and box cornices. SUBSIDIARY FEATURES: cast-iron railings with finials. Listing NGR: TQ3081281831

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80527
Monument Type	Listed Building
Preferred Ref.	MLO80527
Name	NUMBER 18 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30659 82023 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1415 (North side) 14/05/74 No.18 and attached railings GV II Terraced house. Mid C19. Yellow stock brick. 4 storeys and basement. 3 windows. Re-used C18 wooden doorcase with architrave, enriched carved brackets carrying a hood, patterned fanlight and panelled door. Gauged brick flat arches to recessed 4-pane sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3065982023

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Rugby Street, London, WC1N 3QT

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1866 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477910 NUMBER 18 AND ATTACHED RAILINGS	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1415 (North side) 14/05/74 No.18 and attached railings GV II Terraced house. Mid C19. Yellow stock brick. 4 storeys and basement. 3 windows. Re-used C18 wooden doorcase with architrave, enriched carved brackets carrying a hood, patterned fanlight and panelled door. Gauged brick flat arches to recessed 4-pane sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3065982023

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81492
Monument Type	Listed Building
Preferred Ref.	MLO81492
Name	NUMBER 18 AND ATTACHED WALL, RAILINGS AND GATE PIERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30749 81486 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1056 (North side) 20/04/71 No.18 and attached wall, railings and gate piers (Formerly Listed as: LINCOLN'S IN FIELDS No.18 (incorporating No.17)) GV II 2 houses, now one. 1871-2. By Alfred Waterhouse; refurbished c1990. Portland stone. Slated roof with tall enriched stone slab chimneys and 3 symmetrical gabled dormers. EXTERIOR: 4 storeys, attic and basement. 6 windows. Entrances in outer bays; gabled hoods with finials, enriched corbels and round-arched entrances having recessed panelled double doors with fanlights approached by steps. Ground floor sashes round-arched with arcaded architraves on colonnettes; 2 central windows flanked by clustered pilasters. 2nd & 3rd floor sashes paired and recessed with raking sills; 1st floor with panelled aprons, moulded heads and central colonnettes supporting stilted enriched segmental arches. 2nd floor with enriched segmental heads flanked by large brackets of balcony with cast-iron railings to 3rd floor casements in groups of 3 with square moulded heads, to each individual casement, on colonnettes. Corbelled modillion cornice below dormers; central dormer has 3 windows with colonnettes and a plate tracery rose window in apex with finial, flanking dormers 1 window each and finial. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached area cast and wrought-iron railings of roundel and scroll design on low stone wall with gate piers to each entrance. Listing NGR: TQ3074981486

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- GATE PIER (19th Century - 1871 AD to 1872 AD)
- HOUSE (19th Century - 1871 AD to 1872 AD)
- RAILINGS (19th Century - 1871 AD to 1872 AD)
- WALL (19th Century - 1871 AD to 1872 AD)
- HOUSE (Modern - 1985 AD to 1995 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478708 NUMBER 18 AND ATTACHED WALL, RAILINGS AND GATE PIERS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1056 (North side) 20/04/71 No.18 and attached wall, railings and gate piers (Formerly Listed as: LINCOLN'S IN FIELDS No.18 (incorporating No.17)) GV II 2 houses, now one. 1871-2. By Alfred Waterhouse; refurbished c1990. Portland stone. Slated roof with tall enriched stone slab chimneys and 3 symmetrical gabled dormers. EXTERIOR: 4 storeys, attic and basement. 6 windows. Entrances in outer bays; gabled hoods with finials, enriched corbels and round-arched entrances having recessed panelled double doors with fanlights approached by steps. Ground floor sashes round-arched with arcaded architraves on colonnettes; 2 central windows flanked by clustered pilasters. 2nd & 3rd floor sashes paired and recessed with raking sills; 1st floor with panelled aprons, moulded heads and central colonnettes supporting stilted enriched segmental arches. 2nd floor with enriched segmental heads flanked by large brackets of balcony with cast-iron railings to 3rd floor casements in groups of 3 with square moulded heads, to each individual casement, on colonnettes. Corbelled modillion cornice below dormers; central dormer has 3 windows with colonnettes and a plate tracery rose window in apex with finial, flanking dormers 1 window each and finial. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached area cast and wrought-iron railings of roundel and scroll design on low stone wall with gate piers to each entrance. Listing NGR: TQ3074981486

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81493
Monument Type	Listed Building
Preferred Ref.	MLO81493
Name	NUMBER 19 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30761 81489 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1057 (North side) 08/03/63 No.19 and attached railings GV II Terraced house. 1868. By Philip Webb. Red brick with stone dressings. Slated gabled roof. 5 storeys, attic and basement. 4 windows. Doorway with gabled stone hood with round-arch; moulded architrave to panelled door with fanlight. Central paired sashes in canted stone bay, with attached hexagonal columns at angles, rising from ground through the 3rd floor to support a shaped balcony with cast-iron balustrade at 4th floor level; 1st floor lintel with shallow pediments to each sash. Flanking the central bay on each floor, segmental-arched sashes with sill bands continuing across central bay. Re-entrant angles have alternating stone and brick quoins. 4th floor with 4 segmental-arched windows, the central pair flanked by brick pilasters terminating in the gable with pediment capitals flanking a Diocletian window with moulded brick apron. INTERIOR: nothing known to survive of Webb's work. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3076181489

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- RAILINGS (19th Century - 1868 AD)
- TERRACED HOUSE (19th Century - 1868 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478709 NUMBER 19 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1057 (North side) 08/03/63 No.19 and attached railings GV II Terraced house. 1868. By Philip Webb. Red brick with stone dressings. Slated gabled roof. 5 storeys, attic and basement. 4 windows. Doorway with gabled stone hood with round-arch; moulded architrave to panelled door with fanlight. Central paired sashes in canted stone bay, with attached hexagonal columns at angles, rising from ground through the 3rd floor to support a shaped balcony with cast-iron balustrade at 4th floor level; 1st floor lintel with shallow pediments to each sash. Flanking the central bay on each floor, segmental-arched sashes with sill bands continuing across central bay. Re-entrant angles have alternating stone and brick quoins. 4th floor with 4 segmental-arched windows, the central pair flanked by brick pilasters terminating in the gable with pediment capitals flanking a Diocletian window with moulded brick apron. INTERIOR: nothing known to survive of Webb's work. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3076181489

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78527
Monument Type	Listed Building
Preferred Ref.	MLO78527
Name	NUMBER 2 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30350 81932 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1359 (West side) 14/05/74 No.2 and attached railings (Formerly Listed as: QUEEN SQUARE Nos.1 AND 2 Queen's Larder Public House (No.1)) GV II Terraced house. Probably early 19th century, restored c1971. Painted brick with stucco ground floor and plain 1st floor sill band. 20th century slate mansard roof with dormers. 4 storeys, attic and basement. 2 windows. Round-arched doorway with radial fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor with continuous balcony. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3035081932

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- HOUSE (Modern - 1967 AD to 1977 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477820 NUMBER 2 AND ATTACHED RAILINGS	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1359 (West side) 14/05/74 No.2 and attached railings (Formerly Listed as: QUEEN SQUARE Nos.1 AND 2 Queen's Larder Public House (No.1)) GV II Terraced house. Probably early C19, restored c1971. Painted brick with stucco ground floor and plain 1st floor sill band. C20 slate mansard roof with dormers. 4 storeys, attic and basement. 2 windows. Round-arched doorway with radial fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor with continuous balcony. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3035081932

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80192
Monument Type	Listed Building
Preferred Ref.	MLO80192
Name	NUMBER 2 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30898 82422 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1263 (West side) 14/05/74 No.2 and attached railings GV II Terraced house. Early C19. Yellow stock brick with rusticated stucco ground floor. 3 storeys and basement. 2 windows. Doorway with pilasters carrying entablature; fanlight and panelled door. Architraved 1st floor sashes with pediments. 2nd floor sashes, round-arched with architraves. Cornice surmounted by balustraded pediment. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with wrought-iron area and entrance overthrow. Listing NGR: TQ3089882422

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Pakenham Street, London, WC1X 0LA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477691 NUMBER 2 AND ATTACHED RAILINGS	CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1263 (West side) 14/05/74 No.2 and attached railings GV II Terraced house. Early C19. Yellow stock brick with rusticated stucco ground floor. 3 storeys and basement. 2 windows. Doorway with pilasters carrying entablature; fanlight and panelled door. Architraved 1st floor sashes with pediments. 2nd floor sashes, round-arched with architraves. Cornice surmounted by balustraded pediment. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with wrought-iron area and entrance overthrow. Listing NGR: TQ3089882422

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80723
Monument Type	Listed Building
Preferred Ref.	MLO80723
Name	NUMBER 2 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30676 82100 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/665 (North side) 14/05/74 No.2 and attached railings GV II Terraced house. 1720-1, refaced c1860. Built by E Chapman. Painted stucco. 4 storeys and basement. 3 windows. Architraved doorway with bracketed cornice, fanlight and panelled door. Architraved 2-pane sashes; ground and 1st floor with bracketed cornices. Moulded sill strings. Similar strings at two thirds window height to 2nd and 3rd floors. Cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials. Listing NGR: TQ3067682100

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- RAILINGS (18th Century - 1720 AD to 1721 AD)
- TERRACED HOUSE (18th Century - 1720 AD to 1721 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1880 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477651 NUMBER 2 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/665 (North side) 14/05/74 No.2 and attached railings GV II Terraced house. 1720-1, refaced c1860. Built by E Chapman. Painted stucco. 4 storeys and basement. 3 windows. Architraved doorway with bracketed cornice, fanlight and panelled door. Architraved 2-pane sashes; ground and 1st floor with bracketed cornices. Moulded sill strings. Similar strings at two thirds window height to 2nd and 3rd floors. Cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials. Listing NGR: TQ3067682100

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80149
Monument Type	Listed Building
Preferred Ref.	MLO80149
Name	NUMBER 20 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30711 82009 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT JAMES STREET 798-1/96/659 (West side) 14/05/74 No.20 and attached railings GV II Terraced house. Early/mid C18, alterations of C19 and 20th century, the latter by Levitt Bernstein Assocs. Yellow stock brick, roof not visible. 4 storeys and basement. 2 windows. Wooden doorcase with pilasters carrying entablature with fluted frieze and dentil cornice, fanlight and panelled door. Ground floor segmental-arched tripartite window. Upper floors with segmental gauged brick arches. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3071182009

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 38 Great James Street, London, WC1N 3HB

Monument/Component Types

- RAILINGS (Undated)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1766 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477623 NUMBER 20 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT JAMES STREET 798-1/96/659 (West side) 14/05/74 No.20 and attached railings GV II Terraced house. Early/mid C18, alterations of C19 and C20, the latter by Levitt Bernstein Assocs. Yellow stock brick, roof not visible. 4 storeys and basement. 2 windows. Wooden doorcase with pilasters carrying entablature with fluted frieze and dentil cornice, fanlight and panelled door. Ground floor segmental-arched tripartite window. Upper floors with segmental gauged brick arches. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3071182009

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79769
Monument Type	Listed Building
Preferred Ref.	MLO79769
Name	NUMBER 21 AND 25 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31460 81693 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW ELY PLACE 798-1/102/377 (East side) 14/05/74 Nos.21 AND 25 and attached railings (Formerly Listed as: ELY PLACE No.21. No.25 (facade only). Nos 26-34 (consec)) GV II 2 terraced houses. c1773. By C Cole and J Gorham. Brown brick, No.21 with 3rd floor of multi-colour stock brick, under slate roofs with dormers. 4 storeys, attics and dormers. No.21, 2 windows, No.25, 3 windows. Wood doorcases with Corinthian three quarter columns, fluted friezes with roundels and dentil cornices. Patterned fanlights. Gauged yellow brick flat arches to recessed sash windows with glazing bars (No.21 with red arches to 2nd & 3rd floor). Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. Listing NGR: TQ3146081693

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Ely Place, London, EC1N 6TD

- 25 Ely Place, London, EC1N 6TD

Monument/Component Types

- RAILINGS (18th Century - 1753 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1753 AD to 1793 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477177 NUMBER 21 AND 25 AND ATTACHED RAILINGS	CAMDEN TQ3181NW ELY PLACE 798-1/102/377 (East side) 14/05/74 Nos.21 AND 25 and attached railings (Formerly Listed as: ELY PLACE No.21. No.25 (facade only). Nos 26-34 (consec)) GV II 2 terraced houses. c1773. By C Cole and J Gorham. Brown brick, No.21 with 3rd floor of multi-colour stock brick, under slate roofs with dormers. 4 storeys, attics and dormers. No.21, 2 windows, No.25, 3 windows. Wood doorcases with Corinthian three quarter columns, fluted friezes with roundels and dentil cornices. Patterned fanlights. Gauged yellow brick flat arches to recessed sash windows with glazing bars (No.21 with red arches to 2nd & 3rd floor). Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. Listing NGR: TQ3146081693

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO79773
Monument Type Listed Building
Preferred Ref. MLO79773
Name NUMBER 22 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30226 81201 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW ENDELL STREET 798-1/105/381 (North East side) 15/01/73 No.22 and attached railings II Former stained glass studio. 1859. By RJ Withers in Gothic style. For Lavers and Barraud, makers of stained glass. Red brick with blue and yellow diapers and bands; stone dressings. Slated roof with symmetrically arranged gabled dormers and Lombardic eaves frieze; crowstep gable on Betterton Street return. 3 storeys and attics. 7 windows; 2-window return. Central doorway has cusped, truncated arched head and panelled door. Ground floor and 1st floor sash windows with relieving arches over and truncated cusped heads except those to the left of the entrance which are of lancet type. Stone band at 2nd floor level inscribed "Lavers and Barraud, stained glass works". 2nd floor and dormer sash windows of lancet type. Gable to Betterton Street has large pointed arch window containing 20th century stained glass. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. HISTORICAL NOTE: Lavers and Barraud were very reputable manufacturers of Gothic Revival stained glass. Listing NGR: TQ3022681201

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 83 Endell Street, London, WC2H 9AJ

Monument/Component Types

- RAILINGS (19th Century - 1859 AD)
- STAINED GLASS WORKSHOP (19th Century - 1859 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477182 NUMBER 22 AND ATTACHED RAILINGS	CAMDEN TQ3081SW ENDELL STREET 798-1/105/381 (North East side) 15/01/73 No.22 and attached railings II Former stained glass studio. 1859. By RJ Withers in Gothic style. For Lavers and Barraud, makers of stained glass. Red brick with blue and yellow diapers and bands; stone dressings. Slated roof with symmetrically arranged gabled dormers and Lombardic eaves frieze; crowstep gable on Betterton Street return. 3 storeys and attics. 7 windows; 2-window return. Central doorway has cusped, truncated arched head and panelled door. Ground floor and 1st floor sash windows with relieving arches over and truncated cusped heads except those to the left of the entrance which are of lancet type. Stone band at 2nd floor level inscribed "Lavers and Barraud, stained glass works". 2nd floor and dormer sash windows of lancet type. Gable to Betterton Street has large pointed arch window containing C20 stained glass. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. HISTORICAL NOTE: Lavers and Barraud were very reputable manufacturers of Gothic Revival stained glass. Listing NGR: TQ3022681201

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80388
Monument Type	Listed Building
Preferred Ref.	MLO80388
Name	NUMBER 23 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30314 81587 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/112 (North side) 24/10/51 No.23 and attached railings GV II Terraced house. c1750. Possibly built by JI Devall. Darkened yellow stock brick. Stone band at 1st floor level. 3 storeys and basement. 3 windows. Stone entrance with architrave, plain frieze, cornice and panelled door. Gauged brick flat arches to recessed sash windows, some with original glazing bars. Stone bracketed cornice below repaired brick parapet. INTERIOR: not inspected but noted to retain good original features including some panelled rooms and fireplaces. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3031481587

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 20 Bloomsbury Way, London, WC1A 2TH

Monument/Component Types

- RAILINGS (18th Century - 1730 AD to 1770 AD)
- TERRACED HOUSE (18th Century - 1730 AD to 1770 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476745 NUMBER 23 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/112 (North side) 24/10/51 No.23 and attached railings GV II Terraced house. c1750. Possibly built by JI Devall. Darkened yellow stock brick. Stone band at 1st floor level. 3 storeys and basement. 3 windows. Stone entrance with architrave, plain frieze, cornice and panelled door. Gauged brick flat arches to recessed sash windows, some with original glazing bars. Stone bracketed cornice below repaired brick parapet. INTERIOR: not inspected but noted to retain good original features including some panelled rooms and fireplaces. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3031481587

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80416
Monument Type	Listed Building
Preferred Ref.	MLO80416
Name	NUMBER 23 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30795 81871 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/66 (East side) 24/10/51 No.23 and attached railings GV II Terraced house. Early C18. Multi-coloured stock brick. Brick band at 1st floor. 4 storeys and basement. 3 windows. Wood architraved doorcase with good carved brackets, panelled soffit to hood, fanlight and panelled door. Gauged red brick flat arches and dressings to flush frame sash windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. Listing NGR: TQ3079581871

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Bedford Row, London, WC1R 4LL

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476659 NUMBER 23 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/66 (East side) 24/10/51 No.23 and attached railings GV II Terraced house. Early C18. Multi-coloured stock brick. Brick band at 1st floor. 4 storeys and basement. 3 windows. Wood architraved doorcase with good carved brackets, panelled soffit to hood, fanlight and panelled door. Gauged red brick flat arches and dressings to flush frame sash windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. Listing NGR: TQ3079581871

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80080
Monument Type	Listed Building
Preferred Ref.	MLO80080
Name	NUMBER 240 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30806 82309 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/650 (East side) 14/05/74 No.240 and attached railings GV II End of terrace house with later shop. c1821-6. Yellow stock brick, largely refaced. 4 storeys and basement. 3 windows and 2-window return forming part of the symmetrical frontage of Nos 1-21 Calthorpe Street (qv). Central round-arched doorway with radial fanlight and panelled door. To left, a later 19th century shopfront, altered. To the right, a round-arched, recessed sash with pointed lights. Stucco 1st floor sill band. Upper floor sashes recessed with concrete lintels. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area on return. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 58 & 61). Listing NGR: TQ3080682309

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- RAILINGS (19th Century - 1821 AD to 1826 AD)
- TERRACED HOUSE (19th Century - 1821 AD to 1826 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477505 NUMBER 240 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/650 (East side) 14/05/74 No.240 and attached railings GV II End of terrace house with later shop. c1821-6. Yellow stock brick, largely refaced. 4 storeys and basement. 3 windows and 2-window return forming part of the symmetrical frontage of Nos 1-21 Calthorpe Street (qv). Central round-arched doorway with radial fanlight and panelled door. To left, a later C19 shopfront, altered. To the right, a round-arched, recessed sash with pointed lights. Stucco 1st floor sill band. Upper floor sashes recessed with concrete lintels. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area on return. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 58 & 61). Listing NGR: TQ3080682309

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86524
Monument Type	Listed Building
Preferred Ref.	MLO86524
Name	NUMBER 24-33 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30960 82607 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/420 (South West side) 29/09/72 Nos.24-33 (Consecutive) and attached railings (Formerly Listed as: GRANVILLE SQUARE Nos.1-13;22-38B;39-41 (Consecutive)) GV II 10 terraced houses. In Square planned 1828 by John Booth and his son, also John, Surveyors for the Lloyd Baker Estate. Built 1841-1843 by William Joseph Booth, another son, architect; nos. 27-38B built 1864 by Metropolitan Railway; buildings essentially dismantled and reconstructed c1980 by Islington Council and converted to flats. Yellow stock brick set in Flemish bond with banded stucco ground-floor to nos. 24-26, stucco lined as ashlar to nos. 27-33 and stucco dressings; roofs obscured. Side-hall entrance plan; no. 24 with stucco portico side entrance in left-hand return wall in Granville Street. Three storeys with basement; 2 windows each. Symmetrical composition: houses in groups of six; centre and end houses break forward. Steps rise to entrance: doorway with panelled pilaster jambs carrying corniced-head, patterned or plain rectangular overlight and original panelled door to nos. 24, 29-33; others with 20th century panelled door. Doors to nos. 29-32 paired and share common console-bracket. 6/6 and 8/8 sashes to nos. 24-26: ground-floor with margin lights; upper floors architraved and 1st floor full-length sashes with cornices and individual balconies with cast-iron railings. Tripartite pilastered ground-floor sashes with keystones to nos. 27-33 and cast-iron window guards to nos. 29-32; predominantly 2/2 sashes to upper floors of 27-33, some with iron window guards and sill brackets. Plain stucco band beneath cornice and blocking course to nos. 24-26; nos. 27-33 with brick string course and plain brick parapet, some with iron tie rods. Plain brick right return (no. 33) forms side wall to 'Riceyman Steps' (q.v.). Attached cast-iron railings with tasselled spearhead finials. Granville Square was the final portion of the Lloyd Baker Estate to be built; formerly it had functioned as a rubbish tip by builders of nearby streets. Originally it was called Sharp Square in honour of Thomas Lloyd Baker's wife, niece to William Granville Sharp, Esq, of Fulham. St. Philip's church was built first, in the centre of the Square, by Edward Buckton Lamb, architect, in 1831-1833 but it was demolished in 1938. Granville Square is the only street in the Lloyd Baker Estate that was built in a conventional terrace style and is notably squeezed into a restricted space between Wharton and Lloyd Baker Streets. Entrances to Square at north and south via Granville Street and from west connected to King's Cross Road by a flight of granite steps known variously as "Plum Pudding Steps" or "Riceyman Steps". (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990:- 47-51). Listing NGR: TQ3096082607

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- RAILINGS (19th Century - 1841 AD to 1843 AD)
- STEPS (19th Century - 1841 AD to 1843 AD)
- TERRACE (19th Century - 1841 AD to 1843 AD)
- TERRACED HOUSE (19th Century - 1841 AD to 1843 AD)
- APARTMENT (Modern - 1975 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368922 NUMBER 24-33 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/420 (South West side) 29/09/72 Nos.24-33 (Consecutive) and attached railings (Formerly Listed as: GRANVILLE SQUARE Nos.1-13;22-38B;39-41 (Consecutive)) GV II 10 terraced houses. In Square planned 1828 by John Booth and his son, also John, Surveyors for the Lloyd Baker Estate. Built 1841-1843 by William Joseph Booth, another son, architect; nos. 27-38B built 1864 by Metropolitan Railway; buildings essentially dismantled and reconstructed c1980 by Islington Council and converted to flats. Yellow stock brick set in Flemish bond with banded stucco ground-floor to nos. 24-26, stucco lined as ashlar to nos. 27-33 and stucco dressings; roofs obscured. Side-hall entrance plan; no. 24 with stucco portico side entrance in left-hand return wall in Granville Street. Three storeys with basement; 2 windows each. Symmetrical composition: houses in groups of six; centre and end houses break forward. Steps rise to entrance: doorway with panelled pilaster jambs carrying corniced-head, patterned or plain rectangular overlight and original panelled door to nos. 24, 29-33; others with C20 panelled door. Doors to nos. 29-32 paired and share common console-bracket. 6/6 and 8/8 sashes to nos. 24-26: ground-floor with margin lights; upper

floors architraved and 1st floor full-length sashes with cornices and individual balconies with cast-iron railings. Tripartite pilastered ground-floor sashes with keystones to nos. 27-33 and cast-iron window guards to nos. 29-32; predominantly 2/2 sashes to upper floors of 27-33, some with iron window guards and sill brackets. Plain stucco band beneath cornice and blocking course to nos. 24-26; nos. 27-33 with brick string course and plain brick parapet, some with iron tie rods. Plain brick right return (no. 33) forms side wall to 'Riceyman Steps' (q.v.). Attached cast-iron railings with tasselled spearhead finials. Granville Square was the final portion of the Lloyd Baker Estate to be built; formerly it had functioned as a rubbish tip by builders of nearby streets. Originally it was called Sharp Square in honour of Thomas Lloyd Baker's wife, niece to William Granville Sharp, Esq, of Fulham. St. Philip's church was built first, in the centre of the Square, by Edward Buckton Lamb, architect, in 1831-1833 but it was demolished in 1938. Granville Square is the only street in the Lloyd Baker Estate that was built in a conventional terrace style and is notably squeezed into a restricted space between Wharton and Lloyd Baker Streets. Entrances to Square at north and south via Granville Street and from west connected to King's Cross Road by a flight of granite steps known variously as "Plum Pudding Steps" or "Riceyman Steps". (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 47-51). Listing NGR: TQ3096082607

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86442
Monument Type	Listed Building
Preferred Ref.	MLO86442
Name	NUMBER 25 AND ATTACHED RAILINGS AND NUMBERS 1 TO 4 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30980 82761 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE PRIDEAUX PLACE 635-1/67/689 (West side) 29/09/72 Nos.1-4 (Consecutive) and attached railings (Formerly Listed as: PRIDEAUX PLACE (West side) No.1) GV II Includes: No.25 & attached railings WHARTON STREET. Two irregular linked villas. On slope of hill with no. 25 entrance facing Wharton Street and nos. 1-4 to the right-hand return wall in Prideaux Place. Streets laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, vermiculated quoins and entablature; roofs obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer bay of house in Prideaux Place; projecting portico entrance to no. 25 Wharton Street. Three-storeys with basement; 2-window range to each house facing Prideaux Place with additional 1-window return wall to Wharton Street. Houses in Prideaux Place separated by vermiculated rusticated quoins. Low steps rise to 20th century rebuilt rough-stucco portico entrance in Wharton Street with antae supporting entablature: doorway with pair of original panelled doors and rectangular overlight. Prideaux Place architrave entrance with double-panelled door and rectangular overlight surmounted by vermiculated stucco keystone flanked by scrolls. Architraved 6/6 sashes with margin lights throughout except 8/8 sashes to Wharton Street elevation. Stucco sill bands. Extensive patching-in to upper storeys. Projecting stucco cornice with band beneath; stucco parapet with stone coping or blocking course. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3098082761

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 15 Wharton Street, London, WC1X 9PT

Monument/Component Types

- RAILINGS (19th Century - 1832 AD)
- STEPS (19th Century - 1832 AD)
- VILLA (19th Century - 1832 AD)
- VILLA (19th Century to Unknown - 1833 AD)
- VILLA (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369206 NUMBER 25 AND ATTACHED RAILINGS AND NUMBERS 1 TO 4 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE PRIDEAUX PLACE 635-1/67/689 (West side) 29/09/72 Nos.1-4 (Consecutive) and attached railings (Formerly Listed as: PRIDEAUX PLACE (West side) No.1) GV II Includes: No.25 & attached railings WHARTON STREET. Two irregular linked villas. On slope of hill with no. 25 entrance facing Wharton Street and nos. 1-4 to the right-hand return wall in Prideaux Place. Streets laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, vermiculated quoins and entablature; roofs obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer bay of house in Prideaux Place; projecting portico entrance to no. 25 Wharton Street. Three-storeys with basement; 2-window range to each house facing Prideaux Place with additional 1-window return wall to Wharton Street. Houses in Prideaux Place separated by vermiculated rusticated quoins. Low steps rise to C20 rebuilt rough-stucco portico entrance in Wharton Street with antae supporting entablature: doorway with pair of original panelled doors and rectangular overlight. Prideaux Place architrave entrance with double-panelled door and rectangular overlight surmounted by vermiculated stucco keystone flanked by scrolls. Architraved 6/6 sashes with margin lights throughout except 8/8 sashes to Wharton Street elevation. Stucco sill bands. Extensive patching-in to upper storeys. Projecting stucco cornice with band beneath; stucco parapet with stone coping or blocking course. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3098082761

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79876
Monument Type	Listed Building
Preferred Ref.	MLO79876
Name	NUMBER 26 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29667 82284 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/593 (West side) 28/03/69 No.26 and attached railings GV II Terraced house. Early 19th century. Yellow stock brick with stucco ground floor. 4 storeys and basement. 3 windows. Square-headed, recessed doorway with overlight and panelled door. Gauged brick flat arches to recessed sashes. 1st floor with casements and continuous cast-iron balcony. Main stucco dentil cornice at 3rd floor level. Stucco cornice and blocking course above attic storey. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to area. Listing NGR: TQ2966782284

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Gordon Square, London, WC1H 0AG

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477357 NUMBER 26 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/593 (West side) 28/03/69 No.26 and attached railings GV II Terraced house. Early C19. Yellow stock brick with stucco ground floor. 4 storeys and basement. 3 windows. Square-headed, recessed doorway with overlight and panelled door. Gauged brick flat arches to recessed sashes. 1st floor with casements and continuous cast-iron balcony. Main stucco dentil cornice at 3rd floor level. Stucco cornice and blocking course above attic storey. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to area. Listing NGR: TQ2966782284

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80173
Monument Type	Listed Building
Preferred Ref.	MLO80173
Name	NUMBER 26 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30381 81875 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1245 (West side) 14/05/74 No.26 and attached railings GV II Terraced house. C18 earlier, refaced C18 later. Yellow stock brick with red brick dressings. Ground floor, channelled cement. Plain, red brick bands at 1st and 2nd floor levels. 4 storeys and basement. 3 windows. Architraved doorcase with console-bracketed cornice, fanlight and panelled door. Gauged red brick arches to recessed sashes, most with original glazing bars. Parapet. INTERIOR: not inspected but noted to retain fine original panelling to rooms, hall and stair. Open-string staircase with twisted balusters, column newels and carved brackets. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3038181875

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477673 NUMBER 26 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1245 (West side) 14/05/74 No.26 and attached railings GV II Terraced house. C18 earlier, refaced C18 later. Yellow stock brick with red brick dressings. Ground floor, channelled cement. Plain, red brick bands at 1st and 2nd floor levels. 4 storeys and basement. 3 windows. Architraved doorcase with console-bracketed cornice, fanlight and panelled door. Gauged red brick arches to recessed sashes, most with original glazing bars. Parapet. INTERIOR: not inspected but noted to retain fine original panelling to rooms, hall and stair. Open-string staircase with twisted balusters, column newels and carved brackets. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3038181875

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80373
Monument Type	Listed Building
Preferred Ref.	MLO80373
Name	NUMBER 26 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30888 82333 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/138 (South side) 14/05/74 No.26 and attached railings GV II End of terrace house, projecting, with main facade to Gough Street. c1823-28. Built by N Stallwood. Ground floor altered later C19. Yellow stock brick with rusticated stucco ground floor and plain 1st floor band. Stucco cornice at 3rd floor level. 4 storeys and basement. 2 windows to Calthorpe Street; 3 windows (1 blind) to Gough Street. Round-arched ground floor openings. Doorway with architraved hood and moulded impost bands linking architraved window hoods. Recessed panelled door with quarter columns, and radial fanlight. Ground floor windows in shallow plain stucco recesses; with margin lights. Gauged brick flat arches to recessed sashes; 1st floor to Calthorpe Street and left hand window to Gough Street with cast-iron balconies. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 62). Listing NGR: TQ3088882333

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 50 Calthorpe Street, London, WC1X 0JZ

Monument/Component Types

- HOUSE (19th Century - 1823 AD to 1828 AD)
- RAILINGS (19th Century - 1823 AD to 1828 AD)
- HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476782 NUMBER 26 AND ATTACHED RAILINGS	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/138 (South side) 14/05/74 No.26 and attached railings GV II End of terrace house, projecting, with main facade to Gough Street. c1823-28. Built by N Stallwood. Ground floor altered later C19. Yellow stock brick with rusticated stucco ground floor and plain 1st floor band. Stucco cornice at 3rd floor level. 4 storeys and basement. 2 windows to Calthorpe Street; 3 windows (1 blind) to Gough Street. Round-arched ground floor openings. Doorway with architraved hood and moulded impost bands linking architraved window hoods. Recessed panelled door with quarter columns, and radial fanlight. Ground floor windows in shallow plain stucco recesses; with margin lights. Gauged brick flat arches to recessed sashes; 1st floor to Calthorpe Street and left hand window to Gough Street with cast-iron balconies. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 62). Listing NGR: TQ3088882333

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80160
Monument Type	Listed Building
Preferred Ref.	MLO80160
Name	NUMBER 27 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30577 82024 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/671 (South side) 14/05/74 No.27 and attached railings GV II Terraced house. c1708, altered. Brown brick with red brick dressings, 3rd floor refaced in multi-coloured stock brick. Rusticated stucco ground floor; stucco 1st floor sill band. 4 storeys and basement. 3 windows. Square-headed doorway with fanlight and panelled door. Brick bands to 2nd and 3rd floors. 1st and 2nd floor, red gauged brick flat arches to recessed 2-pane sashes with exposed boxing. 3rd floor, gauged brick segmental arches to 2 sashes with glazing bars. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area. Listing NGR: TQ3057782024

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1688 AD to 1728 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1688 AD to 1728 AD)
- TERRACED HOUSE (18th Century to Unknown - 1729 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477658 NUMBER 27 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/671 (South side) 14/05/74 No.27 and attached railings GV II Terraced house. c1708, altered. Brown brick with red brick dressings, 3rd floor refaced in multi-coloured stock brick. Rusticated stucco ground floor; stucco 1st floor sill band. 4 storeys and basement. 3 windows. Square-headed doorway with fanlight and panelled door. Brick bands to 2nd and 3rd floors. 1st and 2nd floor, red gauged brick flat arches to recessed 2-pane sashes with exposed boxing. 3rd floor, gauged brick segmental arches to 2 sashes with glazing bars. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area. Listing NGR: TQ3057782024

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80811
Monument Type	Listed Building
Preferred Ref.	MLO80811
Name	NUMBER 29 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30700 82682 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/513 (South side) 25/10/71 No.29 and attached railings GV II Extension between No.27 and No.31 Frederick Street (qqv), original purpose unknown. c1834. By Thomas Cubitt. Stucco. Projecting single storey 1 window. Square-headed, recessed doorway with panelled door and fanlight in extension to right. Paired pilasters carrying an entablature and blocking course flank a recessed tripartite sash. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials. Listing NGR: TQ3070082682

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Frederick Street, London, WC1X 0NG

Monument/Component Types

- BUILDING (19th Century - 1814 AD to 1854 AD)
- RAILINGS (19th Century - 1814 AD to 1854 AD)
- HOUSE (19th Century to Unknown - 1855 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477393 NUMBER 29 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/513 (South side) 25/10/71 No.29 and attached railings GV II Extension between No.27 and No.31 Frederick Street (qqv), original purpose unknown. c1834. By Thomas Cubitt. Stucco. Projecting single storey 1 window. Square-headed, recessed doorway with panelled door and fanlight in extension to right. Paired pilasters carrying an entablature and blocking course flank a recessed tripartite sash. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials. Listing NGR: TQ3070082682

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80771
Monument Type	Listed Building
Preferred Ref.	MLO80771
Name	NUMBER 29A AND ATTACHED WALL, RAILINGS AND LAMPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30225 81720 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1148 (East side) 28/02/69 No.29A and attached wall, railings and lamps GV II Villa and attached lodge, set back from street in walled enclosure. 1841-3. By Thomas Stead. Villa: yellow stock brick with rusticated stucco quoins. Stucco modillion cornice and blocking course. 2 storeys. 4 windows with 1 window recessed side entrance bay and 4 window return, mostly blind. Architraved doorway with bracketed canopy and lantern over entrance. Architraved sashes with original glazing bars. 4 decorated lead rainwater cisterns along west frontage dated 1715, 1745, 1764 and 1771. Lodge: yellow stock brick. Symmetrical single storey north wing with 3 windows and projecting pedimented central bay. Central doorway with half glazed door and bracketed canopy. Gauged brick flat arches to recessed sashes. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: courtyard railings: cast-iron railings with bud finials and ornamental lampstandard with twisted stem and ladder bars. Windsor lantern attached to south wing. Screen wall & attached railings: adjacent to street. Yellow stock brick with stone coping. Doorways at north and south ends; south doorway blocked. Attached railings with urn finials and gates. Listing NGR: TQ3022581720

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6-7 Montague Street, London, WC1B 5BP

Monument/Component Types

- COURTYARD (19th Century - 1841 AD to 1843 AD)
- GARDEN WALL (19th Century - 1841 AD to 1843 AD)
- GATE (19th Century - 1841 AD to 1843 AD)
- GATE LODGE (19th Century - 1841 AD to 1843 AD)
- LAMP BRACKET (19th Century - 1841 AD to 1843 AD)
- RAILINGS (19th Century - 1841 AD to 1843 AD)
- VILLA (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477536 NUMBER 29A AND ATTACHED WALL, RAILINGS AND LAMPS	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1148 (East side) 28/02/69 No.29A and attached wall, railings and lamps GV II Villa and attached lodge, set back from street in walled enclosure. 1841-3. By Thomas Stead. Villa: yellow stock brick with rusticated stucco quoins. Stucco modillion cornice and blocking course. 2 storeys. 4 windows with 1 window recessed side entrance bay and 4 window return, mostly blind. Architraved doorway with bracketed canopy and lantern over entrance. Architraved sashes with original glazing bars. 4 decorated lead rainwater cisterns along west frontage dated 1715, 1745, 1764 and 1771. Lodge: yellow stock brick. Symmetrical single storey north wing with 3 windows and projecting pedimented central bay. Central doorway with half glazed door and bracketed canopy. Gauged brick flat arches to recessed sashes. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: courtyard railings: cast-iron railings with bud finials and ornamental lampstandard with twisted stem and ladder bars. Windsor lantern attached to south wing. Screen wall & attached railings: adjacent to street. Yellow stock brick with stone coping. Doorways at north and south ends; south doorway blocked. Attached railings with urn finials and gates. Listing NGR: TQ3022581720

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80193
Monument Type	Listed Building
Preferred Ref.	MLO80193
Name	NUMBER 3 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30896 82427 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1264 (West side) 14/05/74 No.3 and attached railings GV II Terraced house. Early C19. Yellow stock brick, return to Wren Street refaced in multi-coloured stock brick. Rusticated stucco ground floor and stucco quoins to upper floor. 2 storeys. 1 window and 2-window return (1 blind). Pakenham Street elevation with 2 sash windows at ground floor. 1st floor with single, architraved tripartite sash with cornice and segmental pediment. Entablature with projecting cornice surmounted by a stucco parapet with balustraded section above the window. Round-arched entrance on the return with pilaster jambs carrying cornice-head; panelled door. Architraved sashes to 1st floor and 2 small attic sashes breaking into the entablature. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3089682427

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Pakenham Street, London, WC1X 0LA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477692 NUMBER 3 AND ATTACHED RAILINGS	CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1264 (West side) 14/05/74 No.3 and attached railings GV II Terraced house. Early C19. Yellow stock brick, return to Wren Street refaced in multi-coloured stock brick. Rusticated stucco ground floor and stucco quoins to upper floor. 2 storeys. 1 window and 2-window return (1 blind). Pakenham Street elevation with 2 sash windows at ground floor. 1st floor with single, architraved tripartite sash with cornice and segmental pediment. Entablature with projecting cornice surmounted by a stucco parapet with balustraded section above the window. Round-arched entrance on the return with pilaster jambs carrying cornice-head; panelled door. Architraved sashes to 1st floor and 2 small attic sashes breaking into the entablature. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3089682427

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80148
Monument Type	Listed Building
Preferred Ref.	MLO80148
Name	NUMBER 3 TO 16 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30768 81934 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/658 (East side) 24/10/51 Nos.3-16 (Consecutive) and attached railings GV II* 14 terraced houses. 1720-24. For J Metcalfe. Brown brick, upper storeys with some later refacing in multi-coloured stock brick. No.3 refaced in yellow stock brick. EXTERIOR: 4 storeys and basements. 3 windows each. Segmental red brick arches and dressings to flush frame windows, some with glazing bars and some with reeded frames with roundels. Parapets. Wooden, arched doorcases. Nos 3 and 4 with half pilasters, plain pediments, patterned fanlights and panelled doors. Nos 5, 7 and 10-16 with enriched carved brackets carrying hood with panelled soffits, most with patterned radial fanlights and panelled doors. No.6 with engaged columns (Tower of Winds), frieze with festooned urns, dentil pedimented cornice, round arched doorway with fanlight and panelled door. Nos 8 and 9 with pilasters, dentil cornices, patterned radial fanlights and panelled doors. Between the houses, lead rainwater heads with lion masks and lead pipes. At 2nd floor level of No.16, a very worn stone cartouche inscribed "Great James Street 1721". INTERIORS: most houses with good panelling; open staircases with turned balusters, column newels and carved brackets to treads. SUBSIDIARY FEATURES: attached cast-iron railings to areas, with urn or torch flambe finials. No.14 was listed on 14/05/74. Listing NGR: TQ3076881934

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Great James Street, London, WC1N 3DQ
 - 12 Great James Street, London, WC1N 3DR
 - 13 Great James Street, London, WC1N 3DP
 - 16 Great James Street, London, WC1N 3DP
 - 3 Great James Street, London, WC1N 3DA
 - 4 Great James Street, London, WC1N 3DA
 - 6 Great James Street, London, WC1N 3DA
 - 7 Great James Street, London, WC1N 3DA
 - 7 Great James Street, London, WC1N 3DA
 - 9 Great James Street, London, WC1N 3DA

Monument/Component Types

- RAILINGS (18th Century - 1720 AD to 1724 AD)
- TERRACE (18th Century - 1720 AD to 1724 AD)
- TERRACED HOUSE (18th Century - 1720 AD to 1724 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477622 NUMBER 3 TO 16 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/658 (East side) 24/10/51 Nos.3-16 (Consecutive) and attached railings GV II* 14 terraced houses. 1720-24. For J Metcalfe. Brown brick, upper storeys with some later refacing in multi-coloured stock brick. No.3 refaced in yellow stock brick. EXTERIOR: 4 storeys and basements. 3 windows each. Segmental red brick arches and dressings to flush frame windows, some with glazing bars and some with reeded frames with roundels. Parapets. Wooden, arched doorcases. Nos 3 and 4 with half pilasters, plain pediments, patterned fanlights and panelled doors. Nos 5, 7 and 10-16 with enriched carved brackets carrying hood with panelled soffits, most with patterned radial fanlights and panelled doors. No.6 with engaged columns (Tower of Winds), frieze with festooned urns, dentil pedimented cornice, round arched doorway with fanlight and panelled door. Nos 8 and 9 with pilasters, dentil cornices, patterned radial fanlights and panelled doors. Between the houses, lead rainwater heads with lion masks and lead pipes. At 2nd floor level of No.16, a very worn stone cartouche inscribed "Great James Street 1721". INTERIORS: most houses with good panelling; open staircases with turned balusters, column newels and carved brackets to treads. SUBSIDIARY FEATURES: attached cast-iron railings to areas, with urn or torch flambe finials. No.14 was listed on 14/05/74. Listing NGR: TQ3076881934

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80089
Monument Type	Listed Building
Preferred Ref.	MLO80089
Name	NUMBER 30 AND ATTACHED RAILINGS AND LAMPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30143 81752 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1149 (West side) 28/03/69 No.30 and attached railings and lamps GV II End of terrace house. c1836. For the Trustees of the Bloomsbury Savings Bank. Yellow stock brick with stucco ground floor. 4 storeys and basement. 3 windows. Later, mid 19th century stucco single storey entrance extension to left hand side; doorway, now blocked, with rusticated block jambs and bracketed cornice. Ground floor to right, window bays separated by wide pilasters carrying entablature. Square-headed entrance with rectangular fanlight; panelled door with nail-head ornament. Gauged flat brick arches to recessed sash windows with original glazing bars. Continuous cast-iron balcony to 1st floor windows. Stucco cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Mid 19th century entrance flanked by attached lampstandards on stone bases. HISTORICAL NOTE: the house was probably occupied by the Bank's actuary or accountant. Listing NGR: TQ3014381752

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6-7 Montague Street, London, WC1B 5BP

Monument/Component Types

- RAILINGS (19th Century - 1816 AD to 1856 AD)
- TERRACED HOUSE (19th Century - 1816 AD to 1856 AD)
- GATE PIER (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century - 1833 AD to 1866 AD)
- LAMP BRACKET (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477537 NUMBER 30 AND ATTACHED RAILINGS AND LAMPS	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1149 (West side) 28/03/69 No.30 and attached railings and lamps GV II End of terrace house. c1836. For the Trustees of the Bloomsbury Savings Bank. Yellow stock brick with stucco ground floor. 4 storeys and basement. 3 windows. Later, mid C19 stucco single storey entrance extension to left hand side; doorway, now blocked, with rusticated block jambs and bracketed cornice. Ground floor to right, window bays separated by wide pilasters carrying entablature. Square-headed entrance with rectangular fanlight; panelled door with nail-head ornament. Gauged flat brick arches to recessed sash windows with original glazing bars. Continuous cast-iron balcony to 1st floor windows. Stucco cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Mid C19 entrance flanked by attached lampstandards on stone bases. HISTORICAL NOTE: the house was probably occupied by the Bank's actuary or accountant. Listing NGR: TQ3014381752

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80813
Monument Type	Listed Building
Preferred Ref.	MLO80813
Name	NUMBER 31 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30694 82678 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE FREDERICK STREET 798-1/91/514 (South side) 25/10/71 No.31 and attached railings GV II End of terrace house. c1845-7. Possibly by William Cubitt. Yellow stock brick with stucco ground floor. 4 storeys and basement. 2 windows (blind). Entrance on Frederick Street facade but main facade formed by 1 window return to Ampton Place being the end of the terrace Nos 4-6 (qv). Stucco portico with paired pilasters supporting an entablature with palmette acroteria. Square-headed doorway with fanlight, cornice-head, panelled jambs and panelled door. Stucco cornice at 3rd floor level. Parapet. Return slightly projecting with gauged brick, segmental-arched, recessed sashes; 1st floor with cast-iron balcony. Stucco cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952). Listing NGR: TQ3069482678

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Frederick Street, London, WC1X 0NG

Monument/Component Types

- RAILINGS (19th Century - 1845 AD to 1847 AD)
- TERRACED HOUSE (19th Century - 1845 AD to 1847 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477395 NUMBER 31 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/514 (South side) 25/10/71 No.31 and attached railings GV II End of terrace house. c1845-7. Possibly by William Cubitt. Yellow stock brick with stucco ground floor. 4 storeys and basement. 2 windows (blind). Entrance on Frederick Street facade but main facade formed by 1 window return to Ampton Place being the end of the terrace Nos 4-6 (qv). Stucco portico with paired pilasters supporting an entablature with palmette acroteria. Square-headed doorway with fanlight, cornice-head, panelled jambs and panelled door. Stucco cornice at 3rd floor level. Parapet. Return slightly projecting with gauged brick, segmental-arched, recessed sashes; 1st floor with cast-iron balcony. Stucco cornice at 3rd floor level. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952). Listing NGR: TQ3069482678

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78530
Monument Type	Listed Building
Preferred Ref.	MLO78530
Name	NUMBER 33 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30403 81986 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1363 (East side) 14/05/74 No.33 and attached railings GV II Terraced house. Probably late C18, altered c1890 for St Catherine's Convent (allegedly by JD Sedding) and restored after a fire early 20th century. Yellow stock brick with stone 1st floor sill band and 3rd floor modillion cornice. 4 storeys and basement. 3 windows. Doorcase of c1890, probably of stone (now painted) with console-bracketed cornice, broken segmental pediment containing an orb and cross, and roundels with emblems of St Catherine's Convent in spandrels above round arch of doorway. Panelled door with legend above 'In Omnibus Glorificetur Deus' and fanlight. Gauged brick flat arches to recessed sashes; ground floor in red brick round-arched shallow recesses with moulded impost bands. Parapet. Lead rainwater head. INTERIOR retaining original plan form but now bare of Georgian decorative features. Behind the house, the former convent chapel (now hospital laundry), probably by Sedding, c1890. Stock brick walls and shallow pitched roof, nave with two passage aisles and small north transept. Simple late Gothic style with tracery in end windows and in north window of transept chapel. INTERIOR entirely subdivided for laundry but with some dado panelling remaining and stained glass in transept window. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. HISTORICAL NOTE: St Catherine's Convent was a branch of the Anglican convent of the Society of St Margaret, East Grinstead. The sisters became Roman Catholics c1900 and the convent was then shut. Listing NGR: TQ3040381986

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- HOSPITAL LAUNDRY (Undated)
- RAILINGS (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)
- CHAPEL (19th Century to Modern - 1870 AD to 1910 AD)
- RELIGIOUS HOUSE (19th Century to Modern - 1870 AD to 1910 AD)
- RELIGIOUS HOUSE (19th Century to Modern - 1880 AD to 1920 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477824 NUMBER 33 AND ATTACHED RAILINGS	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1363 (East side) 14/05/74 No.33 and attached railings GV II Terraced house. Probably late C18, altered c1890 for St Catherine's Convent (allegedly by JD Sedding) and restored after a fire early C20. Yellow stock brick with stone 1st floor sill band and 3rd floor modillion cornice. 4 storeys and basement. 3 windows. Doorcase of c1890, probably of stone (now painted) with console-bracketed cornice, broken segmental pediment containing an orb and cross, and roundels with emblems of St Catherine's Convent in spandrels above round arch of doorway. Panelled door with legend above 'In Omnibus Glorificetur Deus' and fanlight. Gauged brick flat arches to recessed sashes; ground floor in red brick round-arched shallow recesses with moulded impost bands. Parapet. Lead rainwater head. INTERIOR retaining original plan form but now bare of Georgian decorative features. Behind the house, the former convent chapel (now hospital laundry), probably by Sedding, c1890. Stock brick walls and shallow pitched roof, nave with two passage aisles and small north transept. Simple late Gothic style with tracery in end windows and in north window of transept chapel. INTERIOR entirely subdivided for laundry but with some dado panelling remaining and stained glass in transept window. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. HISTORICAL NOTE: St Catherine's Convent was a branch of the Anglican convent of the Society of St Margaret, East Grinstead. The sisters became Roman Catholics c1900 and the convent was then shut. Listing NGR: TQ3040381986

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79722
Monument Type	Listed Building
Preferred Ref.	MLO79722
Name	NUMBER 34 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30775 82708 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE CUBITT STREET 798-1/91/286 (East side) 25/10/71 No.34 and attached railings GV II Formerly an extension to No.7 Frederick Street (qv). c1835-9. By William Cubitt. Rusticated stucco. Single storey splayed corner extension. 1 window on splayed corner, 1 window on return. Recessed sashes. Square-headed entrance with overlight and panelled door. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to Frederick Street elevation. With No.65 Cubitt Street (qv), a similar extension, gives the impression of lodges at the entrance to Cubitt Street. Listing NGR: TQ3077582708

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 32 Cubitt Street, London, WC1X 0LR

Monument/Component Types

- HOUSE (19th Century - 1835 AD to 1839 AD)
- RAILINGS (19th Century - 1835 AD to 1839 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477034 NUMBER 34 AND ATTACHED RAILINGS	CAMDEN TQ3082NE CUBITT STREET 798-1/91/286 (East side) 25/10/71 No.34 and attached railings GV II Formerly an extension to No.7 Frederick Street (qv). c1835-9. By William Cubitt. Rusticated stucco. Single storey splayed corner extension. 1 window on splayed corner, 1 window on return. Recessed sashes. Square-headed entrance with overlight and panelled door. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to Frederick Street elevation. With No.65 Cubitt Street (qv), a similar extension, gives the impression of lodges at the entrance to Cubitt Street. Listing NGR: TQ3077582708

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80403
Monument Type	Listed Building
Preferred Ref.	MLO80403
Name	NUMBER 39 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29801 81563 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/79 (West side) 24/10/51 No.39 and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV II Terraced house. 1896. By Charles Fitzroy Doll, the Bedford Estate Surveyor, on the site of what was probably an outbuilding to No.38 (qv). Internal alterations 1899 and 1930s. Brick with stucco ground floor quoins, cornices and dressings. Slated mansard roof with slab end stacks and 3 segmental pedimented dormers. EXTERIOR: 4 storeys, attics and basement. 4 windows. Arcaded ground floor on short paired granite columns with entasis. Round-arched entrance to right with projecting semicircular hood on similar columns, double doors and fanlight; approached by steps. Sashes have glazing bars to top lights only; ground floor architraved and paired; upper floors grouped 3:1. 1st floor architraved with continuous cast-iron balcony on large brackets and heads of deep entablatures formed by a continuous entablature slightly breaking forward. 2nd floor has eared architraves, keystones and continuous sill band. Cornice at 3rd floor level. 3rd floor with stuccoed flat arches and keystones and continuous sill band. Projecting modillion cornice and brick blocking course. INTERIOR not inspected. SUBSIDIARY FEATURES: attached cast-iron area railings of scalloped shape with scroll patterned standards with finials. Listing NGR: TQ2980181563

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Bedford Square, London, WC1B 3RA

Monument/Component Types

- TERRACED HOUSE (19th Century - 1896 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476703 NUMBER 39 AND ATTACHED RAILINGS	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/79 (West side) 24/10/51 No.39 and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV II Terraced house. 1896. By Charles Fitzroy Doll, the Bedford Estate Surveyor, on the site of what was probably an outbuilding to No.38 (qv). Internal alterations 1899 and 1930s. Brick with stucco ground floor quoins, cornices and dressings. Slated mansard roof with slab end stacks and 3 segmental pedimented dormers. EXTERIOR: 4 storeys, attics and basement. 4 windows. Arcaded ground floor on short paired granite columns with entasis. Round-arched entrance to right with projecting semicircular hood on similar columns, double doors and fanlight; approached by steps. Sashes have glazing bars to top lights only; ground floor architraved and paired; upper floors grouped 3:1. 1st floor architraved with continuous cast-iron balcony on large brackets and heads of deep entablatures formed by a continuous entablature slightly breaking forward. 2nd floor has eared architraves, keystones and continuous sill band. Cornice at 3rd floor level. 3rd floor with stuccoed flat arches and keystones and continuous sill band. Projecting modillion cornice and brick blocking course. INTERIOR not inspected. SUBSIDIARY FEATURES: attached cast-iron area railings of scalloped shape with scroll patterned standards with finials. Listing NGR: TQ2980181563

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82003
Monument Type	Listed Building
Preferred Ref.	MLO82003
Name	NUMBER 4 5 AND 6 AND ATTACHED PUMP
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31164 81585 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ3181NW STAPLE INN 627-0/1/10154 (North side) 24/10 Nos.4, 5 AND 6 and attached pump (Formerly Listed as: CAMDEN STAPLE INN Nos.4-6 (Consecutive)) GV I 3 terraced chambers formed by the rear of Nos 337 and 338 High Holborn and Nos 1-4 Holborn Bars (qv). They form the north side of a courtyard. cl586 but altered in C18 and refaced in brick 1826. Restored by Alfred Waterhouse c1886. Extensively reconstructed in 1937, probably by Stuart W Spiller, to preserve north facades. Brown brick with moulded brick cornice at 2nd floor level and plain brick band at 1st floor. Tiled roof with dormers. 4 storeys, attics and semi-basement. 12 window range. Doorway of No. 4 with stone surround with pulvinated frieze (with apron tablet over centre) and cornice with ball above. Entrance to Nos 5 & 6 beneath asymmetrically placed entrance arch from Holborn Bars. Arch with rusticated surround topped by a plain stone band. Slightly projecting bay above with Venetian window to 1st floor and tripartite sash to 2nd. Gauged flat brick arches to flush frame sashes. Parapet. INTERIORS: not inspected. The chambers are listed Grade I for their Holborn fronts. SUBSIDIARY FEATURE: attached water pump to No.6, dated 1937. Lead. Panelled design with pediment and central spout with quatrefoil surround. Base of 3 brick and stone bowed and shaped steps. Formerly Listed in the LB of Camden. Since 1 April 1994 Staple Inn has been within the City of London. Listing NGR: TQ3116481585

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 6 Staple Inn, London, WC1V 7QH

- 6 Staple Inn, London, WC1V 7QH

Monument/Component Types

- INNS OF CHANCERY (16th Century to 17th Century - 1566 AD to 1606 AD)
- INNS OF CHANCERY (17th Century to 18th Century - 1700 AD to 1799 AD)
- INNS OF CHANCERY (19th Century - 1826 AD)
- INNS OF CHANCERY (19th Century to Modern - 1866 AD to 1906 AD)
- INNS OF CHANCERY (Modern - 1937 AD)
- WATER PUMP (Modern - 1937 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	454469 NUMBER 4 5 AND 6 AND ATTACHED PUMP	TQ3181NW STAPLE INN 627-0/1/10154 (North side) 24/10 Nos.4, 5 AND 6 and attached pump (Formerly Listed as: CAMDEN STAPLE INN Nos.4-6 (Consecutive)) GV I 3 terraced chambers formed by the rear of Nos 337 and 338 High Holborn and Nos 1-4 Holborn Bars (qv). They form the north side of a courtyard. cl586 but altered in C18 and refaced in brick 1826. Restored by Alfred Waterhouse c1886. Extensively reconstructed in 1937, probably by Stuart W Spiller, to preserve north facades. Brown brick with moulded brick cornice at 2nd floor level and plain brick band at 1st floor. Tiled roof with dormers. 4 storeys, attics and semi-basement. 12 window range. Doorway of No. 4 with stone surround with pulvinated frieze (with apron tablet over centre) and cornice with ball above. Entrance to Nos 5 & 6 beneath asymmetrically placed entrance arch from Holborn Bars. Arch with rusticated surround topped by a plain stone band. Slightly projecting bay above with Venetian window to 1st floor and tripartite sash to 2nd. Gauged flat brick arches to flush frame sashes. Parapet. INTERIORS: not inspected. The chambers are listed Grade I for their Holborn fronts. SUBSIDIARY FEATURE: attached water pump to No.6, dated 1937. Lead. Panelled design with pediment and central spout with quatrefoil surround. Base of 3 brick and stone bowed and shaped steps. Formerly Listed in the LB of Camden. Since 1 April 1994 Staple Inn has been within the City of London. Listing NGR: TQ3116481585

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80161
Monument Type	Listed Building
Preferred Ref.	MLO80161
Name	NUMBER 41 TO 61 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30464 81963 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT ORMOND STREET 798-1/100/672 (South side) 24/10/51 Nos.41-61 (Odd) and attached railings GV II 11 terraced houses. c1704-08. No.61, earlier C19. Multi-coloured stock brick with bands between floors (except No.51) and some red brick dressings. No.47, stucco with channelled ground floor; Nos 53-59, stucco ground floors. Nos 43, 47, 49, 55, 57 and 59, slated roofs (Nos 47, 55, 57 and 59 mansard roofs); remainder, tiled roofs. All with dormers. EXTERIOR: 3 storeys, attics and basements. 3 windows each except Nos 47, 51 and 61 with 2 windows each, and No.49 with extra 2 windows above vehicle entrance to Ormond Close. Parapets. No.41: elaborately carved (foliated pattern) wooden doorcase with half Ionic pilasters and large foliated consoles carrying a projecting cornice; rectangular fanlight and panelled door. Gauged red brick flat arches to recessed sashes. No.43: wooden architraved doorcase with carved consoles carrying a cornice; rectangular fanlight and panelled floor. Gauged red brick flat arches to flush frame sashes with exposed boxing. No.45: earlier C19 shopfront with Corinthian pilasters carrying entablature with dentil cornice; central shop door part-glazed with rectangular fanlight. House doorway with rectangular fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. No.47: round-arched doorway with large stucco keystone, patterned fanlight and panelled door. Recessed sash windows; 1st floor with cast-iron balconies. No.49: late C19 shopfront with elaborate consoles flanking a cornice; tripartite sash shop window. Fine wooden doorcase with engaged columns, Tower of Winds capitals and mutule open pediment, panelled reveals to round-arched doorway with radial patterned fanlight and panelled door. Gauged red brick flat arches to recessed sashes; those over vehicle entrance, flush with exposed boxing. No.51: 1704 by John Ragdall, carpenter. Mid C19 shopfront with entablature with dentil cornice supported by console brackets; slightly bowed window with small panes. Shop doorway with rectangular fanlight and part-glazed door; house doorway with rectangular fanlight and panelled door. Gauged brick flat arches to recessed sashes. No.53: 1704. Square-headed doorway with fluted frieze and plain cornice; fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. Nos 55 & 57: 1704 by Simon Betts, carpenter. Wooden architraved doorcases with carved consoles carrying cornices; doors and ground floor windows currently bricked up. Flush frame sashes with exposed boxing. No.59: 1704. Wooden doorcase with slim pilasters and console brackets supporting a projecting cornice. Panelled reveals to square-headed doorway with recessed panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing; 1st floor with cast-iron balconies. No.61: round-arched ground floor openings; doorway with fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses, with cast-iron balconies. INTERIORS: not inspected but Nos 55 & 57 noted to retain good panelling. SUBSIDIARY FEATURES: all except Nos 45 and 51 with attached cast-iron railings with urn and torch flambe finials to areas. Listing NGR: TQ3046481963

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 61 Great Ormond Street, London, WC1N 3HZ

- 61 Great Ormond Street, London, WC1N 3HZ

Monument/Component Types

- RAILINGS (18th Century - 1704 AD to 1708 AD)
- TERRACE (18th Century - 1704 AD to 1708 AD)
- TERRACED HOUSE (18th Century - 1704 AD to 1708 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477659 NUMBER 41 TO 61 AND ATTACHED RAILINGS	CAMDEN TQ3081NW GREAT ORMOND STREET 798-1/100/672 (South side) 24/10/51 Nos.41-61 (Odd) and attached railings GV II 11 terraced houses. c1704-08. No.61, earlier C19. Multi-coloured stock brick with bands between floors (except No.51) and some red brick dressings. No.47, stucco with channelled ground floor; Nos 53-59, stucco ground floors. Nos 43, 47, 49, 55, 57 and 59, slated roofs (Nos 47, 55, 57 and 59 mansard roofs); remainder, tiled roofs. All with dormers. EXTERIOR: 3 storeys, attics and basements. 3 windows each except Nos 47, 51 and 61 with 2 windows each, and No.49 with extra 2 windows above vehicle entrance to Ormond Close. Parapets. No.41: elaborately carved (foliated pattern) wooden doorcase with half Ionic pilasters and large foliated consoles carrying a projecting cornice; rectangular fanlight and panelled door. Gauged red brick flat arches to recessed sashes. No.43: wooden architraved doorcase with carved

consoles carrying a cornice; rectangular fanlight and panelled floor. Gauged red brick flat arches to flush frame sashes with exposed boxing. No.45: earlier C19 shopfront with Corinthian pilasters carrying entablature with dentil cornice; central shop door part-glazed with rectangular fanlight. House doorway with rectangular fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. No.47: round-arched doorway with large stucco keystone, patterned fanlight and panelled door. Recessed sash windows; 1st floor with cast-iron balconies. No.49: late C19 shopfront with elaborate consoles flanking a cornice; tripartite sash shop window. Fine wooden doorcase with engaged columns, Tower of Winds capitals and mutule open pediment, panelled reveals to round-arched doorway with radial patterned fanlight and panelled door. Gauged red brick flat arches to recessed sashes; those over vehicle entrance, flush with exposed boxing. No.51: 1704 by John Ragdall, carpenter. Mid C19 shopfront with entablature with dentil cornice supported by console brackets; slightly bowed window with small panes. Shop doorway with rectangular fanlight and part-glazed door; house doorway with rectangular fanlight and panelled door. Gauged brick flat arches to recessed sashes. No.53: 1704. Square-headed doorway with fluted frieze and plain cornice; fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. Nos 55 & 57: 1704 by Simon Betts, carpenter. Wooden architraved doorcases with carved consoles carrying cornices; doors and ground floor windows currently bricked up. Flush frame sashes with exposed boxing. No.59: 1704. Wooden doorcase with slim pilasters and console brackets supporting a projecting cornice. Panelled reveals to square-headed doorway with recessed panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing; 1st floor with cast-iron balconies. No.61: round-arched ground floor openings; doorway with fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses, with cast-iron balconies. INTERIORS: not inspected but Nos 55 & 57 noted to retain good panelling. SUBSIDIARY FEATURES: all except Nos 45 and 51 with attached cast-iron railings with urn and torch flambe finials to areas. Listing NGR: TQ3046481963

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80175
Monument Type	Listed Building
Preferred Ref.	MLO80175
Name	NUMBER 43 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30435 81791 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1246 (West side) No.43 and attached railings GV II Terraced house. Early C18 with later alterations and additions. Multi-coloured stock brick with stucco 1st floor band. Plain brick band to 2nd floor. 3 windows. 3 storeys, attic & basement. Entrance with plain bracketed hood, panelled door and overlight. Gauged brick flat arches to unhorned sashes; flush to upper floors. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3043581791

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to Unknown - 1733 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477674 NUMBER 43 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1246 (West side) No.43 and attached railings GV II Terraced house. Early C18 with later alterations and additions. Multi-coloured stock brick with stucco 1st floor band. Plain brick band to 2nd floor. 3 windows. 3 storeys, attic & basement. Entrance with plain bracketed hood, panelled door and overlight. Gauged brick flat arches to unhorned sashes; flush to upper floors. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3043581791

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81432
Monument Type	Listed Building
Preferred Ref.	MLO81432
Name	NUMBER 43 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30627 81979 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LAMB'S CONDUIT STREET 798-1/101/1004 (West side) 14/05/74 No.43 and attached railings GV II Terraced house. c1700-15, altered. Darkened multi-coloured stock brick with red brick dressings, 3rd floor refaced. Rusticated stucco ground floor. Originally 2 houses with 2 windows each. 4 storeys and cellars. Left hand entrance with wooden doorcase with pilasters carrying bracketed detail cornice, patterned radial fanlight and panelled door approached by 2 steps flanked by cast-iron railings with urn finials. Right hand entrance altered for use as shop entrance; plain wood surround with cornice, fanlight and double doors. Stucco first floor sill string. Gauged red brick flat arches to recessed sash windows, those at 1st floor with blind boxes. Red brick band at 2nd floor level. Parapet. Original lead rainwater head and pipe. INTERIOR: not inspected. Listing NGR: TQ3062781979

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Lamb's Conduit Street, London, WC1N 3NG

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1715 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1715 AD)
- HOUSE (18th Century to Unknown - 1716 AD)
- SHOP (18th Century to Unknown - 1716 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478637 NUMBER 43 AND ATTACHED RAILINGS	CAMDEN TQ3081NE LAMB'S CONDUIT STREET 798-1/101/1004 (West side) 14/05/74 No.43 and attached railings GV II Terraced house. c1700-15, altered. Darkened multi-coloured stock brick with red brick dressings, 3rd floor refaced. Rusticated stucco ground floor. Originally 2 houses with 2 windows each. 4 storeys and cellars. Left hand entrance with wooden doorcase with pilasters carrying bracketed detail cornice, patterned radial fanlight and panelled door approached by 2 steps flanked by cast-iron railings with urn finials. Right hand entrance altered for use as shop entrance; plain wood surround with cornice, fanlight and double doors. Stucco first floor sill string. Gauged red brick flat arches to recessed sash windows, those at 1st floor with blind boxes. Red brick band at 2nd floor level. Parapet. Original lead rainwater head and pipe. INTERIOR: not inspected. Listing NGR: TQ3062781979

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80176
Monument Type	Listed Building
Preferred Ref.	MLO80176
Name	NUMBER 44 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30438 81786 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1247 (West side) 14/05/74 No.44 and attached railings GV II Terraced house. c1710, altered in C19. Multi-coloured stock brick painted red. 1st and 2nd floor plain brick bands. 4 storeys and basement. 3 windows. Original wooden architraved doorcase with sunk panel pilasters, carved console brackets flanking pulvinated frieze and carrying projecting cornice; rectangular fanlight and part-glazed door. Ground floor, casement windows in fluted, flush frames. 1st and 2nd floor, gauged brick flat arches to flush framed sashes with fluted surrounds to exposed boxing. 3rd floor, recessed 2-pane sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. HISTORICAL NOTE: this was the residence of Bishop Challoner, Vicar-apostolic of the London District (private plaque). Listing NGR: TQ3043881786

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1690 AD to 1730 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1690 AD to 1730 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477675 NUMBER 44 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1247 (West side) 14/05/74 No.44 and attached railings GV II Terraced house. c1710, altered in C19. Multi-coloured stock brick painted red. 1st and 2nd floor plain brick bands. 4 storeys and basement. 3 windows. Original wooden architraved doorcase with sunk panel pilasters, carved console brackets flanking pulvinated frieze and carrying projecting cornice; rectangular fanlight and part-glazed door. Ground floor, casement windows in fluted, flush frames. 1st and 2nd floor, gauged brick flat arches to flush framed sashes with fluted surrounds to exposed boxing. 3rd floor, recessed 2-pane sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. HISTORICAL NOTE: this was the residence of Bishop Challoner, Vicar-apostolic of the London District (private plaque). Listing NGR: TQ3043881786

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80177
Monument Type	Listed Building
Preferred Ref.	MLO80177
Name	NUMBER 45 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30440 81781 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1248 (South side) No.45 and attached railings GV II Terraced house. Early C18 with later alterations and additions. Multi-coloured stock brick. Plain brick bands to 1st and 2nd floors. 4 storeys and basement. Round-arched entrance with pilaster jambs, panelled door and fanlight. Flat arches to sashes, 1st and 2nd floors flush framed. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to area. Listing NGR: TQ3044081781

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to Unknown - 1733 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477676 NUMBER 45 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1248 (South side) No.45 and attached railings GV II Terraced house. Early C18 with later alterations and additions. Multi-coloured stock brick. Plain brick bands to 1st and 2nd floors. 4 storeys and basement. Round-arched entrance with pilaster jambs, panelled door and fanlight. Flat arches to sashes, 1st and 2nd floors flush framed. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to area. Listing NGR: TQ3044081781

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80178
Monument Type	Listed Building
Preferred Ref.	MLO80178
Name	NUMBER 46 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30443 81777 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1249 (West side) 03/04/90 No.46 and attached railings GV II Terraced house. Early C18, refronted early C19. Multi-colour stock brick. 3 storeys, attic and basement. 2 windows. Round-arched doorway with stucco impost bands; radial fanlight and panelled door. Gauged brick flat arch to ground floor sash set in shallow round-arched recess. Upper floors with gauged brick flat arches to sashes; 1st floor with stucco sill band. Coped parapet behind which a single hipped dormer window. INTERIOR: not inspected but noted to retain features and staircase mainly of the early C19. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas. Listing NGR: TQ3044381777

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477677 NUMBER 46 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1249 (West side) 03/04/90 No.46 and attached railings GV II Terraced house. Early C18, refronted early C19. Multi-colour stock brick. 3 storeys, attic and basement. 2 windows. Round-arched doorway with stucco impost bands; radial fanlight and panelled door. Gauged brick flat arch to ground floor sash set in shallow round-arched recess. Upper floors with gauged brick flat arches to sashes; 1st floor with stucco sill band. Coped parapet behind which a single hipped dormer window. INTERIOR: not inspected but noted to retain features and staircase mainly of the early C19. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas. Listing NGR: TQ3044381777

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80431
Monument Type Listed Building
Preferred Ref. MLO80431
Name NUMBER 46 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30284 82736 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ARGYLE STREET 798-1/90/53 (West side) 14/05/74 No.46 and attached railings GV II End of terrace house. c1839-49. Yellow stock brick. 3 storeys and basement. 2 windows and 1 window return to Whidborne Street. Round-arched ground floor openings. Doorway with pilaster-jamb's carrying cornice-head; fanlight and panelled door. Ground floor windows with margin lights. Gauged brick flat arches to upper floor recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3028482736

Sources

Number	Reference

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Argyle Street, London, WC1H 8EQ

Monument/Component Types

- HOUSE (19th Century - 1839 AD to 1849 AD)
- RAILINGS (19th Century - 1839 AD to 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476617 NUMBER 46 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/53 (West side) 14/05/74 No.46 and attached railings GV II End of terrace house. c1839-49. Yellow stock brick. 3 storeys and basement. 2 windows and 1 window return to Whidborne Street. Round-arched ground floor openings. Doorway with pilaster-jamb's carrying cornice-head; fanlight and panelled door. Ground floor windows with margin lights. Gauged brick flat arches to upper floor recessed sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3028482736

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80179
Monument Type	Listed Building
Preferred Ref.	MLO80179
Name	NUMBER 47 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30446 81771 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1250 (West side) 06/04/87 No.47 and attached railings GV II Terraced house. Early C18, altered early C19 and restored c1985. Yellow stock brick with red brick dressings and bands at 1st and 2nd floor levels. 3 storeys, attic and basement. 3 windows. Round-arched entrance with fanlight and panelled door. Gauged brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain much early C18 panelling with cornices and some fire surrounds. Staircase with closed tread ends and barley-sugar twist balusters. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3044681771

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Old Gloucester Street, London, WC1N 3AF

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (Modern - 1980 AD to 1990 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477678 NUMBER 47 AND ATTACHED RAILINGS	CAMDEN TQ3081NW OLD GLOUCESTER STREET 798-1/100/1250 (West side) 06/04/87 No.47 and attached railings GV II Terraced house. Early C18, altered early C19 and restored c1985. Yellow stock brick with red brick dressings and bands at 1st and 2nd floor levels. 3 storeys, attic and basement. 3 windows. Round-arched entrance with fanlight and panelled door. Gauged brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain much early C18 panelling with cornices and some fire surrounds. Staircase with closed tread ends and barley-sugar twist balusters. SUBSIDIARY FEATURES: attached cast-iron railings to area. Listing NGR: TQ3044681771

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81487
Monument Type	Listed Building
Preferred Ref.	MLO81487
Name	NUMBER 5 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30664 81452 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1051 (North side) 14/05/74 No.5 and attached railings GV II Terraced house. Mid C18, facade rebuilt early C19. Yellow stock brick with rusticated stucco ground floor and 1st floor sill string. 4 storeys and basement. 3 windows. Recessed doorway with cavetto reveals, fanlight and panelled door. Gauged flat brick arches to recessed sash windows (upper floors), and segmental headed openings (ground floor). Parapet. INTERIOR: not inspected but noted to contain some original fireplaces and panelled rooms. Staircase with turned balusters, columned newels and carved ends to stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3066481452

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- RAILINGS (18th Century - 1733 AD to 1766 AD)
- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478702 NUMBER 5 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1051 (North side) 14/05/74 No.5 and attached railings GV II Terraced house. Mid C18, facade rebuilt early C19. Yellow stock brick with rusticated stucco ground floor and 1st floor sill string. 4 storeys and basement. 3 windows. Recessed doorway with cavetto reveals, fanlight and panelled door. Gauged flat brick arches to recessed sash windows (upper floors), and segmental headed openings (ground floor). Parapet. INTERIOR: not inspected but noted to contain some original fireplaces and panelled rooms. Staircase with turned balusters, columned newels and carved ends to stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3066481452

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78528
Monument Type	Listed Building
Preferred Ref.	MLO78528
Name	NUMBER 6 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30334 81952 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	Terraced house with purpose-built meeting hall, in use as the headquarters of the Art-Workers' Guild. C1713, refronted later C18. c1914 alterations and additions by FW Troup for the Art-Workers' Guild. Darkened multi-coloured stock brick with evidence of tuck pointing. Slated mansard roof with dormer. EXTERIOR: 4 storeys, attic and basement. 3 windows. Wooden doorcase with sunk panels to pilasters carrying entablature with dentil cornice, rectangular patterned fanlight and panelled door; threshold with the monogram of the Art-Workers' Guild executed in white marble. Gauged red brick flat arches to recessed sashes. Plain stucco band at 1st floor level; stone cornice at 3rd floor level. Stone capped parapet. Original lead rainwater head and pipe. Rear elevation original with elongated windows. INTERIOR: retains its original plan form throughout with fielded panelling, 6-panel doors, moulded cornices and dado rails, fireplaces and good stairs with twisted balusters and column newels. Entrance hall with 2 arch-headed niches and cornice of thick mouldings. Rear projecting wing, probably originally withdrawing rooms, has elegant decorative woodwork. 1st floor front room with Regency plasterwork. Top storey flat by FW Troup, with fireplace and kitchen cabinets; Troup also designed the meeting hall to the rear. Meeting hall: single storey with red brick entrance; above the doorway, a segmental-arched stone aedicule, containing a decorative lead plaque with the gilded initials AWG set within gilded oak leaf sprays above the date 1914. INTERIOR: panelled walls with a low picture rail below a broad frieze. Above the frieze, oval architraved niches containing busts of the Guild masters by Frampton, Bayes and WS Frith. The hall is lit by a large hipped roof light, with dormers, supported on deep ceiling beams around which the deep dentil cornice extends. Bolection-moulded oak chimney-piece. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to area. HISTORICAL NOTE: Martin Folkes, President of the Royal Society and of the Society of Antiquaries lived at No.6 until 1763 and at No.7 until 1765. Later in the 19th century the building partly entered into commercial use with Robert Ackermann's lithograph and colour-printing business located in premises at the rear until 1913 when they were demolished. In this year the lease was purchased by the Art-Workers' Guild, a society of painters, sculptors and architects which had been set up in 1884 by pupils of Norman Shaw, prominent amongst whom were Gerald Horsley and Mervyn Macartney. (Jackson N: F W Troup Architect 1859-1941: London: -1985: 108; The Builder: 15 February 1918: London: 110). Listing NGR: TQ3033481952

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1693 AD to 1733 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1693 AD to 1733 AD)
- HOUSE (18th Century - 1767 AD to 1799 AD)
- PRINTING WORKS (19th Century - 1867 AD to 1899 AD)
- GUILDHALL (Modern - 1913 AD)
- PRINTING WORKS (Modern - 1913 AD)
- APARTMENT (Modern - 1914 AD)
- DATE STONE (Modern - 1914 AD)
- MEETING HALL (Modern - 1914 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477821 NUMBER 6 AND ATTACHED RAILINGS	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1360 (West side) 24/10/51 No.6 and attached railings (Formerly Listed as: QUEEN SQUARE Nos.6 AND 7) GV II* Terraced house with purpose-built meeting hall, in use as the headquarters of the Art-Workers' Guild. c1713, refronted later C18. c1914 alterations and additions by FW Troup for the Art-Workers' Guild. Darkened multi-coloured stock brick with evidence of tuck pointing. Slated mansard roof with dormer. EXTERIOR: 4 storeys, attic and basement. 3 windows. Wooden doorcase with sunk panels to pilasters carrying entablature with dentil cornice, rectangular patterned fanlight and panelled door; threshold with the monogram of the Art-Workers' Guild executed in white marble. Gauged red brick flat arches to recessed sashes. Plain stucco band at 1st floor level; stone cornice at 3rd floor level. Stone capped parapet. Original lead rainwater head and pipe. Rear elevation original with elongated windows. INTERIOR: retains its original plan form throughout with fielded panelling, 6-panel doors, moulded cornices and dado rails, fireplaces and good stairs with twisted balusters and column newels.

Entrance hall with 2 arch-headed niches and cornice of thick mouldings. Rear projecting wing, probably originally withdrawing rooms, has elegant decorative woodwork. 1st floor front room with Regency plasterwork. Top storey flat by FW Troup, with fireplace and kitchen cabinets; Troup also designed the meeting hall to the rear. Meeting hall: single storey with red brick entrance; above the doorway, a segmental-arched stone aedicule, containing a decorative lead plaque with the gilded initials AWG set within gilded oak leaf sprays above the date 1914. INTERIOR: panelled walls with a low picture rail below a broad frieze. Above the frieze, oval architraved niches containing busts of the Guild masters by Frampton, Bayes and WS Frith. The hall is lit by a large hipped roof light, with dormers, supported on deep ceiling beams around which the deep dentil cornice extends. Bolection-moulded oak chimney-piece. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to area. HISTORICAL NOTE: Martin Folkes, President of the Royal Society and of the Society of Antiquaries lived at No.6 until 1763 and at No.7 until 1765. Later in the C19 the building partly entered into commercial use with Robert Ackermann's lithograph and colour-printing business located in premises at the rear until 1913 when they were demolished. In this year the lease was purchased by the Art-Workers' Guild, a society of painters, sculptors and architects which had been set up in 1884 by pupils of Norman Shaw, prominent amongst whom were Gerald Horsley and Mervyn Macartney. (Jackson N: F W Troup Architect 1859-1941: London: -1985: 108; The Builder: 15 February 1918: London: 110). Listing NGR: TQ3033481952

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81497
Monument Type	Listed Building
Preferred Ref.	MLO81497
Name	NUMBER 64 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30629 81378 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1061 (West side) 14/05/74 No.64 and attached railings GV II House. Early C19. Stucco front. 4 storeys and basement. Square-headed doorway with fanlight and double panelled doors. Corbels at sides of entrance below stone 1st floor balcony with iron balustrade. Recessed sash windows, most with original glazing bars, segmental-arched to ground floor. Ionic pilasters through 1st and 2nd floor carrying entablature with dentil cornice. 4th storey an attic with sunk panel pilasters between windows. INTERIOR: square balusters to plain close string stairs. Original fireplaces and cornices. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3062981378

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478713 NUMBER 64 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1061 (West side) 14/05/74 No.64 and attached railings GV II House. Early C19. Stucco front. 4 storeys and basement. Square-headed doorway with fanlight and double panelled doors. Corbels at sides of entrance below stone 1st floor balcony with iron balustrade. Recessed sash windows, most with original glazing bars, segmental-arched to ground floor. Ionic pilasters through 1st and 2nd floor carrying entablature with dentil cornice. 4th storey an attic with sunk panel pilasters between windows. INTERIOR: square balusters to plain close string stairs. Original fireplaces and cornices. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3062981378

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80935
Monument Type	Listed Building
Preferred Ref.	MLO80935
Name	NUMBER 64, QUEENS HEAD PUBLIC HOUSE (NUMBER 66), NUMBER 68 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30606 82735 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE ACTON STREET 798-1/91/9 (North side) 25/10/71 Nos.64, 66 AND 68 Queen's Head Public House (No.66) and attached railings GV II Terrace of 3 houses, one now a public house. c1835-45, Nos 64 & 68. No.66 (Queen's Head) probably c1764, refaced and altered mid-late C19, refurbished and restored 1989. Nos 64 & 68: Yellow stock brick and stucco ground floors with plain stucco 1st floor bands. Form a symmetrical composition flanking No.66. 3 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes carrying dentil cornice-heads; fanlights (No.68 patterned) and panelled doors. Gauged brick flat arches to recessed sashes. Stucco parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with fleur-de-lys finials to areas. No.66: Stucco. 3 storeys, attic and cellars. 3 windows. Mid-late C19 public house frontage, restored, of moulded pilasters with enriched capitals and consoles flanking entablature with dentil cornice. Central bowed window with engraved glass; double, panelled doors to either side, part glazed with engraved glass. Stucco Ionic pilasters at angles rise through 1st and 2nd floors carrying a dentil cornice. 1st and 2nd floor windows, 2-pane recessed sashes. Attic storey with recessed panels alternating with 2-light casement windows. Moulded coping. INTERIOR: good interior with green tiled dado, tiled cornice frieze, mirrors along back bar and wall opposite counter. Stair with closed string and column newels. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 98). Listing NGR: TQ3060682735

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 64 Acton Street, London, WC1X 9NB
- 66 Acton Street, London, WC1X 9NB
- 68 Acton Street, London, WC1X 9NB
- 68 Acton Street, London, WC1X 9NB

Monument/Component Types

- PUBLIC HOUSE (18th Century - 1744 AD to 1784 AD)
- PUBLIC HOUSE (19th Century - 1833 AD to 1899 AD)
- TERRACE (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)
- PUBLIC HOUSE (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476527 NUMBER 64, QUEENS HEAD PUBLIC HOUSE (NUMBER 66), NUMBER 68 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/9 (North side) 25/10/71 Nos.64, 66 AND 68 Queen's Head Public House (No.66) and attached railings GV II Terrace of 3 houses, one now a public house. c1835-45, Nos 64 & 68. No.66 (Queen's Head) probably c1764, refaced and altered mid-late C19, refurbished and restored 1989. Nos 64 & 68: Yellow stock brick and stucco ground floors with plain stucco 1st floor bands. Form a symmetrical composition flanking No.66. 3 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes carrying dentil cornice-heads; fanlights (No.68 patterned) and panelled doors. Gauged brick flat arches to recessed sashes. Stucco parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with fleur-de-lys finials to areas. No.66: Stucco. 3 storeys, attic and cellars. 3 windows. Mid-late C19 public house frontage, restored, of moulded pilasters with enriched capitals and consoles flanking entablature with dentil cornice. Central bowed window with engraved glass; double, panelled doors to either side, part glazed with engraved glass. Stucco Ionic pilasters at angles rise through 1st and 2nd floors carrying a dentil cornice. 1st and 2nd floor windows, 2-pane recessed sashes. Attic storey with recessed panels alternating with 2-light casement windows. Moulded coping. INTERIOR: good interior with green tiled dado, tiled cornice frieze, mirrors along back bar and wall opposite counter. Stair with closed string and column newels. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 98). Listing NGR: TQ3060682735

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79723
Monument Type	Listed Building
Preferred Ref.	MLO79723
Name	NUMBER 65 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30752 82699 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE CUBITT STREET 798-1/91/287 (West side) 25/10/71 No.65 and attached railings (Formerly Listed as: FREDERICK STREET Nos.9-27 (Odd)) GV II Formerly an extension of No.9 Frederick Street (qv). c1835-9. By William Cubitt. Stucco. Single storey, splayed corner extension. 1 window (blind), sash on splayed corner, 2 windows (1 blind) and entrance to Cubitt Street. Square-headed doorway with panelled jambs, cornice-head, overlight and panelled door. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to corner. With No.34 Cubitt Street (qv), a similar extension, gives the impression of lodges at the entrance to Cubitt Street. Listing NGR: TQ3075282699

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 32 Cubitt Street, London, WC1X 0LR

Monument/Component Types

- HOUSE (19th Century - 1835 AD to 1839 AD)
- RAILINGS (19th Century - 1835 AD to 1839 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477035 NUMBER 65 AND ATTACHED RAILINGS	CAMDEN TQ3082NE CUBITT STREET 798-1/91/287 (West side) 25/10/71 No.65 and attached railings (Formerly Listed as: FREDERICK STREET Nos.9-27 (Odd)) GV II Formerly an extension of No.9 Frederick Street (qv). c1835-9. By William Cubitt. Stucco. Single storey, splayed corner extension. 1 window (blind), sash on splayed corner, 2 windows (1 blind) and entrance to Cubitt Street. Square-headed doorway with panelled jambs, cornice-head, overlight and panelled door. Stucco parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to corner. With No.34 Cubitt Street (qv), a similar extension, gives the impression of lodges at the entrance to Cubitt Street. Listing NGR: TQ3075282699

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81997
Monument Type	Listed Building
Preferred Ref.	MLO81997
Name	NUMBER 7 AND 8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31169 81574 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 NW STAPLE INN 627-0/1/10155 (East side) 14/04/50 Nos.7 AND 8 and attached railings (Formerly Listed as: CAMDEN STAPLE INN Nos 1-3 (consec) Nos 7 & 8. Nos 9 & 10) GV II 2 terraced chambers forming the eastern side of a courtyard. 1731-34, restored late C19. Due to war damage, rebuilt externally in facsimile c1955 by Edward Maufe. Brown brick with red brick dressings. Moulded brick cornices at 2ndfloor level. Tiled mansard roof with dormers (to N 0.8 only). 3 storeys, attic and basement. No.7, 7 windows; No.8, 5 windows. Entrances with stone surrounds with pulvinated frieze (with apron tablet over centre) and cornice with ban above. Doorways approached by steps and railings. Gauged red brick arches to flush frame sashes. Parapet. INTERIORS: not inspected. No.8 with lead rainwater head inscribed TPW 1734. Formerly Listed in the LB of Camden. Since 1 April 1994 Staple Inn has been within the City of London. Listing NGR: TQ3116981574

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 7 Staple Inn, London, WC1V 7QH

- 7 Staple Inn, London, WC1V 7QH

Monument/Component Types

- INNS OF CHANCERY (18th Century - 1731 AD to 1733 AD)
- INNS OF CHANCERY (19th Century - 1867 AD to 1899 AD)
- INNS OF CHANCERY (Modern - 1950 AD to 1960 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	472925 NUMBER 7 AND 8 AND ATTACHED RAILINGS	TQ 3181 NW STAPLE INN 627-0/1/10155 (East side) 14/04/50 Nos.7 AND 8 and attached railings (Formerly Listed as: CAMDEN STAPLE INN Nos 1-3 (consec) Nos 7 & 8. Nos 9 & 10) GV II 2 terraced chambers forming the eastern side of a courtyard. 1731-34, restored late C19. Due to war damage, rebuilt externally in facsimile c1955 by Edward Maufe. Brown brick with red brick dressings. Moulded brick cornices at 2ndfloor level. Tiled mansard roof with dormers (to N 0.8 only). 3 storeys, attic and basement. No.7, 7 windows; No.8, 5 windows. Entrances with stone surrounds with pulvinated frieze (with apron tablet over centre) and cornice with ban above. Doorways approached by steps and railings. Gauged red brick arches to flush frame sashes. Parapet. INTERIORS: not inspected. No.8 with lead rainwater head inscribed TPW 1734. Formerly Listed in the LB of London. Listing NGR: TQ3116981574

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78529
Monument Type	Listed Building
Preferred Ref.	MLO78529
Name	NUMBER 7 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30330 81958 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1361 (West side) 24/10/51 No.7 and attached railings (Formerly Listed as: QUEEN SQUARE Nos.6 AND 7) GV II Terraced house. Late C18, altered early 19th century. Yellow stock brick with evidence of tuck pointing. Slated mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Round-arched ground floor openings in shallow recesses with stucco architraves and impost bands. Doorway with radial fanlight and panelled door. Windows with margin glazing. Upper floor windows, gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco bands at floor levels and 3rd floor sill level. Stucco cornice and blocking course. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area. HISTORICAL NOTE: Martin Folkes, President of the Royal Society and of the Society of Antiquaries lived at No.6 until 1763 and at No.7 until 1765. Listing NGR: TQ3033081958

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- RAILINGS (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477822 NUMBER 7 AND ATTACHED RAILINGS	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1361 (West side) 24/10/51 No.7 and attached railings (Formerly Listed as: QUEEN SQUARE Nos.6 AND 7) GV II Terraced house. Late C18, altered early C19. Yellow stock brick with evidence of tuck pointing. Slated mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Round-arched ground floor openings in shallow recesses with stucco architraves and impost bands. Doorway with radial fanlight and panelled door. Windows with margin glazing. Upper floor windows, gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco bands at floor levels and 3rd floor sill level. Stucco cornice and blocking course. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to area. HISTORICAL NOTE: Martin Folkes, President of the Royal Society and of the Society of Antiquaries lived at No.6 until 1763 and at No.7 until 1765. Listing NGR: TQ3033081958

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80629
Monument Type	Listed Building
Preferred Ref.	MLO80629
Name	NUMBER 7 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29976 82514 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE BURTON PLACE 798-1/89/124 (North side) 11/08/72 No.7 and attached railings GV II Attached house, probably former stable accommodation. 1809-1813. Designed and built by James Burton. Stucco with plain stucco 1st floor sill band. 2 storeys. Double fronted with 2 windows. Ground floor openings in recessed arches. Central doorway with reeded cornice-head and double panelled doors. Square-headed, recessed sash windows. Cornice and blocking course with raised panel over the centre bay. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2997682514

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (19th Century - 1809 AD to 1813 AD)
- STABLE (19th Century - 1809 AD to 1813 AD)
- HOUSE (19th Century to Unknown - 1814 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476766 NUMBER 7 AND ATTACHED RAILINGS	CAMDEN TQ2982NE BURTON PLACE 798-1/89/124 (North side) 11/08/72 No.7 and attached railings GV II Attached house, probably former stable accommodation. 1809-1813. Designed and built by James Burton. Stucco with plain stucco 1st floor sill band. 2 storeys. Double fronted with 2 windows. Ground floor openings in recessed arches. Central doorway with reeded cornice-head and double panelled doors. Square-headed, recessed sash windows. Cornice and blocking course with raised panel over the centre bay. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2997682514

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80564
Monument Type	Listed Building
Preferred Ref.	MLO80564
Name	NUMBER 70, 71 AND 72 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30326 82115 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/722 (North side) 14/05/74 Nos.70, 71 AND 72 and attached railings GV II Terrace of 3 houses. c1793-1799. By James Burton. Darkened multi-coloured stock brick with rusticated stucco ground floor and stucco dressings. 4 storeys and basements. 3 windows each. The central block of a now incomplete terrace. Arcaded ground floor with impost bands; round-arched sash windows in plain, shallow recesses. Recessed entrances with part-glazed doors and decorative wrought-iron grills in the fanlights, No.72 altered for use as a window. 10 attached stucco Doric columns rise through 1st and 2nd floor carrying an entablature at 3rd floor level and continue as pilasters on the 3rd attic floor. Gauged brick flat arches to recessed sashes; 1st floor casements with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF

Monument/Component Types

- RAILINGS (18th Century - 1793 AD to 1799 AD)
- TERRACE (18th Century - 1793 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1793 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477965 NUMBER 70, 71 AND 72 AND ATTACHED RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/722 (North side) 14/05/74 Nos.70, 71 AND 72 and attached railings GV II Terrace of 3 houses. c1793-1799. By James Burton. Darkened multi-coloured stock brick with rusticated stucco ground floor and stucco dressings. 4 storeys and basements. 3 windows each. The central block of a now incomplete terrace. Arcaded ground floor with impost bands; round-arched sash windows in plain, shallow recesses. Recessed entrances with part-glazed doors and decorative wrought-iron grills in the fanlights, No.72 altered for use as a window. 10 attached stucco Doric columns rise through 1st and 2nd floor carrying an entablature at 3rd floor level and continue as pilasters on the 3rd attic floor. Gauged brick flat arches to recessed sashes; 1st floor casements with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80230
Monument Type	Listed Building
Preferred Ref.	MLO80230
Name	NUMBER 73 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30331 81818 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1482 (West side) 14/05/74 No.73 and attached railings II Terraced house. Early C19. Multi-coloured stock brick. Stucco ground floor with plain 1st floor band. 4 storeys and basement. 3 windows. Round-arched doorway with fluted door-frame, radial fanlight and panelled door. Red painted, gauged brick flat arches to recessed sash windows, some with original glazing bars. Continuous cast-iron balcony at 1st floor level. Plain stucco 3rd floor sill band. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3033181818

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Southampton Row, London, WC1B 4ET

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478143 NUMBER 73 AND ATTACHED RAILINGS	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1482 (West side) 14/05/74 No.73 and attached railings II Terraced house. Early C19. Multi-coloured stock brick. Stucco ground floor with plain 1st floor band. 4 storeys and basement. 3 windows. Round-arched doorway with fluted door-frame, radial fanlight and panelled door. Red painted, gauged brick flat arches to recessed sash windows, some with original glazing bars. Continuous cast-iron balcony at 1st floor level. Plain stucco 3rd floor sill band. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3033181818

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81123
Monument Type	Listed Building
Preferred Ref.	MLO81123
Name	NUMBER 77 INCORPORATING NUMBER 75 AND NUMBERS 26-46 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30101 82378 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW MARCHMONT STREET 798-1/95/1594 No.77 14/05/74 incorporating No.75 GV II See under: Nos.26-46 and attached railings TAVISTOCK PLACE. CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1594 (South side) 14/05/74 Nos.26-46 (Even) and attached railings GV II Includes: No.77 incorporating No.75 MARCHMONT STREET. Terrace of 11 houses. c1807. By James Burton. Multi-coloured stock brick with later patching. Stucco ground floors with plain band above. No.40, stucco 1st floor and No.46 with later stucco dressings. 4 storeys and basements. 2 windows each; No.46 with 3-window return (1 blind) to Marchmont Street of which it forms part of No.77 incorporating No.75. Round-arched doorways with reeded surrounds, cornice-heads, fanlights (Nos 26 & 34 radial patterned) and panelled doors. Nos 44 and 46, 20th century shopfronts. Gauged, reddened, flat brick arches to recessed sash windows, 1st floor with cast-iron guards except Nos 26 and 30-34 with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 96). Listing NGR: TQ3010182378

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 67 Marchmont Street, London, WC1N 1AP

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1787 AD to 1827 AD)
- TERRACE (18th Century to 19th Century - 1787 AD to 1827 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1787 AD to 1827 AD)
- HOUSE (19th Century to Unknown - 1828 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478329 NUMBER 77 INCORPORATING NUMBER 75 AND NUMBERS 26-46 AND ATTACHED RAILINGS	CAMDEN TQ3082SW MARCHMONT STREET 798-1/95/1594 No.77 14/05/74 incorporating No.75 GV II See under: Nos.26-46 and attached railings TAVISTOCK PLACE. CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1594 (South side) 14/05/74 Nos.26-46 (Even) and attached railings GV II Includes: No.77 incorporating No.75 MARCHMONT STREET. Terrace of 11 houses. c1807. By James Burton. Multi-coloured stock brick with later patching. Stucco ground floors with plain band above. No.40, stucco 1st floor and No.46 with later stucco dressings. 4 storeys and basements. 2 windows each; No.46 with 3-window return (1 blind) to Marchmont Street of which it forms part of No.77 incorporating No.75. Round-arched doorways with reeded surrounds, cornice-heads, fanlights (Nos 26 & 34 radial patterned) and panelled doors. Nos 44 and 46, C20 shopfronts. Gauged, reddened, flat brick arches to recessed sash windows, 1st floor with cast-iron guards except Nos 26 and 30-34 with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 96). Listing NGR: TQ3010182378

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80566
Monument Type	Listed Building
Preferred Ref.	MLO80566
Name	NUMBER 89 TO 92 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30452 82164 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/724 (North side) 14/05/74 Nos.89-92 (Consecutive) and attached railings GV II 4 terraced houses. c1792-99 by James Burton. Nos 89-91: darkened multi-coloured stock brick. 4 storeys and basements. 3 windows each. Round-arched doorways with pilaster-jambs, cornice-heads, radial fanlights and panelled doors. Plain stucco band at 1st floor level. Reddened gauged brick flat arches to recessed 2-pane sashes. Stucco cornice and blocking course. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. No.92: darkened multi-coloured stock brick. 4 storeys and basement. Double fronted house, slightly projecting, on a corner with 3 windows (right hand floors blind) and 2 window return to Lansdowne Terrace. Round-arched doorway with rusticated stucco surround, keystone, cornice, fanlight and panelled door. Plain stucco 1st floor sill band. Reddened gauged brick flat arches to recessed 2-pane sashes. Parapet. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas; entrance with wrought-iron lamp overthrow. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3045282164

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- LAMP BRACKET (18th Century - 1792 AD to 1799 AD)
- RAILINGS (18th Century - 1792 AD to 1799 AD)
- TERRACE (18th Century - 1792 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477967 NUMBER 89 TO 92 AND ATTACHED RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/724 (North side) 14/05/74 Nos.89-92 (Consecutive) and attached railings GV II 4 terraced houses. c1792-99 by James Burton. Nos 89-91: darkened multi-coloured stock brick. 4 storeys and basements. 3 windows each. Round-arched doorways with pilaster-jambs, cornice-heads, radial fanlights and panelled doors. Plain stucco band at 1st floor level. Reddened gauged brick flat arches to recessed 2-pane sashes. Stucco cornice and blocking course. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. No.92: darkened multi-coloured stock brick. 4 storeys and basement. Double fronted house, slightly projecting, on a corner with 3 windows (right hand floors blind) and 2 window return to Lansdowne Terrace. Round-arched doorway with rusticated stucco surround, keystone, cornice, fanlight and panelled door. Plain stucco 1st floor sill band. Reddened gauged brick flat arches to recessed 2-pane sashes. Parapet. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas; entrance with wrought-iron lamp overthrow. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3045282164

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81489
Monument Type	Listed Building
Preferred Ref.	MLO81489
Name	NUMBER 9 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30691 81462 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1053 (North side) 14/05/74 No.9 and attached railings GV II Terraced house. Late C18. Yellow brick, stucco ground floor with joint lines. Stucco cornice and parapet. Slate mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Wide, semi-elliptical arched doorway with 1/4 Greek Doric columns carrying cornice-head; fanlight and double panelled doors. 1st floor casement windows with 20th century wrought-iron balcony. Gauged flat brick arches to recessed sash windows. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3069181462

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- RAILINGS (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478705 NUMBER 9 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1053 (North side) 14/05/74 No.9 and attached railings GV II Terraced house. Late C18. Yellow brick, stucco ground floor with joint lines. Stucco cornice and parapet. Slate mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Wide, semi-elliptical arched doorway with 1/4 Greek Doric columns carrying cornice-head; fanlight and double panelled doors. 1st floor casement windows with C20 wrought-iron balcony. Gauged flat brick arches to recessed sash windows. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3069181462

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80679
Monument Type Listed Building
Preferred Ref. MLO80679
Name NUMBER 98 AND ATTACHED RAILINGS
Map Sheet TQ28SE
Grid References Centre Point: TQ 29960 81534 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/690 (North side) 24/10/51 No.98 and attached railings (Formerly Listed as: GREAT RUSSELL STREET Nos.98-102 (Consecutive)) GV II Terraced house. Late C17, refronted late C19. Stucco, the ground floor rusticated. Bands at 1st and 3rd floor level. Rusticated quoin strip between No.98 & 99. 4 storeys and basement. 2 windows. Round-arched doorway with reeded pilaster-jambes carrying cornice-head; patterned fanlight and panelled door. Architraved sash windows with glazing bars and console bracketed dentil cornice to 1st floor and cornice to 2nd floor windows. Cornice and blocking course. INTERIOR: not inspected but noted to have plain stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (RCHME: London, Vol. II, West London: London: -1925: 60). Listing NGR: TQ2996081534

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- RAILINGS (17th Century - 1667 AD to 1699 AD)
- TERRACED HOUSE (17th Century - 1667 AD to 1699 AD)
- TERRACED HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477861 NUMBER 98 AND ATTACHED RAILINGS	CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/690 (North side) 24/10/51 No.98 and attached railings (Formerly Listed as: GREAT RUSSELL STREET Nos.98-102 (Consecutive)) GV II Terraced house. Late C17, refronted late C19. Stucco, the ground floor rusticated. Bands at 1st and 3rd floor level. Rusticated quoin strip between No.98 & 99. 4 storeys and basement. 2 windows. Round-arched doorway with reeded pilaster-jambes carrying cornice-head; patterned fanlight and panelled door. Architraved sash windows with glazing bars and console bracketed dentil cornice to 1st floor and cornice to 2nd floor windows. Cornice and blocking course. INTERIOR: not inspected but noted to have plain stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (RCHME: London, Vol. II, West London: London: -1925: 60). Listing NGR: TQ2996081534

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80680
Monument Type	Listed Building
Preferred Ref.	MLO80680
Name	NUMBER 99 AND ATTACHED RAILINGS TO AREAS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29952 81532 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/691 (North side) 24/10/51 No.99 and attached railings to areas (Formerly Listed as: GREAT RUSSELL STREET Nos.98-102 (Consecutive)) GV II* Terraced house. c1680-1700, refronted later C19. Stucco with rusticated ground floor and rusticated quoin strip between No.99 & 98 (qv). Bands at 1st and 3rd floor level. EXTERIOR: 4 storeys and basement (4th storey a later addition). 5 windows. Symmetrical front; square-headed entrance with stone architraves, console bracketed cornice-hood and double panelled doors with patterned fanlight. Square-headed, recessed sash windows with exposed boxing. Cornice and blocking course. Rear elevation, apart from added top storey, retains its original appearance. Plum coloured stocks with red dressings. 3 windows between closet wings which have their own north windows at each floor and blind window recesses at the sides. Windows and recesses with gauged flat arches except at basement and top floor where they are cambered. Deep window sills of stone except for the ground floor centre opening below which the small set-forward of the basement storey is raised to form a panel; this central window emphasised by a stone bolection moulded architrave surmounted by a shaped frieze and wood cornice. INTERIOR: the plan of the interior is a prototype of the early Georgian large town house. The 3-bay, front-lit, entrance hall rises through the ground and 1st floor with the main stair of 3 flights set around a large well with the upper landing on the east side. Stair with twisted balusters to a closed string, with half balusters on the square newels and moulded handrail. Chequered black and white marble hall floor. Ovolo panelling in 4 heights with 2 heights and a dado rail to the upper landing with box cornice. Central on north wall, an oval window to the secondary stairs. Ceiling painting above stairs, on plaster, depicting Bacchus and Ariadne, attended by 2 cupids, seen in the sky through an architectural margin representing a cornice and consoles in perspective. Attributed to Louis Cheron and unusual in a house of this type in London. A secondary, dog-leg, staircase runs from the basement to 3rd floor behind the main stair (and separated from it by a panelled screen), lit by small light well at the rear. Twisted balusters to a closed string with half balusters to the square newels except in the 2 flights to the basement. Panelled dado for full height. The ground floor back room (The Peacock Room) extends the full width of the house and is lined with bold raised bolection moulded panelling with dado rail and box cornice. The rest of the house retains fine panelling and features with minor alterations. HISTORICAL NOTE: the house has been in professional use since 1820 when it was taken by the Regents Canal Company who may have been responsible for the extra storey and re-fronting. (RCHME: London, Vol. II, West London: London: -1925: 60). Listing NGR: TQ2995281532

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- RAILINGS (17th Century - 1680 AD to 1700 AD)
- TERRACED HOUSE (17th Century - 1680 AD to 1700 AD)
- TERRACED HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477862 NUMBER 99 AND ATTACHED RAILINGS TO AREAS	CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/691 (North side) 24/10/51 No.99 and attached railings to areas (Formerly Listed as: GREAT RUSSELL STREET Nos.98-102 (Consecutive)) GV II* Terraced house. c1680-1700, refronted later C19. Stucco with rusticated ground floor and rusticated quoin strip between No.99 & 98 (qv). Bands at 1st and 3rd floor level. EXTERIOR: 4 storeys and basement (4th storey a later addition). 5 windows. Symmetrical front; square-headed entrance with stone architraves, console bracketed cornice-hood and double panelled doors with patterned fanlight. Square-headed, recessed sash windows with exposed boxing. Cornice and blocking course. Rear elevation, apart from added top storey, retains its original appearance. Plum coloured stocks with red dressings. 3 windows between closet wings which have their own north windows at each floor and blind window recesses at the sides. Windows and recesses with gauged flat arches except at basement and top floor where they are cambered. Deep window sills of stone except for the ground floor centre opening below which the small set-forward of the basement storey is raised to form a panel; this central window emphasised by a stone bolection moulded architrave surmounted by a shaped frieze and wood cornice. INTERIOR: the plan

of the interior is a prototype of the early Georgian large town house. The 3-bay, front-lit, entrance hall rises through the ground and 1st floor with the main stair of 3 flights set around a large well with the upper landing on the east side. Stair with twisted balusters to a closed string, with half balusters on the square newels and moulded handrail. Chequered black and white marble hall floor. Ovolo panelling in 4 heights with 2 heights and a dado rail to the upper landing with box cornice. Central on north wall, an oval window to the secondary stairs. Ceiling painting above stairs, on plaster, depicting Bacchus and Ariadne, attended by 2 cupids, seen in the sky through an architectural margin representing a cornice and consoles in perspective. Attributed to Louis Cheron and unusual in a house of this type in London. A secondary, dog-leg, staircase runs from the basement to 3rd floor behind the main stair (and separated from it by a panelled screen), lit by small light well at the rear. Twisted balusters to a closed string with half balusters to the square newels except in the 2 flights to the basement. Panelled dado for full height. The ground floor back room (The Peacock Room) extends the full width of the house and is lined with bold raised bolection moulded panelling with dado rail and box cornice. The rest of the house retains fine panelling and features with minor alterations. HISTORICAL NOTE: the house has been in professional use since 1820 when it was taken by the Regents Canal Company who may have been responsible for the extra storey and re-fronting. (RCHME: London, Vol. II, West London: London: -1925: 60). Listing NGR: TQ2995281532

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO81486
Monument Type Listed Building
Preferred Ref. MLO81486
Name NUMBERS 1 AND 2 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30641 81443 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1050 (North side) 24/10/51 Nos.1 AND 2 and attached railings GV II 2 terraced houses, now converted to one. C18 earlier, with alterations 1820. Multi-coloured stock brick with stone band at 1st floor sills, No.1 with stone band at basement level. 4 storeys and basements. 2 and 3 windows respectively, No.1 with 7-window left return the first 2 being blind. Single entrance in No.2. Doorcase with stone architrave, plain frieze and block bracketed cornice. Yellow gauged flat arches to recessed windows. No.1 with stone cyma bracketed cornice at 3rd floor. Parapets. INTERIOR: not inspected but noted to be fine with early C18 doorcases, chimney-piece and panelled rooms. Stairs with twisted balusters, fluted column newels and carved ends. SUBSIDIARY FEATURES: cast-iron railings with spearhead finials attached to areas. HISTORICAL NOTE: during 1820 No.2 was amalgamated with No.1. The staircase was removed from No.2 and the staircase from No.1 rebuilt between the 2 houses, creating one central entrance. (Survey of London: Vol. III, St Giles-in-the-Fields: London: -1912: 108-109). Listing NGR: TQ3064181443

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (19th Century - 1820 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478701 NUMBERS 1 AND 2 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1050 (North side) 24/10/51 Nos.1 AND 2 and attached railings GV II 2 terraced houses, now converted to one. C18 earlier, with alterations 1820. Multi-coloured stock brick with stone band at 1st floor sills, No.1 with stone band at basement level. 4 storeys and basements. 2 and 3 windows respectively, No.1 with 7-window left return the first 2 being blind. Single entrance in No.2. Doorcase with stone architrave, plain frieze and block bracketed cornice. Yellow gauged flat arches to recessed windows. No.1 with stone cyma bracketed cornice at 3rd floor. Parapets. INTERIOR: not inspected but noted to be fine with early C18 doorcases, chimney-piece and panelled rooms. Stairs with twisted balusters, fluted column newels and carved ends. SUBSIDIARY FEATURES: cast-iron railings with spearhead finials attached to areas. HISTORICAL NOTE: during 1820 No.2 was amalgamated with No.1. The staircase was removed from No.2 and the staircase from No.1 rebuilt between the 2 houses, creating one central entrance. (Survey of London: Vol. III, St Giles-in-the-Fields: London: -1912: 108-109). Listing NGR: TQ3064181443

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86557
Monument Type	Listed Building
Preferred Ref.	MLO86557
Name	NUMBERS 1 TO 12, 12A TO 12C (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31228 82543 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/904 (South East side) 29/09/72 Nos.1-12; 12A-12C (Consecutive) and attached railings (Formerly Listed as: WILMINGTON SQUARE (South West side) No.1) (Formerly Listed as: WILMINGTON SQUARE (South West side) Nos.2-12; 12A, 12B & 12C) GV II Twelve terraced houses. 1819-1831; post-War reconstruction to nos. 8-11; c.1989 reconstruction of pediment to no. 12. John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco and rusticated stucco (nos. 1, 6-7, 12), ground-floors and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each except nos. 6-7 which are 3 windows wide, plus 1-window range to right (Yardley Street) and left-hand (Tysoe Street) return walls. Symmetrical group with projecting pedimented end-houses and nos. 6-7 being a pedimented centrepiece, breaking forward. Steps rise to entrance (no. 1 with 1-storey entrance extension; nos. 12A-12C with full-height canted entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, fanlight (nos. 1-7 patterned), and panelled doors. Ground-floor round-arched sashes with 6/6 curved and radial glazing bars. Nos. 8-11 reconstructed laterally since the War with extensive reworking of fenestration and doors so that there is now a single front door called '8-11' which was the original no. 9 and a 9-window range rather than the original 10-window range. Gauged-brick flat arches to upper storeys except 1st floor sashes to end and centrepieces which are gauged-brick round arches. 1st floor stucco sill band beneath full-length 6/6 sashes with coupled cast-iron balconies supported by iron brackets. Stucco storey bands to 2nd (6/6 sashes) and 3rd (3/3 sashes) floors; 3rd floor also has projecting stucco cornice and sill band. Altered stucco cornice and blocking course. End and centrepiece houses with stucco pediments: no. 12 has been rebuilt; the centre tympanum adorned with crossed laurel branches in low relief. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace (nos. 1-12) was the 1st and grandest; for financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3122882543

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 12 Wilmington Square, London, WC1X 0ES
 - 12 Wilmington Square, London, WC1X 0ES
 - 12 Wilmington Square, London, WC1X 0ES
 - 2 Wilmington Square, London, WC1X 0ES
 - 3 Wilmington Square, London, WC1X 0ES
 - 7 Wilmington Square, London, WC1X 0ES

Monument/Component Types

- TERRACED HOUSE (Unknown to Modern)
- RAILINGS (19th Century - 1819 AD to 1831 AD)
- STEPS (19th Century - 1819 AD to 1831 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1831 AD)
- TERRACED HOUSE (Modern - 1979 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369433 NUMBERS 1 TO 12, 12A TO 12C (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/904 (South East side) 29/09/72 Nos.1-12; 12A-12C (Consecutive) and attached railings (Formerly Listed as: WILMINGTON SQUARE (South West side) No.1) (Formerly Listed as: WILMINGTON SQUARE (South West side) Nos.2-12; 12A, 12B & 12C) GV II Twelve terraced houses. 1819-1831; post-War reconstruction to nos. 8-11; c.1989 reconstruction of pediment to no. 12. John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco and rusticated stucco (nos. 1, 6-7, 12), ground-floors and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each except nos. 6-7 which are 3 windows wide, plus 1-window range to right (Yardley Street) and left-hand (Tysoe Street) return walls. Symmetrical group with projecting pedimented end-houses and nos. 6-

7 being a pedimented centrepiece, breaking forward. Steps rise to entrance (no. 1 with 1-storey entrance extension; nos. 12A-12C with full-height canted entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, fanlight (nos. 1-7 patterned), and panelled doors. Ground-floor round-arched sashes with 6/6 curved and radial glazing bars. Nos. 8-11 reconstructed laterally since the War with extensive reworking of fenestration and doors so that there is now a single front door called '8-11' which was the original no. 9 and a 9-window range rather than the original 10-window range. Gauged-brick flat arches to upper storeys except 1st floor sashes to end and centrepieces which are gauged-brick round arches. 1st floor stucco sill band beneath full-length 6/6 sashes with coupled cast-iron balconies supported by iron brackets. Stucco storey bands to 2nd (6/6 sashes) and 3rd (3/3 sashes) floors; 3rd floor also has projecting stucco cornice and sill band. Altered stucco cornice and blocking course. End and centrepiece houses with stucco pediments: no. 12 has been rebuilt; the centre tympanum adorned with crossed laurel branches in low relief. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace (nos. 1-12) was the 1st and grandest; for financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3122882543

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80806
Monument Type	Listed Building
Preferred Ref.	MLO80806
Name	NUMBERS 1 TO 15 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29811 81793 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE GOWER STREET 798-1/99/603 (West side) 14/05/74 Nos.1-15 (Odd) and attached railings (Formerly Listed as: GOWER STREET Nos.1-15 (odd) and Nos.2-20 (even)) GV II Terrace of 8 houses. c1780. Darkened multi-coloured stock brick; all are, or show evidence of having been, tuck pointed. Nos 1-7 with rusticated stucco ground floors. 1st floor stucco sill bands. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Nos 7 & 9 with return of 3 blind windows to Gower Mews and No.15 with 3-window return, mostly blind, to Store Street. Round-arched, recessed entrances with rusticated surrounds, impost bands and cornice-heads beneath fanlights and mostly panelled doors. Gauged brick flat arches to recessed 2-pane sash windows, most at 1st floor level with cast-iron window guards. Cornice and parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to areas. Listing NGR: TQ2981181793

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13-15 Gower Street, London, WC1E 6HE
 - 13-15 Gower Street, London, WC1E 6HE
 - 13-15 Gower Street, London, WC1E 6HE
 - 7 Gower Street, London, WC1E 6HA
 - 9 Gower Street, London, WC1E 6HB

Monument/Component Types

- RAILINGS (18th Century - 1760 AD to 1800 AD)
- TERRACE (18th Century - 1760 AD to 1800 AD)
- TERRACED HOUSE (18th Century - 1760 AD to 1800 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477388 NUMBERS 1 TO 15 AND ATTACHED RAILINGS	CAMDEN TQ2981NE GOWER STREET 798-1/99/603 (West side) 14/05/74 Nos.1-15 (Odd) and attached railings (Formerly Listed as: GOWER STREET Nos.1-15 (odd) and Nos.2-20 (even)) GV II Terrace of 8 houses. c1780. Darkened multi-coloured stock brick; all are, or show evidence of having been, tuck pointed. Nos 1-7 with rusticated stucco ground floors. 1st floor stucco sill bands. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Nos 7 & 9 with return of 3 blind windows to Gower Mews and No.15 with 3-window return, mostly blind, to Store Street. Round-arched, recessed entrances with rusticated surrounds, impost bands and cornice-heads beneath fanlights and mostly panelled doors. Gauged brick flat arches to recessed 2-pane sash windows, most at 1st floor level with cast-iron window guards. Cornice and parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to areas. Listing NGR: TQ2981181793

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80704
Monument Type	Listed Building
Preferred Ref.	MLO80704
Name	NUMBERS 1 TO 7 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30668 82068 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/664 (South side) 24/10/51 Nos.1-7 (Odd) and attached railings and lamp-holder (Formerly Listed as: GREAT ORMOND STREET Nos.1-15 (Odd)) GV II* 4 terraced houses. c1710-15, restored c1980 by Donald Insall & Associates for Rugby Estates. No.1: built by J Ritchbell, J Walker and J Hiron. Brown brick with red brick dressings. 2nd and 3rd floor refaced in multi-coloured stock brick. 4 storeys and basement. 3 windows. Wooden Doric doorcase with fluted pilasters carrying entablature; square-headed radial patterned fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain panelling and staircase with spiral balusters. Nos 3, 5, 7: altered. Built by J Cooper and E Chapman. Brown brick with red brick dressings. 3rd floor rebuilt in multi-coloured stock brick. 4 storeys and basements. 3 windows each. Wooden Doric doorcases with fluted pilasters carrying entablature; square-headed radial patterned fanlights and panelled doors. No.7 with fine carved, foliated brackets and hood. Gauged brick flat arches to sash windows; No.3 with flush frames and exposed boxing, No.5 recessed with exposed boxing and No.7 recessed. Moulded stone bands at 1st and 2nd floor levels. Stone cornices at 3rd floor level. Parapets. INTERIORS: not inspected but noted to retain panelling and original staircases, No.3 with spiral balusters and carved brackets. SUBSIDIARY FEATURES: attached cast-iron railings with urn and torch flambe finials to areas; No.7 with cast-iron lamp-holder. Listing NGR: TQ3066882068

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Great Ormond Street, London, WC1N 3RA

- 7 Great Ormond Street, London, WC1N 3RA

- 7 Great Ormond Street, London, WC1N 3RA

Monument/Component Types

- LAMP BRACKET (Undated)
- RAILINGS (Undated)
- TERRACE (18th Century - 1710 AD to 1715 AD)
- TERRACED HOUSE (18th Century - 1710 AD to 1715 AD)
- TERRACE (Modern - 1975 AD to 1985 AD)
- TERRACED HOUSE (Modern - 1975 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477631 NUMBERS 1 TO 7 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/664 (South side) 24/10/51 Nos.1-7 (Odd) and attached railings and lamp-holder (Formerly Listed as: GREAT ORMOND STREET Nos.1-15 (Odd)) GV II* 4 terraced houses. c1710-15, restored c1980 by Donald Insall & Associates for Rugby Estates. No.1: built by J Ritchbell, J Walker and J Hiron. Brown brick with red brick dressings. 2nd and 3rd floor refaced in multi-coloured stock brick. 4 storeys and basement. 3 windows. Wooden Doric doorcase with fluted pilasters carrying entablature; square-headed radial patterned fanlight and panelled door. Gauged red brick flat arches to flush frame sashes with exposed boxing. Parapet. INTERIOR: not inspected but noted to retain panelling and staircase with spiral balusters. Nos 3, 5, 7: altered. Built by J Cooper and E Chapman. Brown brick with red brick dressings. 3rd floor rebuilt in multi-coloured stock brick. 4 storeys and basements. 3 windows each. Wooden Doric doorcases with fluted pilasters carrying entablature; square-headed radial patterned fanlights and panelled doors. No.7 with fine carved, foliated brackets and hood. Gauged brick flat arches to sash windows; No.3 with flush frames and exposed boxing, No.5 recessed with exposed boxing and No.7 recessed. Moulded stone bands at 1st and 2nd floor levels. Stone cornices at 3rd floor level. Parapets. INTERIORS: not inspected but noted to retain panelling and original staircases, No.3 with spiral balusters and carved brackets. SUBSIDIARY FEATURES: attached cast-iron railings with urn and torch flambe finials to areas; No.7 with cast-iron lamp-holder. Listing NGR: TQ3066882068

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81448
Monument Type	Listed Building
Preferred Ref.	MLO81448
Name	NUMBERS 1, 2 AND 3 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30120 82474 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW LEIGH STREET 798-1/95/1019 (South side) 14/05/74 Nos.1, 2 AND 3 and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 3 terraced houses. 1810-13. Yellow stock brick with later patching. Nos 1 & 2, rusticated stucco ground floors. Plain stucco 1st and 3rd floor sill bands. 4 storeys and basements. 2 windows each; No.1 with 1 window to Leigh Street, 3 window (blind) return to Marchmont Street and 1 window on splayed corner. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. No.1: forms part of No.98 Marchmont Street (not included). Stucco portico on return with round-arched doorway, fanlight, sidelights and 20th century door. No.2: round-arched doorway with fluted pilaster-jamb carrying cornice-head; fanlight and panelled door. No.3: wooden shopfront with pilasters carrying projecting entablature with rounded ends and projecting cornice. Projecting, altered, shop window. Square-headed house and shop doorways with fanlights (with margin lights), house with panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas, Nos 1 & 2 with urn finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3012082474

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Leigh Street, London, WC1H 9EW

- 1 Leigh Street, London, WC1H 9EW

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- SHOP (19th Century to Unknown - 1814 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478653 NUMBERS 1, 2 AND 3 AND ATTACHED RAILINGS	CAMDEN TQ3082SW LEIGH STREET 798-1/95/1019 (South side) 14/05/74 Nos. 1, 2 AND 3 and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 3 terraced houses. 1810-13. Yellow stock brick with later patching. Nos 1 & 2, rusticated stucco ground floors. Plain stucco 1st and 3rd floor sill bands. 4 storeys and basements. 2 windows each; No.1 with 1 window to Leigh Street, 3 window (blind) return to Marchmont Street and 1 window on splayed corner. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. No.1: forms part of No.98 Marchmont Street (not included). Stucco portico on return with round-arched doorway, fanlight, sidelights and C20 door. No.2: round-arched doorway with fluted pilaster-jamb carrying cornice-head; fanlight and panelled door. No.3: wooden shopfront with pilasters carrying projecting entablature with rounded ends and projecting cornice. Projecting, altered, shop window. Square-headed house and shop doorways with fanlights (with margin lights), house with panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas, Nos 1 & 2 with urn finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3012082474

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81325
Monument Type	Listed Building
Preferred Ref.	MLO81325
Name	NUMBERS 10 TO 20 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30839 82094 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE JOHN STREET 798-1/96/943 (East side) 24/10/51 Nos.10-20 (Consecutive) and attached railings GV II 11 terraced houses. 1799-1824. No.20, facade rebuilt in facsimile c1950. Multi-coloured stock brick with yellow stock brick patching. Rusticated stucco ground floors with band at 1st floor levels. No.20 stucco facade to John Street with rusticated ground floor; return to Roger Street, yellow stock brick. 4 storeys and basements. 3 windows each; No.10 with 3-window (blind) return to Northington Street. No.20, 3 storeys and basement. 2 windows and 3-window return with 2 storey, 3-window rear extension. Gauged brick flat arches (No.10 reddened) to recessed sashes, mostly with glazing bars. Cast-iron balconies to 1st floor windows of Nos 12-19. Parapets. Original fluted lead rainwater heads and pipes. No.10: round-arched doorway with mutule cornice-head, sidelights, radial fanlight and panelled door. Moulded cornice to parapet. INTERIOR with stick baluster stair in entrance hall with modillion cornice. No.11: round-arched doorway with fanlight and 20th century door. INTERIOR: altered but noted to retain wooden fireplace with dentil cornice on ground floor, marble fireplace on the 1st floor. Stairs with shaped balusters and shaped ends in hallway with cornice formed of paired modillions. No.12: round-arched doorway with fluted surround, mutule cornice-head, radial fanlight and panelled double doors. INTERIOR: noted to retain marble fireplace in ground floor rear room. Shaped ends to stairs. No.13: similar doorway to No.12. INTERIOR: noted to retain marble fireplaces ground floor front and 1st floor front and rear rooms. Stairs with square balusters and shaped ends in hallway whose cornice has guttae decoration. End wall with round-headed niches each side of landing window. Some added partitions. No.14: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain stairs with square balusters in front hallway with guttae cornice decoration. Round-headed niches each side of landing window. No.15: slightly projecting. Round-arched doorway with wooden, attached Greek Doric columns carrying cornice-head; fanlight and panelled door. 1st floor windows in shallow round-arched recesses linked by moulded impost bands. INTERIOR: noted to retain marble fireplaces to ground and 1st floor. Stairs with square balusters. No.16: similar doorway to No.12. INTERIOR: noted to have additions but to retain marble fireplace in ground floor front room and stairs with square balusters. No.17: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain stairs with square balusters. Marble fireplace, with contemporary iron centre, ground floor rear room. Marble fireplace with sculptured leafwork, 1st floor front room. Contemporary china bell pulls and door plates. No.18: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain marble fireplaces with sculptured leafwork, 1st floor rooms. No.19: round-arched doorway with sidelights, fanlight and panelled door. INTERIOR: noted to retain good marble fireplaces in ground and 1st floor rooms. No.20: stucco entrance portico on return with moulded cornice and parapet; radial fanlight and panelled double doors. Rounded brick angle. John Street elevation with pilasters rising through 1st and 2nd floors to carry entablature and blocking course. Architraved, recessed casement windows; ground and 1st floor with console-bracketed cornices. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3083982094

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 John Street, London, WC1N 2EB
 - 16 John Street, London, WC1N 2DL
 - 18 John Street, London, WC1N 2DL
 - 18 John Street, London, WC1N 2DL
 - 20 John Street, London, WC1N 2DR

Monument/Component Types

- RAILINGS (Undated)
- TERRACED HOUSE (18th Century to 19th Century - 1799 AD to 1824 AD)
- TERRACED HOUSE (Modern - 1930 AD to 1970 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478523 NUMBERS 10 TO 20 AND ATTACHED RAILINGS	CAMDEN TQ3082SE JOHN STREET 798-1/96/943 (East side) 24/10/51 Nos.10-20 (Consecutive) and attached railings GV II 11 terraced houses. 1799-1824. No.20, facade rebuilt in facsimile c1950. Multi-coloured stock brick with yellow stock brick patching. Rusticated stucco ground floors with band at 1st floor levels. No.20 stucco facade to John Street with rusticated ground floor; return to Roger Street, yellow stock brick. 4 storeys and basements. 3 windows each; No.10 with 3-window (blind) return to Northington Street. No.20, 3 storeys and basement. 2 windows and 3-window return with 2 storey, 3-window rear

extension. Gauged brick flat arches (No.10 reddened) to recessed sashes, mostly with glazing bars. Cast-iron balconies to 1st floor windows of Nos 12-19. Parapets. Original fluted lead rainwater heads and pipes. No.10: round-arched doorway with mutule cornice-head, sidelights, radial fanlight and panelled door. Moulded cornice to parapet. INTERIOR with stick baluster stair in entrance hall with modillion cornice. No.11: round-arched doorway with fanlight and C20 door. INTERIOR: altered but noted to retain wooden fireplace with dentil cornice on ground floor, marble fireplace on the 1st floor. Stairs with shaped balusters and shaped ends in hallway with cornice formed of paired modillions. No.12: round-arched doorway with fluted surround, mutule cornice-head, radial fanlight and panelled double doors. INTERIOR: noted to retain marble fireplace in ground floor rear room. Shaped ends to stairs. No.13: similar doorway to No.12. INTERIOR: noted to retain marble fireplaces ground floor front and 1st floor front and rear rooms. Stairs with square balusters and shaped ends in hallway whose cornice has guttae decoration. End wall with round-headed niches each side of landing window. Some added partitions. No.14: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain stairs with square balusters in front hallway with guttae cornice decoration. Round-headed niches each side of landing window. No.15: slightly projecting. Round-arched doorway with wooden, attached Greek Doric columns carrying cornice-head; fanlight and panelled door. 1st floor windows in shallow round-arched recesses linked by moulded impost bands. INTERIOR: noted to retain marble fireplaces to ground and 1st floor. Stairs with square balusters. No.16: similar doorway to No.12. INTERIOR: noted to have additions but to retain marble fireplace in ground floor front room and stairs with square balusters. No.17: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain stairs with square balusters. Marble fireplace, with contemporary iron centre, ground floor rear room. Marble fireplace with sculptured leafwork, 1st floor front room. Contemporary china bell pulls and door plates. No.18: similar doorway to No.12 with patterned radial fanlight. INTERIOR: noted to retain marble fireplaces with sculptured leafwork, 1st floor rooms. No.19: round-arched doorway with sidelights, fanlight and panelled door. INTERIOR: noted to retain good marble fireplaces in ground and 1st floor rooms. No.20: stucco entrance portico on return with moulded cornice and parapet; radial fanlight and panelled double doors. Rounded brick angle. John Street elevation with pilasters rising through 1st and 2nd floors to carry entablature and blocking course. Architraved, recessed casement windows; ground and 1st floor with console-bracketed cornices. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3083982094

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80522
Monument Type	Listed Building
Preferred Ref.	MLO80522
Name	NUMBERS 10-16 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30682 82033 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1413 (North side) 24/10/51 Nos.10-16 (Even) and attached railings GV II Terrace of 4 houses. c1721. Brown brick with red brick dressings and evidence of tuck pointing; later patching in multi-coloured stock brick to upper storeys. 4 storeys and basements. 3 windows each. Good wooden, architraved doorcases with enriched carved brackets carrying hoods with panelled soffits; patterned fanlights (except No.16) and panelled doors. Doorcase of No.12 very fine example with fluted Doric pilasters, enriched capitals, carving at head and panelled soffit with enriched mouldings to hood. Gauged red brick arches to recessed sashes; Nos 10 and 14 segmental, Nos 12 and 16 flat. No.10 with exposed boxing. Parapets. INTERIORS: not inspected but noted to contain some original staircases and panelled rooms. SUBSIDIARY FEATURES: attached cast-iron railings with urn and torch flambe finials to areas. Listing NGR: TQ3068282033

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Rugby Street, London, WC1N 3QZ
- 10 Rugby Street, London, WC1N 3QZ
- 12 Rugby Street, London, WC1N 3QZ
- 14 Rugby Street, London, WC1N 3QZ
- 16 Rugby Street, London, WC1N 3QZ

Monument/Component Types

- RAILINGS (18th Century - 1701 AD to 1741 AD)
- TERRACE (18th Century - 1701 AD to 1741 AD)
- TERRACED HOUSE (18th Century - 1701 AD to 1741 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477905 NUMBERS 10-16 AND ATTACHED RAILINGS	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1413 (North side) 24/10/51 Nos.10-16 (Even) and attached railings GV II Terrace of 4 houses. c1721. Brown brick with red brick dressings and evidence of tuck pointing; later patching in multi-coloured stock brick to upper storeys. 4 storeys and basements. 3 windows each. Good wooden, architraved doorcases with enriched carved brackets carrying hoods with panelled soffits; patterned fanlights (except No.16) and panelled doors. Doorcase of No.12 very fine example with fluted Doric pilasters, enriched capitals, carving at head and panelled soffit with enriched mouldings to hood. Gauged red brick arches to recessed sashes; Nos 10 and 14 segmental, Nos 12 and 16 flat. No.10 with exposed boxing. Parapets. INTERIORS: not inspected but noted to contain some original staircases and panelled rooms. SUBSIDIARY FEATURES: attached cast-iron railings with urn and torch flambe finials to areas. Listing NGR: TQ3068282033

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81373
Monument Type	Listed Building
Preferred Ref.	MLO81373
Name	NUMBERS 10-18 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29889 82158 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE WOBURN SQUARE 798-1/94/1731 (East side) 14/05/74 Nos.10-18 (Consecutive) and attached railings and lamp-holder GV II Terrace of 9 houses. c1829. Built by James Sim, James Sim Jnr and Robert Sim. Yellow stock brick, having evidence of tuck pointing, with stucco 1st floor sill band. EXTERIOR: 4 storeys and basements. 2 windows each. Nos 10 & 11 and Nos 17 & 18 slightly projecting. Gauged brick round arches to recessed doorways with radial patterned fanlights and double panelled doors. No.18 with pilaster jambs and cornice-head, panelled door part glazed with intricately patterned wrought-iron screen with the number in the centre. Nos 12, 16 & 18 with blind boxes. Continuous cast-iron balconies to 1st floor windows (mostly casements). Gauged brick flat arches to recessed mostly sash windows (some 20th century casements). No.11, architraved windows with blind boxes. Nos 13, 16 and 18 architraved ground floor windows with blind boxes. No.12 all windows with blind boxes. Parapets. INTERIORS: not inspected, but No.12 noted to retain a moulded ceiling in the ground floor front room. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas, all with footscrapers. No.15 with wrought-iron overthrow with lamp-holder and 2 snuffers. Listing NGR: TQ2988982158

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10-11 Woburn Square, London, WC1H 0NS
- 10-11 Woburn Square, London, WC1H 0NS
- 12 Woburn Square, London, WC1H 0NS
- 13 Woburn Square, London, WC1H 0NS
- 13 Woburn Square, London, WC1H 0NS
- 15 Woburn Square, London, WC1H 0NS
- 18 Woburn Square, London, WC1H 0NS

Monument/Component Types

- LAMP BRACKET (19th Century - 1809 AD to 1849 AD)
- RAILINGS (19th Century - 1809 AD to 1849 AD)
- TERRACE (19th Century - 1809 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1809 AD to 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478574 NUMBERS 10-18 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ2982SE WOBURN SQUARE 798-1/94/1731 (East side) 14/05/74 Nos.10-18 (Consecutive) and attached railings and lamp-holder GV II Terrace of 9 houses. c1829. Built by James Sim, James Sim Jnr and Robert Sim. Yellow stock brick, having evidence of tuck pointing, with stucco 1st floor sill band. EXTERIOR: 4 storeys and basements. 2 windows each. Nos 10 & 11 and Nos 17 & 18 slightly projecting. Gauged brick round arches to recessed doorways with radial patterned fanlights and double panelled doors. No.18 with pilaster jambs and cornice-head, panelled door part glazed with intricately patterned wrought-iron screen with the number in the centre. Nos 12, 16 & 18 with blind boxes. Continuous cast-iron balconies to 1st floor windows (mostly casements). Gauged brick flat arches to recessed mostly sash windows (some C20 casements). No.11, architraved windows with blind boxes. Nos 13, 16 and 18 architraved ground floor windows with blind boxes. No.12 all windows with blind boxes. Parapets. INTERIORS: not inspected, but No.12 noted to retain a moulded ceiling in the ground floor front room. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas, all with footscrapers. No.15 with wrought-iron overthrow with lamp-holder and 2 snuffers. Listing NGR: TQ2988982158

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80568
Monument Type	Listed Building
Preferred Ref.	MLO80568
Name	NUMBERS 105 TO 110 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30770 82290 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/725 (North side) 14/05/74 Nos.105-110 (Consecutive) and attached railings GV II Terrace of 6 houses. c1792-1800. By James Burton, altered. Nos 105-107, 1st and 2nd floors refronted 20th century; No.109 totally refronted 20th century. Multi-coloured stock brick; Nos 105-108 with stucco ground floors. Stucco 1st floor sill bands. Slated mansard roofs (No.109 tiled) with dormers. 3 storeys, attics and basements. 2 windows each. Nos 105 and 110, stucco doorway surrounds with pilasters carrying a simplified, bracketed cornice (No.105 doorway altered); Nos 106 and 107, wooden doorcases with pilasters carrying entablatures with dentil cornices; No.108, earlier 20th century stone doorcase with round-arched doorway with radial fanlight; No.109, 20th century doorway. Reddened, gauged brick flat arches to recessed sashes, most with 2-panes. Nos 105-107 parapets. Nos 108-110, stone cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32-39). Listing NGR: TQ3077082290

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 109 Guilford Street, London, WC1N 1DP

- 109 Guilford Street, London, WC1N 1DP

Monument/Component Types

- TERRACE (18th Century - 1792 AD to 1800 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1800 AD)
- TERRACE (19th Century to Modern - 1900 AD to 1999 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477969 NUMBERS 105 TO 110 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/725 (North side) 14/05/74 Nos.105-110 (Consecutive) and attached railings GV II Terrace of 6 houses. c1792-1800. By James Burton, altered. Nos 105-107, 1st and 2nd floors refronted C20; No.109 totally refronted C20. Multi-coloured stock brick; Nos 105-108 with stucco ground floors. Stucco 1st floor sill bands. Slated mansard roofs (No.109 tiled) with dormers. 3 storeys, attics and basements. 2 windows each. Nos 105 and 110, stucco doorway surrounds with pilasters carrying a simplified, bracketed cornice (No.105 doorway altered); Nos 106 and 107, wooden doorcases with pilasters carrying entablatures with dentil cornices; No.108, earlier C20 stone doorcase with round-arched doorway with radial fanlight; No.109, C20 doorway. Reddened, gauged brick flat arches to recessed sashes, most with 2-panes. Nos 105-107 parapets. Nos 108-110, stone cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32-39). Listing NGR: TQ3077082290

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80261
Monument Type	Listed Building
Preferred Ref.	MLO80261
Name	NUMBERS 108 AND 109 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29883 81506 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/696 (North side) 04/01/72 Nos.108 AND 109 and attached railings GV II Pair of terraced houses with later restaurant & office. Mid C19. Stucco with rusticated ground floor. Slate mansard roof with dormers. 4 storeys, attics and basements or cellars. 2 windows each. Pilaster on party wall line rising through 1st to 3rd floors. Architraved sash windows, diminishing in size towards roof, and 1st floor console bracketed cornices. Cornice & blocking course. No.108 with 20th century restaurant frontage & door. No.109 Square-headed, recessed doorway with keystone, fanlight & 4-panelled door. 20th century ground floor window. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. Listing NGR: TQ2988381506

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 109 Great Russell Street, London, WC1B 3LD

- 109 Great Russell Street, London, WC1B 3LD

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1866 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1866 AD)
- OFFICE (19th Century to Unknown - 1867 AD)
- RESTAURANT (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477872 NUMBERS 108 AND 109 AND ATTACHED RAILINGS	CAMDEN TQ2981NE GREAT RUSSELL STREET 798-1/99/696 (North side) 04/01/72 Nos.108 AND 109 and attached railings GV II Pair of terraced houses with later restaurant & office. Mid C19. Stucco with rusticated ground floor. Slate mansard roof with dormers. 4 storeys, attics and basements or cellars. 2 windows each. Pilaster on party wall line rising through 1st to 3rd floors. Architraved sash windows, diminishing in size towards roof, and 1st floor console bracketed cornices. Cornice & blocking course. No.108 with C20 restaurant frontage & door. No.109 Square-headed, recessed doorway with keystone, fanlight & 4-panelled door. C20 ground floor window. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. Listing NGR: TQ2988381506

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80541
Monument Type	Listed Building
Preferred Ref.	MLO80541
Name	NUMBERS 11 AND 13 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30726 82629 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE AMPTON STREET 798-1/91/43 (South side) 25/10/71 Nos.11 AND 13 and attached railings (Formerly Listed as: AMPTON STREET Nos.11-15 (Odd)) GV II 2 terraced houses. c1835-9. By William Cubitt. Channelled stucco with rusticated stucco ground floors. 3 storeys, attics and basements. 2 windows each. Prostyle, pedimented stucco porticoes with palmette acroterion. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed, tripartite sashes; 1st and 2nd floors architraved; 1st floor with console-bracketed narrow pediments and cast-iron balconies. 20th century string replaces original cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3072682629

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Ampton Street, London, WC1X 0LT

- 11 Ampton Street, London, WC1X 0LT

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1839 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476606 NUMBERS 11 AND 13 AND ATTACHED RAILINGS	CAMDEN TQ3082NE AMPTON STREET 798-1/91/43 (South side) 25/10/71 Nos.11 AND 13 and attached railings (Formerly Listed as: AMPTON STREET Nos.11-15 (Odd)) GV II 2 terraced houses. c1835-9. By William Cubitt. Channelled stucco with rusticated stucco ground floors. 3 storeys, attics and basements. 2 windows each. Prostyle, pedimented stucco porticoes with palmette acroterion. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed, tripartite sashes; 1st and 2nd floors architraved; 1st floor with console-bracketed narrow pediments and cast-iron balconies. C20 string replaces original cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3072682629

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80614
Monument Type	Listed Building
Preferred Ref.	MLO80614
Name	NUMBERS 1-10 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29914 81706 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/75 (East side) 24/10/51 Nos.1-10 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I Terrace of 10 houses forming the east side of a square. 1775-1786. All built by W Scott, No.6 with R Grews; Nos 1, 6 & 10 known to have been designed by Thomas Leverton, the remainder either by Thomas Leverton or Robert Palmer; for the Bedford Estate. Nos 2-10 form a symmetrical terrace. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The centre house, No.6, is stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each except No.6 with 5 windows. Recessed, round-headed entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. Nos 1 & 5-9 have cast-iron balconies to 1st floor windows. Cornice and parapet, Nos 2 & 10 with balustraded parapets. INTERIORS: not inspected but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.1: built for Sir Lionel Lyde, tobacco merchant in the City and a director of the Bank of England. Central stucco entrance surround of triumphal arch type with flanking niches containing wrought-iron crossed arrows, enriched impost bands which continue to form a cornice to the door, roundels, fluted frieze with panel and dentil cornice; double panelled doors, with patterned fanlight, approached by curved steps. Gauged, reddened brick flat arches to sashes. Dentil cornice and blocking course with central Coade stone panel of an urn and arabesque. INTERIOR: of unusual plan with hall the width of the house with stair to left. Most original features and decoration in simplified Adam style. 1st floor rear room with fine plaster ceiling with 7 painted panels of Classical scenes after Angelica Kauffmann, probably produced by the mass-production process known as "mechanical painting" promoted by Matthew Boulton, the Birmingham metalworker; a form of colour printing finished by hand. No.2: plaster ceiling with painted panels. No.3: rear elevation with full height bow. Plaster ceiling. No.4: plan of interest; stair rises in the middle of the house between the front and rear rooms. No.5: rear elevation with full height bow. No.6: facade possibly by John Mecluer. Rusticated ground floor; 5 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze, with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. Originally one house, No.6 was divided in 1880 when the centre section was raised; restored to single occupancy 1985. INTERIOR: with good full height staircase compartment rising through the centre of the house. No.7: rear elevation with full height bow having cast-iron balconies to 1st floor windows. David Hartley fire plates discovered on the 1st and 2nd floors during 1980s restoration. No.8: rear elevation with full height bow. No.9: rear elevation with full height bow. 2 plaster ceilings. No.10: with return to Montague Place. Built for Samuel Lyde, brother of Sir Lionel. Ground floor with 1 sash and 3-window bay. 2-window bay at 1st floor. INTERIOR: has staircase rising between the front and rear rooms. 2 plaster ceilings with painted panels, one the same as that in No.1. Some houses with original lead rainwater heads and pipes. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch-flambe finials. No.4 with wrought-iron lamp bracket and snuffer. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form an important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.6 was finished for John Mecluer, an unknown architect, and later the home of Lord Eldon, Lord Chancellor (plaque). Nos 2, 4-6 (consec), 8 and 9 were listed on 14/05/74. (Survey of London: Vol. V, St Giles-in-the-Fields (Part II): London: -1914; Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2991481706</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Bedford Square, London, WC1B 3RA
 - 1-2 Bedford Square, London, WC1B 3RA
 - 1-2 Bedford Square, London, WC1B 3RA
 - 5 Bedford Square, London, WC1B 3RA
 - 6 Bedford Square, London, WC1B 3RA
 - 6 Bedford Square, London, WC1B 3RA
 - 8 Bedford Square, London, WC1B 3RA
 - 9 Bedford Square, London, WC1B 3RA

Monument/Component Types

- RAILINGS (18th Century - 1775 AD to 1786 AD)
- TERRACE (18th Century - 1775 AD to 1786 AD)
- TERRACED HOUSE (18th Century - 1775 AD to 1786 AD)

- HOUSE (19th Century - 1880 AD)
- HOUSE (Modern - 1985 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (I)	476686 NUMBERS 1-10 AND ATTACHED RAILINGS	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/75 (East side) 24/10/51 Nos.1-10 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I Terrace of 10 houses forming the east side of a square. 1775-1786. All built by W Scott, No.6 with R Grews; Nos 1, 6 & 10 known to have been designed by Thomas Leverton, the remainder either by Thomas Leverton or Robert Palmer; for the Bedford Estate. Nos 2-10 form a symmetrical terrace. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The centre house, No.6, is stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each except No.6 with 5 windows. Recessed, round-headed entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. Nos 1 & 5-9 have cast-iron balconies to 1st floor windows. Cornice and parapet, Nos 2 & 10 with balustraded parapets. INTERIORS: not inspected but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.1: built for Sir Lionel Lyde, tobacco merchant in the City and a director of the Bank of England. Central stucco entrance surround of triumphal arch type with flanking niches containing wrought-iron crossed arrows, enriched impost bands which continue to form a cornice to the door, roundels, fluted frieze with panel and dentil cornice; double panelled doors, with patterned fanlight, approached by curved steps. Gauged, reddened brick flat arches to sashes. Dentil cornice and blocking course with central Coade stone panel of an urn and arabesque. INTERIOR: of unusual plan with hall the width of the house with stair to left. Most original features and decoration in simplified Adam style. 1st floor rear room with fine plaster ceiling with 7 painted panels of Classical scenes after Angelica Kauffmann, probably produced by the mass-production process known as "mechanical painting" promoted by Matthew Boulton, the Birmingham metalworker; a form of colour printing finished by hand. No.2: plaster ceiling with painted panels. No.3: rear elevation with full height bow. Plaster ceiling. No.4: plan of interest; stair rises in the middle of the house between the front and rear rooms. No.5: rear elevation with full height bow. No.6: facade possibly by John Mecluer. Rusticated ground floor; 5 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze, with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. Originally one house, No.6 was divided in 1880 when the centre section was raised; restored to single occupancy 1985. INTERIOR: with good full height staircase compartment rising through the centre of the house. No.7: rear elevation with full height bow having cast-iron balconies to 1st floor windows. David Hartley fire plates discovered on the 1st and 2nd floors during 1980s restoration. No.8: rear elevation with full height bow. No.9: rear elevation with full height bow. 2 plaster ceilings. No.10: with return to Montague Place. Built for Samuel Lyde, brother of Sir Lionel. Ground floor with 1 sash and 3-window bay. 2-window bay at 1st floor. INTERIOR: has staircase rising between the front and rear rooms. 2 plaster ceilings with painted panels, one the same as that in No.1. Some houses with original lead rainwater heads and pipes. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch-flambe finials. No.4 with wrought-iron lamp bracket and snuffer. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form an important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.6 was finished for John Mecluer, an unknown architect, and later the home of Lord Eldon, Lord Chancellor (plaque). Nos 2, 4-6 (consec), 8 and 9 were listed on 14/05/74. (Survey of London: Vol. V, St Giles-in-the-Fields (Part II): London: -1914; Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2991481706</p>

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81466
Monument Type	Listed Building
Preferred Ref.	MLO81466
Name	NUMBERS 1-11 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31035 81324 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1027 (East side) 24/10/51 Nos.1-11 (consec) New Square and attached railings GV II* 11 chambers. c1690-97. By Dr Nicholas Barbon. For Henry Vincent, Lord Chandos of Sudeley. The form of New Square established 1682 and foundations probably dug 1685 by Henry Serle, with whom Barbon had been involved through the former's partner, Robert Clerke, but who died in 1690. Brown brick with red brick dressings, basements now stuccoed. Slated roofs behind parapets. EXTERIOR: 4 storeys and basements, the top storey being added in C18. Stone, architraved doorcases with pulvinated frieze, console-bracketed cornice and curved, broken pediment with ball in centre, with the exception of No.10 with a triangular pediment and No.11 without a ball. No.1: red brick bands at 1st and 2nd floor levels; 3rd floor with multi-coloured stock brick band. 9 windows. Gauged red brick flat arches to slightly recessed sash windows most with exposed boxing and most with C18 glazing bars. Ground and some 1st floor windows with shutters. Some 1st and 2nd floor windows with C19 blind boxes. On left return, a stone tablet set up by John Greene, Treasurer of Lincoln's Inn in 1693, inscribed "This wall is built upon the ground of Linconles Inne. No windows are to be broken out without leave". INTERIOR: with original panelling to the hall and some of the rooms. Original dog-leg stair with turned balusters and square reveals. No.2: red brick band at 2nd floor level. 9 windows. Gauged red brick segmental arches to slightly recessed sash windows. Ground floor and 5 windows of 1st floor with shutters. INTERIOR: with some panelling. Round iron balusters to stone stairs. RCHM (West London) suggests that No.2 was rebuilt during the C18 and C19. No.3: brick band at 1st floor level. 4 windows and 1 window on right hand forward return. Gauged red brick flat arches to flush frame sash windows with exposed boxing. Shutters to 3 ground floor windows. INTERIOR: round iron balusters to stone stairs. No.4: 3rd floor partly rebuilt in yellow stock brick. 4 windows and attic dormers. Ground floor with door to right and to left the Back Gate to Carey Street. 4 centred arch to New Square with grotesque keystone, carved brackets supporting broken segmental pediment with scrolls at sides. Above, 2 segmental pedimented enriched panels with coats-of-arms dated 1697 of De Lacy and Serle. The back gate originally consisted of a carriage-way and 2 flanking pedestrian passages. The footways were converted into shops c1843. Each footway of 4 bays with pilasters carrying groined vault. Shop fronts in bays with large panes. The 4-centred arch to Carey Street is flanked by panelled Doric pilasters with cornice, broken scroll pediment and elaborately panelled gates. Both arches are of painted cement. Below arches at both ends of the passage, C19 lamps of Nico type supported by scroll work. INTERIOR: altered; turned balusters and square newels to dog leg stair with closed string. No.5: brick bands at 1st and 2nd floor. 4 bays of the 3rd floor stuccoed with architraved sashes and a cornice. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.6: brick bands at 1st and 2nd floor. 6 bays of the 3rd floor stuccoed with architraved sashes and a rudimentary cornice. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.7: brick bands at 1st and 2nd floor. On return, 3rd floor moulded brick band. 3 1/2 bays of 3rd floor stuccoed with architraved sashes and a rudimentary cornice. Rest of 3rd floor partly rebuilt. 4 windows and 1 window to right hand forward return. Gauged red brick flat arches to flush framed sashes. INTERIOR: turned balusters and square reveals to dog leg stairs. No.8: moulded brick band to 2 left hand 3rd floor bays. Centre bays, 3rd and 4th floor yellow stock brick with red brick dressings. 11 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.9: brick bands at 1st, 2nd and 3rd floor levels. 4th storey in yellow stock brick. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.10: frontage rebuilt after a fire in 1752 and partly re-faced and re-roofed c1951 after war damage. Yellow stock brick. Stone bands at ground and 1st floor level. Stone 1st floor sill band and stone bracketed cornice at 3rd floor level. 9 windows. Flat brick arches to recessed sashes. 3 formers form central roof line feature with central window in arched recess with pediment. INTERIOR: dog leg stair with square iron balusters. No.11: frontage partly re-faced and re-roofed c1951 after war damage. Red brick with plain brick band at 1st floor level and moulded brick band at 2nd floor. Tiled roof with dormers. 3 storeys, basement and attic. 8 windows. Gauged red brick flat arches to flush frame sashes with exposed boxing. At 1st floor level a carved and inscribed plaque dated 1691; also date plaques inscribed DSC 1693, FSG 1787 and TS 1951. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials. HISTORICAL NOTE: New Square is important as a very well preserved and early example of a set of early legal chambers, remarkably spacious and with good panelled interiors not seen. It is also one of the most complete surviving C17 set pieces in London. Listing NGR: TQ3103581324</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 New Square, London, WC2A 3QD
- 1-3 New Square, London, WC2A 3SA
- 1-3 New Square, London, WC2A 3SA
- 1-3 New Square, London, WC2A 3SA
- 2 New Square, London, WC2A 3RU
- 4 New Square, London, WC2A 3RJ
- 5 New Square, London, WC2A 3RJ

- 9 New Square, London, WC2A 3QH

Monument/Component Types

- GATE (17th Century - 1690 AD to 1697 AD)
- LEGAL CHAMBERS (17th Century - 1690 AD to 1697 AD)
- RAILINGS (17th Century - 1690 AD to 1697 AD)
- PLAQUE (17th Century - 1691 AD)
- PLAQUE (17th Century - 1693 AD)
- COAT OF ARMS (17th Century - 1697 AD)
- LEGAL CHAMBERS (17th Century to 18th Century - 1700 AD to 1799 AD)
- LEGAL CHAMBERS (18th Century - 1752 AD)
- PLAQUE (18th Century - 1787 AD)
- LEGAL CHAMBERS (18th Century to 19th Century - 1800 AD to 1899 AD)
- SHOP (19th Century - 1823 AD to 1863 AD)
- LEGAL CHAMBERS (Modern - 1939 AD to 1945 AD)
- LEGAL CHAMBERS (Modern - 1946 AD to 1956 AD)
- PLAQUE (Modern - 1951 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	478672 NUMBERS 1-11 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1027 (East side) 24/10/51 Nos.1-11 (consec) New Square and attached railings GV II* 11 chambers. c1690-97. By Dr Nicholas Barbon. For Henry Vincent, Lord Chandos of Sudeley. The form of New Square established 1682 and foundations probably dug 1685 by Henry Serle, with whom Barbon had been involved through the former's partner, Robert Clerke, but who died in 1690. Brown brick with red brick dressings, basements now stuccoed. Slated roofs behind parapets. EXTERIOR: 4 storeys and basements, the top storey being added in C18. Stone, architraved doorcases with pulvinated frieze, console-bracketed cornice and curved, broken pediment with ball in centre, with the exception of No.10 with a triangular pediment and No.11 without a ball. No.1: red brick bands at 1st and 2nd floor levels; 3rd floor with multi-coloured stock brick band. 9 windows. Gauged red brick flat arches to slightly recessed sash windows most with exposed boxing and most with C18 glazing bars. Ground and some 1st floor windows with shutters. Some 1st and 2nd floor windows with C19 blind boxes. On left return, a stone tablet set up by John Greene, Treasurer of Lincoln's Inn in 1693, inscribed "This wall is built upon the ground of Linconles Inne. No windows are to be broken out without leave". INTERIOR: with original panelling to the hall and some of the rooms. Original dog-leg stair with turned balusters and square reveals. No.2: red brick band at 2nd floor level. 9 windows. Gauged red brick segmental arches to slightly recessed sash windows. Ground floor and 5 windows of 1st floor with shutters. INTERIOR: with some panelling. Round iron balusters to stone stairs. RCHM (West London) suggests that No.2 was rebuilt during the C18 and C19. No.3: brick band at 1st floor level. 4 windows and 1 window on right hand forward return. Gauged red brick flat arches to flush frame sash windows with exposed boxing. Shutters to 3 ground floor windows. INTERIOR: round iron balusters to stone stairs. No.4: 3rd floor partly rebuilt in yellow stock brick. 4 windows and attic dormers. Ground floor with door to right and to left the Back Gate to Carey Street. 4 centred arch to New Square with grotesque keystone, carved brackets supporting broken segmental pediment with scrolls at sides. Above, 2 segmental pedimented enriched panels with coats-of-arms dated 1697 of De Lacy and Serle. The back gate originally consisted of a carriage-way and 2 flanking pedestrian passages. The footways were converted into shops c1843. Each footway of 4 bays with pilasters carrying groined vault. Shop fronts in bays with large panes. The 4-centred arch to Carey Street is flanked by panelled Doric pilasters with cornice, broken scroll pediment and elaborately panelled gates. Both arches are of painted cement. Below arches at both ends of the passage, C19 lamps of Nico type supported by scroll work. INTERIOR: altered; turned balusters and square newels to dog leg stair with closed string. No.5: brick bands at 1st and 2nd floor. 4 bays of the 3rd floor stuccoed with architraved sashes and a cornice. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.6: brick bands at 1st and 2nd floor. 6 bays of the 3rd floor stuccoed with architraved sashes and a rudimentary cornice. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.7: brick bands at 1st and 2nd floor. On return, 3rd floor moulded brick band. 3 1/2 bays of 3rd floor stuccoed with architraved sashes and a rudimentary cornice. Rest of 3rd floor partly rebuilt. 4 windows and 1 window to right hand forward return. Gauged red brick flat arches to flush framed sashes. INTERIOR: turned balusters and square reveals to dog leg stairs. No.8: moulded brick band to 2 left hand 3rd floor bays. Centre bays, 3rd and 4th floor yellow stock brick with red brick dressings. 11 windows. Gauged red

brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.9: brick bands at 1st, 2nd and 3rd floor levels. 4th storey in yellow stock brick. 9 windows. Gauged red brick flat arches to flush framed sashes with exposed boxing. INTERIOR: turned balusters and square reveals to dog leg stairs. No.10: frontage rebuilt after a fire in 1752 and partly re-faced and re-roofed c1951 after war damage. Yellow stock brick. Stone bands at ground and 1st floor level. Stone 1st floor sill band and stone bracketed cornice at 3rd floor level. 9 windows. Flat brick arches to recessed sashes. 3 dormers form central roof line feature with central window in arched recess with pediment. INTERIOR: dog leg stair with square iron balusters. No.11: frontage partly re-faced and re-roofed c1951 after war damage. Red brick with plain brick band at 1st floor level and moulded brick band at 2nd floor. Tiled roof with dormers. 3 storeys, basement and attic. 8 windows. Gauged red brick flat arches to flush frame sashes with exposed boxing. At 1st floor level a carved and inscribed plaque dated 1691; also date plaques inscribed DSC 1693, FSG 1787 and TS 1951. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials. HISTORICAL NOTE: New Square is important as a very well preserved and early example of a set of early legal chambers, remarkably spacious and with good panelled interiors not seen. It is also one of the most complete surviving C17 set pieces in London. Listing NGR: TQ3103581324

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80768
Monument Type	Listed Building
Preferred Ref.	MLO80768
Name	NUMBERS 1-11 AND ATTACHED RAILINGS INCLUDING WHITE HALL HOTEL (NUMBERS 2-5) AND MONTAGUE HOUSE (NUMBERS 8-11)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30106 81797 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1145 (West side) 14/05/74 Nos.1-11 (Consecutive) and attached railings. White Hall Hotel (2-5), Montague House (8-11) (Formerly Listed as: MONTAGUE STREET Nos.1-29 (Consecutive) White Hall Hotel (2-5), Montague House (8-11), Montague Hotel (12-16)) GV II Terrace of 11 houses. c1803-06 by James Burton. Built by WE Allen. Yellow stock brick with stucco ground floors, mostly rusticated. No.11 with slate mansard roof and dormers. 4 storeys and basements, No.11 with attic. 3 windows each except Nos 1 and 2 with 4 windows each. Nos 1 and 2 form a symmetrical pair with projecting end window bays. No.11 slightly recessed. Round-arched doorways with reeded doorframes or sidelights, mostly 2-leaf doors; Nos 8-10 with attached fluted Greek Doric columns carrying cornice-heads. Nos 6 & 7 with radial patterned fanlights. Gauged brick flat arches to recessed sash windows, most with original glazing bars. 1st floor with cast-iron balconies. Nos 1 & 2, stucco cornice at 3rd floor level; the remainder with 3rd floor sill band. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, No.1 flanked by cast-iron lamp-holders. Listing NGR: TQ3010681797

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2-5 Montague Street, London, WC1B 5BP
- 2-5 Montague Street, London, WC1B 5BP
- 2-5 Montague Street, London, WC1B 5BP
- 6-7 Montague Street, London, WC1B 5BP
- 6-7 Montague Street, London, WC1B 5BP
- 6-7 Montague Street, London, WC1B 5BP
- 8-11 Montague Street, London, WC1B 5BP
- 8-11 Montague Street, London, WC1B 5BP
- 8-11 Montague Street, London, WC1B 5BP

Monument/Component Types

- LAMP BRACKET (19th Century - 1803 AD to 1806 AD)
- RAILINGS (19th Century - 1803 AD to 1806 AD)
- TERRACE (19th Century - 1803 AD to 1806 AD)
- TERRACED HOUSE (19th Century - 1803 AD to 1806 AD)
- HOTEL (19th Century to Unknown - 1807 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477533 NUMBERS 1-11 AND ATTACHED RAILINGS INCLUDING WHITE HALL HOTEL (NUMBERS 2-5) AND MONTAGUE HOUSE (NUMBERS 8-11)	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1145 (West side) 14/05/74 Nos.1-11 (Consecutive) and attached railings. White Hall Hotel (2-5), Montague House (8-11) (Formerly Listed as: MONTAGUE STREET Nos.1-29 (Consecutive) White Hall Hotel (2-5), Montague House (8-11), Montague Hotel (12-16)) GV II Terrace of 11 houses. c1803-06 by James Burton. Built by WE Allen. Yellow stock brick with stucco ground floors, mostly rusticated. No.11 with slate mansard roof and dormers. 4 storeys and basements, No.11 with attic. 3 windows each except Nos 1 and 2 with 4 windows each. Nos 1 and 2 form a symmetrical pair with projecting end window bays. No.11 slightly recessed. Round-arched doorways with reeded doorframes or sidelights, mostly 2-leaf doors; Nos 8-10 with attached fluted Greek Doric columns carrying cornice-heads. Nos 6 & 7 with radial patterned fanlights. Gauged brick flat arches to recessed sash windows, most with original glazing bars. 1st floor with cast-iron balconies. Nos 1 & 2, stucco cornice at 3rd floor level; the remainder with 3rd floor sill band. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, No.1 flanked by cast-iron lamp-holders. Listing NGR: TQ3010681797

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81129
Monument Type	Listed Building
Preferred Ref.	MLO81129
Name	NUMBERS 1-12 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29725 82411 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2982SE TAVITON STREET 798-1/94/1600 (East side) 28/03/69 Nos.1-12 (Consecutive) and attached railings GV II Terrace of 12 houses. c1824. Built by Thomas Cubitt. Darkened yellow stock brick and stucco ground floors, the projecting bays rusticated. Slated roofs (Nos 5-10 with mansards and dormers). 4 storeys, attics (Nos 5-10) and basements. 3 windows each. Symmetrical facade with projecting end bays (Nos 1, 2 and 11,12) and central bay (Nos 6 & 7). Square-headed, recessed doorways with panelled jambs, cornice-heads, fanlights and panelled doors; No.2 with prostyle Greek Doric portico with balustrade. No.1 door with Art Nouveau stained glass panels. Continuous cast-iron balconies to architraved 1st floor casements, those on the projecting bays with cornices. 2nd floor with square-headed, architraved sashes, 3rd floor, gauged brick flat arches to sashes. Main stucco entablature at 3rd floor level. Cornice and blocking course above the attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas, No.6 with decorative wrought-iron guard. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103-4). Listing NGR: TQ2972582411

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2-4 Taviton Street, London, WC1H 0BT
 - 2-4 Taviton Street, London, WC1H 0BT
 - 5-10 Taviton Street, London, WC1H 0BT
 - 5-10 Taviton Street, London, WC1H 0BT
 - 5-10 Taviton Street, London, WC1H 0BT
 - 5-10 Taviton Street, London, WC1H 0BT
 - 5-10 Taviton Street, London, WC1H 0BT

Monument/Component Types

- RAILINGS (19th Century - 1804 AD to 1844 AD)
- TERRACE (19th Century - 1804 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1804 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478335 NUMBERS 1-12 AND ATTACHED RAILINGS	CAMDEN TQ2982SE TAVITON STREET 798-1/94/1600 (East side) 28/03/69 Nos.1-12 (Consecutive) and attached railings GV II Terrace of 12 houses. c1824. Built by Thomas Cubitt. Darkened yellow stock brick and stucco ground floors, the projecting bays rusticated. Slated roofs (Nos 5-10 with mansards and dormers). 4 storeys, attics (Nos 5-10) and basements. 3 windows each. Symmetrical facade with projecting end bays (Nos 1, 2 and 11,12) and central bay (Nos 6 & 7). Square-headed, recessed doorways with panelled jambs, cornice-heads, fanlights and panelled doors; No.2 with prostyle Greek Doric portico with balustrade. No.1 door with Art Nouveau stained glass panels. Continuous cast-iron balconies to architraved 1st floor casements, those on the projecting bays with cornices. 2nd floor with square-headed, architraved sashes, 3rd floor, gauged brick flat arches to sashes. Main stucco entablature at 3rd floor level. Cornice and blocking course above the attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas, No.6 with decorative wrought-iron guard. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103-4). Listing NGR: TQ2972582411

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81379
Monument Type	Listed Building
Preferred Ref.	MLO81379
Name	NUMBERS 11-20 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30863 82408 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE WREN STREET 798-1/96/1737 (South side) 23/12/96 Nos.11-20 (Consecutive) and attached railings GV II 2 linked terraces of houses. c1840-50. Yellow stock brick with channelled stucco ground floor and 1st floor continuous sill band. 2 storeys and basements. 2 windows each. Square-head entrances with panelled doors and overlights. Recessed sashes, some ground floor sashes retain cast-iron window guards. 1st floor sashes architraved with pediments; originally with balconies. Stucco cornice and blocking course to Nos 16-20; Nos 11-15 blocking course only, apart from right hand return which has 2 blind 1st floor windows. Nos 11-15 and Nos 16-20 set at slight angles and linked by double arched single storey screen. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3086382408

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Wren Street, London, WC1X 0HA

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1850 AD)
- TERRACE (19th Century - 1840 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478581 NUMBERS 11-20 AND ATTACHED RAILINGS	CAMDEN TQ3082SE WREN STREET 798-1/96/1737 (South side) 23/12/96 Nos.11-20 (Consecutive) and attached railings GV II 2 linked terraces of houses. c1840-50. Yellow stock brick with channelled stucco ground floor and 1st floor continuous sill band. 2 storeys and basements. 2 windows each. Square-head entrances with panelled doors and overlights. Recessed sashes, some ground floor sashes retain cast-iron window guards. 1st floor sashes architraved with pediments; originally with balconies. Stucco cornice and blocking course to Nos 16-20; Nos 11-15 blocking course only, apart from right hand return which has 2 blind 1st floor windows. Nos 11-15 and Nos 16-20 set at slight angles and linked by double arched single storey screen. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3086382408

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80071
Monument Type	Listed Building
Preferred Ref.	MLO80071
Name	NUMBERS 11-26 AND ATTACHED RAILINGS, BYRON COURT (NUMBER 26)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30675 82415 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1112 (East side) 10/06/54 Nos.11-26 (Consecutive) and attached railings, Byron Court (No.26) GV II* Terrace of 24 houses forming the east side of Mecklenburgh Square. No.26 incorporates former Nos 27-34. c1810-20. By Joseph Kay. Thomas Penthrin built Nos 11-19 & 30-34; George Payne Nos 20-29. Nos 15 and 27-34 rebuilt in facsimile c1950. Multi-coloured stock brick with stucco ground floors. Centre pavilion (Nos 21-25) and end pavilions (Nos 11-15) and (31-34) in stucco. EXTERIOR: formal composition of 4 storeys, basements and Nos 26-33 with 20th century dormers. No.23 with large dormer. Mostly 2 windows each. Centre pavilion: ground floors rusticated stucco with round arched doorways with fluted pilaster-jambes and cornice heads (Greek key pattern), fanlights and panelled doors. Centre 5 bays slightly recessed with 4 Greek Ionic columns rising through 1st and 2nd floors, flanked by 3 bays articulated by 4 pilasters. Enriched entablature with projecting cornice at 3rd floor level. Recessed sash windows; ground floor outer bays segmental headed with small panes to edges, 1st floor centre 6 with pedimented heads, outer bays square-headed in shallow round-arched recesses. All 1st floor with cast-iron balconies. Between 1st and 2nd floor outer bays enriched recessed panels with swags reflecting the round-arched windows in the attic storey. Attic storey with moulded pilasters carrying cornice, the centre pilasters terminating in segmental anthemion stops. Blocking course. Outer pavilions: similar but with only 2 Ionic columns, segmental headed ground floor windows and square-headed 1st floor windows. Nos 16-20 & 26-30: round-arched doorways with fluted pilaster-jambes and cornice-heads (Greek key pattern), fanlights and panelled double doors. Doorways to former Nos 26-34 replaced by windows except former No.29, now main entrance to Byron Court. Segmental headed ground floor windows. Upper floors with gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Plain stucco entablature at 3rd floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas; Nos 12, 14, 16 and 19 with wrought-iron lamp brackets. HISTORICAL NOTE: No.21 was the residence of RH Tawney, historian, teacher & political writer (GLC plaque). No.15 and Nos 22-25 (consec) were listed on 14/05/74. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV); London: -1952: 47-50). Listing NGR: TQ3067582415

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Mecklenburgh Square, London, WC1N 2AD
- 15 Mecklenburgh Square, London, WC1N 2AD
- 18 Mecklenburgh Square, London, WC1N 2AD
- 24 Mecklenburgh Square, London, WC1N 2AD
- 25 Mecklenburgh Square, London, WC1N 2AD
- 25 Mecklenburgh Square, London, WC1N 2AD

Monument/Component Types

- LAMP BRACKET (19th Century - 1810 AD to 1820 AD)
- RAILINGS (19th Century - 1810 AD to 1820 AD)
- TERRACE (19th Century - 1810 AD to 1820 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1820 AD)
- HOUSE (Modern - 1940 AD to 1960 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477496 NUMBERS 11-26 AND ATTACHED RAILINGS, BYRON COURT (NUMBER 26)	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1112 (East side) 10/06/54 Nos.11-26 (Consecutive) and attached railings, Byron Court (No.26) GV II* Terrace of 24 houses forming the east side of Mecklenburgh Square. No.26 incorporates former Nos 27-34. c1810-20. By Joseph Kay. Thomas Penthrin built Nos 11-19 & 30-34; George Payne Nos 20-29. Nos 15 and 27-34 rebuilt in facsimile c1950. Multi-coloured stock brick with stucco ground floors. Centre pavilion (Nos 21-25) and end pavilions (Nos 11-15) and (31-34) in stucco. EXTERIOR: formal composition of 4 storeys, basements and Nos 26-33 with C20 dormers. No.23 with large dormer. Mostly 2 windows each. Centre pavilion: ground floors rusticated stucco with round arched doorways with fluted pilaster-jambes and cornice heads (Greek key pattern), fanlights and panelled doors. Centre 5 bays slightly recessed with 4 Greek Ionic columns rising through 1st and 2nd floors, flanked by 3 bays articulated by 4 pilasters. Enriched entablature with projecting

cornice at 3rd floor level. Recessed sash windows; ground floor outer bays segmental headed with small panes to edges, 1st floor centre 6 with pedimented heads, outer bays square-headed in shallow round-arched recesses. All 1st floor with cast-iron balconies. Between 1st and 2nd floor outer bays enriched recessed panels with swags reflecting the round-arched windows in the attic storey. Attic storey with moulded pilasters carrying cornice, the centre pilasters terminating in segmental anthemion stops. Blocking course. Outer pavilions: similar but with only 2 Ionic columns, segmental headed ground floor windows and square-headed 1st floor windows. Nos 16-20 & 26-30: round-arched doorways with fluted pilaster-jambes and cornice-heads (Greek key pattern), fanlights and panelled double doors. Doorways to former Nos 26-34 replaced by windows except former No.29, now main entrance to Byron Court. Segmental headed ground floor windows. Upper floors with gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Plain stucco entablature at 3rd floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas; Nos 12, 14, 16 and 19 with wrought-iron lamp brackets. HISTORICAL NOTE: No.21 was the residence of RH Tawney, historian, teacher & political writer (GLC plaque). No.15 and Nos 22-25 (consec) were listed on 14/05/74. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV): London: -1952: 47-50). Listing NGR: TQ3067582415

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80390
Monument Type	Listed Building
Preferred Ref.	MLO80390
Name	NUMBERS 11-28 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30292 82156 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW BERNARD STREET 798-1/95/90 (South side) 14/05/74 Nos.11-28 (Consecutive) and attached railings (Formerly Listed as: BERNARD STREET Nos.11-24 AND 27 (Consecutive) (incorporating former Nos.25-28)) GV II Terrace of 18 houses. 1799-1803, some altered. By James Burton. Darkened yellow stock brick with later patching. Nos 11, 13-16, 19 & 22 with stucco ground floors. Nos 14-18 and 25-28 slightly projecting. 4 storeys and basements. 2 windows each. Round-arched doorways mostly with reeded pilaster-jamb, cornice-heads, some radial fanlights, and panelled doors. Doorways of Nos 13, 26 & 28 converted for use as windows; doorway of No.27 square-headed with stucco surround. 1st and 3rd floor stucco sill bands. Gauged brick flat arches (mostly reddened) to recessed sash windows some with glazing bars; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 46). Listing NGR: TQ3029282156

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Bernard Street, London, WC1N 1LN
 - 14 Bernard Street, London, WC1N 1LN
 - 15 Bernard Street, London, WC1N 1LN
 - 16 Bernard Street, London, WC1N 1LN
 - 17 Bernard Street, London, WC1N 1LN
 - 18 Bernard Street, London, WC1N 1LN
 - 19 Bernard Street, London, WC1N 1LN
 - 20-21 Bernard Street, London, WC1N 1LT
 - 20-21 Bernard Street, London, WC1N 1LT
 - 20-21 Bernard Street, London, WC1N 1LT
 - 22 Bernard Street, London, WC1N 1LT
 - 24 Bernard Street, London, WC1N 1LT
 - 28 Bernard Street, London, WC1N 1LT

Monument/Component Types

- TERRACE (18th Century to 19th Century - 1799 AD to 1803 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1799 AD to 1803 AD)
- HOUSE (19th Century to Unknown - 1804 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476717 NUMBERS 11-28 AND ATTACHED RAILINGS	CAMDEN TQ3082SW BERNARD STREET 798-1/95/90 (South side) 14/05/74 Nos.11-28 (Consecutive) and attached railings (Formerly Listed as: BERNARD STREET Nos.11-24 AND 27 (Consecutive) (incorporating former Nos.25-28)) GV II Terrace of 18 houses. 1799-1803, some altered. By James Burton. Darkened yellow stock brick with later patching. Nos 11, 13-16, 19 & 22 with stucco ground floors. Nos 14-18 and 25-28 slightly projecting. 4 storeys and basements. 2 windows each. Round-arched doorways mostly with reeded pilaster-jamb, cornice-heads, some radial fanlights, and panelled doors. Doorways of Nos 13, 26 & 28 converted for use as windows; doorway of No.27 square-headed with stucco surround. 1st and 3rd floor stucco sill bands. Gauged brick flat arches (mostly reddened) to recessed sash windows some with glazing bars; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 46). Listing NGR: TQ3029282156

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86012
Monument Type	Listed Building
Preferred Ref.	MLO86012
Name	NUMBERS 113-117 (ODD) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31346 82139 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/394 (West side) Nos.113-117 (Odd) and attached railings GV II Includes: Nos.1-7 RAY STREET. Works and Foundry. Front block, 1864-1865; rear block, giant stack and top storey all c.1875-1876. By Arding and Bond for J and R M Wood (front block) and for V and J Figgins (rear block), both typefounders. Buff brick set in Flemish bond with spare use of stone dressings; roofs obscured by parapets, bearing wall brick stacks and tapered giant attached rear stack also of brick. Italianate Style. Six storeys; main elevation front block (Farringdon Road) 3 bays wide (3:3:1), side elevation front block (1 Ray Street) 1 bay wide (2-window range); main elevation of rear block (3-7 Ray Street) articulated as 3 bays (3:5:3) the centre-piece breaking forward, side elevation rear block (Herbal Hill) of 4-window range plus rear extensions (U-shaped plan) and stack; recessed connecting wing between front and rear blocks in Ray Street of 1-window range. Front block: banded brick pilaster strips extend full-height of building, corner rounded. Principal elevation with recessed entrances to far left and to centre bays; Ray Street elevation with entrance to right bay and to connecting wing. Gauged-brick flat and segmental-arched tripartite sashes with keystones throughout. Recessed brick panels between 1st and 2nd and 3rd and 4th storeys. Stone sill band to 3rd storey; modillioned cornice at 4th floor level; stone coping to parapet. Ground-floor moulded keyed stone hoods to segmental arched openings; modillioned stone cornice. Iron-bracketed crane to Ray Street return wall at 1st-floor level. Rear block: very similar detailing to front block with full-height banded brick pilaster strips to corners reading as quoins. Ray Street elevation with paired entrances to centrepiece (separated by 3 sashes) flanked by antae carrying entablature extending the full-width of the centrepiece; endpieces banded and rusticated with round-arched 6/6 sashes with voussoirs; curved and radial glazing bars. 1st to 4th floors with gauged-brick segmental and round-arched casement windows with keystones, top floor with round arched sashes with piers; stone sill bands to 2nd and 5th storeys; stone cornices to ground and 3rd storeys. Decorative brick string courses to parapet. Elevator shaft to Herbal Hill elevation. Dramatic tapered brick chimney stack attached to rear, otherwise rear elevations similar but plainer than front. Attached cast-iron railings with firm's initials on them. History: Wood's closed in 1872 and the stock was bought by Figgins; St. Bride Printing Library has some of the firm's type specimens and an engraving of the foundry c.1900 which proves that the building survives almost intact. The building is an outstanding survival of the typefoundry industry, and extremely important for its early date, its size, and its state of completeness. It is one of the earliest surviving buildings in the Farringdon Road. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3134682139</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 94 Farringdon Road, London, EC1R 3EA

Monument/Component Types

- FOUNDRY (19th Century - 1864 AD to 1865 AD)
- RAILINGS (19th Century - 1864 AD to 1865 AD)
- WORKS (19th Century - 1864 AD to 1865 AD)
- FOUNDRY (19th Century - 1875 AD to 1876 AD)
- WORKS (19th Century - 1875 AD to 1876 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368894 NUMBERS 113-117 (ODD) AND ATTACHED RAILINGS	ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/394 (West side) Nos.113-117 (Odd) and attached railings GV II Includes: Nos.1-7 RAY STREET. Works and Foundry. Front block, 1864-1865; rear block, giant stack and top storey all c.1875-1876. By Arding and Bond for J and R M Wood (front block) and for V and J Figgins (rear block), both typefounders. Buff brick set in Flemish bond with spare use of stone dressings; roofs obscured by parapets, bearing wall brick stacks and tapered giant attached rear stack also of brick. Italianate Style. Six storeys; main elevation front block (Farringdon Road) 3 bays wide (3:3:1), side elevation front block (1 Ray Street) 1 bay wide (2-window range); main elevation of rear block (3-7 Ray Street) articulated as 3 bays (3:5:3) the centre-piece breaking forward, side elevation rear block (Herbal Hill) of 4-window range plus rear extensions (U-shaped plan) and stack; recessed connecting wing between front and rear blocks in Ray Street of 1-window range. Front block: banded brick pilaster strips extend full-height of building, corner rounded. Principal elevation with recessed entrances to far left and to centre bays; Ray Street elevation with entrance to right bay and to connecting wing.

Gauged-brick flat and segmental-arched tripartite sashes with keystones throughout. Recessed brick panels between 1st and 2nd and 3rd and 4th storeys. Stone sill band to 3rd storey; modillioned cornice at 4th floor level; stone coping to parapet. Ground-floor moulded keyed stone hoods to segmental arched openings; modillioned stone cornice. Iron-bracketed crane to Ray Street return wall at 1st-floor level. Rear block: very similiar detailing to front block with full-height banded brick pilaster strips to corners reading as quoins. Ray Street elevation with paired entrances to centrepiece (separated by 3 sashes) flanked by antae carrying entablature extending the full-width of the centrepiece; endpieces banded and rusticated with round-arched 6/6 sashes with voussoirs; curved and radial glazing bars. 1st to 4th floors with gauged-brick segmental and round-arched casement windows with keystones, top floor with round arched sashes with piers; stone sill bands to 2nd and 5th storeys; stone cornices to ground and 3rd storeys. Decorative brick string courses to parapet. Elevator shaft to Herbal Hill elevation. Dramatic tapered brick chimney stack attached to rear, otherwise rear elevations similiar but plainer than front. Attached cast-iron railings with firm's initials on them. History: Wood's closed in 1872 and the stock was bought by Figgins; St. Bride Printing Library has some of the firm's type specimens and an engraving of the foundry c.1900 which proves that the building survives almost intact. The building is an outstanding survival of the typefounding industry, and extremely important for its early date, its size, and its state of completeness. It is one of the earliest surviving buildings in the Farringdon Road. (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3134682139

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79898
Monument Type	Listed Building
Preferred Ref.	MLO79898
Name	NUMBERS 115 TO 117 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29558 82125 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/610 (West side) 28/03/69 Nos.115 AND 117 and attached railings (Formerly Listed as: GOWER STREET Nos.115 & 117, 119-131 (Odd) Medical and Dental Students Residence) GV II 2 terraced houses. c1790, No.115 heightened later 19th century. No.115: yellow stock brick. Slate mansard roof with pedimented, segmental-arched dormer window set in brick parapet with brick dentil cornice below. Round-arched doorway with panelled pilaster-jamb and cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sash windows. Plain stucco band at original 1st floor sill level. Cast-iron balconies to 1st floor windows. No.117: darkened stock brick with rusticated stucco ground floor. Slate mansard roof with dormers. Round-arched doorway with panelled pilaster-jamb and cornice-head, radial patterned fanlight and panelled door. Gauged brick flat arches to recessed sash windows. Plain stucco band at 1st floor sill level. Cast-iron window guards to 1st floor windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 80). Listing NGR: TQ2955882125

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 117 Gower Street, London, WC1E 6AP

- 117 Gower Street, London, WC1E 6AP

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1770 AD to 1810 AD)
- TERRACE (18th Century to 19th Century - 1770 AD to 1810 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1770 AD to 1810 AD)
- TERRACED HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477402 NUMBERS 115 TO 117 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GOWER STREET 798-1/94/610 (West side) 28/03/69 Nos.115 AND 117 and attached railings (Formerly Listed as: GOWER STREET Nos.115 & 117, 119-131 (Odd) Medical and Dental Students Residence) GV II 2 terraced houses. c1790, No.115 heightened later C19. No.115: yellow stock brick. Slate mansard roof with pedimented, segmental-arched dormer window set in brick parapet with brick dentil cornice below. Round-arched doorway with panelled pilaster-jamb and cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sash windows. Plain stucco band at original 1st floor sill level. Cast-iron balconies to 1st floor windows. No.117: darkened stock brick with rusticated stucco ground floor. Slate mansard roof with dormers. Round-arched doorway with panelled pilaster-jamb and cornice-head, radial patterned fanlight and panelled door. Gauged brick flat arches to recessed sash windows. Plain stucco band at 1st floor sill level. Cast-iron window guards to 1st floor windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 80). Listing NGR: TQ2955882125

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80253
Monument Type	Listed Building
Preferred Ref.	MLO80253
Name	NUMBERS 1-17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30420 82519 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW REGENT SQUARE 798-1/90/1380 (South side) 14/05/74 Nos.1-17 (Consecutive) and attached railings GV II Terrace of 17 houses. c1829. Darkened yellow stock brick with later patching, Nos 7-10 refaced. Stucco ground floors and plain 1st floor sill bands, Nos 9 and 10 channelled. End and central houses with stucco 2nd floor sill bands and cornices with blocking course; recessed houses with plain stucco 3rd floor sill bands and parapets. Symmetrical composition with projecting end houses (Nos 1-2 and 16-17) and central houses (Nos 7-11). 4 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jambs carrying cornice-heads; fanlights (some radial) and panelled doors. Gauged brick flat arches (Nos 11-17 reddened) to recessed sashes; end and central houses 1st floor sashes in shallow round-arched recesses. Cast-iron balconies to 1st floor windows (except No.1). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 75). Listing NGR: TQ3042082519

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (19th Century - 1809 AD to 1849 AD)
- TERRACE (19th Century - 1809 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1809 AD to 1849 AD)
- HOUSE (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477842 NUMBERS 1-17 AND ATTACHED RAILINGS	CAMDEN TQ3082NW REGENT SQUARE 798-1/90/1380 (South side) 14/05/74 Nos.1-17 (Consecutive) and attached railings GV II Terrace of 17 houses. c1829. Darkened yellow stock brick with later patching, Nos 7-10 refaced. Stucco ground floors and plain 1st floor sill bands, Nos 9 and 10 channelled. End and central houses with stucco 2nd floor sill bands and cornices with blocking course; recessed houses with plain stucco 3rd floor sill bands and parapets. Symmetrical composition with projecting end houses (Nos 1-2 and 16-17) and central houses (Nos 7-11). 4 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jambs carrying cornice-heads; fanlights (some radial) and panelled doors. Gauged brick flat arches (Nos 11-17 reddened) to recessed sashes; end and central houses 1st floor sashes in shallow round-arched recesses. Cast-iron balconies to 1st floor windows (except No.1). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 75). Listing NGR: TQ3042082519

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80603
Monument Type	Listed Building
Preferred Ref.	MLO80603
Name	NUMBERS 1-19 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30752 82184 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/309 (West side) 14/05/74 Nos.1-19 (Consecutive) and attached railings GV II Terrace of 19 houses. No.1, early C19; Nos 2-14, c1799-1800; Nos 15-19, c1792. Terrace completed by 1820. Built by J Wigg, G Slaton, J Wilson. Yellow stock brick with plain stucco band at 1st floor sill level. Most with evidence of tuck pointing. No.1: stucco ground floor with rusticated quoins. Plain stucco 3rd floor sill band. 4 storeys and basements. Double fronted with 3 windows, splayed 1-window corner treatment and 1-window return to Roger Street, plus single storey 7-window extension. On left hand angle of splay, chimney-stack rising from ground floor through the parapet. Projecting rusticated portico with 20th century round-arched doorway having a radial fanlight and panelled door. Ground floor window on corner, round-arched; others with architraves and keystones. 1st floor windows to Doughty Street 2-pane square-headed sashes in segmental-arched shallow recesses. 2nd and 3rd floor windows with gauged brick flat arches to recessed 2-pane sashes. Parapet. Cast-iron plaque on return inscribed "St P x P 1821". INTERIOR: not inspected. Nos 2-5: Nos 3 & 4 now one house. Narrow 3rd floor sill cornice. 4 storeys and basements. 3 windows each. Projecting, round-arched, rusticated porticoes with cornices and later C19 doorways; half glazed (patterned) doors and patterned overlights. Doorway of No.4 replaced by a window. Gauged brick flat arches to recessed 2-pane sashes. Parapets. Nos 4 and 5 with original lead rainwater heads. INTERIORS: not inspected but No.5 noted to have stick baluster stair. Nos 6-19: slated mansard roofs with dormers. No.10 probably refronted. 3 storeys, attics and basements. 3 windows each. Round-arched doorways with panelled or recessed pilaster-jamb (Nos 9, 14 & 15 with attached columns), cornice-heads, most with patterned fanlights, and panelled doors. Gauged brick flat arches to recessed, mostly 2-pane, sashes. Nos 8 and 17 with cast-iron balconies to 1st floor windows. Stucco cornices and blocking courses, except Nos 17 & 18. Most houses have original lead rainwater heads and pipes. INTERIORS: not inspected, but Nos 10, 11 and 12 noted to have stick baluster stair. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.14 was the home of Sydney Smith, clergyman, author and wit (LCC plaque). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3075282184

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Doughty Street, London, WC1N 2PL
- 10 Doughty Street, London, WC1N 2PL
- 11 Doughty Street, London, WC1N 2PL
- 12 Doughty Street, London, WC1N 2PL
- 13 Doughty Street, London, WC1N 2PL
- 14 Doughty Street, London, WC1N 2PL
- 16 Doughty Street, London, WC1N 2PL
- 18 Doughty Street, London, WC1N 2PL
- 19 Doughty Street, London, WC1N 2PL
- 5 Doughty Street, London, WC1N 2PL

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1772 AD to 1820 AD)
- TERRACE (18th Century to 19th Century - 1772 AD to 1820 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1772 AD to 1812 AD)
- TERRACED HOUSE (18th Century - 1799 AD to 1800 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Unknown - 1801 AD)
- HOUSE (19th Century to Unknown - 1833 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477067 NUMBERS 1-19 AND ATTACHED RAILINGS	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/309 (West side) 14/05/74 Nos.1-19 (Consecutive) and attached railings GV II Terrace of 19 houses. No.1, early C19; Nos 2-14, c1799-1800; Nos 15-19, c1792. Terrace completed by 1820. Built by J Wigg, G Slaton, J Wilson. Yellow stock brick with plain stucco band at 1st floor sill level. Most with evidence of tuck pointing. No.1: stucco ground floor with rusticated quoins. Plain stucco 3rd floor sill band. 4 storeys and basements. Double fronted with 3 windows, splayed 1-window corner treatment and 1-window return to Roger Street, plus single storey 7-window extension. On left hand angle of splay, chimney-stack rising from

ground floor through the parapet. Projecting rusticated portico with C20 round-arched doorway having a radial fanlight and panelled door. Ground floor window on corner, round-arched; others with architraves and keystones. 1st floor windows to Doughty Street 2-pane square-headed sashes in segmental-arched shallow recesses. 2nd and 3rd floor windows with gauged brick flat arches to recessed 2-pane sashes. Parapet. Cast-iron plaque on return inscribed "St P x P 1821". INTERIOR: not inspected. Nos 2-5: Nos 3 & 4 now one house. Narrow 3rd floor sill cornice. 4 storeys and basements. 3 windows each. Projecting, round-arched, rusticated porticoes with cornices and later C19 doorways; half glazed (patterned) doors and patterned overlights. Doorway of No.4 replaced by a window. Gauged brick flat arches to recessed 2-pane sashes. Parapets. Nos 4 and 5 with original lead rainwater heads. INTERIORS: not inspected but No.5 noted to have stick baluster stair. Nos 6-19: slated mansard roofs with dormers. No.10 probably refronted. 3 storeys, attics and basements. 3 windows each. Round-arched doorways with panelled or recessed pilaster-jamb (Nos 9, 14 & 15 with attached columns), cornice-heads, most with patterned fanlights, and panelled doors. Gauged brick flat arches to recessed, mostly 2-pane, sashes. Nos 8 and 17 with cast-iron balconies to 1st floor windows. Stucco cornices and blocking courses, except Nos 17 & 18. Most houses have original lead rainwater heads and pipes. INTERIORS: not inspected, but Nos 10, 11 and 12 noted to have stick baluster stair. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.14 was the home of Sydney Smith, clergyman, author and wit (LCC plaque). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3075282184

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81468
Monument Type	Listed Building
Preferred Ref.	MLO81468
Name	NUMBERS 12 AND 13 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31013 81367 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1031 (East side) 24/10/51 Nos.12 and 13 New Square and attached railings GV I 2 terraced chambers. 1534 with later alterations. Brown brick. 4 storeys. 4 windows each (irregular). Wide projecting chimney-stacks rising from the ground through the full height of the buildings (one separating Nos 12 and 13 and one to the right of No.13) indicate that they formed the rear of the Tudor range. Gauged red brick flat and segmental arches and dressings to flush framed windows with exposed boxing and C18 glazing bars. Parapets with small pointed gables (No.12, 3; No.13, 2). No.12: late C18. Wood doorcase with fluted half pilasters, architrave, paterae on frieze and dentil cornice. INTERIOR: not inspected but noted to be greatly altered. No.13: late C17. Wood doorcase with carved consoles, pulvinated frieze and broken segmental pediment. INTERIOR: not inspected but noted to be altered. Late 16th century or early C17 overmantels in some of the rooms. SUBSIDIARY FEATURES: attached cast-iron railings. Nos 12 & 13 New Square formed from the rear of No.16 Old Buildings (qv). Listing NGR: TQ3101381367

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- LEGAL CHAMBERS (16th Century - 1534 AD)
- TERRACED HOUSE (16th Century - 1534 AD)
- LEGAL CHAMBERS (17th Century - 1667 AD to 1699 AD)
- RAILINGS (17th Century - 1667 AD to 1699 AD)
- LEGAL CHAMBERS (18th Century - 1767 AD to 1799 AD)
- RAILINGS (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478677 NUMBERS 12 AND 13 AND ATTACHED RAILINGS	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1031 (East side) 24/10/51 Nos.12 and 13 New Square and attached railings GV I 2 terraced chambers. 1534 with later alterations. Brown brick. 4 storeys. 4 windows each (irregular). Wide projecting chimney-stacks rising from the ground through the full height of the buildings (one separating Nos 12 and 13 and one to the right of No.13) indicate that they formed the rear of the Tudor range. Gauged red brick flat and segmental arches and dressings to flush framed windows with exposed boxing and C18 glazing bars. Parapets with small pointed gables (No.12, 3; No.13, 2). No.12: late C18. Wood doorcase with fluted half pilasters, architrave, paterae on frieze and dentil cornice. INTERIOR: not inspected but noted to be greatly altered. No.13: late C17. Wood doorcase with carved consoles, pulvinated frieze and broken segmental pediment. INTERIOR: not inspected but noted to be altered. Late 16th century or early C17 overmantels in some of the rooms. SUBSIDIARY FEATURES: attached cast-iron railings. Nos 12 & 13 New Square formed from the rear of No.16 Old Buildings (qv). Listing NGR: TQ3101381367

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80422
Monument Type	Listed Building
Preferred Ref.	MLO80422
Name	NUMBERS 1-20 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30252 81827 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BEDFORD PLACE 798-1/100/63 (East side) 28/02/69 Nos.1-20 (Consecutive) and attached railings (Formerly Listed as: BEDFORD PLACE Nos.1-20 AND 21-40 (Consecutive)) GV II Symmetrical terrace of 20 houses forming the east side of Bedford Place. c1815. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Stucco 3rd floor sill band. 4 storeys and basements. 3 windows each. Slightly projecting end bays (Nos 1-3 and 18-20) and central bays (Nos 8-12). Wide segmental-arched doorways with some patterned fanlights, sidelights and double half-glazed doors. Gauged brick flat arches (painted red) to recessed sash windows, some with original glazing bars. Continuous cast-iron balconies at 1st floor level, No.11 with arched trellis balcony with tented canopy. Parapets. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, some houses with area overthrows. Listing NGR: TQ3025281827

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Bedford Place, London, WC1B 5JA
 - 11 Bedford Place, London, WC1B 5JA
 - 20 Bedford Place, London, WC1B 5JA
 - 4-5 Bedford Place, London, WC1B 5JA
 - 4-5 Bedford Place, London, WC1B 5JA
 - 6 Bedford Place, London, WC1B 5JD
 - 7 Bedford Place, London, WC1B 5JA
 - 8 Bedford Place, London, WC1B 5JA
 - 9-10 Bedford Place, London, WC1B 5JA
 - 9-10 Bedford Place, London, WC1B 5JA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1795 AD to 1835 AD)
- TERRACE (18th Century to 19th Century - 1795 AD to 1835 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1795 AD to 1835 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476645 NUMBERS 1-20 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BEDFORD PLACE 798-1/100/63 (East side) 28/02/69 Nos.1-20 (Consecutive) and attached railings (Formerly Listed as: BEDFORD PLACE Nos.1-20 AND 21-40 (Consecutive)) GV II Symmetrical terrace of 20 houses forming the east side of Bedford Place. c1815. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Stucco 3rd floor sill band. 4 storeys and basements. 3 windows each. Slightly projecting end bays (Nos 1-3 and 18-20) and central bays (Nos 8-12). Wide segmental-arched doorways with some patterned fanlights, sidelights and double half-glazed doors. Gauged brick flat arches (painted red) to recessed sash windows, some with original glazing bars. Continuous cast-iron balconies at 1st floor level, No.11 with arched trellis balcony with tented canopy. Parapets. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, some houses with area overthrows. Listing NGR: TQ3025281827

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80370
Monument Type	Listed Building
Preferred Ref.	MLO80370
Name	NUMBERS 1-21 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30818 82317 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/135 (North side) 14/05/74 Nos.1-21 (Odd) and attached railings GV II Terrace of 21 houses. c1821-6. Yellow stock brick with later patching, No.7, refronted. Plain stucco 1st floor sill bands and stucco cornice at 3rd floor level. Symmetrical terrace with slightly projecting end bays (return of No.240 Grays Inn Road (qv) and No.21) and central bays (Nos 7-13). 4 storeys and basements. 2 windows each. Round-arched ground floor openings; doorways with reeded surrounds, cornice-heads, fanlights (Nos 1, 5, 9, 11, 17 & 19 patterned) and panelled doors. Entrance to No.21 on return to Gough Street with 20th century doorway and door. Ground floor windows to Nos 17 and 21 with margin lights; No.19 with pointed lights. Gauged brick flat arches to recessed sashes, most with glazing bars; Nos 5-15, 19 and 21 with cast-iron balconies to 1st floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3081882317

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Calthorpe Street, London, WC1X 0JP

- 5 Calthorpe Street, London, WC1X 0JP

Monument/Component Types

- RAILINGS (19th Century - 1821 AD to 1826 AD)
- TERRACE (19th Century - 1821 AD to 1826 AD)
- TERRACED HOUSE (19th Century - 1821 AD to 1826 AD)
- HOUSE (19th Century to Unknown - 1827 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476777 NUMBERS 1-21 AND ATTACHED RAILINGS	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/135 (North side) 14/05/74 Nos.1-21 (Odd) and attached railings GV II Terrace of 21 houses. c1821-6. Yellow stock brick with later patching, No.7, refronted. Plain stucco 1st floor sill bands and stucco cornice at 3rd floor level. Symmetrical terrace with slightly projecting end bays (return of No.240 Grays Inn Road (qv) and No.21) and central bays (Nos 7-13). 4 storeys and basements. 2 windows each. Round-arched ground floor openings; doorways with reeded surrounds, cornice-heads, fanlights (Nos 1, 5, 9, 11, 17 & 19 patterned) and panelled doors. Entrance to No.21 on return to Gough Street with C20 doorway and door. Ground floor windows to Nos 17 and 21 with margin lights; No.19 with pointed lights. Gauged brick flat arches to recessed sashes, most with glazing bars; Nos 5-15, 19 and 21 with cast-iron balconies to 1st floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3081882317

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86797
Monument Type	Listed Building
Preferred Ref.	MLO86797
Name	NUMBERS 12-16 (EVEN) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30848 82792 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE GREAT PERCY STREET 635-1/67/426 (South West side) Nos.12-16 (Even) and attached railings GV II Three terraced houses. c.1840-1843, of two builds. Probably by William Chadwell Mylne for the New River Estate. Gold and brown stock bricks set in Flemish bond with banded stucco ground-floor with channelling and stucco dressings; no. 12 with Welsh-slate mansard roof with dormers; roofs to nos. 14 & 16 obscured by parapet. Side-hall entrance plan. No. 12 three storeys with basement and attic, nos. 14 & 16 of four storeys with basement; 2 windows each. One step rises to ground-floor entrance on left: doorway with pilaster jambs carrying corniced-head, rectangular overlight with margin lights and original 4-panelled door; 6/6 sashes. Stucco sill band to 1st floor full-length 6/6 architraved sashes with console-bracketed cornices and coupled cast-iron balconies with palmette patterned iron railings. Gauged-brick flat arches to 6/6 (2nd floor) and 3/6 (3rd floor) sashes; nos. 14 & 16 with 3rd floor stucco sill band. No. 12 with stucco parapet and stone coping. Stucco cornice cut back from nos. 14 & 16; stucco blocking course. Attached iron railings. Listing NGR: TQ3084882792

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 12 Great Percy Street, London, WC1X 9QW
- 12 Great Percy Street, London, WC1X 9QW
- 14 Great Percy Street, London, WC1X 9QW
- 16 Great Percy Street, London, WC1X 9QW

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1843 AD)
- STEPS (19th Century - 1840 AD to 1843 AD)
- TERRACE (19th Century - 1840 AD to 1843 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368928 NUMBERS 12-16 (EVEN) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE GREAT PERCY STREET 635-1/67/426 (South West side) Nos.12-16 (Even) and attached railings GV II Three terraced houses. c.1840-1843, of two builds. Probably by William Chadwell Mylne for the New River Estate. Gold and brown stock bricks set in Flemish bond with banded stucco ground-floor with channelling and stucco dressings; no. 12 with Welsh-slate mansard roof with dormers; roofs to nos. 14 & 16 obscured by parapet. Side-hall entrance plan. No. 12 three storeys with basement and attic, nos. 14 & 16 of four storeys with basement; 2 windows each. One step rises to ground-floor entrance on left: doorway with pilaster jambs carrying corniced-head, rectangular overlight with margin lights and original 4-panelled door; 6/6 sashes. Stucco sill band to 1st floor full-length 6/6 architraved sashes with console-bracketed cornices and coupled cast-iron balconies with palmette patterned iron railings. Gauged-brick flat arches to 6/6 (2nd floor) and 3/6 (3rd floor) sashes; nos. 14 & 16 with 3rd floor stucco sill band. No. 12 with stucco parapet and stone coping. Stucco cornice cut back from nos. 14 & 16; stucco blocking course. Attached iron railings. Listing NGR: TQ3084882792

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81451
Monument Type	Listed Building
Preferred Ref.	MLO81451
Name	NUMBERS 12-19 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30184 82516 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW LEIGH STREET 798-1/90/1022 (South side) 14/05/74 Nos.12-19 (Consecutive) and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 8 terraced houses with later shops. 1810-13. By James Burton. Built by T Jennings. Darkened stock brick with some later patching. 4 storeys and cellars. 2 windows each. Nos 12, 13 & 19, early C19 wooden projecting shopfronts with entablatures and large window panes; No.19 with reeded pilasters carrying fascia; round-arched doorways with cornice-heads, patterned fanlights and panelled doors. No.14, 20th century reproduction C19 shopfront. Nos 15-18, altered mid-later C19 shopfronts with entablatures flanked by consoles. Gauged brick flat arches to recessed sash windows, 1st floor Nos 12-14 with cast-iron balconies. No.18 with stucco architraves and 1st floor console bracketed cornices. Nos 14-19 with plain stucco 3rd floor sill band. Parapets. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3018482516

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13 Leigh Street, London, WC1H 9EW
- 15 Leigh Street, London, WC1H 9EW
- 15 Leigh Street, London, WC1H 9EW
- 16 Leigh Street, London, WC1H 9EW
- 17 Leigh Street, London, WC1H 9EW
- 18 Leigh Street, London, WC1H 9EW

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- SHOP (19th Century - 1814 AD to 1832 AD)
- SHOP (19th Century - 1833 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478656 NUMBERS 12-19 AND ATTACHED RAILINGS	CAMDEN TQ3082NW LEIGH STREET 798-1/90/1022 (South side) 14/05/74 Nos.12-19 (Consecutive) and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 8 terraced houses with later shops. 1810-13. By James Burton. Built by T Jennings. Darkened stock brick with some later patching. 4 storeys and cellars. 2 windows each. Nos 12, 13 & 19, early C19 wooden projecting shopfronts with entablatures and large window panes; No.19 with reeded pilasters carrying fascia; round-arched doorways with cornice-heads, patterned fanlights and panelled doors. No.14, C20 reproduction C19 shopfront. Nos 15-18, altered mid-later C19 shopfronts with entablatures flanked by consoles. Gauged brick flat arches to recessed sash windows, 1st floor Nos 12-14 with cast-iron balconies. No.18 with stucco architraves and 1st floor console bracketed cornices. Nos 14-19 with plain stucco 3rd floor sill band. Parapets. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3018482516

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80807
Monument Type	Listed Building
Preferred Ref.	MLO80807
Name	NUMBERS 12-26 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30740 82723 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/511 (North side) 25/10/71 Nos.12-26 (Even) and attached railings GV II Terrace of 8 houses. c1827-32. By William Cubitt. Stucco. Nos 20-24 with slated mansard roofs and dormers. Irregular terrace with projecting end bays and central bay. Projecting bays (Nos 12, 18 & 26): 4 storeys and basements. 1 window each. Rusticated stucco ground floors and plain stucco 1st floor sill bands. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Paired pilasters with enriched capitals rise through 1st and 2nd floors to support an entablature at 3rd floor level (simplified on No.26). 1st floor windows with cast-iron balconies; Nos 12 & 18 with 4-light windows and No.26 with tripartite sash. 2nd floor, recessed sashes with sill band. Nos 12 & 18 3rd floors with paired pilasters flanking recessed sashes and carrying cornice and blocking course. No.26 with paired pilaster strips rising to the top of the parapet and flanking a 20th century window. Recessed bays (Nos 14, 16 and 20-24): 3 storeys and basements; Nos 20-24 with attics. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. 1st and 2nd floor sill bands. Recessed sashes; 1st floor with cast-iron balconies. No.20 with cast-iron foliated and floral window guard on ground floor. Nos 14 and 16, entablature and blocking course. Nos 20-24 entablature without cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3074082723

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 12 Frederick Street, London, WC1X 0ND
 - 14 Frederick Street, London, WC1X 0ND
 - 16 Frederick Street, London, WC1X 0ND
 - 18 Frederick Street, London, WC1X 0ND
 - 20 Frederick Street, London, WC1X 0ND
 - 22 Frederick Street, London, WC1X 0ND
 - 22 Frederick Street, London, WC1X 0ND
 - 24 Frederick Street, London, WC1X 0ND
 - 26 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1832 AD)
- TERRACE (19th Century - 1827 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477389 NUMBERS 12-26 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/511 (North side) 25/10/71 Nos.12-26 (Even) and attached railings GV II Terrace of 8 houses. c1827-32. By William Cubitt. Stucco. Nos 20-24 with slated mansard roofs and dormers. Irregular terrace with projecting end bays and central bay. Projecting bays (Nos 12, 18 & 26): 4 storeys and basements. 1 window each. Rusticated stucco ground floors and plain stucco 1st floor sill bands. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Paired pilasters with enriched capitals rise through 1st and 2nd floors to support an entablature at 3rd floor level (simplified on No.26). 1st floor windows with cast-iron balconies; Nos 12 & 18 with 4-light windows and No.26 with tripartite sash. 2nd floor, recessed sashes with sill band. Nos 12 & 18 3rd floors with paired pilasters flanking recessed sashes and carrying cornice and blocking course. No.26 with paired pilaster strips rising to the top of the parapet and flanking a C20 window. Recessed bays (Nos 14, 16 and 20-24): 3 storeys and basements; Nos 20-24 with attics. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. 1st and 2nd floor sill bands. Recessed sashes; 1st floor with cast-iron balconies. No.20 with cast-iron foliated and floral window guard on ground floor. Nos 14 and 16, entablature and blocking course. Nos 20-24 entablature without cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London:

Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV:
London: -1952: 64). Listing NGR: TQ3074082723

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80401
Monument Type	Listed Building
Preferred Ref.	MLO80401
Name	NUMBERS 12-27 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29791 81708 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/77 (North side) 24/10/51 Nos.12-27 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I Symmetrical terrace of 16 houses forming the north side of a square. 1776-1781. Mostly built by W Scott and R Grews; probably designed by either Thomas Leverton or Robert Palmer; for the Bedford Estate. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The 2 centre houses, Nos 18 & 19, are stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each. Recessed round-arched entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. The following have blind boxes: Nos 16-19, No.20 to 1st floor only, Nos 21 and 25. The following have cast-iron balconies to 1st floor windows: Nos 12-15, 18-21, 23-25. No.12 has a good early C19 cast-iron balcony with round-arched trellis and tented canopy. Cornice and parapets, Nos 12 & 27 having balustraded parapets. INTERIORS not inspected but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.12: 5 window return to Gower Street, some blind, plus single storey extension. The doorway is stucco, not Coade stone. No.13: Leverton's own house, occupied in 1782 but he did not settle here until 1795. Stucco doorway, not Coade stone. Rear elevation with canted bay to lower 3 floors and cast-iron balconies. INTERIOR: stair replaced by a timber version late C19. 2 fine plaster ceilings. No.14: rear elevation with full height canted bay. Plasterwork friezes and ceilings. Some curved doors. No.17: plaster ceiling. Nos 18 & 19: rusticated ground floor; 5 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on the tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. INTERIORS with curved staircases; No.18 with original cellar including a storage cupboard. Attached to and facing the rear of No.19, a finely proportioned contemporary 2 storey and basement stuccoed building. 3 windows. Round-arched ground floor openings; windows set in architraved Coade stone surrounds with guilloche impost bands and female head keystones. 1st floor palm leaf string course. A rare survival of this kind of building attached to the rear wall of the coach-houses. No.21: screens and a plaster ceiling. Attached to and facing the rear, a well detailed contemporary 2 storey brick building. 3 windows. Arcaded ground floor with stucco impost bands. Entrance with radial patterned fanlight. Gauged brick flat arches to all sashes. Brick mutule cornice which continues around the pediment containing a blind oeil-de-boeuf. A rare urban survival of an ancillary building of the period. No.23: panelled doors and a plaster ceiling. No.24: rear elevation with canted bay to lower 3 floors. Plaster ceilings and panels. No.25: rear elevation with full height bow and full height half-canted closet. Wood carving and plaster ceilings, one originally with painted panels. No.26: plasterwork and closet room behind the stairs. No.27: original basement door with interesting metalwork. Some houses with original lead rainwater heads and pipes. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch-flambe finials. No.17 with a wrought-iron lamp bracket and snuffer. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.22 was the residence of Sir J Forbes Robertson, actor (plaque). (Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2979181708</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 12 Bedford Square, London, WC1B 3JA
- 13-15 Bedford Square, London, WC1B 3JG
- 13-15 Bedford Square, London, WC1B 3JG
- 16 Bedford Square, London, WC1B 3JA
- 18 Bedford Square, London, WC1B 3JN
- 20 Bedford Square, London, WC1B 3HL
- 20 Bedford Square, London, WC1B 3HL
- 22 Bedford Square, London, WC1B 3HH
- 24 Bedford Square, London, WC1B 3HH
- 26-27 Bedford Square, London, WC1B 3HH
- 26-27 Bedford Square, London, WC1B 3HH

Monument/Component Types

- RAILINGS (18th Century - 1776 AD to 1781 AD)
- TERRACE (18th Century - 1776 AD to 1781 AD)
- TERRACED HOUSE (18th Century - 1776 AD to 1781 AD)

- HOUSE (18th Century to Unknown - 1782 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (1)	476699 NUMBERS 12-27 AND ATTACHED RAILINGS	<p>CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/77 (North side) 24/10/51 Nos.12-27 (Consecutive) and attached railings (Formerly Listed as: BEDFORD SQUARE Nos.1-54 (Consecutive)) GV I</p> <p>Symmetrical terrace of 16 houses forming the north side of a square. 1776-1781. Mostly built by W Scott and R Grews; probably designed by either Thomas Leverton or Robert Palmer; for the Bedford Estate. Yellow stock brick with evidence on most of the houses of tuck pointing. Plain stucco band at 1st floor level. The 2 centre houses, Nos 18 & 19, are stuccoed. Slate mansard roofs with dormers and tall slab chimney-stacks. EXTERIOR: 3 storeys, attics and basements. 3 windows each. Recessed round-arched entrances with Coade stone vermiculated intermittent voussoirs and bands; mask keystones. Enriched impost bands and cornice-heads to doors. Side lights to panelled doors, some 2-leaf. Fanlights, mostly radial patterned. Gauged brick flat arches to recessed sashes, most with glazing bars. The following have blind boxes: Nos 16-19, No.20 to 1st floor only, Nos 21 and 25. The following have cast-iron balconies to 1st floor windows: Nos 12-15, 18-21, 23-25. No.12 has a good early C19 cast-iron balcony with round-arched trellis and tented canopy. Cornice and parapets, Nos 12 & 27 having balustraded parapets. INTERIORS not inspected but noted to contain original stone stairs with cast and wrought-iron balusters of various scroll designs, decoration and features; special features as mentioned: No.12: 5 window return to Gower Street, some blind, plus single storey extension. The doorway is stucco, not Coade stone. No.13: Leverton's own house, occupied in 1782 but he did not settle here until 1795. Stucco doorway, not Coade stone. Rear elevation with canted bay to lower 3 floors and cast-iron balconies. INTERIOR: stair replaced by a timber version late C19. 2 fine plaster ceilings. No.14: rear elevation with full height canted bay. Plasterwork friezes and ceilings. Some curved doors. No.17: plaster ceiling. Nos 18 & 19: rusticated ground floor; 5 Ionic pilasters rise through the 1st and 2nd storeys to support a frieze with roundels above each pilaster, and pediment with delicate swag and roundel enrichment on the tympanum. At 2nd floor level a continuous enriched band running behind the pilasters. INTERIORS with curved staircases; No.18 with original cellar including a storage cupboard. Attached to and facing the rear of No.19, a finely proportioned contemporary 2 storey and basement stuccoed building. 3 windows. Round-arched ground floor openings; windows set in architraved Coade stone surrounds with guilloche impost bands and female head keystones. 1st floor palm leaf string course. A rare survival of this kind of building attached to the rear wall of the coach-houses. No.21: screens and a plaster ceiling. Attached to and facing the rear, a well detailed contemporary 2 storey brick building. 3 windows. Arcaded ground floor with stucco impost bands. Entrance with radial patterned fanlight. Gauged brick flat arches to all sashes. Brick mutule cornice which continues around the pediment containing a blind oeil-de-boeuf. A rare urban survival of an ancillary building of the period. No.23: panelled doors and a plaster ceiling. No.24: rear elevation with canted bay to lower 3 floors. Plaster ceilings and panels. No.25: rear elevation with full height bow and full height half-canted closet. Wood carving and plaster ceilings, one originally with painted panels. No.26: plasterwork and closet room behind the stairs. No.27: original basement door with interesting metalwork. Some houses with original lead rainwater heads and pipes. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn or torch-flambe finials. No.17 with a wrought-iron lamp bracket and snuffer. Most houses with good wrought-iron foot scrapers. HISTORICAL NOTE: the houses in Bedford Square form a most important and complete example of C18 town planning. Built as a speculation, it is not clear who designed all the houses. Leverton was a country house architect and may have been involved with only the grander houses; he lived at No.13. Palmer was the Bedford Estate surveyor and may be responsible for the vagaries of the square. The majority of the plots leased by the estate were taken by Robert Grews, a carpenter, and William Scott, a brickmaker. No.22 was the residence of Sir J Forbes Robertson, actor (plaque). (Byrne A: Bedford Square, An architectural study: London: -1990). Listing NGR: TQ2979181708</p>

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80769
Monument Type	Listed Building
Preferred Ref.	MLO80769
Name	NUMBERS 12-29 AND ATTACHED RAILINGS INCLUDING MONTAGUE HOTEL (NUMBERS 12-20)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30199 81736 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1146 (East side) 28/02/69 Nos.12-29 (Consecutive) and attached railings. Montague Hotel (12-20) (Formerly Listed as: MONTAGUE STREET Nos.1-29 (Consecutive) White Hall Hotel (2-5), Montague House (8-11), Montague Hotel (12-16)) GV II Terrace of 18 houses. c1803-6. By James Burton. Built by WE Allen, altered. Yellow stock bricks with stucco ground floors. Stucco sill band at 3rd floor level. Nos 15-17 and Nos 22 and 23 slightly projecting. Gateway to rear gardens (qv) between Nos 20 and 21. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded door frames or sidelights, mostly 2-leaf doors; Nos 17, 20, 21, 22, 24, 25, 27, 28 and 29 with patterned fanlights. No.13, door replaced by window. No.19 with mosaic top doorstep with words "White Hall". Gauged brick flat arches to recessed sash windows, most with original glazing bars. Nos 18, 19 and 20 with glazing bars forming patterns of octagons, squares and ladders, to sides of panes, on ground and 1st floor. Nos 21 and 22 with patterned glazing bars to ground floor and No.26 to 1st floor. 1st floor windows with cast-iron balconies. Parapets. Rear elevations of Nos 25-29 with bowed bays. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3019981736

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Montague Street, London, WC1B 5BJ
- 23-24 Montague Street, London, WC1B 5BH
- 23-24 Montague Street, London, WC1B 5BH
- 27 Montague Street, London, WC1B 5BH
- 27 Montague Street, London, WC1B 5BH

Monument/Component Types

- HOTEL (Undated)
- RAILINGS (19th Century - 1803 AD to 1806 AD)
- TERRACE (19th Century - 1803 AD to 1806 AD)
- TERRACED HOUSE (19th Century - 1803 AD to 1806 AD)
- HOUSE (19th Century to Unknown - 1807 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477534 NUMBERS 12-29 AND ATTACHED RAILINGS INCLUDING MONTAGUE HOTEL (NUMBERS 12-20)	CAMDEN TQ3081NW MONTAGUE STREET 798-1/100/1146 (East side) 28/02/69 Nos.12-29 (Consecutive) and attached railings. Montague Hotel (12-20) (Formerly Listed as: MONTAGUE STREET Nos.1-29 (Consecutive) White Hall Hotel (2-5), Montague House (8-11), Montague Hotel (12-16)) GV II Terrace of 18 houses. c1803-6. By James Burton. Built by WE Allen, altered. Yellow stock bricks with stucco ground floors. Stucco sill band at 3rd floor level. Nos 15-17 and Nos 22 and 23 slightly projecting. Gateway to rear gardens (qv) between Nos 20 and 21. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded door frames or sidelights, mostly 2-leaf doors; Nos 17, 20, 21, 22, 24, 25, 27, 28 and 29 with patterned fanlights. No.13, door replaced by window. No.19 with mosaic top doorstep with words "White Hall". Gauged brick flat arches to recessed sash windows, most with original glazing bars. Nos 18, 19 and 20 with glazing bars forming patterns of octagons, squares and ladders, to sides of panes, on ground and 1st floor. Nos 21 and 22 with patterned glazing bars to ground floor and No.26 to 1st floor. 1st floor windows with cast-iron balconies. Parapets. Rear elevations of Nos 25-29 with bowed bays. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3019981736

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80429
Monument Type	Listed Building
Preferred Ref.	MLO80429
Name	NUMBERS 12-36 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30228 82816 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/51 (West side) 14/05/74 Nos.12-36 (Even) and attached railings GV II Terrace of 13 houses, now mostly small hotels. c1833-9. Yellow stock brick; Nos 16 & 18 stuccoed. No.22, painted; Nos 24-28, painted ground floors. Plain stucco 1st floor sill bands. Nos 20-28 and 32 & 36 with slated mansard roofs and dormers. 3 storeys, Nos 20-28 and 32 & 36 attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways with stucco architraves, pilaster-jambes carrying cornice-heads, fanlights (some patterned) and some panelled doors. Most ground floor windows with margin lights. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with knob and disc finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3022882816

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Argyle Street, London, WC1H 8EQ
- 14 Argyle Street, London, WC1H 8EQ
- 16-18 Argyle Street, London, WC1H 8EQ
- 16-18 Argyle Street, London, WC1H 8EQ
- 20 Argyle Street, London, WC1H 8EQ
- 22 Argyle Street, London, WC1H 8EQ
- 34 Argyle Street, London, WC1H 8EN
- 36 Argyle Street, London, WC1H 8EN

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1839 AD)
- TERRACE (19th Century - 1833 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1839 AD)
- HOTEL (19th Century to Unknown - 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476615 NUMBERS 12-36 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/51 (West side) 14/05/74 Nos.12-36 (Even) and attached railings GV II Terrace of 13 houses, now mostly small hotels. c1833-9. Yellow stock brick; Nos 16 & 18 stuccoed. No.22, painted; Nos 24-28, painted ground floors. Plain stucco 1st floor sill bands. Nos 20-28 and 32 & 36 with slated mansard roofs and dormers. 3 storeys, Nos 20-28 and 32 & 36 attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways with stucco architraves, pilaster-jambes carrying cornice-heads, fanlights (some patterned) and some panelled doors. Most ground floor windows with margin lights. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with knob and disc finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3022882816

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79926
Monument Type	Listed Building
Preferred Ref.	MLO79926
Name	NUMBERS 1-29 AND ATTACHED SCREEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30446 81612 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SICILIAN AVENUE 798-1/100/1439 (South side) 14/05/74 Nos.1-29 (Odd) and attached screen GV II Shopping parade with offices (formerly flats) over. 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys 14 1/2 window bays plus a projecting oriel on return to Bloomsbury Square with 2 bays. Ground floor with later 20th century shopfronts separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at either end. 1st floor with 4 and 2-light square-headed casement windows with mullions plus an oriel window on the 4th bay in from Southampton Row. 2nd, 3rd and 4th floors with canted transom and mullion bay windows, flanked by 2-light transom and mullion windows and bowed oriel windows rising from the 2nd floor. End bays with 2-light windows. All windows with small leaded panes, some with shields. Projecting oriel of 7 lights, with transoms and mullions, from 2nd to 4th floor. Beneath, an arched entrance with 4 large brackets supporting a cornice over. Projecting modillion cornice surmounted by a balustrade. Tall slab chimneys. INTERIORS: not inspected. Attached to No.29 is a screen across the Avenue. 2 Ionic columns on plinths carrying an entablature with the words "Sicilian Avenue" on the frieze, surmounted by a balustrade with urns on the 2 central piers. Nos 1-29 (odd) Sicilian Avenue form a homogeneous development with Nos 6-20 (even) Sicilian Avenue (qv), Nos 15-23 (odd) Southampton Row (qv), Nos 25-35 (odd) and 35A Southampton Row (qv) and Nos 1-6 Vernon Place (qv). (Harwood E & Saint A: Exploring England's Heritage, London: -1991: 211-12). Listing NGR: TQ3044681612

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Sicilian Avenue, London, WC1A 2QH
- 11a-17 Sicilian Avenue, London, WC1A 2QH
- 11a-17 Sicilian Avenue, London, WC1A 2QH
- 11a-17 Sicilian Avenue, London, WC1A 2QH
- 17-21 Sicilian Avenue, London, WC1A 2QH
- 17-21 Sicilian Avenue, London, WC1A 2QH
- 25-27 Sicilian Avenue, London, WC1A 2QH
- 25-27 Sicilian Avenue, London, WC1A 2QH
- 29 Sicilian Avenue, London, WC1A 2QH
- 3 Sicilian Avenue, London, WC1A 2QH
- 5 Sicilian Avenue, London, WC1A 2QH
- 9 Sicilian Avenue, London, WC1A 2QH

Monument/Component Types

- COLONNADE (Modern - 1906 AD to 1910 AD)
- MANSION FLATS (Modern - 1906 AD to 1910 AD)
- SHOPPING PARADE (Modern - 1906 AD to 1910 AD)
- OFFICE (Modern to Unknown - 1911 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477999 NUMBERS 1-29 AND ATTACHED SCREEN	CAMDEN TQ3081NW SICILIAN AVENUE 798-1/100/1439 (South side) 14/05/74 Nos.1-29 (Odd) and attached screen GV II Shopping parade with offices (formerly flats) over. 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys 14 1/2 window bays plus a projecting oriel on return to Bloomsbury Square with 2 bays. Ground floor with later C20 shopfronts separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at either end. 1st floor with 4 and 2-light square-headed casement windows with mullions plus an oriel window on the 4th bay in from Southampton Row. 2nd, 3rd and 4th floors with canted transom and mullion bay windows, flanked by 2-light transom and mullion windows and bowed oriel windows rising from the 2nd floor. End bays with 2-light windows. All windows with small leaded panes, some with shields. Projecting oriel of 7 lights, with transoms and mullions, from 2nd to 4th floor. Beneath, an arched entrance with 4 large brackets supporting a

cornice over. Projecting modillion cornice surmounted by a balustrade. Tall slab chimneys. INTERIORS: not inspected. Attached to No.29 is a screen across the Avenue. 2 Ionic columns on plinths carrying an entablature with the words "Sicilian Avenue" on the frieze, surmounted by a balustrade with urns on the 2 central piers. Nos 1-29 (odd) Sicilian Avenue form a homogeneous development with Nos 6-20 (even) Sicilian Avenue (qv), Nos 15-23 (odd) Southampton Row (qv), Nos 25-35 (odd) and 35A Southampton Row (qv) and Nos 1-6 Vernon Place (qv). (Harwood E & Saint A: Exploring England's Heritage, London: - 1991: 211-12). Listing NGR: TQ3044681612

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80518
Monument Type Listed Building
Preferred Ref. MLO80518
Name NUMBERS 13 AND 14 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30432 82896 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ST CHAD'S STREET 798-1/90/1505 (South side) 14/05/74 Nos.13 AND 14 and attached railings GV II 2 terraced houses. c1827-9. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched, architraved ground floor openings. Doorways with pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Sashes with margin lights. Gauged brick flat arches to upper floor sashes; 1st floor with architraves and cornices and cast-iron balconies. Parapets (restored). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras IV): London: -1952: 110). Listing NGR: TQ3043282896

Sources

Number	Reference

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 St. Chad's Street, London, WC1H 8BG

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1829 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1829 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477935 NUMBERS 13 AND 14 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ST CHAD'S STREET 798-1/90/1505 (South side) 14/05/74 Nos.13 AND 14 and attached railings GV II 2 terraced houses. c1827-9. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched, architraved ground floor openings. Doorways with pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Sashes with margin lights. Gauged brick flat arches to upper floor sashes; 1st floor with architraves and cornices and cast-iron balconies. Parapets (restored). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with pineapple finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras IV): London: -1952: 110). Listing NGR: TQ3043282896

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86293
Monument Type	Listed Building
Preferred Ref.	MLO86293
Name	NUMBERS 13 TO 19, 19A, 20 TO 20B, 21 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31231 82585 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/905 (North East side) 29/09/72 Nos.13-19;19A,20-20B, 21 and attached railings GV II Nine terraced houses. 1819-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each except original no. 20 (now called 18-21 flat 3) with 3-window (all blind) range to left-hand return wall. Symmetrical group with projecting end-houses (nos. 13-15 & 19-21) and nos. 16-18 being a plain recessed centrepiece. Steps rise to entrance (left end house with 1-storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, fanlight (nos. 13 & 17 patterned), and original (except no. 13) panelled door. Ground-floor round-arched sashes with mostly 6/6 curved and radial glazing bars. Gauged-brick flat arches to upper storeys. 1st floor stucco sill band beneath full-length 6/6 sashes with coupled cast-iron balconies supported by iron brackets; 6/6 and 3/3 sashes to 2nd and 3rd floors respectively. Stucco storey and sill bands and projecting cornice to 3rd floor. Plain brick parapet with brick string course and stone coping. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; in the east terrace nos. 13-14 were built at the same time as the south terrace but nos. 15-21 were not completed until 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990:- 57-58). Listing NGR: TQ3123182585

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 14 Wilmington Square, London, WC1X 0ER
- 15 Wilmington Square, London, WC1X 0ER
- 16 Wilmington Square, London, WC1X 0ER
- 16 Wilmington Square, London, WC1X 0ER
- 17 Wilmington Square, London, WC1X 0ER

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1831 AD)
- STEPS (19th Century - 1819 AD to 1831 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1831 AD)
- TERRACED HOUSE (19th Century to Unknown - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369434 NUMBERS 13 TO 19, 19A, 20 TO 20B, 21 AND ATTACHED RAILINGS	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/905 (North East side) 29/09/72 Nos.13-19;19A,20-20B, 21 and attached railings GV II Nine terraced houses. 1819-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each except original no. 20 (now called 18-21 flat 3) with 3-window (all blind) range to left-hand return wall. Symmetrical group with projecting end-houses (nos. 13-15 & 19-21) and nos. 16-18 being a plain recessed centrepiece. Steps rise to entrance (left end house with 1-storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, fanlight (nos. 13 & 17 patterned), and original (except no. 13) panelled door. Ground-floor round-arched sashes with mostly 6/6 curved and radial glazing bars. Gauged-brick flat arches to upper storeys. 1st floor stucco sill band beneath full-length 6/6 sashes with coupled cast-iron balconies supported by iron brackets; 6/6 and 3/3 sashes to 2nd and 3rd floors respectively. Stucco storey and sill bands and projecting cornice to 3rd floor. Plain brick parapet with brick string course and stone coping. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in

1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; in the east terrace nos. 13-14 were built at the same time as the south terrace but nos. 15-21 were not completed until 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3123182585

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79783
Monument Type	Listed Building
Preferred Ref.	MLO79783
Name	NUMBERS 13-23 AND ATTACHED RAILINGS. JOHN ADAMS HALL OF RESIDENCE (NUMBERS 15-23)
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29764 82407 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE ENDSLEIGH STREET 798-1/94/391 (West side) 28/03/69 Nos.13-23 (Consecutive) and attached railings. John Adams Hall of Residence (15-23) (Formerly Listed as: ENDSLEIGH STREET Nos.3-6, 13-18, 19-23 (consec)) GV II Terrace of 11 houses, partly converted to a hall of residence. c1825. Built by Thomas Cubitt. Multi-coloured stock brick with stucco ground floor, Nos 13, 15, 21 & 23 rusticated. 4 storeys and basements. 3 windows to each former house. No.13 with 2 storey 3 window addition. Symmetrical terrace with Nos 13, 15, 21 & 23 slightly projecting with tetrastyle pilaster treatment through 1st and 2nd floors. Square-headed, recessed doorways with patterned rectangular fanlights and panelled and studded doors. No.22, the main hall of residence entrance, with tetrastyle pilasters to ground floor and 20th century glazed doors and overlight. Continuous cast-iron balconies to 1st floor casements, No.14 with cast-iron trellis and tented canopy. 2nd and 3rd floor with gauged brick flat arches to sash windows. Entablature at 3rd floor level. Cornice and blocking course above the attic storey. Addition to No.13 splayed with 20th century sashes. Stucco coat of arms above the centre ground floor window and dentil cornice at 1st floor level. Cornice and blocking course above 1st floor. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2976482407

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Endsleigh Street, London, WC1H 0DH

- 14 Endsleigh Street, London, WC1H 0DH

Monument/Component Types

- HALL OF RESIDENCE (Undated)
- RAILINGS (19th Century - 1805 AD to 1845 AD)
- TERRACE (19th Century - 1805 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1805 AD to 1845 AD)
- HOUSE (19th Century to Unknown - 1846 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477192 NUMBERS 13-23 AND ATTACHED RAILINGS. JOHN ADAMS HALL OF RESIDENCE (NUMBERS 15-23)	CAMDEN TQ2982SE ENDSLEIGH STREET 798-1/94/391 (West side) 28/03/69 Nos.13-23 (Consecutive) and attached railings. John Adams Hall of Residence (15-23) (Formerly Listed as: ENDSLEIGH STREET Nos.3-6, 13-18, 19-23 (consec)) GV II Terrace of 11 houses, partly converted to a hall of residence. c1825. Built by Thomas Cubitt. Multi-coloured stock brick with stucco ground floor, Nos 13, 15, 21 & 23 rusticated. 4 storeys and basements. 3 windows to each former house. No.13 with 2 storey 3 window addition. Symmetrical terrace with Nos 13, 15, 21 & 23 slightly projecting with tetrastyle pilaster treatment through 1st and 2nd floors. Square-headed, recessed doorways with patterned rectangular fanlights and panelled and studded doors. No.22, the main hall of residence entrance, with tetrastyle pilasters to ground floor and C20 glazed doors and overlight. Continuous cast-iron balconies to 1st floor casements, No.14 with cast-iron trellis and tented canopy. 2nd and 3rd floor with gauged brick flat arches to sash windows. Entablature at 3rd floor level. Cornice and blocking course above the attic storey. Addition to No.13 splayed with C20 sashes. Stucco coat of arms above the centre ground floor window and dentil cornice at 1st floor level. Cornice and blocking course above 1st floor. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2976482407

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79873
Monument Type	Listed Building
Preferred Ref.	MLO79873
Name	NUMBERS 14 AND 15 AND ATTACHED RAILINGS AND PILLARS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29720 82212 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/591 (West side) 28/03/69 Nos.14 AND 15 and attached railings and pillars (Formerly Listed as: GORDON SQUARE Nos.14 AND 15 Dr William's Library) GV II University hall, later library. 1848. By TL Donaldson. Red brick with stone dressings. Tudor style. EXTERIOR: 5 storeys and semi-basement. Double fronted with 5 bays of windows. Facade articulated by octagonal turrets with stone octagonal finials, rising the height of the building, at the angles and flanking the entrance. Stone band at 1st floor sill, wide 2nd floor sill band with quatrefoil enrichment and crockets. 3rd floor strings one with crockets. 4-centred arch doorway with moulded architrave, decorated spandrels, hood-mould with decorated label-stops and panelled door. Above the entrance, an oriel window of 4 pointed headed lights rising through the 1st and 2nd floors, with a quatrefoil enriched apron at 2nd floor level, cornice and terminating in a brick gable. Windows, except the semi-basement, with pointed headed lights and hood-moulds with decorated label-stops. Ground floor windows, with enriched aprons, of 2 lights flanking the entrance and 4 lights to the outer bays. Similar windows to the 1st and 2nd floors but with enriched spandrel panels. String with crockets beneath stone-capped, crenellated parapet. INTERIOR: entrance hall with heavy Gothic style stone imperial type stairs. Behind, a panelled room with stained glass windows. 1st floor library with cast-iron gallery. SUBSIDIARY FEATURES: attached cast-iron railings with octagonal stone pillars having shaped finials. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949). Listing NGR: TQ2972082212

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Gordon Square, London, WC1H 0AG

- 15 Gordon Square, London, WC1H 0AG

Monument/Component Types

- HALL OF RESIDENCE (19th Century - 1848 AD)
- RAILINGS (19th Century - 1848 AD)
- UNIVERSITY (19th Century - 1848 AD)
- LIBRARY (19th Century to Unknown - 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477354 NUMBERS 14 AND 15 AND ATTACHED RAILINGS AND PILLARS	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/591 (West side) 28/03/69 Nos.14 AND 15 and attached railings and pillars (Formerly Listed as: GORDON SQUARE Nos.14 AND 15 Dr William's Library) GV II University hall, later library. 1848. By TL Donaldson. Red brick with stone dressings. Tudor style. EXTERIOR: 5 storeys and semi-basement. Double fronted with 5 bays of windows. Facade articulated by octagonal turrets with stone octagonal finials, rising the height of the building, at the angles and flanking the entrance. Stone band at 1st floor sill, wide 2nd floor sill band with quatrefoil enrichment and crockets. 3rd floor strings one with crockets. 4-centred arch doorway with moulded architrave, decorated spandrels, hood-mould with decorated label-stops and panelled door. Above the entrance, an oriel window of 4 pointed headed lights rising through the 1st and 2nd floors, with a quatrefoil enriched apron at 2nd floor level, cornice and terminating in a brick gable. Windows, except the semi-basement, with pointed headed lights and hood-moulds with decorated label-stops. Ground floor windows, with enriched aprons, of 2 lights flanking the entrance and 4 lights to the outer bays. Similar windows to the 1st and 2nd floors but with enriched spandrel panels. String with crockets beneath stone-capped, crenellated parapet. INTERIOR: entrance hall with heavy Gothic style stone imperial type stairs. Behind, a panelled room with stained glass windows. 1st floor library with cast-iron gallery. SUBSIDIARY FEATURES: attached cast-iron railings with octagonal stone pillars having shaped finials. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949). Listing NGR: TQ2972082212

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81441
Monument Type	Listed Building
Preferred Ref.	MLO81441
Name	NUMBERS 1-4 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30456 82184 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW LANSLOWNE TERRACE 798-1/95/1013 (East side) 14/05/74 Nos.1-4 (Consecutive) and attached railings GV II Terrace of 4 houses. 1794. By James Burton. Nos 1, 4 and upper part of Nos 2 and 3 refaced mid 20th century in facsimile. Darkened brick with evidence of tuck pointing, refacing in multi-coloured stock brick. Plain stucco band at 1st floor level. 4 storeys and basements. No.1, double fronted with 5 windows; Nos 2-4, 3 windows each. Wide, round-arched doorways with panelled jambs (No.1 with brackets), mutule cornice-heads, fanlights and panelled doors. Gauged red brick flat arches to recessed sash and casement windows, latter 20th century with small horizontally set rectangular lights and metal glazing bars. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: Nos 1 to 3, attached cast-iron railings with urn finials to areas. Listing NGR: TQ3045682184

Sources

Number	Reference
--------	-----------

Location

Administrative Area

- [Borough] CAMDEN

Address

Monument/Component Types

- RAILINGS (18th Century - 1794 AD)
- TERRACE (18th Century - 1794 AD)
- TERRACED HOUSE (18th Century - 1794 AD)
- HOUSE (Modern - 1933 AD to 1966 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478646 NUMBERS 1-4 AND ATTACHED RAILINGS	CAMDEN TQ3082SW LANSLOWNE TERRACE 798-1/95/1013 (East side) 14/05/74 Nos.1-4 (Consecutive) and attached railings GV II Terrace of 4 houses. 1794. By James Burton. Nos 1, 4 and upper part of Nos 2 and 3 refaced mid C20 in facsimile. Darkened brick with evidence of tuck pointing, refacing in multi-coloured stock brick. Plain stucco band at 1st floor level. 4 storeys and basements. No.1, double fronted with 5 windows; Nos 2-4, 3 windows each. Wide, round-arched doorways with panelled jambs (No.1 with brackets), mutule cornice-heads, fanlights and panelled doors. Gauged red brick flat arches to recessed sash and casement windows, latter C20 with small horizontally set rectangular lights and metal glazing bars. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: Nos 1 to 3, attached cast-iron railings with urn finials to areas. Listing NGR: TQ3045682184

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80631
Monument Type Listed Building
Preferred Ref. MLO80631
Name NUMBERS 14, 15 AND 16 AND ATTACHED RAILINGS
Map Sheet TQ28SE
Grid References Centre Point: TQ 29999 82413 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SW BURTON STREET 798-1/95/126 (West side) 14/05/74 Nos.14, 15 AND 16 and attached railings GV II Terrace of 3 houses. c1820, restored 1980s. Designed and built by James Burton. Yellow stock brick with stucco ground floors and plain 1st floor sill band. 2 storeys and basements. 2 windows each. Centre house, No.15, slightly projecting. Round-arched doorways with reeded jambs, cornice-heads, 20th century patterned fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with cast-iron balconies. Cement parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91). Listing NGR: TQ2999982413

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Burton Street, London, WC1H 9AQ
 - 14 Burton Street, London, WC1H 9AQ
 - 15 Burton Street, London, WC1H 9AQ
 - 16 Burton Street, London, WC1H 9AQ

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1840 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1840 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1840 AD)
- HOUSE (Modern - 1980 AD to 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476768 NUMBERS 14, 15 AND 16 AND ATTACHED RAILINGS	CAMDEN TQ3082SW BURTON STREET 798-1/95/126 (West side) 14/05/74 Nos.14, 15 AND 16 and attached railings GV II Terrace of 3 houses. c1820, restored 1980s. Designed and built by James Burton. Yellow stock brick with stucco ground floors and plain 1st floor sill band. 2 storeys and basements. 2 windows each. Centre house, No.15, slightly projecting. Round-arched doorways with reeded jambs, cornice-heads, C20 patterned fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with cast-iron balconies. Cement parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91). Listing NGR: TQ2999982413

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80057
Monument Type Listed Building
Preferred Ref. MLO80057
Name NUMBERS 141-151 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30754 82329 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/648 (West side) 14/05/74 Nos.141-151 (Odd) and attached railings GV II Terrace of 6 houses. c1811-20. Darkened stock brick with later patching. Stucco ground floors with plain 1st floor sill bands. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambs carrying cornice-heads; fanlights (No.147 radial) and panelled doors. Gauged brick flat arches to recessed sashes, mostly 2-pane; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3075482329

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 142 Gray's Inn Road, London, WC1X 8AX
 - 144 Gray's Inn Road, London, WC1X 8AX
 - 149 Gray's Inn Road, London, WC1X 8UB
 - 149 Gray's Inn Road, London, WC1X 8UB

Monument/Component Types

- RAILINGS (19th Century - 1811 AD to 1820 AD)
- TERRACED HOUSE (19th Century - 1811 AD to 1820 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477482 NUMBERS 141-151 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/648 (West side) 14/05/74 Nos.141-151 (Odd) and attached railings GV II Terrace of 6 houses. c1811-20. Darkened stock brick with later patching. Stucco ground floors with plain 1st floor sill bands. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambs carrying cornice-heads; fanlights (No.147 radial) and panelled doors. Gauged brick flat arches to recessed sashes, mostly 2-pane; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 54). Listing NGR: TQ3075482329

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80462
Monument Type	Listed Building
Preferred Ref.	MLO80462
Name	NUMBERS 14-17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30655 81687 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE RED LION SQUARE 798-1/101/1371 (South side) 24/10/51 Nos.14-17 (Consecutive) and attached railings GV II 4 terraced houses. c1686. By Nicholas Barbon, altered. Refronted early C19. Yellow stock brick with stucco ground floors. Nos 14 & 15: tiled mansard roofs with dormers (renewed). 3 storeys, attics and basements. 2 windows each. Arched doorways with pilaster-jambs carrying cornice heads, patterned fanlights and panelled doors. Recessed sashes, those on upper floors with gauged brick flat arches. Stucco band at 1st floor level. 1st floor windows in shallow, round-arched recesses with cast-iron balconies. No.15 2nd floor stucco sill band. Parapets. No.15 rear elevation with flush frame windows. INTERIORS: not inspected but No.14 noted to have a mid C18 staircase with twisted balusters, fluted column newels and carved brackets; panelled hall and staircase. No.15 with early C19 staircase with square balusters, fluted column newels and pilasters; panelled ground floor rooms. Nos 16 & 17: stucco sill bands at 1st floor level. 4 storeys and basements. 3 windows each. Entrances with pilasters carrying entablatures, doorways with fanlights and panelled doors. Recessed sashes, those on 1st floor with architraves (No.16 with balconies and cornice to the centre window), 2nd and 3rd floors with gauged brick flat arches. Stucco cornice band at 3rd floor level. Parapet with plain stucco band. INTERIORS: not inspected but No.16 noted to have mid C18 staircase with twisted balusters and carved brackets; panelled rooms and other features. No.17 with mid C18 staircase with twisted balusters and shaped ends. Some panelling. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 14, 15 and 16. HISTORICAL NOTE: No.17 was the residence of Rossetti, and subsequently Morris and Burne-Jones (GLC tablet). It was the problem of providing furniture for these rooms that first led Morris to try his hand at furniture design; this was a spur to his decision to abandon architecture and concentrate on the applied arts. Listing NGR: TQ3065581687

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (17th Century to 18th Century - 1666 AD to 1706 AD)
- TERRACE (17th Century to 18th Century - 1666 AD to 1706 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1666 AD to 1706 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477833 NUMBERS 14-17 AND ATTACHED RAILINGS	CAMDEN TQ3081NE RED LION SQUARE 798-1/101/1371 (South side) 24/10/51 Nos.14-17 (Consecutive) and attached railings GV II 4 terraced houses. c1686. By Nicholas Barbon, altered. Refronted early C19. Yellow stock brick with stucco ground floors. Nos 14 & 15: tiled mansard roofs with dormers (renewed). 3 storeys, attics and basements. 2 windows each. Arched doorways with pilaster-jambs carrying cornice heads, patterned fanlights and panelled doors. Recessed sashes, those on upper floors with gauged brick flat arches. Stucco band at 1st floor level. 1st floor windows in shallow, round-arched recesses with cast-iron balconies. No.15 2nd floor stucco sill band. Parapets. No.15 rear elevation with flush frame windows. INTERIORS: not inspected but No.14 noted to have a mid C18 staircase with twisted balusters, fluted column newels and carved brackets; panelled hall and staircase. No.15 with early C19 staircase with square balusters, fluted column newels and pilasters; panelled ground floor rooms. Nos 16 & 17: stucco sill bands at 1st floor level. 4 storeys and basements. 3 windows each. Entrances with pilasters carrying entablatures, doorways with fanlights and panelled doors. Recessed sashes, those on 1st floor with architraves (No.16 with balconies and cornice to the centre window), 2nd and 3rd floors with gauged brick flat arches. Stucco cornice band at 3rd floor level. Parapet with plain stucco band. INTERIORS: not inspected but No.16 noted to have mid C18 staircase with twisted balusters and carved brackets; panelled rooms and other features. No.17 with mid C18 staircase with twisted balusters and shaped ends. Some panelling. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 14, 15 and 16. HISTORICAL NOTE: No.17 was the residence of Rossetti, and subsequently Morris and Burne-Jones (GLC tablet). It

was the problem of providing furniture for these rooms that first led Morris to try his hand at furniture design; this was a spur to his decision to abandon architecture and concentrate on the applied arts. Listing NGR: TQ3065581687

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80220
Monument Type	Listed Building
Preferred Ref.	MLO80220
Name	NUMBERS 14-22 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30388 81578 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SOUTHAMPTON PLACE 798-1/100/1472 (West side) 24/10/51 Nos.14-22 (Consecutive) and attached railings GV II* Terrace of 9 houses. c1758-63. Probably under the direction of Henry Flitcroft. Nos 19, 20 & 21 altered mid C19. No.22 mid C18 with C19 alterations. Darkened multi-colour stock brick with a stone band at 1st floor level. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed sash windows. Bracketed cornice below parapets. Nos 14-18: Nos 14, 15 and 16 with wooden doorcases with engaged Doric columns carrying entablature and pediment. No.15 with triglyphs and dentil open pediment. Nos 17 and 18 with round-arched doorways with patterned fanlights, sidelights and panelled doors. No.16 with original lead rainwater head, with lion mask, and pipe. INTERIORS: not inspected but noted to retain good staircases, fireplaces and panelling, those of Nos 14, 15 and 17 being especially fine. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas, No.17 with lamp-bracket overthrow. No.19: mid C19 stucco front with rusticated ground floor and archway to Barter Street. Facade flanked by rusticated Ionic pilasters rising through 1st and 2nd floors carrying entablature with bracketed cornice and balustraded parapet. Original wooden C18 doorcase with attached Doric columns carrying entablature with triglyphs, mutule pediment and panelled reveals. Architraved sash windows with keystones; 1st floor with pulvinated frieze and dentilled, pedimented cornice. Balustraded balconies. INTERIOR: not inspected but noted to retain staircase with turned balusters and twin column newels and good C18 fireplace. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. Nos 20 & 21: altered in C19. Yellow stock brick with stucco ground floor. 4 storeys, attics and basements. 3 windows each. Round-arched ground and 1st floor openings with moulded impost bands and stucco archivolts to ground floor. Stone balcony with heavy corbels and cast-iron balcony at 1st floor level. Recessed sash windows. Stucco cornices at 3rd floor level. Parapet with moulded stucco coping. INTERIOR: not inspected but noted to retain a simple staircase with square balusters. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. No.22: mid C18, altered in C19. Multi-coloured stock brick and stucco ground floor with band above. 4 storeys, attic and basement. 3 windows. Wooden doorcase with enriched pilasters carrying mutule cornice; panelled reveals, fanlight and panelled door. Gauged brick flat arches to recessed sash windows, the centre window of 1st floor in arched recess. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.17 was the home of Henry Addington (Prime Minister 1801) and Cardinal Newman (GLC plaque). Listing NGR: TQ3038881578

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Southampton Place, London, WC1A 2AJ
- 16-19 Southampton Place, London, WC1A 2AJ
- 16-19 Southampton Place, London, WC1A 2AJ
- 16-19 Southampton Place, London, WC1A 2AJ
- 20 Southampton Place, London, WC1A 2BP
- 21 Southampton Place, London, WC1A 2BP
- 21 Southampton Place, London, WC1A 2BP
- 22 Southampton Place, London, WC1A 2BP

Monument/Component Types

- RAILINGS (18th Century - 1733 AD to 1766 AD)
- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- LAMP BRACKET (18th Century - 1758 AD to 1763 AD)
- RAILINGS (18th Century - 1758 AD to 1763 AD)
- TERRACE (18th Century - 1758 AD to 1763 AD)
- TERRACED HOUSE (18th Century - 1758 AD to 1763 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- HOUSE (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478126 NUMBERS 14-22 AND ATTACHED RAILINGS	CAMDEN TQ3081NW SOUTHAMPTON PLACE 798-1/100/1472 (West side) 24/10/51 Nos.14-22 (Consecutive) and attached railings GV II* Terrace of 9 houses. c1758-63. Probably under the direction of Henry Flitcroft. Nos 19, 20 & 21 altered mid C19. No.22 mid C18 with C19 alterations. Darkened multi-colour stock brick with a stone band at 1st floor level. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed

sash windows. Bracketed cornice below parapets. Nos 14-18: Nos 14, 15 and 16 with wooden doorcases with engaged Doric columns carrying entablature and pediment. No.15 with triglyphs and dentil open pediment. Nos 17 and 18 with round-arched doorways with patterned fanlights, sidelights and panelled doors. No.16 with original lead rainwater head, with lion mask, and pipe. INTERIORS: not inspected but noted to retain good staircases, fireplaces and panelling, those of Nos 14, 15 and 17 being especially fine. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas, No.17 with lamp-bracket overthrow. No.19: mid C19 stucco front with rusticated ground floor and archway to Barter Street. Facade flanked by rusticated Ionic pilasters rising through 1st and 2nd floors carrying entablature with bracketed cornice and balustraded parapet. Original wooden C18 doorcase with attached Doric columns carrying entablature with triglyphs, mutule pediment and panelled reveals. Architraved sash windows with keystones; 1st floor with pulvinated frieze and dentilled, pedimented cornice. Balustraded balconies. INTERIOR: not inspected but noted to retain staircase with turned balusters and twin column newels and good C18 fireplace. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. Nos 20 & 21: altered in C19. Yellow stock brick with stucco ground floor. 4 storeys, attics and basements. 3 windows each. Round-arched ground and 1st floor openings with moulded impost bands and stucco archivolts to ground floor. Stone balcony with heavy corbels and cast-iron balcony at 1st floor level. Recessed sash windows. Stucco cornices at 3rd floor level. Parapet with moulded stucco coping. INTERIOR: not inspected but noted to retain a simple staircase with square balusters. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. No.22: mid C18, altered in C19. Multi-coloured stock brick and stucco ground floor with band above. 4 storeys, attic and basement. 3 windows. Wooden doorcase with enriched pilasters carrying mutule cornice; panelled reveals, fanlight and panelled door. Gauged brick flat arches to recessed sash windows, the centre window of 1st floor in arched recess. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.17 was the home of Henry Addington (Prime Minister 1801) and Cardinal Newman (GLC plaque). Listing NGR: TQ3038881578

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81159
Monument Type	Listed Building
Preferred Ref.	MLO81159
Name	NUMBERS 14-22 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30915 81958 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/1629 (North side) 24/10/51 Nos.14-22 (Even) and attached railings GV II Terraced houses. c1750, restored 1989. Multi-coloured stock brick. Stone bands at 1st and 2nd floor levels, except No.18 with stone band at 1st floor, 1st floor sill band and stone bracketed cornice at 3rd floor level. 4 storeys and basements. 3 windows each. Good wooden pedimented doorcases with Doric engaged columns carrying entablature with Greek fret frieze. No.20 with enriched consoles carrying flat hood; No.22, with pulvinated frieze and modillion cornice and pediment. All with double panelled doors, Nos 14 and 16 with fanlights. Gauged brick flat arches to recessed sashes, some reddened. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. HISTORICAL NOTE: No.22 was the birthplace of Benjamin Disraeli, Earl of Beaconsfield (LCC plaque). Listing NGR: TQ3091581958

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 16-18 Theobalds Road, London, WC1X 8PF
 - 16-18 Theobalds Road, London, WC1X 8PF
 - 20 Theobalds Road, London, WC1X 8PF
 - 20 Theobalds Road, London, WC1X 8PF

Monument/Component Types

- RAILINGS (18th Century - 1730 AD to 1770 AD)
- TERRACE (18th Century - 1730 AD to 1770 AD)
- TERRACED HOUSE (18th Century - 1730 AD to 1770 AD)
- HOUSE (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478369 NUMBERS 14-22 AND ATTACHED RAILINGS	CAMDEN TQ3081NE THEOBALD'S ROAD 798-1/101/1629 (North side) 24/10/51 Nos.14-22 (Even) and attached railings GV II Terraced houses. c1750, restored 1989. Multi-coloured stock brick. Stone bands at 1st and 2nd floor levels, except No.18 with stone band at 1st floor, 1st floor sill band and stone bracketed cornice at 3rd floor level. 4 storeys and basements. 3 windows each. Good wooden pedimented doorcases with Doric engaged columns carrying entablature with Greek fret frieze. No.20 with enriched consoles carrying flat hood; No.22, with pulvinated frieze and modillion cornice and pediment. All with double panelled doors, Nos 14 and 16 with fanlights. Gauged brick flat arches to recessed sashes, some reddened. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. HISTORICAL NOTE: No.22 was the birthplace of Benjamin Disraeli, Earl of Beaconsfield (LCC plaque). Listing NGR: TQ3091581958

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80427
Monument Type	Listed Building
Preferred Ref.	MLO80427
Name	NUMBERS 15 AND 16 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30814 81824 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1812 (East side) 24/10/51 Nos.15 AND 16 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II* Pair of houses forming part of a terrace. 1717-18 by Robert Burford, carpenter, on land granted to him and George Devall, plumber, in 1716 by Dame Margaret Skipwith. Updated c1820. Brown and yellow stock brick with some refacing of upper storeys. Roofs not seen behind parapets. 3 windows each. EXTERIOR: 4 storeys, basement and attic. 2 rooms deep, with cross passage and closet wing. Brick bands at first floor level. Gauged red brick arches and dressings to flush frame sash windows. Wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, No.15 with patterned fanlight, both with panelled doors. INTERIORS: No.15 with panelled entrance and staircase hall. Open-string staircase with decorated ends and carved turned balusters, unpainted, with corresponding dado on opposite wall having Corinthian pilasters at head, foot and turn of flights rises to first floor. Ground and first floor rooms with raised and fielded panelling and box cornices. On ground floor a panelled cross passage between front and rear rooms; in this space on upper floors a closed string staircase with turned balusters rises to third floor. Upper floors not inspected. No.16 with fully panelled entrance and staircase hall, the former with fluted Corinthian pilasters forming inner arch. Open-string staircase with decorated ends and twisted balusters, 3 per tread, rise to first floor with corresponding dado decorated with Corinthian pilaster strips at head, foot and turn of flights. Ground and first floors with full-height raised and fielded panelling and early C19 fireplaces. 20th century stair on upper floors. SUBSIDIARY FEATURES: cast-iron railings to areas, with decorative finials. HISTORICAL NOTE: these houses are comparable in quality with Nos 8, 9, 12 and 13 Bedford Row (qv). They are particularly interesting in that their ground-floor plan was not modified in early C19 by the incorporation of the cross-passages into the front rooms as buffet alcoves. The principal houses of this group form an exceptional group. Listing NGR: TQ3081481824

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Bedford Row, London, WC1R 4EB
- 16 Bedford Row, London, WC1R 4EB
- 16 Bedford Row, London, WC1R 4EB

Monument/Component Types

- HOUSE (18th Century - 1717 AD to 1718 AD)
- RAILINGS (18th Century - 1717 AD to 1718 AD)
- HOUSE (19th Century - 1819 AD to 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476656 NUMBERS 15 AND 16 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1812 (East side) 24/10/51 Nos.15 AND 16 and attached railings (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II* Pair of houses forming part of a terrace. 1717-18 by Robert Burford, carpenter, on land granted to him and George Devall, plumber, in 1716 by Dame Margaret Skipwith. Updated c1820. Brown and yellow stock brick with some refacing of upper storeys. Roofs not seen behind parapets. 3 windows each. EXTERIOR: 4 storeys, basement and attic. 2 rooms deep, with cross passage and closet wing. Brick bands at first floor level. Gauged red brick arches and dressings to flush frame sash windows. Wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, No.15 with patterned fanlight, both with panelled doors. INTERIORS: No.15 with panelled entrance and staircase hall. Open-string staircase with decorated ends and carved turned balusters, unpainted, with corresponding dado on opposite wall having Corinthian pilasters at head, foot and turn of flights rises to first floor. Ground and first floor rooms with raised and fielded panelling and box cornices. On ground floor a panelled cross passage between front and rear rooms; in this space on upper floors a closed string staircase with turned balusters rises to third floor. Upper floors not inspected. No.16 with fully panelled entrance and staircase hall, the former with fluted Corinthian pilasters forming inner arch. Open-string staircase with decorated ends and twisted balusters, 3 per tread, rise to first floor with corresponding dado decorated with Corinthian pilaster strips at head, foot and turn of flights. Ground and first floors with full-height raised and

fielded panelling and early C19 fireplaces. C20 stair on upper floors. SUBSIDIARY FEATURES: cast-iron railings to areas, with decorative finials. HISTORICAL NOTE: these houses are comparable in quality with Nos 8, 9, 12 and 13 Bedford Row (qv). They are particularly interesting in that their ground-floor plan was not modified in early C19 by the incorporation of the cross-passages into the front rooms as buffet alcoves. The principal houses of this group form an exceptional group. Listing NGR: TQ3081481824

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80928
Monument Type	Listed Building
Preferred Ref.	MLO80928
Name	NUMBERS 15 AND 17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30722 82746 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE ACTON STREET 798-1/91/2 (South side) 25/10/71 Nos.15 AND 17 and attached railings GV II 2 terraced houses forming the projecting end of a terrace. c1835-45. Yellow stock brick (2nd floors refaced) with rusticated stucco ground floors and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns, fanlights (No.17 radial patterned) and panelled doors. Sashes with margin lights. Gauged brick flat arches to upper floor sashes with glazing bars; 1st floor with cast-iron balconies. No.15 with stucco cornice and blocking course. No.17, stucco parapet with cornice missing. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol.XXIV, King's Cross Neighbourhood, Parish of St Pancras, IV: London: -1952: 96). Listing NGR: TQ3072282746

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Acton Street, London, WC1X 9LX

- 17 Acton Street, London, WC1X 9LX

- 17 Acton Street, London, WC1X 9LX

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476507 NUMBERS 15 AND 17 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/2 (South side) 25/10/71 Nos.15 AND 17 and attached railings GV II 2 terraced houses forming the projecting end of a terrace. c1835-45. Yellow stock brick (2nd floors refaced) with rusticated stucco ground floors and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns, fanlights (No.17 radial patterned) and panelled doors. Sashes with margin lights. Gauged brick flat arches to upper floor sashes with glazing bars; 1st floor with cast-iron balconies. No.15 with stucco cornice and blocking course. No.17, stucco parapet with cornice missing. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol.XXIV, King's Cross Neighbourhood, Parish of St Pancras, IV: London: -1952: 96). Listing NGR: TQ3072282746

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79717
Monument Type	Listed Building
Preferred Ref.	MLO79717
Name	NUMBERS 1-5 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30347 82866 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW CRESTFIELD STREET 798-1/90/281 (East side) 14/05/74 Nos.1-5 (Consecutive) and attached railings GV II 5 terraced houses, now hotels and an office. c1840-1. Yellow stock brick; Nos 1-3 rusticated stucco ground floors; Nos 3 & 4, painted ground floors. Nos 2-4, slated mansard roofs with dormers. 4 storeys, Nos 2-4 attics, basements. 2 windows each. Round-arched ground floor openings. 1st floor windows with cast-iron balconies. Parapets. No.1: stucco portico extension on return with pilasters carrying entablature; round-arched doorway with fluted Doric three quarter columns carrying cornice-head; fanlight and panelled door. No.2: doorway with pilaster-jambs carrying cornice-head; fanlight and panelled door. No.3: 20th century doorway and door. No.4: converted for use as a window. No.5: gauged brick flat arches to recessed sashes and casements; 1st floor in shallow arched recesses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings, most with bud finials, to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 109). Listing NGR: TQ3034782866

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Crestfield Street, London, WC1H 8AU
- 1 Crestfield Street, London, WC1H 8AU
- 2-4 Crestfield Street, London, WC1H 8AT
- 2-4 Crestfield Street, London, WC1H 8AT

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1841 AD)
- TERRACE (19th Century - 1840 AD to 1841 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1841 AD)
- HOTEL (19th Century to Unknown - 1842 AD)
- OFFICE (19th Century to Unknown - 1842 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477026 NUMBERS 1-5 AND ATTACHED RAILINGS	CAMDEN TQ3082NW CRESTFIELD STREET 798-1/90/281 (East side) 14/05/74 Nos.1-5 (Consecutive) and attached railings GV II 5 terraced houses, now hotels and an office. c1840-1. Yellow stock brick; Nos 1-3 rusticated stucco ground floors; Nos 3 & 4, painted ground floors. Nos 2-4, slated mansard roofs with dormers. 4 storeys, Nos 2-4 attics, basements. 2 windows each. Round-arched ground floor openings. 1st floor windows with cast-iron balconies. Parapets. No.1: stucco portico extension on return with pilasters carrying entablature; round-arched doorway with fluted Doric three quarter columns carrying cornice-head; fanlight and panelled door. No.2: doorway with pilaster-jambs carrying cornice-head; fanlight and panelled door. No.3: C20 doorway and door. No.4: converted for use as a window. No.5: gauged brick flat arches to recessed sashes and casements; 1st floor in shallow arched recesses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings, most with bud finials, to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 109). Listing NGR: TQ3034782866

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80542
Monument Type	Listed Building
Preferred Ref.	MLO80542
Name	NUMBERS 15, 17 AND 19 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30709 82618 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE AMPTON STREET 798-1/91/44 (South side) 25/10/71 Nos.15, 17 AND 19 and attached railings (Formerly Listed as: AMPTON STREET Nos.11-15 (Odd)) (Formerly Listed as: AMPTON STREET Nos.17 AND 19) GV II 3 terraced houses. c1835-9. By William Cubitt. Channelled stucco with rusticated stucco ground floors and plain stucco 1st floor sill bands. 3 storeys and basements. 1 window each. Prostyle, pedimented stucco porticoes with palmette acroterion. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed, tripartite sashes; 1st and 2nd floor architraved; 1st floor with console-bracketed narrow pediments and cast-iron balconies. Bracketed cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3070982618

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Ampton Street, London, WC1X 0LT
 - 15 Ampton Street, London, WC1X 0LT
 - 17 Ampton Street, London, WC1X 0LT
 - 19 Ampton Street, London, WC1X 0LT

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1839 AD)
- TERRACE (19th Century - 1835 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1839 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476607 NUMBERS 15, 17 AND 19 AND ATTACHED RAILINGS	CAMDEN TQ3082NE AMPTON STREET 798-1/91/44 (South side) 25/10/71 Nos.15, 17 AND 19 and attached railings (Formerly Listed as: AMPTON STREET Nos.11-15 (Odd)) (Formerly Listed as: AMPTON STREET Nos.17 AND 19) GV II 3 terraced houses. c1835-9. By William Cubitt. Channelled stucco with rusticated stucco ground floors and plain stucco 1st floor sill bands. 3 storeys and basements. 1 window each. Prostyle, pedimented stucco porticoes with palmette acroterion. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed, tripartite sashes; 1st and 2nd floor architraved; 1st floor with console-bracketed narrow pediments and cast-iron balconies. Bracketed cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3070982618

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80810
Monument Type	Listed Building
Preferred Ref.	MLO80810
Name	NUMBERS 15A AND 17 TO 49 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29759 81865 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE GOWER STREET 798-1/99/605 (West side) 28/03/69 Nos.15A AND 17-49 (Odd) and attached railings GV II Terrace of 18 houses. Nos 15A-39 built 1783; Nos 41-49, 1785. Nos 37-41 frontages rebuilt in facsimile but having only one doorway (that to No.39). Darkened yellow stock brick. Stucco 1st floor band with guilloche pattern. Slated mansard roofs with dormers. EXTERIOR: 3 storeys, attics and basements; Nos 25 & 39, 4 storeys and basements. 3 windows each, No.49 with unfenestrated return to Chenies Street. Round-arched doorways with fluted pilasters, cornice-heads, fanlights and panelled doors; most with panelled reveals and some with radial patterned fanlights. Gauged brick flat arches to recessed sash windows, some with glazing bars. Ground and 1st floor windows with bracketed sills and cast-iron guards. Parapets. No.15a: entrance in arched porch extension with return to Store Street. 4 windows in ground floor extension, 2 at 1st floor level. Nos 19 & 21: early 20th century stone entablature with bracketed cornice and fluted frieze. No.21: stone entrance surround with Doric half columns carrying entablature. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2975981865

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 17 Gordon Square, London, WC1H 0AG

Monument/Component Types

- RAILINGS (18th Century - 1783 AD)
- TERRACE (18th Century - 1783 AD to 1785 AD)
- TERRACED HOUSE (18th Century - 1783 AD)
- RAILINGS (18th Century - 1785 AD)
- TERRACED HOUSE (18th Century - 1785 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477392 NUMBERS 15A AND 17 TO 49 AND ATTACHED RAILINGS	CAMDEN TQ2981NE GOWER STREET 798-1/99/605 (West side) 28/03/69 Nos.15A AND 17-49 (Odd) and attached railings GV II Terrace of 18 houses. Nos 15A-39 built 1783; Nos 41-49, 1785. Nos 37-41 frontages rebuilt in facsimile but having only one doorway (that to No.39). Darkened yellow stock brick. Stucco 1st floor band with guilloche pattern. Slated mansard roofs with dormers. EXTERIOR: 3 storeys, attics and basements; Nos 25 & 39, 4 storeys and basements. 3 windows each, No.49 with unfenestrated return to Chenies Street. Round-arched doorways with fluted pilasters, cornice-heads, fanlights and panelled doors; most with panelled reveals and some with radial patterned fanlights. Gauged brick flat arches to recessed sash windows, some with glazing bars. Ground and 1st floor windows with bracketed sills and cast-iron guards. Parapets. No.15a: entrance in arched porch extension with return to Store Street. 4 windows in ground floor extension, 2 at 1st floor level. Nos 19 & 21: early C20 stone entablature with bracketed cornice and fluted frieze. No.21: stone entrance surround with Doric half columns carrying entablature. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2975981865

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79875
Monument Type	Listed Building
Preferred Ref.	MLO79875
Name	NUMBERS 16 TO 25 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29708 82227 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/592 (West side) 28/03/69 Nos.16-25 (Consecutive) and attached railings GV II Terrace of 10 houses. Mid 19th century. Stucco with rusticated stucco quoins and ground floor. 4 storeys and basements. 3 windows each. Symmetrical composition with projecting central bays (Nos 20 & 21) and projecting end bays (Nos 16 & 17, and 24 & 25) in Italianate style. Square-headed recessed doorways with fanlights, sidelights and panelled doors. 1st floor casement windows with continuous cast-iron balcony and pediments on projecting bays, other bays with entablatures. 2nd and 3rd floor sashes with architraves, 2nd floor with entablatures. Plain stucco 3rd floor sill band. Bracketed stucco cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2970882227

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 16 Gordon Square, London, WC1H 0AG
 - 16 Gordon Square, London, WC1H 0AG
 - 17 Gordon Square, London, WC1H 0AG
 - 18 Gordon Square, London, WC1H 0AG
 - 19 Gordon Square, London, WC1H 0AG
 - 20-21 Gordon Square, London, WC1H 0AG
 - 20-21 Gordon Square, London, WC1H 0AG
 - 22-26 Gordon Square, London, WC1H 0AG
 - 22-26 Gordon Square, London, WC1H 0AG

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1866 AD)
- TERRACE (19th Century - 1833 AD to 1866 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477356 NUMBERS 16 TO 25 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/592 (West side) 28/03/69 Nos.16-25 (Consecutive) and attached railings GV II Terrace of 10 houses. Mid C19. Stucco with rusticated stucco quoins and ground floor. 4 storeys and basements. 3 windows each. Symmetrical composition with projecting central bays (Nos 20 & 21) and projecting end bays (Nos 16 & 17, and 24 & 25) in Italianate style. Square-headed recessed doorways with fanlights, sidelights and panelled doors. 1st floor casement windows with continuous cast-iron balcony and pediments on projecting bays, other bays with entablatures. 2nd and 3rd floor sashes with architraves, 2nd floor with entablatures. Plain stucco 3rd floor sill band. Bracketed stucco cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2970882227

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80802
Monument Type	Listed Building
Preferred Ref.	MLO80802
Name	NUMBERS 1-7 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30780 82709 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/509 (South side) 25/10/71 Nos.1-7 (Odd) and attached railings GV II Terrace of 4 houses. c1835-39. By William Cubitt. Stucco with rusticated ground floors. 3 storeys and basements. 2 windows each, No.7 with 3 window (blind) return to Cubitt Street. Single storey, splayed-corner extension to No.7 forms No.34 Cubitt Street (qv). Similar arrangement on No.9 Frederick Street (qv) gives the impression of lodges at the entrance to Cubitt Street. No.1, mid C19 projecting shopfront with pilasters supporting an entablature flanked by consoles. 20th century doors. Nos 3-7, square-headed doorways with panelled jambs, cornice-heads, overlights and panelled doors. Recessed sashes; 1st floor with architraves, pulvinated friezes, pediments and cast-iron balconies. Console bracketed cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. Listing NGR: TQ3078082709

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Frederick Street, London, WC1X 0NG
- 3 Frederick Street, London, WC1X 0NG
- 5 Frederick Street, London, WC1X 0NG
- 7 Frederick Street, London, WC1X 0NG
- 7 Frederick Street, London, WC1X 0NG

Monument/Component Types

- SHOP (19th Century - 1833 AD to 1866 AD)
- RAILINGS (19th Century - 1835 AD to 1839 AD)
- TERRACE (19th Century - 1835 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1839 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477384 NUMBERS 1-7 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/509 (South side) 25/10/71 Nos.1-7 (Odd) and attached railings GV II Terrace of 4 houses. c1835-39. By William Cubitt. Stucco with rusticated ground floors. 3 storeys and basements. 2 windows each, No.7 with 3 window (blind) return to Cubitt Street. Single storey, splayed-corner extension to No.7 forms No.34 Cubitt Street (qv). Similar arrangement on No.9 Frederick Street (qv) gives the impression of lodges at the entrance to Cubitt Street. No.1, mid C19 projecting shopfront with pilasters supporting an entablature flanked by consoles. C20 doors. Nos 3-7, square-headed doorways with panelled jambs, cornice-heads, overlights and panelled doors. Recessed sashes; 1st floor with architraves, pulvinated friezes, pediments and cast-iron balconies. Console bracketed cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. Listing NGR: TQ3078082709

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80424
Monument Type	Listed Building
Preferred Ref.	MLO80424
Name	NUMBERS 1-7 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30848 81746 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE BEDFORD ROW 798-1/101/65 (East side) 24/10/51 Nos.1-7 (Consecutive) and attached railings and lamp-holder (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II 7 terraced houses. 1717-18. Built by Robert Burford, carpenter, on land granted to him and George Devall, plumber, in 1716 by Margaret Skipwith. Brown or yellow stock brick with some refacing of upper storeys. Brick bands at 1st floor level. 4 storeys and basements. 3 windows each. Gauged red brick arches and dressings to flush frame sash windows. Parapets. Nos 1-4, wood doorcases with pilasters carrying entablature, patterned fanlights and panelled doors. Nos 5-7, wood Doric doorcases, mutule open pediment, patterned fanlights and panelled doors. Some houses with original lead rainwater heads inscribed 1718. INTERIORS: No.1 with cornices and ground-floor buffet alcove. Panelled dados. Stair with stick balusters, grouped at ground-floor newel. Upper floors not inspected. No.2. C19 sashes. Ground floor with egg-and-dart cornice, buffet alcove, panelled dado, C18 fireplace. Staircase much restored. Nos 3, 4 and 5 in single occupancy with suspended ceilings. Not inspected. Nos 6 and 7 not inspected but noted to retain original staircases, first floor shutters and box cornices. SUBSIDIARY FEATURES: attached cast-iron railings to areas, some with urn or torch flambe finials. No.1 with wrought-iron lamp-holder. Listing NGR: TQ3084881746

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Bedford Row, London, WC1R 4BU
 - 6-7 Bedford Row, London, WC1R 4BU
 - 6-7 Bedford Row, London, WC1R 4BU
 - 6-7 Bedford Row, London, WC1R 4BU

Monument/Component Types

- LAMP BRACKET (18th Century - 1717 AD to 1718 AD)
- RAILINGS (18th Century - 1717 AD to 1718 AD)
- TERRACE (18th Century - 1717 AD to 1718 AD)
- TERRACED HOUSE (18th Century - 1717 AD to 1718 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476649 NUMBERS 1-7 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/65 (East side) 24/10/51 Nos.1-7 (Consecutive) and attached railings and lamp-holder (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II 7 terraced houses. 1717-18. Built by Robert Burford, carpenter, on land granted to him and George Devall, plumber, in 1716 by Margaret Skipwith. Brown or yellow stock brick with some refacing of upper storeys. Brick bands at 1st floor level. 4 storeys and basements. 3 windows each. Gauged red brick arches and dressings to flush frame sash windows. Parapets. Nos 1-4, wood doorcases with pilasters carrying entablature, patterned fanlights and panelled doors. Nos 5-7, wood Doric doorcases, mutule open pediment, patterned fanlights and panelled doors. Some houses with original lead rainwater heads inscribed 1718. INTERIORS: No.1 with cornices and ground-floor buffet alcove. Panelled dados. Stair with stick balusters, grouped at ground-floor newel. Upper floors not inspected. No.2. C19 sashes. Ground floor with egg-and-dart cornice, buffet alcove, panelled dado, C18 fireplace. Staircase much restored. Nos 3, 4 and 5 in single occupancy with suspended ceilings. Not inspected. Nos 6 and 7 not inspected but noted to retain original staircases, first floor shutters and box cornices. SUBSIDIARY FEATURES: attached cast-iron railings to areas, some with urn or torch flambe finials. No.1 with wrought-iron lamp-holder. Listing NGR: TQ3084881746

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81481
Monument Type	Listed Building
Preferred Ref.	MLO81481
Name	NUMBERS 1-7 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30939 81538 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1026 (North side) 24/10/51 Nos.1-7 (consec) Stone Buildings and attached railings and lamp-holder GV I 7 chambers. 1780 (Nos 1 & 2) and 1775 (Nos 3-6) by Sir Robert Taylor. 1845 (No.7) by P Hardwick. Stone in Classical style. Nos 1 & 2 form the north end of the street, Nos 3-7 the east side with No.7 forming a pavilion at the end of the row. 3 storeys. Nos 1 and 2, 3 windows each. Nos 3-6 (east elevation), 23 windows in all. No.7, 5 windows. Basements in brick below stone band at ground floor. Rusticated ground floor with arched openings of keys and voussoirs with impost bands. Windows in shallow ashlar recesses. Doors in shallow stuccoed recesses. Continuous plain band at 1st floor level. Continuous sill band to 1st floor. No.1 with paired Corinthian pilasters above entrance. No.7 with 6 engaged Corinthian columns. Modillion cornice with balustrade above. South elevation (No.7) with pilasters, coupled at flanks. West elevation (facing lawns) similar to east but with symmetrical facade of 21 windows between pedimented end projections of 5 windows and 1 window on internal return. Wall sundial dated 1794. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. No.3 with lamp-holder. Listing NGR: TQ3093981538

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Stone Buildings, London, WC2A 3XL
- 3 Stone Buildings, London, WC2A 3XL
- 4 Stone Buildings, London, WC2A 3XT
- 5 Stone Buildings, London, WC2A 3XT

Monument/Component Types

- LAMP BRACKET (18th Century - 1775 AD)
- LEGAL CHAMBERS (18th Century - 1775 AD)
- RAILINGS (18th Century - 1775 AD)
- LEGAL CHAMBERS (18th Century - 1780 AD)
- RAILINGS (18th Century - 1780 AD)
- SUNDIAL (18th Century - 1794 AD)
- LEGAL CHAMBERS (19th Century - 1845 AD)
- RAILINGS (19th Century - 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478696 NUMBERS 1-7 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1026 (North side) 24/10/51 Nos.1-7 (consec) Stone Buildings and attached railings and lamp-holder GV I 7 chambers. 1780 (Nos 1 & 2) and 1775 (Nos 3-6) by Sir Robert Taylor. 1845 (No.7) by P Hardwick. Stone in Classical style. Nos 1 & 2 form the north end of the street, Nos 3-7 the east side with No.7 forming a pavilion at the end of the row. 3 storeys. Nos 1 and 2, 3 windows each. Nos 3-6 (east elevation), 23 windows in all. No.7, 5 windows. Basements in brick below stone band at ground floor. Rusticated ground floor with arched openings of keys and voussoirs with impost bands. Windows in shallow ashlar recesses. Doors in shallow stuccoed recesses. Continuous plain band at 1st floor level. Continuous sill band to 1st floor. No.1 with paired Corinthian pilasters above entrance. No.7 with 6 engaged Corinthian columns. Modillion cornice with balustrade above. South elevation (No.7) with pilasters, coupled at flanks. West elevation (facing lawns) similar to east but with symmetrical facade of 21 windows between pedimented end projections of 5 windows and 1 window on internal return. Wall sundial dated 1794. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. No.3 with lamp-holder. Listing NGR: TQ3093981538

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80075
Monument Type	Listed Building
Preferred Ref.	MLO80075
Name	NUMBERS 1-8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30642 82493 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE MECKLENBURGH STREET 798-1/91/1115 (West side) 14/05/74 Nos.1-8 (Consecutive) and attached railings GV II Terrace of 8 houses. Early 19th century. Yellow stock brick with later patching. 4 storeys and basements. 2 windows each, No.8 with 3-window return to Heathcote Street. Round-arched doorways with fluted 1/4 columns, cornice-heads and fanlights; panelled doors. Entrance to No.8 on return in single storey extension; doorway with fluted pilaster-jamb and cornice-head (Greek key pattern). Blind arcade. Gauged brick flat arches to recessed sashes; 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV): London: -1952: 49). Listing NGR: TQ3064282493

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477500 NUMBERS 1-8 AND ATTACHED RAILINGS	CAMDEN TQ3082NE MECKLENBURGH STREET 798-1/91/1115 (West side) 14/05/74 Nos.1-8 (Consecutive) and attached railings GV II Terrace of 8 houses. Early C19. Yellow stock brick with later patching. 4 storeys and basements. 2 windows each, No.8 with 3-window return to Heathcote Street. Round-arched doorways with fluted 1/4 columns, cornice-heads and fanlights; panelled doors. Entrance to No.8 on return in single storey extension; doorway with fluted pilaster-jamb and cornice-head (Greek key pattern). Blind arcade. Gauged brick flat arches to recessed sashes; 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV): London: -1952: 49). Listing NGR: TQ3064282493

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80219
Monument Type	Listed Building
Preferred Ref.	MLO80219
Name	NUMBERS 1-8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30431 81570 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW SOUTHAMPTON PLACE 798-1/100/1471 (East side) 24/10/51 Nos.1-8 (Consecutive) and attached railings GV II* Terrace of 8 houses. c1785-63. Probably under the direction of Henry Flitcroft. Darkened multi-coloured stock brick with a stone band at 1st floor level. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed sash windows. Bracketed cornices below parapets. No.1: wooden architraved doorcase with carved consoles and pedimented cornice. Nos 2 & 3: semicircular headed entrances with patterned fanlights and panelled doors. No.2 with margin lights. No.3 doorframe with fluted frieze and cornice and fluted pilasters at sides with foliated capitals. Nos 4, 5 and 7: wooden doorcases with engaged Doric columns carrying entablature and pediment; fanlights and panelled door. Nos 6 and 8: stone doorcases with carved consoles and cornices, No.8 pedimented. All entrances approached by steps over basement areas. INTERIORS: not inspected but noted to retain good staircases, fireplaces and panelling, those of Nos 4, 5, 6 and 8 being especially fine. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3043181570

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Southampton Place, London, WC1A 2DA
- 2 Southampton Place, London, WC1A 2DA
- 3-4 Southampton Place, London, WC1A 2DA
- 3-4 Southampton Place, London, WC1A 2DA
- 7 Southampton Place, London, WC1A 2DA
- 7 Southampton Place, London, WC1A 2DA

Monument/Component Types

- RAILINGS (18th Century - 1758 AD to 1763 AD)
- TERRACE (18th Century - 1758 AD to 1763 AD)
- TERRACED HOUSE (18th Century - 1758 AD to 1763 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478125 NUMBERS 1-8 AND ATTACHED RAILINGS	CAMDEN TQ3081NW SOUTHAMPTON PLACE 798-1/100/1471 (East side) 24/10/51 Nos.1-8 (Consecutive) and attached railings GV II* Terrace of 8 houses. c1785-63. Probably under the direction of Henry Flitcroft. Darkened multi-coloured stock brick with a stone band at 1st floor level. Tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed sash windows. Bracketed cornices below parapets. No.1: wooden architraved doorcase with carved consoles and pedimented cornice. Nos 2 & 3: semicircular headed entrances with patterned fanlights and panelled doors. No.2 with margin lights. No.3 doorframe with fluted frieze and cornice and fluted pilasters at sides with foliated capitals. Nos 4, 5 and 7: wooden doorcases with engaged Doric columns carrying entablature and pediment; fanlights and panelled door. Nos 6 and 8: stone doorcases with carved consoles and cornices, No.8 pedimented. All entrances approached by steps over basement areas. INTERIORS: not inspected but noted to retain good staircases, fireplaces and panelling, those of Nos 4, 5, 6 and 8 being especially fine. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3043181570

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80408
Monument Type	Listed Building
Preferred Ref.	MLO80408
Name	NUMBERS 1-8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30273 82839 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW BELGROVE STREET 798-1/90/83 (West side) 14/05/74 Nos.1-8 (Consecutive) and attached railings GV II Terrace of 8 houses, now mostly small hotels. c1834-39, restored late 20th century. Yellow stock brick; Nos 1-3 with stucco ground floors. Stucco 1st floor band. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Round-arched ground floor openings. Architraved stucco doorways with pilaster-jambes carrying cornice-heads; patterned fanlights and panelled doors; those to Nos 2, 6, 7 and 8 20th century reproduction. All doors 20th century reproduction except No.4. Ground floor windows to Nos 1, 2 and 3 with original margin lights. Gauged brick flat arches to recessed sash windows; 1st floor with cast-iron balconies. Stucco capped parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 108). Listing NGR: TQ3027382839

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Belgrove Street, London, WC1H 8AB
- 2-3 Belgrove Street, London, WC1H 8AB
- 2-3 Belgrove Street, London, WC1H 8AB
- 4-8 Belgrove Street, London, WC1H 8AB
- 4-8 Belgrove Street, London, WC1H 8AB
- 4-8 Belgrove Street, London, WC1H 8AB
- 4-8 Belgrove Street, London, WC1H 8AB

Monument/Component Types

- RAILINGS (19th Century - 1834 AD to 1839 AD)
- TERRACE (19th Century - 1834 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1834 AD to 1839 AD)
- HOTEL (19th Century to Unknown - 1840 AD)
- HOTEL (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476709 NUMBERS 1-8 AND ATTACHED RAILINGS	CAMDEN TQ3082NW BELGROVE STREET 798-1/90/83 (West side) 14/05/74 Nos.1-8 (Consecutive) and attached railings GV II Terrace of 8 houses, now mostly small hotels. c1834-39, restored late C20. Yellow stock brick; Nos 1-3 with stucco ground floors. Stucco 1st floor band. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Round-arched ground floor openings. Architraved stucco doorways with pilaster-jambes carrying cornice-heads; patterned fanlights and panelled doors; those to Nos 2, 6, 7 and 8 C20 reproduction. All doors C20 reproduction except No.4. Ground floor windows to Nos 1, 2 and 3 with original margin lights. Gauged brick flat arches to recessed sash windows; 1st floor with cast-iron balconies. Stucco capped parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 108). Listing NGR: TQ3027382839

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80632
Monument Type	Listed Building
Preferred Ref.	MLO80632
Name	NUMBERS 18, 19 AND 25 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30026 82422 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW BURTON STREET 798-1/95/127 (East side) 14/05/74 Nos.18, 19 AND 25 and attached railings GV II Terrace of 3 houses. c1820, restored 1980s. Designed and built by James Burton. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambs, patterned fanlights (No.25 original, others 20th century), and panelled doors. Gauged brick flat arches to recessed sashes, 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91-3). Listing NGR: TQ3002682422

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Burton Street, London, WC1H 9AL

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1840 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1840 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1840 AD)
- HOUSE (Modern - 1980 AD to 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476769 NUMBERS 18, 19 AND 25 AND ATTACHED RAILINGS	CAMDEN TQ3082SW BURTON STREET 798-1/95/127 (East side) 14/05/74 Nos.18, 19 AND 25 and attached railings GV II Terrace of 3 houses. c1820, restored 1980s. Designed and built by James Burton. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambs, patterned fanlights (No.25 original, others C20), and panelled doors. Gauged brick flat arches to recessed sashes, 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91-3). Listing NGR: TQ3002682422

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80602
Monument Type	Listed Building
Preferred Ref.	MLO80602
Name	NUMBERS 18-22 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30638 81941 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE DOMBEY STREET 798-1/101/308 (North side) 14/05/74 Nos.18-22 (Consecutive) and attached railings GV II 5 terraced houses. c1709-15, altered c1766. Nos 21 & 22 refaced early C19. No.20 refaced 1965-7. Back of Nos 19 & 20 rebuilt 1981. Multi-coloured stock brick. No.18: stucco ground floor. 3rd & 4th storeys refaced in brown and yellow stock brick. Slated mansard roof with dormer. 4 storeys, attic and basement. 2 windows. Square-headed doorway with overlight and panelled door. Gauged red brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with knob and disc to areas. No.19: 3rd & 4th storeys refaced in brown and yellow stock brick. 4 storeys and basement. 3 windows. Wooden doorcase with carved consoles carrying pedimented cornice, overlight and panelled door. Gauged red brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. No.20: 20th century tiled mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Wooden doorcase with pilasters carrying entablature with projecting cornice. Gauged reddened brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected but noted to have some panelling. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Nos 21 and 22: 2nd and 3rd floor refaced. Stone 1st floor sill band. 4 storeys, attic with dormers and basement. 2 windows each. Round-arched doorways with patterned radial fanlights, cornice-heads and panelled doors; No.22 with stucco archivolt and architrave. Gauged reddened brick flat arches to recessed sash windows. INTERIORS: not inspected but No.21 noted to have original panelling. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Worsley G: The Saving of Dombey Street: London: -1985). Listing NGR: TQ3063881941

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 Dombey Street, London, WC1N 3PD
- 18 Dombey Street, London, WC1N 3PD
- 19 Dombey Street, London, WC1N 3PD
- 21 Dombey Street, London, WC1N 3PD

Monument/Component Types

- RAILINGS (18th Century - 1709 AD to 1715 AD)
- TERRACE (18th Century - 1709 AD to 1715 AD)
- TERRACED HOUSE (18th Century - 1709 AD to 1715 AD)
- HOUSE (18th Century - 1746 AD to 1786 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- HOUSE (Modern - 1965 AD to 1967 AD)
- HOUSE (Modern - 1981 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477066 NUMBERS 18-22 AND ATTACHED RAILINGS	CAMDEN TQ3081NE DOMBEY STREET 798-1/101/308 (North side) 14/05/74 Nos.18-22 (Consecutive) and attached railings GV II 5 terraced houses. c1709-15, altered c1766. Nos 21 & 22 refaced early C19. No.20 refaced 1965-7. Back of Nos 19 & 20 rebuilt 1981. Multi-coloured stock brick. No.18: stucco ground floor. 3rd & 4th storeys refaced in brown and yellow stock brick. Slated mansard roof with dormer. 4 storeys, attic and basement. 2 windows. Square-headed doorway with overlight and panelled door. Gauged red brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with knob and disc to areas. No.19: 3rd & 4th storeys refaced in brown and yellow stock brick. 4 storeys and basement. 3 windows. Wooden doorcase with carved consoles carrying pedimented cornice, overlight and panelled door. Gauged red brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. No.20: C20 tiled mansard roof with dormers. 4 storeys, attic and basement. 3 windows. Wooden doorcase with pilasters carrying entablature with projecting cornice. Gauged reddened brick flat arches to recessed sash windows. Parapet. INTERIOR: not inspected but noted to have some panelling. SUBSIDIARY FEATURES: attached cast-iron railings with

urn finials to areas. Nos 21 and 22: 2nd and 3rd floor refaced. Stone 1st floor sill band. 4 storeys, attic with dormers and basement. 2 windows each. Round-arched doorways with patterned radial fanlights, cornice-heads and panelled doors; No.22 with stucco archivolt and architrave. Gauged reddened brick flat arches to recessed sash windows. INTERIORS: not inspected but No.21 noted to have original panelling. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Worsley G: The Saving of Dombey Street: London: -1985). Listing NGR: TQ3063881941

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80379
Monument Type	Listed Building
Preferred Ref.	MLO80379
Name	NUMBERS 18-22 AND ATTACHED RAILINGS AND ATTACHED GARDEN WALL AND RAILINGS TO NUMBER 22
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30262 81713 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/97 (North side) 28/02/69 Nos.18-22 (Consecutive) and attached railings & attached garden wall and railings to No.22 (Formerly Listed as: BLOOMSBURY SQUARE Nos.18-22 AND 23-27 (Consecutive)) GV II 5 terraced houses. 1800-1805. Designed and built by James Burton. Multi-coloured stock brick. 4 storeys and basements. 3 windows each, No.22 with 4-window return (mostly blind) to Bedford Place. Round-headed entrances in recesses with reeded pilaster jambs carrying cornice-heads; fanlights (No.19 radial) and panelled doors. Gauged red brick flat arches to recessed sash, and 1st floor casement, windows, some with original glazing bars. Continuous 1st floor cast-iron balconies, Nos 19 & 21 with tented verandah roofs on cast-iron column supports. Continuous 3rd floor sill band. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.22 with attached garden wall to Bedford Place return. Wall with square-headed stucco surround to panelled wood door with reeded architrave with roundels. To left of door, a glazed oculus with small leaded panes of stained glass forming a pattern around the rim. Stone capping to wall with cast-iron railings. HISTORICAL NOTE: this terrace is on the site of Bedford House (formerly Southampton House), demolished 1799. Listing NGR: TQ3026281713

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 Bloomsbury Square, London, WC1A 2NS
 - 19 Bloomsbury Square, London, WC1A 2NS
 - 19 Bloomsbury Square, London, WC1A 2NS
 - 20 Bloomsbury Square, London, WC1A 2NA

Monument/Component Types

- GARDEN WALL (18th Century to 19th Century - 1800 AD to 1805 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1805 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1805 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1805 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476733 NUMBERS 18-22 AND ATTACHED RAILINGS AND ATTACHED GARDEN WALL AND RAILINGS TO NUMBER 22	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/97 (North side) 28/02/69 Nos.18-22 (Consecutive) and attached railings & attached garden wall and railings to No.22 (Formerly Listed as: BLOOMSBURY SQUARE Nos.18-22 AND 23-27 (Consecutive)) GV II 5 terraced houses. 1800-1805. Designed and built by James Burton. Multi-coloured stock brick. 4 storeys and basements. 3 windows each, No.22 with 4-window return (mostly blind) to Bedford Place. Round-headed entrances in recesses with reeded pilaster jambs carrying cornice-heads; fanlights (No.19 radial) and panelled doors. Gauged red brick flat arches to recessed sash, and 1st floor casement, windows, some with original glazing bars. Continuous 1st floor cast-iron balconies, Nos 19 & 21 with tented verandah roofs on cast-iron column supports. Continuous 3rd floor sill band. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.22 with attached garden wall to Bedford Place return. Wall with square-headed stucco surround to panelled wood door with reeded architrave with roundels. To left of door, a glazed oculus with small leaded panes of stained glass forming a pattern around the rim. Stone capping to wall with cast-iron railings. HISTORICAL NOTE: this terrace is on the site of Bedford House (formerly Southampton House), demolished 1799. Listing NGR: TQ3026281713

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81122
Monument Type	Listed Building
Preferred Ref.	MLO81122
Name	NUMBERS 18-24 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30084 82366 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1593 (South side) 14/05/74 Nos.18-24 (Even) and attached railings GV II Terrace of 4 houses. c1801-6. By James Burton. Multi-coloured stock brick (No.18 upper floors refaced, No.20 top floor) with stucco ground floors, Nos 18 and 20 rusticated. 1st and 3rd floors, plain stucco sill bands. 4 storeys and basements. 3 windows each, except No.18 with 2 and blank return to Herbrand Street. Round-arched doorways with fluted surrounds and radial patterned fanlights (except No.24). No.18, doorcase with pilasters and shaped brackets carrying cornice. Gauged, reddened, flat brick arches to recessed sash windows. Cast-iron balconies to 1st floor windows, except No.24 with cast-iron guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 96). Listing NGR: TQ3008482366

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 24 Tavistock Place, London, WC1H 9RE

- 24 Tavistock Place, London, WC1H 9RE

Monument/Component Types

- RAILINGS (19th Century - 1801 AD to 1806 AD)
- TERRACE (19th Century - 1801 AD to 1806 AD)
- TERRACED HOUSE (19th Century - 1801 AD to 1806 AD)
- HOUSE (Modern to Unknown - 1907 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478328 NUMBERS 18-24 AND ATTACHED RAILINGS	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1593 (South side) 14/05/74 Nos.18-24 (Even) and attached railings GV II Terrace of 4 houses. c1801-6. By James Burton. Multi-coloured stock brick (No.18 upper floors refaced, No.20 top floor) with stucco ground floors, Nos 18 and 20 rusticated. 1st and 3rd floors, plain stucco sill bands. 4 storeys and basements. 3 windows each, except No.18 with 2 and blank return to Herbrand Street. Round-arched doorways with fluted surrounds and radial patterned fanlights (except No.24). No.18, doorcase with pilasters and shaped brackets carrying cornice. Gauged, reddened, flat brick arches to recessed sash windows. Cast-iron balconies to 1st floor windows, except No.24 with cast-iron guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 96). Listing NGR: TQ3008482366

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80543
Monument Type	Listed Building
Preferred Ref.	MLO80543
Name	NUMBERS 18-36 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30674 82638 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE AMPTON STREET 798-1/91/45 (North side) 25/10/71 Nos.18-36 (Even) and attached railings GV II Terrace of 10 houses. c1819-23, altered. By Thomas Cubitt. Symmetrical terrace with slightly projecting central block (Nos 24-30). Nos 18-22 and 32-36: yellow stock brick and stucco ground floors with plain stucco 1st floor sill bands. 3 storeys and basements. 2 windows each, No.18 with 2 windows (1 blind) return to Ampton Place. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, radial fanlights and panelled doors. No.18, doorway on return. Ground floor sashes originally with pointed lights. Upper floors with gauged brick flat arches to recessed sashes. Parapets with stucco band below coping. Nos 24-30: stucco with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, radial fanlights and panelled doors. Recessed sashes; 1st floor with cast-iron balconies. Cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3067482638

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 Ampton Street, London, WC1X 0LX
 - 20 Ampton Street, London, WC1X 0LX
 - 22 Ampton Street, London, WC1X 0LX
 - 22 Ampton Street, London, WC1X 0LX
 - 24 Ampton Street, London, WC1X 0LX
 - 26 Ampton Street, London, WC1X 0LX
 - 28 Ampton Street, London, WC1X 0LX
 - 30 Ampton Street, London, WC1X 0LX
 - 32 Ampton Street, London, WC1X 0LX
 - 34 Ampton Street, London, WC1X 0LX
 - 36 Ampton Street, London, WC1X 0LX

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1823 AD)
- TERRACE (19th Century - 1819 AD to 1823 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1823 AD)
- HOUSE (19th Century to Unknown - 1824 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476608 NUMBERS 18-36 AND ATTACHED RAILINGS	CAMDEN TQ3082NE AMPTON STREET 798-1/91/45 (North side) 25/10/71 Nos.18-36 (Even) and attached railings GV II Terrace of 10 houses. c1819-23, altered. By Thomas Cubitt. Symmetrical terrace with slightly projecting central block (Nos 24-30). Nos 18-22 and 32-36: yellow stock brick and stucco ground floors with plain stucco 1st floor sill bands. 3 storeys and basements. 2 windows each, No.18 with 2 windows (1 blind) return to Ampton Place. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, radial fanlights and panelled doors. No.18, doorway on return. Ground floor sashes originally with pointed lights. Upper floors with gauged brick flat arches to recessed sashes. Parapets with stucco band below coping. Nos 24-30: stucco with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, radial fanlights and panelled doors. Recessed sashes; 1st floor with cast-iron balconies. Cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3067482638

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80929
Monument Type	Listed Building
Preferred Ref.	MLO80929
Name	NUMBERS 19-29 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30703 82737 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE ACTON STREET 798-1/91/3 (South side) 25/10/71 Nos.19-29 (Odd) and attached railings GV II Terrace of 5 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental-arched doorways (Nos 27 & 29 square-headed) with panelled and pilaster-jamb carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Stucco cornices and blocking courses (No.19 cornice missing). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle and spearhead finials to areas. (Survey of London: Vol.XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3070382737

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Acton Street, London, WC1X 9LX
- 21 Acton Street, London, WC1X 9LX
- 23 Acton Street, London, WC1X 9LX
- 25 Acton Street, London, WC1X 9LX
- 25 Acton Street, London, WC1X 9LX
- 27 Acton Street, London, WC1X 9LZ
- 29 Acton Street, London, WC1X 9LZ

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACE (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476515 NUMBERS 19-29 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/3 (South side) 25/10/71 Nos.19-29 (Odd) and attached railings GV II Terrace of 5 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental-arched doorways (Nos 27 & 29 square-headed) with panelled and pilaster-jamb carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Stucco cornices and blocking courses (No.19 cornice missing). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with thistle and spearhead finials to areas. (Survey of London: Vol.XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3070382737

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80808
Monument Type	Listed Building
Preferred Ref.	MLO80808
Name	NUMBERS 2 TO 20 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29856 81786 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE GOWER STREET 798-1/99/604 (East side) 14/05/74 Nos.2-20 (Even) and attached railings (Formerly Listed as: GOWER STREET Nos.1-15 (odd) and Nos.2-20 (even)) GV II Terrace of 10 houses. c1780. Darkened stock brick; all are, or show evidence of having been, tuck pointed. No.2 with stucco front. 1st floor stucco sill bands. Slated mansard roofs with dormers. EXTERIOR: 3 storeys, attics and basements except No.2 with 4 storeys and basement. 3 windows each. No.20 with blind 3-window return to Keppel Street. Round-arched doorways with fanlights and panelled doors. Gauged brick flat arches to 2-pane sashes, some with cast-iron window guards. Parapet. No.2: Square-headed doorway with rectangular fanlight and panelled double door. Ground floor windows, with glazing bars forming borders, in shallow segmental-arched recesses. 1st floor casements with console-bracketed cornices and continuous cast-iron balcony. Plain band at 3rd floor level and parapet. INTERIOR: with 2 painted ceilings and door surrounds attributed to Misses Rhoda and Agnes Garrett. No.4: doorway with fluted head and jambs, sidelights, stucco key and impost blocks. Radial fanlight. No.6: doorway with pilaster-jambs, fluted head and impost blocks. No.8: doorway with panelled jambs, fluted head and enriched impost blocks. No.10: doorway with stucco architrave and pilaster-jambs. No.12: doorway with stucco architrave. Nos 14-20: doorways with pilaster-jambs carrying cornice heads. No.20 with patterned fanlight. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. HISTORICAL NOTE: No.2 was the home to Misses Rhoda and Agnes Garrett who, c1875, set up practice as interior decorators and published a book "Suggestions for Home Decoration in Painting, Woodwork and Furniture". This was also the residence of Dame Millicent Garrett Fawcett, pioneer of women's suffrage. (GLC plaque). No.10 was the residence of Lady Ottoline Morrell, literary hostess & patron of the arts (GLC plaque). Listing NGR: TQ2985681786

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Gower Street, London, WC1E 6DP
- 12-16 Gower Street, London, WC1E 6DP
- 12-16 Gower Street, London, WC1E 6DP
- 12-16 Gower Street, London, WC1E 6DP
- 18 Gower Street, London, WC1E 6DP
- 2 Gower Street, London, WC1E 6DP
- 20 Gower Street, London, WC1E 6DP
- 4 Gower Street, London, WC1E 6DP
- 6 Gower Street, London, WC1E 6DP
- 8 Gower Street, London, WC1E 6DP
- 8 Gower Street, London, WC1E 6DP

Monument/Component Types

- RAILINGS (18th Century - 1760 AD to 1800 AD)
- TERRACE (18th Century - 1760 AD to 1800 AD)
- TERRACED HOUSE (18th Century - 1760 AD to 1800 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477390 NUMBERS 2 TO 20 AND ATTACHED RAILINGS	CAMDEN TQ2981NE GOWER STREET 798-1/99/604 (East side) 14/05/74 Nos.2-20 (Even) and attached railings (Formerly Listed as: GOWER STREET Nos.1-15 (odd) and Nos.2-20 (even)) GV II Terrace of 10 houses. c1780. Darkened stock brick; all are, or show evidence of having been, tuck pointed. No.2 with stucco front. 1st floor stucco sill bands. Slated mansard roofs with dormers. EXTERIOR: 3 storeys, attics and basements except No.2 with 4 storeys and basement. 3 windows each. No.20 with blind 3-window return to Keppel Street. Round-arched doorways with fanlights and panelled doors. Gauged brick flat arches to 2-pane sashes, some with cast-iron window guards. Parapet. No.2: Square-headed doorway with rectangular fanlight and panelled double door. Ground floor windows, with glazing bars forming borders, in shallow segmental-arched recesses. 1st floor casements with console-bracketed cornices and continuous cast-iron balcony. Plain band at 3rd floor level and parapet. INTERIOR: with 2 painted ceilings and door surrounds attributed to Misses Rhoda and Agnes

Garrett. No.4: doorway with fluted head and jambs, sidelights, stucco key and impost blocks. Radial fanlight. No.6: doorway with pilaster-jambs, fluted head and impost blocks. No.8: doorway with panelled jambs, fluted head and enriched impost blocks. No.10: doorway with stucco architrave and pilaster-jambs. No.12: doorway with stucco architrave. Nos 14-20: doorways with pilaster-jambs carrying cornice heads. No.20 with patterned fanlight. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. HISTORICAL NOTE: No.2 was the home to Misses Rhoda and Agnes Garrett who, c1875, set up practice as interior decorators and published a book "Suggestions for Home Decoration in Painting, Woodwork and Furniture". This was also the residence of Dame Millicent Garrett Fawcett, pioneer of women's suffrage. (GLC plaque). No.10 was the residence of Lady Ottoline Morrell, literary hostess & patron of the arts (GLC plaque). Listing NGR: TQ2985681786

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81324
Monument Type	Listed Building
Preferred Ref.	MLO81324
Name	NUMBERS 2 TO 9 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30888 82002 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE JOHN STREET 798-1/96/942 (East side) 24/10/51 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. 1754-59. Built by J Blagrave with W Barlow, J Bosworth, S Room and R Meel. No.6 rebuilt in Neo-Georgian style, restored 1989. Multi-coloured stock brick with evidence of tuck pointing and later patching. Plain brick bands to 1st and 2nd floors except No.6. 4 storeys and basements; No.6 with attic dormers. 3 windows each except No.6 with 4. Gauged red brick flat arches to recessed sashes, most with glazing bars. Parapets. No.2: Greek Doric wooden doorcase with mutule cornice; patterned fanlight and double panelled door. Cast-iron overthrow with lamp. INTERIOR noted to retain panelled ground floor and good marble fireplaces on ground and 1st floors. Modillion cornices. Staircase at front of house with cast-iron trellis pattern with continuous balustrade. Iron balustrade to stone stairs. No.3: round-arched doorway with architraved, stucco surround, small head on keystone and panelled door. INTERIOR: noted to retain staircase with curly wrought-iron balusters in panels under continuous timber handrails. No.4: Doric wooden doorcase with open pediment, archivolt with keystone, arched fanlight and panelled door. Original lead rainwater head with lion mask. Large bay to garden front. INTERIOR: noted to be partly remodelled although retaining stairs with turned balusters, shaped ends, column newels and scroll brackets to treads. No.5: wooden Ionic doorcase with modillion cornice and pediment, pulvinated frieze, panelled reveals and panelled door. Original lead rainwater head with lion mask and pipe. Refronted from mid 1st floor. Large bay to garden front. INTERIOR: noted to retain panelled rooms and original fireplaces. Chinese balustrade and scroll bracket to treads of stairs. No.6: slightly projecting. Stone Greek Doric doorcase. Stone band and iron balconies at 1st floor level. Stone cyma bracketed cornice at 3rd floor. No.7: ground floor refaced. 20th century reproduction Doric wooden doorcase with triglyph frieze, dentil cornice, open pediment, archivolt with keystone, radial fanlight and panelled door. Wrought-iron lamp-holder on railings. INTERIOR: noted to retain open well stairs with turned balusters and carved brackets to treads. Plain moulded fireplace on 1st floor. No.8: Doric wooden doorcase with triglyph frieze, dentil cornice, open pediment, archivolt with keystone, radial fanlight and panelled door. Cast-iron balconies to 1st floor windows. Wrought-iron overthrow with lamp. INTERIOR: noted to retain carved wood fireplace to 1st floor back room; elliptical arch on fluted Ionic columns on ground floor. Stairs with turned balusters and shaped ends. No.9: Doric wooden doorcase similar to No.8. INTERIOR: noted to retain marble fireplaces to ground and 1st floor rooms and egg-and-dart mouldings. Stairs with turned balusters. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3088882002

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 John Street, London, WC1N 2DL

Monument/Component Types

- RAILINGS (Undated)
- TERRACE (18th Century - 1754 AD to 1759 AD)
- TERRACED HOUSE (18th Century - 1754 AD to 1759 AD)
- TERRACE (Modern - 1989 AD)
- TERRACED HOUSE (Modern - 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478522 NUMBERS 2 TO 9 AND ATTACHED RAILINGS	CAMDEN TQ3082SE JOHN STREET 798-1/96/942 (East side) 24/10/51 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. 1754-59. Built by J Blagrave with W Barlow, J Bosworth, S Room and R Meel. No.6 rebuilt in Neo-Georgian style, restored 1989. Multi-coloured stock brick with evidence of tuck pointing and later patching. Plain brick bands to 1st and 2nd floors except No.6. 4 storeys and basements; No.6 with attic dormers. 3 windows each except No.6 with 4. Gauged red brick flat arches to recessed sashes, most with glazing bars. Parapets. No.2: Greek Doric wooden doorcase with mutule cornice; patterned fanlight and double panelled door. Cast-iron overthrow with lamp. INTERIOR noted to retain panelled ground floor and good marble fireplaces on ground and 1st floors. Modillion cornices. Staircase at front of house with cast-iron trellis pattern with continuous balustrade. Iron balustrade to stone stairs. No.3: round-arched doorway with architraved, stucco surround, small head on keystone and panelled door. INTERIOR: noted to retain staircase with curly wrought-iron balusters in panels under continuous timber handrails. No.4: Doric wooden doorcase with open pediment, archivolt

with keystone, arched fanlight and panelled door. Original lead rainwater head with lion mask. Large bay to garden front. INTERIOR: noted to be partly remodelled although retaining stairs with turned balusters, shaped ends, column newels and scroll brackets to treads. No.5: wooden Ionic doorcase with modillion cornice and pediment, pulvinated frieze, panelled reveals and panelled door. Original lead rainwater head with lion mask and pipe. Refronted from mid 1st floor. Large bay to garden front. INTERIOR: noted to retain panelled rooms and original fireplaces. Chinese balustrade and scroll bracket to treads of stairs. No.6: slightly projecting. Stone Greek Doric doorcase. Stone band and iron balconies at 1st floor level. Stone cyma bracketed cornice at 3rd floor. No.7: ground floor refaced. C20 reproduction Doric wooden doorcase with triglyph frieze, dentil cornice, open pediment, archivolt with keystone, radial fanlight and panelled door. Wrought-iron lamp-holder on railings. INTERIOR: noted to retain open well stairs with turned balusters and carved brackets to treads. Plain moulded fireplace on 1st floor. No.8: Doric wooden doorcase with triglyph frieze, dentil cornice, open pediment, archivolt with keystone, radial fanlight and panelled door. Cast-iron balconies to 1st floor windows. Wrought-iron overthrow with lamp. INTERIOR: noted to retain carved wood fireplace to 1st floor back room; elliptical arch on fluted Ionic columns on ground floor. Stairs with turned balusters and shaped ends. No.9: Doric wooden doorcase similar to No.8. INTERIOR: noted to retain marble fireplaces to ground and 1st floor rooms and egg-and-dart mouldings. Stairs with turned balusters. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ308882002

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80387
Monument Type	Listed Building
Preferred Ref.	MLO80387
Name	NUMBERS 20 AND 21 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30349 81559 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/111 (South side) 14/05/74 Nos.20 AND 21 and attached railings GV II 2 terraced houses. c1760, with later alterations. Darkened brick with stucco ground floor. Stone cornice at 3rd floor level. 4 storeys and basements. Between Nos 20 & 21 an original lead rainwater head and pipe. No.21: 3 windows. Wood doorcase with engaged Doric columns carrying entablature; panelled reveals and panelled door. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balcony. 2nd floor architraved. Restored parapet. INTERIOR: not inspected but noted to retain original staircase and other features. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. No.22: 2 windows and 5-window return (2 blind) to Barter Street. Rusticated quoins. 20th century reproduction early C19 shop window. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balcony. 3rd floor and parapet restored in multi-coloured stock bricks. Return to Barter Street with plain bands at 1st and 2nd floor. Gauged brick flat arches to recessed sash windows. Centre bay projection with round-headed 1st floor window and former entrance below with pilasters, flanked by rusticated strips, supporting console bracketed canopy (altered earlier C19 for use as window). 20th century glazed entrance door to left. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3034981559

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 20 Bloomsbury Way, London, WC1A 2TH

- 20 Bloomsbury Way, London, WC1A 2TH

Monument/Component Types

- RAILINGS (18th Century - 1740 AD to 1780 AD)
- TERRACED HOUSE (18th Century - 1740 AD to 1780 AD)
- HOUSE (18th Century to Unknown - 1781 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1899 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476743 NUMBERS 20 AND 21 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY WAY 798-1/100/111 (South side) 14/05/74 Nos.20 AND 21 and attached railings GV II 2 terraced houses. c1760, with later alterations. Darkened brick with stucco ground floor. Stone cornice at 3rd floor level. 4 storeys and basements. Between Nos 20 & 21 an original lead rainwater head and pipe. No.21: 3 windows. Wood doorcase with engaged Doric columns carrying entablature; panelled reveals and panelled door. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balcony. 2nd floor architraved. Restored parapet. INTERIOR: not inspected but noted to retain original staircase and other features. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. No.22: 2 windows and 5-window return (2 blind) to Barter Street. Rusticated quoins. C20 reproduction early C19 shop window. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balcony. 3rd floor and parapet restored in multi-coloured stock bricks. Return to Barter Street with plain bands at 1st and 2nd floor. Gauged brick flat arches to recessed sash windows. Centre bay projection with round-headed 1st floor window and former entrance below with pilasters, flanked by rusticated strips, supporting console bracketed canopy (altered earlier C19 for use as window). C20 glazed entrance door to left. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3034981559

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81130
Monument Type	Listed Building
Preferred Ref.	MLO81130
Name	NUMBERS 20-24 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29675 82410 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE TAVITON STREET 798-1/94/1601 (West side) 14/05/74 Nos.20-24 (Consecutive) and attached railings GV II 5 houses forming part of a terrace. c1824. Built by Thomas Cubitt. Darkened yellow stock brick and stucco ground floor, Nos 23 and 24 rusticated. 4 storeys and basements. 3 windows each. Remains of formerly symmetrical facade of which Nos 23 and 24 were the projecting end bay. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Continuous cast-iron balconies to 1st floor casements. 2nd and 3rd floor, gauged brick flat arches to recessed sashes. Upper storey windows of Nos 23 and 24 architraved, 1st floor with cornices. Simplified modillion cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103-4). Listing NGR: TQ2967582410

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 20 Taviton Street, London, WC1H 0BW

- 22 Taviton Street, London, WC1H 0BW

- 22 Taviton Street, London, WC1H 0BW

Monument/Component Types

- RAILINGS (19th Century - 1804 AD to 1844 AD)
- TERRACE (19th Century - 1804 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1804 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478336 NUMBERS 20-24 AND ATTACHED RAILINGS	CAMDEN TQ2982SE TAVITON STREET 798-1/94/1601 (West side) 14/05/74 Nos.20-24 (Consecutive) and attached railings GV II 5 houses forming part of a terrace. c1824. Built by Thomas Cubitt. Darkened yellow stock brick and stucco ground floor, Nos 23 and 24 rusticated. 4 storeys and basements. 3 windows each. Remains of formerly symmetrical facade of which Nos 23 and 24 were the projecting end bay. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Continuous cast-iron balconies to 1st floor casements. 2nd and 3rd floor, gauged brick flat arches to recessed sashes. Upper storey windows of Nos 23 and 24 architraved, 1st floor with cornices. Simplified modillion cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103-4). Listing NGR: TQ2967582410

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

Export generated by HBSMR from exeGesIS SDM

Start of record

MonUID	MLO80151
Monument Type	Listed Building
Preferred Ref.	MLO80151
Name	NUMBERS 21 AND 22 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30713 82001 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT JAMES STREET 798-1/96/660 (West side) 14/05/74 Nos.21 AND 22 and attached railings GV II 2 terraced houses. Early C18, refronted c1779, with C19 and 20th century (Levitt Bernstein Assocs) alterations. Multi-coloured stock brick. 4 storeys and basements. 3 windows each. Gauged brick flat arches to recessed 20th century sash windows. Restored parapets. No.21: wooden doorcase with pilasters carrying entablature with dentil cornice, patterned fanlight and panelled door. No.22: wooden architraved doorcase with half pilasters (Tower of Winds), carrying entablature with fluted frieze and dentil cornice, fanlight and panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3071382001

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 38 Great James Street, London, WC1N 3HB

Monument/Component Types

- RAILINGS (Undated)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (18th Century - 1759 AD to 1799 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477625 NUMBERS 21 AND 22 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT JAMES STREET 798-1/96/660 (West side) 14/05/74 Nos.21 AND 22 and attached railings GV II 2 terraced houses. Early C18, refronted c1779, with C19 and C20 (Levitt Bernstein Assocs) alterations. Multi-coloured stock brick. 4 storeys and basements. 3 windows each. Gauged brick flat arches to recessed C20 sash windows. Restored parapets. No.21: wooden doorcase with pilasters carrying entablature with dentil cornice, patterned fanlight and panelled door. No.22: wooden architraved doorcase with half pilasters (Tower of Winds), carrying entablature with fluted frieze and dentil cornice, fanlight and panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3071382001

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86699
Monument Type	Listed Building
Preferred Ref.	MLO86699
Name	NUMBERS 21 AND 23 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31107 82555 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW YARDLEY STREET 635-1/68/921 (West side) 29/09/72 Nos.21 AND 23 and attached railings GV II Pair of terraced houses. c.1840; altered/rebuilt 20th century. Yellow stock brick set in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured, brick centre stacks. Side-hall entrance plan. Two storeys with basement; 2 windows each. Low steps rise to entrance in outer bays: doorway with fluted 1/4 columns carrying corniced-head, rectangular overlight and panelled door. 6/6 sashes throughout. Stucco still band beneath architraved 1st floor full-length sashes with bracketed consoles supporting cornice and cast-iron balconettes. Stucco cornice with blocking course with altered roofline extended by stucco gable to centre flanked by swept-up ends. Attached cast iron railings with urn finials. Listing NGR: TQ3110782555

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 14 Yardley Street, London, WC1X 0EZ

Monument/Component Types

- RAILINGS (19th Century - 1820 AD to 1860 AD)
- STEPS (19th Century - 1820 AD to 1860 AD)
- TERRACED HOUSE (19th Century - 1820 AD to 1860 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369453 NUMBERS 21 AND 23 AND ATTACHED RAILINGS	ISLINGTON TQ3182NW YARDLEY STREET 635-1/68/921 (West side) 29/09/72 Nos.21 AND 23 and attached railings GV II Pair of terraced houses. c.1840; altered/rebuilt C20. Yellow stock brick set in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured, brick centre stacks. Side-hall entrance plan. Two storeys with basement; 2 windows each. Low steps rise to entrance in outer bays: doorway with fluted 1/4 columns carrying corniced-head, rectangular overlight and panelled door. 6/6 sashes throughout. Stucco still band beneath architraved 1st floor full-length sashes with bracketed consoles supporting cornice and cast-iron balconettes. Stucco cornice with blocking course with altered roofline extended by stucco gable to centre flanked by swept-up ends. Attached cast iron railings with urn finials. Listing NGR: TQ3110782555

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80159
Monument Type	Listed Building
Preferred Ref.	MLO80159
Name	NUMBERS 21, 23 AND 25 AND ATTACHED RAILINGS TO NUMBER 25
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30587 82033 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/670 (South side) 14/05/74 Nos.21, 23 AND 25 and attached railings to No.25 GV II 3 terraced houses, No.21 with later shop. c1708, refaced mid C19. Stucco, Nos 23 and 25 with rusticated ground floors. 4 storeys and cellars. 3 windows each. No.21, mid C19 shopfront with pilasters carrying entablature with projecting cornice. Shop windows altered. Square-headed doorways to Nos 23 and 25, No.23, architraved doorway, currently boarded up, No.25, panelled door and overlight. Architraved, recessed sash windows, 1st floor with cornices. No.25 3rd floor windows, recessed sashes with segmental arches. Nos 21 and 23, cornice and blocking course. No.25, cut-back cornice flanked by consoles at 3rd floor level; parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to No.25 area. HISTORICAL NOTE: No.23 was the home of John Howard, prison reformer (GLC plaque). Listing NGR: TQ3058782033

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 21 Great Ormond Street, London, WC1N 3JB
 - 23 Great Ormond Street, London, WC1N 3JB
 - 23 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- TERRACE (17th Century to 18th Century - 1688 AD to 1728 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1688 AD to 1728 AD)
- SHOP (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477657 NUMBERS 21, 23 AND 25 AND ATTACHED RAILINGS TO NUMBER 25	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/670 (South side) 14/05/74 Nos.21, 23 AND 25 and attached railings to No.25 GV II 3 terraced houses, No.21 with later shop. c1708, refaced mid C19. Stucco, Nos 23 and 25 with rusticated ground floors. 4 storeys and cellars. 3 windows each. No.21, mid C19 shopfront with pilasters carrying entablature with projecting cornice. Shop windows altered. Square-headed doorways to Nos 23 and 25, No.23, architraved doorway, currently boarded up, No.25, panelled door and overlight. Architraved, recessed sash windows, 1st floor with cornices. No.25 3rd floor windows, recessed sashes with segmental arches. Nos 21 and 23, cornice and blocking course. No.25, cut-back cornice flanked by consoles at 3rd floor level; parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to No.25 area. HISTORICAL NOTE: No.23 was the home of John Howard, prison reformer (GLC plaque). Listing NGR: TQ3058782033

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80531
Monument Type	Listed Building
Preferred Ref.	MLO80531
Name	NUMBERS 21-24 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29978 82025 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2982SE RUSSELL SQUARE 798-1/94/1416 (North side) 14/05/74 Nos.21-24 (Consecutive) and attached railings GV II Terrace of 4 houses, formerly a symmetrical terrace similar to Nos 52-60 (qv). One surviving projecting end bay (No.24) and central bay (No.21). c1808. By James Burton, altered c1898 possibly by PE Pilditch. Yellow stock brick with later terracotta dressings. Slate mansard roofs with dormers to Nos 21 and 24. EXTERIOR: 4 storeys, attics and basements. 3 windows each. No.24 with 4-window return, blind except those above portico, to Thornhaugh Street. Round-arched doorways in square-headed terracotta surrounds with fanlights, side-lights and panelled doors, except No.24 with prostyle, rusticated stucco portico with balustrade. Recessed, architraved sash windows; 1st floor, some casements, with cornices and centre windows on projecting bays pedimented. Continuous cast-iron balconies to 1st floor windows. Cornice at 3rd floor level, projecting bays with enriched frieze. Parapets; Nos 22 and 23 with balustraded parapet. Centre dormer to No.24 with terracotta pediment; No.21 with pedimented dormers, the central one semicircular. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: No.21 was the home of Sir Samuel Romilly, law reformer (plaque). The Duke of Bedford was inspired to add terracotta dressings to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ2997882025

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 21-22 Russell Square, London, WC1B 5EA
 - 21-22 Russell Square, London, WC1B 5EA
 - 23-24 Russell Square, London, WC1B 5EA
 - 23-24 Russell Square, London, WC1B 5EA
 - 23-24 Russell Square, London, WC1B 5EA

Monument/Component Types

- TERRACE (18th Century to 19th Century - 1788 AD to 1828 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1788 AD to 1828 AD)
- RAILINGS (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Modern - 1878 AD to 1918 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477914 NUMBERS 21-24 AND ATTACHED RAILINGS	CAMDEN TQ2982SE RUSSELL SQUARE 798-1/94/1416 (North side) 14/05/74 Nos.21-24 (Consecutive) and attached railings GV II Terrace of 4 houses, formerly a symmetrical terrace similar to Nos 52-60 (qv). One surviving projecting end bay (No.24) and central bay (No.21). c1808. By James Burton, altered c1898 possibly by PE Pilditch. Yellow stock brick with later terracotta dressings. Slate mansard roofs with dormers to Nos 21 and 24. EXTERIOR: 4 storeys, attics and basements. 3 windows each. No.24 with 4-window return, blind except those above portico, to Thornhaugh Street. Round-arched doorways in square-headed terracotta surrounds with fanlights, side-lights and panelled doors, except No.24 with prostyle, rusticated stucco portico with balustrade. Recessed, architraved sash windows; 1st floor, some casements, with cornices and centre windows on projecting bays pedimented. Continuous cast-iron balconies to 1st floor windows. Cornice at 3rd floor level, projecting bays with enriched frieze. Parapets; Nos 22 and 23 with balustraded parapet. Centre dormer to No.24 with terracotta pediment; No.21 with pedimented dormers, the central one semicircular. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: No.21 was the home of Sir Samuel Romilly, law reformer (plaque). The Duke of Bedford was inspired to add terracotta dressings to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ2997882025

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80544
Monument Type	Listed Building
Preferred Ref.	MLO80544
Name	NUMBERS 21-39 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30669 82606 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE AMPTON STREET 798-1/91/46 (South side) 25/10/71 Nos.21-39 (Odd) and attached railings GV II Terrace of 10 houses. c1819-23. By Thomas Cubitt. Symmetrical terrace with slightly projecting central block (Nos 27-33). Nos 21-25 & 35-39: yellow stock brick and stucco ground floor with plain stucco 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jamb, cornice-heads, fanlights (No.37 radial patterned) and panelled doors. Nos 23 & 37 ground floor sashes with pointed lights. Upper floors with gauged brick arches to recessed sashes; 1st floor No.35 with cast-iron balconies. Parapets; Nos 35-39 stuccoed. Nos 27-33: stucco with plain 1st floor band. 3 storeys and basements. 1 window each, upper floors in slightly projecting bays. Round-arched ground floor openings. Doorways with pilaster-jamb, cornice-heads, Nos 29-33 patterned fanlights, and panelled doors. No.33 ground floor sash with pointed lights. 1st floor windows of 4 lights, with cast-iron balconies, in shallow, segmental-arched recesses. 2nd floor, tripartite sashes in shallow, segmental-arched recesses. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.33 was the home of Thomas Carlyle (LCC plaque). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3066982606

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 21 Ampton Street, London, WC1X 0LT
 - 23 Ampton Street, London, WC1X 0LT
 - 25 Ampton Street, London, WC1X 0LT
 - 27 Ampton Street, London, WC1X 0LT
 - 29 Ampton Street, London, WC1X 0LT
 - 31 Ampton Street, London, WC1X 0LT
 - 31 Ampton Street, London, WC1X 0LT
 - 33 Ampton Street, London, WC1X 0LT
 - 35 Ampton Street, London, WC1X 0LT
 - 37 Ampton Street, London, WC1X 0LT
 - 39 Ampton Street, London, WC1X 0LT

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1823 AD)
- TERRACE (19th Century - 1819 AD to 1823 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1823 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476609 NUMBERS 21-39 AND ATTACHED RAILINGS	CAMDEN TQ3082NE AMPTON STREET 798-1/91/46 (South side) 25/10/71 Nos.21-39 (Odd) and attached railings GV II Terrace of 10 houses. c1819-23. By Thomas Cubitt. Symmetrical terrace with slightly projecting central block (Nos 27-33). Nos 21-25 & 35-39: yellow stock brick and stucco ground floor with plain stucco 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jamb, cornice-heads, fanlights (No.37 radial patterned) and panelled doors. Nos 23 & 37 ground floor sashes with pointed lights. Upper floors with gauged brick arches to recessed sashes; 1st floor No.35 with cast-iron balconies. Parapets; Nos 35-39 stuccoed. Nos 27-33: stucco with plain 1st floor band. 3 storeys and basements. 1 window each, upper floors in slightly projecting bays. Round-arched ground floor openings. Doorways with pilaster-jamb, cornice-heads, Nos 29-33 patterned fanlights, and panelled doors. No.33 ground floor sash with pointed lights. 1st floor windows of 4 lights, with cast-iron balconies, in shallow, segmental-arched recesses. 2nd floor, tripartite sashes in shallow, segmental-arched recesses. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.33 was the home of Thomas Carlyle (LCC plaque). (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR:

TQ3066982606

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81118
Monument Type	Listed Building
Preferred Ref.	MLO81118
Name	NUMBERS 2-14 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30048 82338 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1589 (South side) 30/01/76 Nos.2-14 (Even) and attached railings GV II Terrace of 7 houses. c1801-6. By James Burton, rebuilt with facsimile facade c1975. Multi-coloured stock brick with 1st and 2nd floor concrete sill bands. 3rd floor moulded sill band. 4 storeys and basements. 3 windows each. Round-arched entrances with cornice-heads, radial patterned fanlights and panelled doors. Doorway of house at west end (now part of No.2) replaced by a window). Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 80). Listing NGR: TQ3004882338

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Tavistock Place, London, WC1H 9RA
- 14 Tavistock Place, London, WC1H 9RA
- 14 Tavistock Place, London, WC1H 9RA
- 6 Tavistock Place, London, WC1H 9RA
- 8 Tavistock Place, London, WC1H 9RA

Monument/Component Types

- RAILINGS (19th Century - 1801 AD to 1806 AD)
- TERRACE (19th Century - 1801 AD to 1806 AD)
- TERRACED HOUSE (19th Century - 1801 AD to 1806 AD)
- HOUSE (Modern - 1970 AD to 1980 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478324 NUMBERS 2-14 AND ATTACHED RAILINGS	CAMDEN TQ3082SW TAVISTOCK PLACE 798-1/95/1589 (South side) 30/01/76 Nos.2-14 (Even) and attached railings GV II Terrace of 7 houses. c1801-6. By James Burton, rebuilt with facsimile facade c1975. Multi-coloured stock brick with 1st and 2nd floor concrete sill bands. 3rd floor moulded sill band. 4 storeys and basements. 3 windows each. Round-arched entrances with cornice-heads, radial patterned fanlights and panelled doors. Doorway of house at west end (now part of No.2) replaced by a window). Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 80). Listing NGR: TQ3004882338

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80423
Monument Type	Listed Building
Preferred Ref.	MLO80423
Name	NUMBERS 21-40 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30260 81745 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW BEDFORD PLACE 798-1/100/64 (West side) 28/02/69 Nos.21-40 (Consecutive) and attached railings (Formerly Listed as: BEDFORD PLACE Nos.1-20 AND 21-40 (Consecutive)) GV II Symmetrical terrace of 20 houses forming the west side of Bedford Place. c1815. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Stucco 3rd floor sill band. 4 storeys and basements. 3 windows each. Slightly projecting end bays (Nos 21-23 & 38-40) and central bays (Nos 29-32). Wide double half-glazed doors. No.27 with window in place of doorway. Gauged brick flat arches (painted red) to recessed sashes, some with original glazing bars. Continuous cast-iron balconies at 1st floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, some houses with area overthrows. Listing NGR: TQ3026081745

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 21-23 Bedford Place, London, WC1B 5JJ
 - 21-23 Bedford Place, London, WC1B 5JJ
 - 24-27 Bedford Place, London, WC1B 5JL
 - 24-27 Bedford Place, London, WC1B 5JL
 - 24-27 Bedford Place, London, WC1B 5JL
 - 30 Bedford Place, London, WC1B 5JH
 - 34-37 Bedford Place, London, WC1B 5JR
 - 34-37 Bedford Place, London, WC1B 5JR
 - 34-37 Bedford Place, London, WC1B 5JR
 - 39-40 Bedford Place, London, WC1B 5JT
 - 39-40 Bedford Place, London, WC1B 5JT
 - 39-40 Bedford Place, London, WC1B 5JT

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1795 AD to 1835 AD)
- TERRACE (18th Century to 19th Century - 1795 AD to 1835 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1795 AD to 1835 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476647 NUMBERS 21-40 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BEDFORD PLACE 798-1/100/64 (West side) 28/02/69 Nos.21-40 (Consecutive) and attached railings (Formerly Listed as: BEDFORD PLACE Nos.1-20 AND 21-40 (Consecutive)) GV II Symmetrical terrace of 20 houses forming the west side of Bedford Place. c1815. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Stucco 3rd floor sill band. 4 storeys and basements. 3 windows each. Slightly projecting end bays (Nos 21-23 & 38-40) and central bays (Nos 29-32). Wide double half-glazed doors. No.27 with window in place of doorway. Gauged brick flat arches (painted red) to recessed sashes, some with original glazing bars. Continuous cast-iron balconies at 1st floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, some houses with area overthrows. Listing NGR: TQ3026081745

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81326
Monument Type	Listed Building
Preferred Ref.	MLO81326
Name	NUMBERS 22 TO 28 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30825 82055 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE JOHN STREET 798-1/96/944 (West side) 24/10/51 Nos.22-28 (Consecutive) and attached railings GV II Terrace of 7 houses. c1800-19. Yellow and multi-coloured stock brick with stucco bands at 1st floor levels. Nos 27 & 28 with slated mansard roofs and dormers. 4 storeys and basements; Nos 27 & 28 with attics. 2 windows each; Nos 26 & 27, 3 windows each; No.28 double fronted with 5 windows. Gauged brick flat arches to recessed sashes, most with glazing bars; 1st floors with cast-iron balconies, except No.28. Parapets. No.22: square-headed, architraved doorway with patterned rectangular fanlight and panelled door. INTERIOR: noted to retain reeded marble fireplaces on ground and 1st floors. Stairs with square balusters. No.23: similar doorway to No.22. INTERIOR: noted to retain reeded marble fireplaces on 1st and 2nd floors (original centres covered in). No.24: similar doorway to No.22. INTERIOR: noted to retain marble fireplaces with original centres on ground floor. No.25: similar doorway to No.22. INTERIOR: noted to retain marble fireplaces on ground floor. Good marble fireplace 1st floor front room with bas relief on front panel, reeded and with rosettes; original iron centre. Nos 26 & 27: round-arched doorways with reeded doorframes, lion mask stops, mutule cornice-heads, patterned radial fanlights and panelled doors. No.27 with lamp-holder incorporated in fanlight. No.26 with fluted lead rainwater head. No.28: round-arched doorway with attached Doric columns carrying entablature; patterned radial fanlight and panelled door. Cornice and blocking course. Wrought-iron overthrow lamp-holder. Return to Northington Street with 1 window and mid C19 entrance with stucco surround and console-bracketed cornice. Dentilled cornices. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3082582055

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 22 John Street, London, WC1N 2BL
 - 24 John Street, London, WC1N 2BL
 - 26 John Street, London, WC1N 2BL
 - 26 John Street, London, WC1N 2BL

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1819 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1819 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1819 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478524 NUMBERS 22 TO 28 AND ATTACHED RAILINGS	CAMDEN TQ3082SE JOHN STREET 798-1/96/944 (West side) 24/10/51 Nos.22-28 (Consecutive) and attached railings GV II Terrace of 7 houses. c1800-19. Yellow and multi-coloured stock brick with stucco bands at 1st floor levels. Nos 27 & 28 with slated mansard roofs and dormers. 4 storeys and basements; Nos 27 & 28 with attics. 2 windows each; Nos 26 & 27, 3 windows each; No.28 double fronted with 5 windows. Gauged brick flat arches to recessed sashes, most with glazing bars; 1st floors with cast-iron balconies, except No.28. Parapets. No.22: square-headed, architraved doorway with patterned rectangular fanlight and panelled door. INTERIOR: noted to retain reeded marble fireplaces on ground and 1st floors. Stairs with square balusters. No.23: similar doorway to No.22. INTERIOR: noted to retain reeded marble fireplaces on 1st and 2nd floors (original centres covered in). No.24: similar doorway to No.22. INTERIOR: noted to retain marble fireplaces with original centres on ground floor. No.25: similar doorway to No.22. INTERIOR: noted to retain marble fireplaces on ground floor. Good marble fireplace 1st floor front room with bas relief on front panel, reeded and with rosettes; original iron centre. Nos 26 & 27: round-arched doorways with reeded doorframes, lion mask stops, mutule cornice-heads, patterned radial fanlights and panelled doors. No.27 with lamp-holder incorporated in fanlight. No.26 with fluted lead rainwater head. No.28: round-arched doorway with attached Doric columns carrying entablature; patterned radial fanlight and panelled door. Cornice and blocking course. Wrought-iron overthrow lamp-holder. Return to Northington Street with 1 window and mid C19 entrance with stucco surround and console-bracketed cornice. Dentilled cornices. SUBSIDIARY FEATURES: attached cast-iron railings with urn

finials to areas. Listing NGR: TQ3082582055

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80152
Monument Type	Listed Building
Preferred Ref.	MLO80152
Name	NUMBERS 23, 24 AND 25 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30718 81985 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/661 (West side) 24/10/51 Nos.23, 24 AND 25 and attached railings GV II Formerly 3 terraced houses, now 2. 20th century reconstruction in early C18 manner. Nos 23/24 now converted into one with a central doorcase. Yellow stock brick with red brick dressings. Tiled mansard roofs, No.23/24 with dormers. EXTERIOR: 4 storeys, attic and basements. Nos 23/24 5 windows; No.25, 3 windows. Gauged red brick flat arches to flush frame 2-pane sash windows. Frames reeded with roundels. Parapets. No.23/24 doorway with rusticated stucco surround and reused wooden doorcase with attached Ionic columns carrying open segmental pediment with pulvinated frieze and modillion cornice with phoenix in relief in tympanum, round-arched doorway with panelled jambs, fanlight and panelled door. Doorcase originally from No.40 Great Ormond Street (not included). No.25, reused early C18 wooden doorcase with architraves, enriched carved brackets carrying dentil hood with panelled soffit, patterned fanlight and panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with spike finials to areas. Included for group value and doorcases. Nos 23 and 24 were listed on 14/05/74. Listing NGR: TQ3071881985

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Great James Street, London, WC1N 3ES

- 25 Great James Street, London, WC1N 3ES

Monument/Component Types

- RAILINGS (19th Century to Modern - 1900 AD to 1999 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477626 NUMBERS 23, 24 AND 25 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/661 (West side) 24/10/51 Nos.23, 24 AND 25 and attached railings GV II Formerly 3 terraced houses, now 2. C20 reconstruction in early C18 manner. Nos 23/24 now converted into one with a central doorcase. Yellow stock brick with red brick dressings. Tiled mansard roofs, No.23/24 with dormers. EXTERIOR: 4 storeys, attic and basements. Nos 23/24 5 windows; No.25, 3 windows. Gauged red brick flat arches to flush frame 2-pane sash windows. Frames reeded with roundels. Parapets. No.23/24 doorway with rusticated stucco surround and reused wooden doorcase with attached Ionic columns carrying open segmental pediment with pulvinated frieze and modillion cornice with phoenix in relief in tympanum, round-arched doorway with panelled jambs, fanlight and panelled door. Doorcase originally from No.40 Great Ormond Street (not included). No.25, reused early C18 wooden doorcase with architraves, enriched carved brackets carrying dentil hood with panelled soffit, patterned fanlight and panelled door. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with spike finials to areas. Included for group value and doorcases. Nos 23 and 24 were listed on 14/05/74. Listing NGR: TQ3071881985

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80380
Monument Type	Listed Building
Preferred Ref.	MLO80380
Name	NUMBERS 23-27 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30316 81755 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/104 (North side) 28/02/69 Nos.23-27 (Consecutive) and attached railings (Formerly Listed as: BLOOMSBURY SQUARE Nos.18-22 AND 23-27 (Consecutive)) GV II 5 terraced houses. 1800-1805. Designed and built by James Burton. Multi-coloured stock brick, No.23 with rusticated stucco ground floor. 4 storeys and basements. 3 windows each, No.23 with 4-window return (mostly blind) to Bedford Place. Round-headed entrances in recesses with reeded pilaster jambs carrying cornice-heads (except No.23 which has plain stuccoed archivolt and narrow side lights); fanlights (No.26 radial fanlight) and panelled doors. Gauged red brick flat arches to recessed sash and, 1st floor casement, windows, some with original glazing bars. Nos 25, 26 & 27 with patterned panes to top of casements. Continuous cast-iron balconies at 1st floor level. Continuous sill band at 3rd floor. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials, No.23 with elaborate baluster finials. HISTORICAL NOTE: this terrace was built on the site of Bedford House (formerly Southampton House), demolished 1799. Listing NGR: TQ3031681755

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 25 Bloomsbury Square, London, WC1A 2NS
 - 25 Bloomsbury Square, London, WC1A 2NS
 - 27 Bloomsbury Square, London, WC1A 2NS

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1805 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1805 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1805 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476734 NUMBERS 23-27 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/104 (North side) 28/02/69 Nos.23-27 (Consecutive) and attached railings (Formerly Listed as: BLOOMSBURY SQUARE Nos.18-22 AND 23-27 (Consecutive)) GV II 5 terraced houses. 1800-1805. Designed and built by James Burton. Multi-coloured stock brick, No.23 with rusticated stucco ground floor. 4 storeys and basements. 3 windows each, No.23 with 4-window return (mostly blind) to Bedford Place. Round-headed entrances in recesses with reeded pilaster jambs carrying cornice-heads (except No.23 which has plain stuccoed archivolt and narrow side lights); fanlights (No.26 radial fanlight) and panelled doors. Gauged red brick flat arches to recessed sash and, 1st floor casement, windows, some with original glazing bars. Nos 25, 26 & 27 with patterned panes to top of casements. Continuous cast-iron balconies at 1st floor level. Continuous sill band at 3rd floor. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials, No.23 with elaborate baluster finials. HISTORICAL NOTE: this terrace was built on the site of Bedford House (formerly Southampton House), demolished 1799. Listing NGR: TQ3031681755

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80372
Monument Type	Listed Building
Preferred Ref.	MLO80372
Name	NUMBERS 23-43 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30889 82392 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/137 (North side) 14/05/74 Nos.23-43 (Odd) and attached railings GV II Terrace of 11 houses. c1842-9, altered. Yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. EXTERIOR: 3 storeys and basements. 2 windows each; No.23 with bowed 1-window corner treatment and 3-window return (2 blind) to Gough Street. Nos 23-27, 31, and 41-45 slightly projecting. Square-headed doorways with pilaster-jambs carrying entablature-heads; overlights and panelled doors. No.23 entrance on corner with pilasters, fanlight, side-lights and panelled door; round-arched entrance on return with pilaster-jambs carrying entablature-head; fanlight and panelled door. Architraved sash windows; 1st floor with pediments and cast-iron balconies. Ground floor windows of Nos 25-43 with margin lights. Nos 29 & 37, architraved 1st floor windows with segmental pediments and cast-iron balconies, 2nd floor round-arched with architraves. No.23 with stucco modillion cornice and brick parapet with stucco band; Nos 25, 27 & 31 modillion cornices with blocking courses. Others with stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3088982392

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 29 Calthorpe Street, London, WC1X 0JX

- 37 Calthorpe Street, London, WC1X 0JX

- 37 Calthorpe Street, London, WC1X 0JX

Monument/Component Types

- RAILINGS (19th Century - 1842 AD to 1849 AD)
- TERRACE (19th Century - 1842 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1842 AD to 1849 AD)
- HOUSE (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476781 NUMBERS 23-43 AND ATTACHED RAILINGS	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/137 (North side) 14/05/74 Nos.23-43 (Odd) and attached railings GV II Terrace of 11 houses. c1842-9, altered. Yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. EXTERIOR: 3 storeys and basements. 2 windows each; No.23 with bowed 1-window corner treatment and 3-window return (2 blind) to Gough Street. Nos 23-27, 31, and 41-45 slightly projecting. Square-headed doorways with pilaster-jambs carrying entablature-heads; overlights and panelled doors. No.23 entrance on corner with pilasters, fanlight, side-lights and panelled door; round-arched entrance on return with pilaster-jambs carrying entablature-head; fanlight and panelled door. Architraved sash windows; 1st floor with pediments and cast-iron balconies. Ground floor windows of Nos 25-43 with margin lights. Nos 29 & 37, architraved 1st floor windows with segmental pediments and cast-iron balconies, 2nd floor round-arched with architraves. No.23 with stucco modillion cornice and brick parapet with stucco band; Nos 25, 27 & 31 modillion cornices with blocking courses. Others with stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3088982392

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80930
Monument Type	Listed Building
Preferred Ref.	MLO80930
Name	NUMBERS 24 AND 26 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30707 82772 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE ACTON STREET 798-1/91/4 (North side) Nos.24 AND 26 and attached railings GV II 2 terraced houses. c1835-45. Yellow stock brick with channelled stucco ground floors. 3 storeys and basement. 2 windows each. Segmental-arched entrances with panelled doors and fanlights. Gauged brick flat arches to recessed sashes; 1st floor having cast-iron balconies. Parapet with stucco cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. Listing NGR: TQ3070782772

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Acton Street, London, WC1X 9LX

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476517 NUMBERS 24 AND 26 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/4 (North side) Nos.24 AND 26 and attached railings GV II 2 terraced houses. c1835-45. Yellow stock brick with channelled stucco ground floors. 3 storeys and basement. 2 windows each. Segmental-arched entrances with panelled doors and fanlights. Gauged brick flat arches to recessed sashes; 1st floor having cast-iron balconies. Parapet with stucco cornice. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. Listing NGR: TQ3070782772

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81494
Monument Type	Listed Building
Preferred Ref.	MLO81494
Name	NUMBERS 24, 25, 26 AND 28 AND ATTACHED RAILINGS AND PIERS WITH LAMP HOLDERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30813 81517 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LINCOLN'S INN FIELDS 798-1/101/1058 (North side) 24/10/51 Nos.24, 25, 26 AND 28 and attached railings and piers with lamp-holders (Formerly Listed as: LINCOLN'S INN FIELDS Nos.24-27 (Consecutive)) GV II Formerly 4 terraced houses (Nos 24-27) and legal chambers (No.28), Nos 27 and 28 now linked internally and known as No.28. No.24: early C19. Yellow brick with rusticated stucco ground floor and stone dressings. 4 storeys, attic and basement. Slate mansard roof with dormers. 3 windows. Round-arched openings to ground floor, windows in double recess with plain jambs; panelled door with fanlight. Stone architraves to recessed sashes. Blind balustrade below 1st floor windows; centre window with shouldered architrave and console bracketed pediment. Plain stucco sill band to 2nd floor windows. Stone mutule cornice surmounted by a balustrade. INTERIOR: not inspected but noted to retain vaulted corridor and good marble fireplaces. SUBSIDIARY FEATURES: rusticated stucco piers surmounted by iron scroll lamp-holders to forecourt. Attached cast-iron railings to area only. No.25: early C18, restored mid C19 & later. Multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st floor level. Slate mansard roof with dormers. 4 storeys, attics and basement. 3 windows. Square-headed architraved doorway with patterned overlight, incorporating a lantern, and panelled door. Gauged red brick flat arches to recessed sashes; stone balcony with cast-iron railings to 1st floor. Parapet. INTERIOR: not inspected but noted to retain early C19 stone curved staircase with iron balusters. SUBSIDIARY FEATURES: rusticated stucco forecourt piers surmounted by iron scroll lamp-holders. Attached cast-iron railings with urn finials. No.26: early/mid C18, restored mid/late 20th century. Brown brick ground and 1st floor, others multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st floor and sill levels. Slate mansard roof with dormers. 4 storeys, attics and basement. 3 windows. Good original wooden doorcase with carved consoles carrying cornice, carved frieze, panelled reveals, overlight; panelled door. Gauged red brick flat arches to recessed sashes. Parapet. INTERIOR: rebuilt due to fire damage. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Former No.27: mid C18. Multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st. Slate mansard roof. 4 storeys and basement. 3 windows. Doorway replaced by a window. Gauged red brick flat arches to recessed sashes; 1st floor lengthened. Parapet. INTERIOR: not inspected but noted to retain staircase with closed string, square newels and turned balusters, some original cornices and good reeded marble fireplace on the 1st floor. SUBSIDIARY FEATURES: attached pier to area with cone finial. No.28: 1863 by George Vulliamy. Sculptured frieze by Robert Jackson. Purpose built as chambers with a fire-proof muniments room. Yellow stock brick with stucco bracketed cornice, frieze, dressings and channelled stucco ground floor. 5 storeys and basement. 2 windows. Ground floor openings round-arched with keystones; doorway with fanlight and panelled door. 2-pane sashes, upper floors architraved and of paired lights. 1st floor with console bases and bracketed cornices; shaped blind boxes to left hand windows; continuous sill band with panels and roundels. 2nd floor round-arched with pilasters on bracketed sills; shaped blind boxes. Deep 3rd floor sculptured frieze depicting putti linked by festoons. 3rd floor sashes have bracketed cornices and shaped blind boxes. 4th floor, 7 arcaded lights, the centre blind, and continuous sill band. INTERIOR: retains original features. SUBSIDIARY FEATURES: attached pier to area with cone finial. The single building built as No.28 is an addition to the list. Listing NGR: TQ3081381517

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 28 Lincoln's Inn Fields, London, WC2A 3ED
 - 28 Lincoln's Inn Fields, London, WC2A 3ED

Monument/Component Types

- FORECOURT (17th Century to 18th Century - 1700 AD to 1732 AD)
- GATE PIER (17th Century to 18th Century - 1700 AD to 1732 AD)
- LAMP BRACKET (17th Century to 18th Century - 1700 AD to 1732 AD)
- RAILINGS (17th Century to 18th Century - 1700 AD to 1732 AD)
- RAILINGS (17th Century to 18th Century - 1700 AD to 1766 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1766 AD)
- GATE PIER (18th Century - 1733 AD to 1766 AD)
- TERRACE (18th Century - 1733 AD to 1766 AD)
- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- GATE PIER (18th Century to 19th Century - 1800 AD to 1832 AD)
- LAMP BRACKET (18th Century to 19th Century - 1800 AD to 1832 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century - 1833 AD to 1899 AD)
- FIREPROOF BUILDING (19th Century - 1863 AD)
- GATE PIER (19th Century - 1863 AD)
- LEGAL CHAMBERS (19th Century - 1863 AD)

- HOUSE (Modern - 1933 AD to 1999 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II)	478710 NUMBERS 24, 25, 26 AND 28 AND ATTACHED RAILINGS AND PIERS WITH LAMP HOLDERS	<p>CAMDEN TQ3081NE LINCOLN'S INN FIELDS 798-1/101/1058 (North side) 24/10/51 Nos.24, 25, 26 AND 28 and attached railings and piers with lamp-holders (Formerly Listed as: LINCOLN'S INN FIELDS Nos.24-27 (Consecutive)) GV II Formerly 4 terraced houses (Nos 24-27) and legal chambers (No.28), Nos 27 and 28 now linked internally and known as No.28. No.24: early C19. Yellow brick with rusticated stucco ground floor and stone dressings. 4 storeys, attic and basement. Slate mansard roof with dormers. 3 windows. Round-arched openings to ground floor, windows in double recess with plain jambs; panelled door with fanlight. Stone architraves to recessed sashes. Blind balustrade below 1st floor windows; centre window with shouldered architrave and console bracketed pediment. Plain stucco sill band to 2nd floor windows. Stone mutule cornice surmounted by a balustrade. INTERIOR: not inspected but noted to retain vaulted corridor and good marble fireplaces. SUBSIDIARY FEATURES: rusticated stucco piers surmounted by iron scroll lamp-holders to forecourt. Attached cast-iron railings to area only. No.25: early C18, restored mid C19 & later. Multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st floor level. Slate mansard roof with dormers. 4 storeys, attics and basement. 3 windows. Square-headed architraved doorway with patterned overlight, incorporating a lantern, and panelled door. Gauged red brick flat arches to recessed sashes; stone balcony with cast-iron railings to 1st floor. Parapet. INTERIOR: not inspected but noted to retain early C19 stone curved staircase with iron balusters. SUBSIDIARY FEATURES: rusticated stucco forecourt piers surmounted by iron scroll lamp-holders. Attached cast-iron railings with urn finials. No.26: early/mid C18, restored mid/late C20. Brown brick ground and 1st floor, others multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st floor and sill levels. Slate mansard roof with dormers. 4 storeys, attics and basement. 3 windows. Good original wooden doorcase with carved consoles carrying cornice, carved frieze, panelled reveals, overlight; panelled door. Gauged red brick flat arches to recessed sashes. Parapet. INTERIOR: rebuilt due to fire damage. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Former No.27: mid C18. Multi-coloured stock brick. Stone cornice at 3rd floor level and plain stone band at 1st. Slate mansard roof. 4 storeys and basement. 3 windows. Doorway replaced by a window. Gauged red brick flat arches to recessed sashes; 1st floor lengthened. Parapet. INTERIOR: not inspected but noted to retain staircase with closed string, square newels and turned balusters, some original cornices and good reeded marble fireplace on the 1st floor. SUBSIDIARY FEATURES: attached pier to area with cone finial. No.28: 1863 by George Vulliamy. Sculptured frieze by Robert Jackson. Purpose built as chambers with a fire-proof muniments room. Yellow stock brick with stucco bracketed cornice, frieze, dressings and channelled stucco ground floor. 5 storeys and basement. 2 windows. Ground floor openings round-arched with keystones; doorway with fanlight and panelled door. 2-pane sashes, upper floors architraved and of paired lights. 1st floor with console bases and bracketed cornices; shaped blind boxes to left hand windows; continuous sill band with panels and roundels. 2nd floor round-arched with pilasters on bracketed sills; shaped blind boxes. Deep 3rd floor sculptured frieze depicting putti linked by festoons. 3rd floor sashes have bracketed cornices and shaped blind boxes. 4th floor, 7 arched lights, the centre blind, and continuous sill band. INTERIOR: retains original features. SUBSIDIARY FEATURES: attached pier to area with cone finial. The single building built as No.28 is an addition to the list. Listing NGR: TQ3081381517</p>

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

[End of record](#)

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81374
Monument Type	Listed Building
Preferred Ref.	MLO81374
Name	NUMBERS 24-28 AND ATTACHED RAILINGS INCLUDING INSTITUTE OF EDUCATION, LONDON UNIVERSITY (NUMBERS 24-27)
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29844 82101 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE WOBURN SQUARE 798-1/94/1732 (East side) 14/05/74 Nos.24-28 (Consecutive) and attached railings. Institute of Education, London University (24-27) GV II Terrace of 5 houses. c1829. Built by James Sim, James Sim Jnr and Robert Sim. Yellow stock brick with stucco first floor band. 4 storeys and basements. 2 windows each. Nos 27 & 28 slightly projecting. Round-arched recessed doorways with radial patterned fanlights and double panelled doors. Gauged brick flat arches to recessed sash windows. Continuous cast-iron balconies to 1st floor sashes, No.27 with casements. Parapets, stucco cornice and blocking course. INTERIORS: not inspected. Listing NGR: TQ2984482101

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 24 Woburn Square, London, WC1H 0AA
- 25 Woburn Square, London, WC1H 0AA
- 27-28 Woburn Square, London, WC1H 0AA
- 27-28 Woburn Square, London, WC1H 0AA
- 27-28 Woburn Square, London, WC1H 0AA

Monument/Component Types

- RAILINGS (19th Century - 1809 AD to 1849 AD)
- TERRACE (19th Century - 1809 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1809 AD to 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478576 NUMBERS 24-28 AND ATTACHED RAILINGS INCLUDING INSTITUTE OF EDUCATION, LONDON UNIVERSITY (NUMBERS 24-27)	CAMDEN TQ2982SE WOBURN SQUARE 798-1/94/1732 (East side) 14/05/74 Nos.24-28 (Consecutive) and attached railings. Institute of Education, London University (24-27) GV II Terrace of 5 houses. c1829. Built by James Sim, James Sim Jnr and Robert Sim. Yellow stock brick with stucco first floor band. 4 storeys and basements. 2 windows each. Nos 27 & 28 slightly projecting. Round-arched recessed doorways with radial patterned fanlights and double panelled doors. Gauged brick flat arches to recessed sash windows. Continuous cast-iron balconies to 1st floor sashes, No.27 with casements. Parapets, stucco cornice and blocking course. INTERIORS: not inspected. Listing NGR: TQ2984482101

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80386
Monument Type	Listed Building
Preferred Ref.	MLO80386
Name	NUMBERS 24-60 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29998 81580 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE BLOOMSBURY STREET 798-1/99/110 (East side) 14/05/74 Nos.24-60 (Even) and attached railings GV II Terrace of 19 houses. c1766. Yellow stock brick with slated mansard roofs with dormers and tall slab chimney-stacks. Plain stucco continuous 1st floor sill band. EXTERIOR: 3 storeys, attics and basements. Nos 24, 26 & 58, 2 windows each; remainder have 3 windows each. Round-arched doorways with fluted pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches (some painted red) to recessed sash windows with some original glazing bars. Blind boxes to some ground floor windows. Parapets. No.24: stucco entrance surround and plain door frame. No.28: ground floor painted black. No.32: stucco entrance surround with pilasters. No.36: stucco entrance surround with rusticated bands and female head on keystone. Ground floor painted black. No.38: stucco entrance surround with vermiculated rustication to pilasters supporting entablature with enriched frieze; patterned radial fanlight. Ground floor painted black. No.40: rusticated stucco doorway surround. Nos 46 & 48: all brickwork painted black. No.56: with enriched arch to radial patterned fanlight. Nos 58 & 60: vermiculated stucco rustication to entrance arch and jambes; female heads to keystones. No.58 with radial patterned fanlight. Some houses with original lead rainwater heads. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. Listing NGR: TQ2999881580

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 24-26 Bloomsbury Street, London, WC1B 3QJ
 - 24-26 Bloomsbury Street, London, WC1B 3QJ
 - 30-34 Bloomsbury Street, London, WC1B 3QJ
 - 30-34 Bloomsbury Street, London, WC1B 3QJ
 - 30-34 Bloomsbury Street, London, WC1B 3QJ
 - 30-34 Bloomsbury Street, London, WC1B 3QJ
 - 30-34 Bloomsbury Street, London, WC1B 3QJ
 - 36-38 Bloomsbury Street, London, WC1B 3QJ
 - 36-38 Bloomsbury Street, London, WC1B 3QJ
 - 44 Bloomsbury Street, London, WC1B 3QJ
 - 46 Bloomsbury Street, London, WC1B 3QQ
 - 48 Bloomsbury Street, London, WC1B 3QT
 - 56 Bloomsbury Street, London, WC1B 3QT
 - 60 Bloomsbury Street, London, WC1B 3QT

Monument/Component Types

- RAILINGS (18th Century - 1746 AD to 1786 AD)
- TERRACE (18th Century - 1746 AD to 1786 AD)
- TERRACED HOUSE (18th Century - 1746 AD to 1786 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476740 NUMBERS 24-60 AND ATTACHED RAILINGS	CAMDEN TQ2981NE BLOOMSBURY STREET 798-1/99/110 (East side) 14/05/74 Nos.24-60 (Even) and attached railings GV II Terrace of 19 houses. c1766. Yellow stock brick with slated mansard roofs with dormers and tall slab chimney-stacks. Plain stucco continuous 1st floor sill band. EXTERIOR: 3 storeys, attics and basements. Nos 24, 26 & 58, 2 windows each; remainder have 3 windows each. Round-arched doorways with fluted pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches (some painted red) to recessed sash windows with some original glazing bars. Blind boxes to some ground floor windows. Parapets. No.24: stucco entrance surround and plain door frame. No.28: ground floor painted black. No.32: stucco entrance surround with pilasters. No.36: stucco entrance surround with rusticated bands and female head on keystone. Ground floor painted black. No.38: stucco entrance surround with vermiculated rustication to pilasters supporting entablature with enriched frieze; patterned radial fanlight. Ground floor painted black. No.40: rusticated stucco doorway surround. Nos 46 & 48: all brickwork painted black. No.56: with enriched arch to radial patterned fanlight. Nos 58 & 60: vermiculated stucco rustication to entrance arch and jambes; female

heads to keystones. No.58 with radial patterned fanlight. Some houses with original lead rainwater heads. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. Listing NGR: TQ2999881580

Other Statuses and References

Type/Grade *Reference/Title*

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID *Name/Ref* *Brief Description (click Event ID for details)*

[Not Applicable](#) No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86523
Monument Type	Listed Building
Preferred Ref.	MLO86523
Name	NUMBERS 25 TO 37 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31158 82602 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/906 (North West side) 29/09/72 Nos.25-37 (Consecutive) and attached railings GV II Thirteen terraced houses. On a pedestrian walk along the north side of square. 1829-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet (except no. 25 with Welsh-slate mansard), brick party-wall stacks. Side-hall entrance plan with staircase. Three storeys with basement (and attic to no. 25 only); 2 windows each plus 3 windows (all blind) to right (Wilmington Street) and 1 window to left-hand (Yardley Street) return walls. Symmetrical group with projecting end-houses and nos. 31-32 being a centrepiece, breaking forward. Steps rise to entrance (nos. 25 and 37 with 1-storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, plain fanlights, and panelled door (nos. 29, 31, 34, 36 original). Ground-floor round-arched sashes with mostly 6/6 curved and radial glazing bars and all but nos. 27, 28 and 31 with cast-iron window guards. Gauged-brick flat arches to upper storeys except 1st floor sashes to ends and centrepiece which are gauged-brick round arches. 1st floor stucco sill band beneath full-length 6/6 sashes with individual and coupled (no. 37 only) cast-iron balconies supported by iron brackets. Double stucco sill band to 2nd floor 6/6 sashes. Stucco moulded bands beneath cornice and blocking course. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; the north terrace (nos. 25-37) was not completed until 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. It was the north terrace that was most drastically altered: it was built well short of Margery Street and has only 3 floors with a high pedestrian walk rather than a street front. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990: 93-98). Listing NGR: TQ3115882602

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 26 Wilmington Square, London, WC1X 0EG
 - 27 Wilmington Square, London, WC1X 0EG
 - 28 Wilmington Square, London, WC1X 0EG
 - 28 Wilmington Square, London, WC1X 0EG
 - 29 Wilmington Square, London, WC1X 0EG
 - 30 Wilmington Square, London, WC1X 0EG
 - 31 Wilmington Square, London, WC1X 0EG
 - 32 Wilmington Square, London, WC1X 0EG
 - 33 Wilmington Square, London, WC1X 0EG
 - 35 Wilmington Square, London, WC1X 0EG
 - 36 Wilmington Square, London, WC1X 0EG
 - 37 Wilmington Square, London, WC1X 0EG

Monument/Component Types

- RAILINGS (19th Century - 1829 AD to 1831 AD)
- STEPS (19th Century - 1829 AD to 1831 AD)
- TERRACED HOUSE (19th Century - 1829 AD to 1831 AD)
- TERRACED HOUSE (19th Century to Unknown - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369435 NUMBERS 25 TO 37 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/906 (North West side) 29/09/72 Nos.25-37 (Consecutive) and attached railings GV II Thirteen terraced houses. On a pedestrian walk along the north side of square. 1829-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet (except no. 25 with Welsh-slate mansard), brick party-wall stacks. Side-hall entrance plan with staircase. Three storeys with basement (and attic to no. 25 only); 2 windows each plus 3 windows (all blind) to right (Wilmington Street) and 1 window to left-hand (Yardley Street) return walls. Symmetrical group with projecting end-houses and

nos. 31-32 being a centrepiece, breaking forward. Steps rise to entrance (nos. 25 and 37 with 1-storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, plain fanlights, and panelled door (nos. 29, 31, 34, 36 original). Ground-floor round-arched sashes with mostly 6/6 curved and radial glazing bars and all but nos. 27, 28 and 31 with cast-iron window guards. Gauged-brick flat arches to upper storeys except 1st floor sashes to ends and centrepiece which are gauged-brick round arches. 1st floor stucco sill band beneath full-length 6/6 sashes with individual and coupled (no. 37 only) cast-iron balconies supported by iron brackets. Double stucco sill band to 2nd floor 6/6 sashes. Stucco moulded bands beneath cornice and blocking course. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; the north terrace (nos. 25-37) was not completed until 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. It was the north terrace that was most drastically altered: it was built well short of Margery Street and has only 3 floors with a high pedestrian walk rather than a street front. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3115882602

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80533
Monument Type	Listed Building
Preferred Ref.	MLO80533
Name	NUMBERS 25-29 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29963 81974 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1417 (West side) 28/03/69 Nos.25-29 (Consecutive) and attached railings and lamp-holder GV II Terrace of 5 houses. c1814. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Round-arched doorways; Nos 25 and 26 with pilaster-jambes, Nos 27-29 with fluted Doric half columns; fanlights and double panelled doors. Gauged brick flat arches to recessed sash windows, some with original glazing bars and No.28 with 1st floor casements. Continuous cast-iron balconies to 1st floor windows except No.25 with window guards. Stucco cornice at 3rd floor sill level. Parapets above attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, No.27 with lamp-holder. Listing NGR: TQ2996381974

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 27-28 Russell Square, London, WC1B 5DP
 - 27-28 Russell Square, London, WC1B 5DP

Monument/Component Types

- LAMP BRACKET (18th Century to 19th Century - 1794 AD to 1834 AD)
- RAILINGS (18th Century to 19th Century - 1794 AD to 1834 AD)
- TERRACE (18th Century to 19th Century - 1794 AD to 1834 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1794 AD to 1834 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477916 NUMBERS 25-29 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ2981NE RUSSELL SQUARE 798-1/99/1417 (West side) 28/03/69 Nos.25-29 (Consecutive) and attached railings and lamp-holder GV II Terrace of 5 houses. c1814. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. Round-arched doorways; Nos 25 and 26 with pilaster-jambes, Nos 27-29 with fluted Doric half columns; fanlights and double panelled doors. Gauged brick flat arches to recessed sash windows, some with original glazing bars and No.28 with 1st floor casements. Continuous cast-iron balconies to 1st floor windows except No.25 with window guards. Stucco cornice at 3rd floor sill level. Parapets above attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas, No.27 with lamp-holder. Listing NGR: TQ2996381974

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80228
Monument Type	Listed Building
Preferred Ref.	MLO80228
Name	NUMBERS 25-35 AND 35A AND ATTACHED SCREEN TO SICILIAN AVENUE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30456 81639 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1480 (West side) 14/05/74 Nos.25-35 AND 35A (Odd) and attached screen to Sicilian Avenue GV II Shopping parade with offices, formerly flats, over, forming the north-east return to Sicilian Avenue (qv). 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys 8-window bays plus a 4-storey tourelle, with 2 light transom and mullion windows, from 2nd floor level on the left hand return to Sicilian Avenue. Ground floor with later 20th century shopfronts separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at angles. 1st floor with square-headed 4-light casement windows. 2nd, 3rd and 4th floors some canted 5-light bay windows and some groups of square-headed windows, all with terracotta transoms and mullions. All windows with small, leaded panes, some with shields. Central pedimented gable with, to either side oriels rising from the 3rd floor. Modillion cornice. The 4th storey of the tourelle is above the cornice and topped with a conical roof. INTERIORS: not inspected. Attached to No.25 is a Classical screen across Sicilian Avenue. 3 Ionic columns on plinths carrying an entablature with the words "Sicilian Avenue" on the frieze, surmounted by a balustrade with urns on the 2 central piers. Nos 25-35 (odd) and 35A Southampton Row form a homogeneous development with Nos 1-29 (odd) and 6-20 (even) Sicilian Avenue (qqv), Nos 15-23 (odd) Southampton Row (qv) and Nos 1-6 (consec) Vernon Place (qv). (Harwood E and Saint A: Exploring England's Heritage, London: -1991: 121-22). Listing NGR: TQ3045681639

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Southampton Row, London, WC1B 4ET

Monument/Component Types

- BALUSTRADE (Modern - 1906 AD to 1910 AD)
- COLONNADE (Modern - 1906 AD to 1910 AD)
- MANSION FLATS (Modern - 1906 AD to 1910 AD)
- SHOPPING PARADE (Modern - 1906 AD to 1910 AD)
- OFFICE (Modern to Unknown - 1911 AD)
- SHOP (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478141 NUMBERS 25-35 AND 35A AND ATTACHED SCREEN TO SICILIAN AVENUE	CAMDEN TQ3081NW SOUTHAMPTON ROW 798-1/100/1480 (West side) 14/05/74 Nos.25-35 AND 35A (Odd) and attached screen to Sicilian Avenue GV II Shopping parade with offices, formerly flats, over, forming the north-east return to Sicilian Avenue (qv). 1906-10. By RJ Worley. For the Bedford Estate. Red brick with white terracotta dressings and 1st floor. EXTERIOR: 5 storeys 8-window bays plus a 4-storey tourelle, with 2 light transom and mullion windows, from 2nd floor level on the left hand return to Sicilian Avenue. Ground floor with later C20 shopfronts separated by Corinthian columns on plinths carrying an entablature with plain terracotta frieze at 2nd floor level. Pilasters at angles. 1st floor with square-headed 4-light casement windows. 2nd, 3rd and 4th floors some canted 5-light bay windows and some groups of square-headed windows, all with terracotta transoms and mullions. All windows with small, leaded panes, some with shields. Central pedimented gable with, to either side oriels rising from the 3rd floor. Modillion cornice. The 4th storey of the tourelle is above the cornice and topped with a conical roof. INTERIORS: not inspected. Attached to No.25 is a Classical screen across Sicilian Avenue. 3 Ionic columns on plinths carrying an entablature with the words "Sicilian Avenue" on the frieze, surmounted by a balustrade with urns on the 2 central piers. Nos 25-35 (odd) and 35A Southampton Row form a homogeneous development with Nos 1-29 (odd) and 6-20 (even) Sicilian Avenue (qqv), Nos 15-23 (odd) Southampton Row (qv) and Nos 1-6 (consec) Vernon Place (qv). (Harwood E and Saint A: Exploring England's Heritage, London: -1991: 121-22). Listing NGR: TQ3045681639

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80154
Monument Type	Listed Building
Preferred Ref.	MLO80154
Name	NUMBERS 26 TO 37 AND 39 TO 40 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30718 81985 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/662 (West side) 24/10/57 Nos.26-37 AND 39-40 (Consecutive) and attached railings (Formerly Listed as: GREAT JAMES STREET Nos.26-37, 38, 39 & 40 (Consecutive)) GV II* 14 terraced houses. 1720-24. For J Metcalfe. Brown brick, upper storeys with some refacing in multi-coloured, yellow (Nos 28, 34 & 40) and brown stock brick (1st floor and above of No.30). 4 storeys and basements. 3 windows each. Nos 27-38 and 40, good wood architraved doorcases with enriched, carved brackets carrying hoods with panelled soffits, most with patterned fanlights and panelled doors. No.27, 20th century hood with shaped brackets; No.39, architraved doorcase with pilasters, plain cornice, radial fanlight and panelled door. Red segmental arches and dressings to flush framed windows, No.35 upper storeys with glazing bars. Some frames reeded with roundels. Parapets. Some original lead rainwater heads with lion masks. INTERIORS: mostly having fine panelling. Staircases mostly with twisted balusters, column newels and carved brackets to treads. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. Listing NGR: TQ3071881985

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 26-37 Great James Street, London, WC1N 3ES

- 26-37 Great James Street, London, WC1N 3ES

Monument/Component Types

- RAILINGS (18th Century - 1720 AD to 1724 AD)
- TERRACED HOUSE (18th Century - 1720 AD to 1724 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477628 NUMBERS 26 TO 37 AND 39 TO 40 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GREAT JAMES STREET 798-1/101/662 (West side) 24/10/57 Nos.26-37 AND 39-40 (Consecutive) and attached railings (Formerly Listed as: GREAT JAMES STREET Nos.26-37, 38, 39 & 40 (Consecutive)) GV II* 14 terraced houses. 1720-24. For J Metcalfe. Brown brick, upper storeys with some refacing in multi-coloured, yellow (Nos 28, 34 & 40) and brown stock brick (1st floor and above of No.30). 4 storeys and basements. 3 windows each. Nos 27-38 and 40, good wood architraved doorcases with enriched, carved brackets carrying hoods with panelled soffits, most with patterned fanlights and panelled doors. No.27, C20 hood with shaped brackets; No.39, architraved doorcase with pilasters, plain cornice, radial fanlight and panelled door. Red segmental arches and dressings to flush framed windows, No.35 upper storeys with glazing bars. Some frames reeded with roundels. Parapets. Some original lead rainwater heads with lion masks. INTERIORS: mostly having fine panelling. Staircases mostly with twisted balusters, column newels and carved brackets to treads. SUBSIDIARY FEATURES: attached cast-iron railings with urn or torch flambe finials to areas. Listing NGR: TQ3071881985

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86694
Monument Type	Listed Building
Preferred Ref.	MLO86694
Name	NUMBERS 26 TO 39 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30986 82730 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NW WHARTON STREET 635-1/67/897 (South side) 29/09/72 Nos.26-39 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET (South side) Nos.26-30 (Consecutive)) (Formerly Listed as: WHARTON STREET Nos.31 & 32) (Formerly Listed as: WHARTON STREET Nos.33-47 (Consecutive)) GV II Terrace of 14 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh (nos. 26, 29, 32, 35, 36) and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house. Two-storeys with basements; 2 windows each including recessed 1-window (no. 34 original 4/4 sash with margin lights) entrance bay coupled as link. Nos. 35 and 36 irregular with extended link to accommodate carriage-way between entrances and with extra window above. Low steps rise to deeply recessed (several altered and brought forward) stucco entrance with antae supporting entablature surmounted by 20th century reproduction iron balcony railings. Architraved doorway with pair of 3-panelled doors (nos. 26-29, 31-35 original). Architraved sashes throughout: ground-floor with predominantly 6/6 (with margin lights) and 1st floor with 6/6 (often with margin lights) and 8/8 sashes; 1st floor recessed balconied links with narrower doors or sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3098682730

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 26 Wharton Street, London, WC1X 9PJ
 - 27 Wharton Street, London, WC1X 9PJ
 - 28 Wharton Street, London, WC1X 9PJ
 - 29 Wharton Street, London, WC1X 9PJ
 - 30 Wharton Street, London, WC1X 9PJ
 - 31 Wharton Street, London, WC1X 9PJ
 - 32 Wharton Street, London, WC1X 9PG
 - 33 Wharton Street, London, WC1X 9PG
 - 34 Wharton Street, London, WC1X 9PG
 - 34 Wharton Street, London, WC1X 9PG
 - 35 Wharton Street, London, WC1X 9PG
 - 36 Wharton Street, London, WC1X 9PG
 - 37 Wharton Street, London, WC1X 9PG
 - 39 Wharton Street, London, WC1X 9PG

Monument/Component Types

- RAILINGS (19th Century - 1832 AD)
- STEPS (19th Century - 1832 AD)
- VILLA (19th Century - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369427 NUMBERS 26 TO 39 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NW WHARTON STREET 635-1/67/897 (South side) 29/09/72 Nos.26-39 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET (South side) Nos.26-30 (Consecutive)) (Formerly Listed as: WHARTON STREET Nos.31 & 32) (Formerly Listed as: WHARTON STREET Nos.33-47 (Consecutive)) GV II Terrace of 14 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh (nos. 26, 29, 32, 35, 36) and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house. Two-storeys with basements; 2 windows each including recessed 1-window (no. 34 original 4/4 sash with margin lights) entrance bay coupled as link. Nos. 35 and 36 irregular with extended link to accommodate carriage-way

between entrances and with extra window above. Low steps rise to deeply recessed (several altered and brought forward) stucco entrance with antae supporting entablature surmounted by C20 reproduction iron balcony railings. Architraved doorway with pair of 3-panelled doors (nos. 26-29, 31-35 original). Architraved sashes throughout: ground-floor with predominantly 6/6 (with margin lights) and 1st floor with 6/6 (often with margin lights) and 8/8 sashes; 1st floor recessed balconied links with narrower doors or sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3098682730

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79770
Monument Type	Listed Building
Preferred Ref.	MLO79770
Name	NUMBERS 26-34 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31459 81654 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW ELY PLACE 798-1/102/378 (East side) 14/05/74 Nos.26-34 (Consecutive) and attached railings (Formerly Listed as: ELY PLACE No.21. No.25 (facade only). Nos 26-34 (consec)) GV II 9 terraced houses. c1773; Nos 26-30 rebuilt 20th century in facsimile, Nos 31-34 restored top floors. Yellow stock brick; Nos 26-30 multi-coloured stock brick. Nos 30-33 with stone band at 1st floor. 4 storeys and basements; Nos 26-30 with attics and dormers. 3 windows each. Wood doorcases with Corinthian three quarter columns (No.34 with pilasters), fluted friezes with roundels and dentil cornices. Patterned fanlights. No.29 with service entrance in place of ground floor windows. Gauged brick flat arches (Nos 31-34 brown brick) to recessed sash windows, some with glazing bars. No.34 ground floor windows with stone architraved surround. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3145981654

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 31-32 Ely Place, London, EC1N 6TD
- 31-32 Ely Place, London, EC1N 6TD
- 31-32 Ely Place, London, EC1N 6TD
- 33 Ely Place, London, EC1N 6TD
- 34 Ely Place, London, EC1N 6TD

Monument/Component Types

- RAILINGS (18th Century - 1753 AD to 1793 AD)
- TERRACE (18th Century - 1753 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1753 AD to 1793 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477178 NUMBERS 26-34 AND ATTACHED RAILINGS	CAMDEN TQ3181NW ELY PLACE 798-1/102/378 (East side) 14/05/74 Nos.26-34 (Consecutive) and attached railings (Formerly Listed as: ELY PLACE No.21. No.25 (facade only). Nos 26-34 (consec)) GV II 9 terraced houses. c1773; Nos 26-30 rebuilt C20 in facsimile, Nos 31-34 restored top floors. Yellow stock brick; Nos 26-30 multi-coloured stock brick. Nos 30-33 with stone band at 1st floor. 4 storeys and basements; Nos 26-30 with attics and dormers. 3 windows each. Wood doorcases with Corinthian three quarter columns (No.34 with pilasters), fluted friezes with roundels and dentil cornices. Patterned fanlights. No.29 with service entrance in place of ground floor windows. Gauged brick flat arches (Nos 31-34 brown brick) to recessed sash windows, some with glazing bars. No.34 ground floor windows with stone architraved surround. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3145981654

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80633
Monument Type	Listed Building
Preferred Ref.	MLO80633
Name	NUMBERS 26-34 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30008 82445 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE BURTON STREET 798-1/94/128 (East side) 14/05/74 Nos.26-34 (Consecutive) and attached railings GV II Terrace of 9 houses, converted 1980s mostly into flats. Nos 26-30, c1810-13; Nos 31-34, c1801-13. Designed and built by James Burton. Yellow stock brick (some later refacing) with stucco ground floors and plain 1st floor sill band. 4 storeys and basements. 2 windows each except No.32 with 4. Round-arched doorways with some pilaster-jambes and cornice-heads, fanlights (No.29 with original patterned fanlight) and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: - 1952: 91). Listing NGR: TQ3000882445

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Burton Street, London, WC1H 9AL

Monument/Component Types

- RAILINGS (19th Century - 1801 AD to 1813 AD)
- TERRACE (19th Century - 1801 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1801 AD to 1813 AD)
- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- APARTMENT (Modern - 1980 AD to 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476770 NUMBERS 26-34 AND ATTACHED RAILINGS	CAMDEN TQ2982SE BURTON STREET 798-1/94/128 (East side) 14/05/74 Nos.26-34 (Consecutive) and attached railings GV II Terrace of 9 houses, converted 1980s mostly into flats. Nos 26-30, c1810-13; Nos 31-34, c1801-13. Designed and built by James Burton. Yellow stock brick (some later refacing) with stucco ground floors and plain 1st floor sill band. 4 storeys and basements. 2 windows each except No.32 with 4. Round-arched doorways with some pilaster-jambes and cornice-heads, fanlights (No.29 with original patterned fanlight) and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91). Listing NGR: TQ3000882445

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80546
Monument Type	Listed Building
Preferred Ref.	MLO80546
Name	NUMBERS 26-35 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30360 82734 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/48 (South side) 14/05/74 Nos.26-35 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 10 houses, now mostly small hotels, forming the south side of Argyle Square. 1840-49, altered. Yellow stock brick with later patching, Nos 29 and 31 and 32 with painted ground floors. 4 storeys and basements. 2 windows each. Architraved, round-arched ground floor openings. Doorways, where unaltered, with pilaster-jambes carrying cornice-heads; patterned fanlights and panelled doors. Entrance to No.26 on left hand return. Nos 26 and 35, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies (No.35, no balcony). Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing NGR: TQ3036082734

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 26 Argyle Square, London, WC1H 8AP
 - 29 Argyle Square, London, WC1H 8AP
 - 31-32 Argyle Square, London, WC1H 8AP
 - 31-32 Argyle Square, London, WC1H 8AP
 - 31-32 Argyle Square, London, WC1H 8AP

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1849 AD)
- TERRACE (19th Century - 1840 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1849 AD)
- HOTEL (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476612 NUMBERS 26-35 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/48 (South side) 14/05/74 Nos.26-35 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 10 houses, now mostly small hotels, forming the south side of Argyle Square. 1840-49, altered. Yellow stock brick with later patching, Nos 29 and 31 and 32 with painted ground floors. 4 storeys and basements. 2 windows each. Architraved, round-arched ground floor openings. Doorways, where unaltered, with pilaster-jambes carrying cornice-heads; patterned fanlights and panelled doors. Entrance to No.26 on left hand return. Nos 26 and 35, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies (No.35, no balcony). Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing NGR: TQ3036082734

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81166
Monument Type	Listed Building
Preferred Ref.	MLO81166
Name	NUMBERS 27-32 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29812 82105 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE TORRINGTON SQUARE 798-1/94/1637 (East side) 28/03/69 Nos.27-32 (Consecutive) and attached railings GV II Terrace of 6 houses. 1821-25. Built by James Sim, in partnership with James Sim Jnr and Robert Sim. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 4 storeys and basements. 2 windows each. Nos 31 and 32 slightly projecting. Round-arched doorways with pilaster-jamb and cornice-heads, fanlights (Nos 28 & 29 radial patterned) and panelled doors. Gauged brick flat arches to recessed sash windows with original glazing bars; to the 1st floor, continuous cast-iron balconies. Plain stucco 3rd floor sill band. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to areas. HISTORICAL NOTE: No.30 was the home of Christina Georgina Rossetti. (Hobhouse H: Thomas Cubitt; Master Builder: London: -1971: 85; Summerson J: Georgian London: London: -1945: 182-83). Listing NGR: TQ2981282105

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 27 Torrington Square, London, WC1E 7JL
 - 29 Torrington Square, London, WC1E 7JL
 - 29 Torrington Square, London, WC1E 7JL
 - 31 Torrington Square, London, WC1E 7JL
 - 32 Torrington Square, London, WC1E 7JL

Monument/Component Types

- RAILINGS (19th Century - 1821 AD to 1825 AD)
- TERRACE (19th Century - 1821 AD to 1825 AD)
- TERRACED HOUSE (19th Century - 1821 AD to 1825 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478376 NUMBERS 27-32 AND ATTACHED RAILINGS	CAMDEN TQ2982SE TORRINGTON SQUARE 798-1/94/1637 (East side) 28/03/69 Nos.27-32 (Consecutive) and attached railings GV II Terrace of 6 houses. 1821-25. Built by James Sim, in partnership with James Sim Jnr and Robert Sim. Yellow stock brick with stucco ground floor and plain 1st floor sill band. 4 storeys and basements. 2 windows each. Nos 31 and 32 slightly projecting. Round-arched doorways with pilaster-jamb and cornice-heads, fanlights (Nos 28 & 29 radial patterned) and panelled doors. Gauged brick flat arches to recessed sash windows with original glazing bars; to the 1st floor, continuous cast-iron balconies. Plain stucco 3rd floor sill band. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to areas. HISTORICAL NOTE: No.30 was the home of Christina Georgina Rossetti. (Hobhouse H: Thomas Cubitt; Master Builder: London: -1971: 85; Summerson J: Georgian London: London: -1945: 182-83). Listing NGR: TQ2981282105

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80430
Monument Type	Listed Building
Preferred Ref.	MLO80430
Name	NUMBERS 27-43 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30292 82766 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ARGYLE STREET 798-1/90/52 (East side) 14/05/74 Nos.27-43 (Odd) and attached railings GV II Terrace of 8 houses, now mostly small hotels. c1834-9. Yellow stock brick with later 2nd floor patching. Nos 31 & 33, rendered ground floors; No.35, stucco ground floor; No.37, painted ground floor; No.41, all floors painted. Plain stucco 1st floor sill bands. All except Nos 31 & 33, slated mansard roofs with dormers. 3 storeys, attics (except Nos 31 & 33) and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jambs carrying cornice-heads; fanlights and No.29 with panelled door. Others with 20th century doors. No.27, single storey stucco entrance extension on return to St. Chad's Street. Gauged brick flat arches (mostly painted) to recessed sashes and casements; 1st floor in shallow, round-headed recesses (mostly painted) with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3029282766

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 29 Argyle Street, London, WC1H 8EP
 - 31-33 Argyle Street, London, WC1H 8EP
 - 31-33 Argyle Street, London, WC1H 8EP
 - 35-37 Argyle Street, London, WC1H 8EP
 - 35-37 Argyle Street, London, WC1H 8EP
 - 39 Argyle Street, London, WC1H 8EP
 - 39 Argyle Street, London, WC1H 8EP
 - 43 Argyle Street, London, WC1H 8EP

Monument/Component Types

- RAILINGS (19th Century - 1834 AD to 1839 AD)
- TERRACE (19th Century - 1834 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1834 AD to 1839 AD)
- HOTEL (19th Century to Unknown - 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476616 NUMBERS 27-43 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/52 (East side) 14/05/74 Nos.27-43 (Odd) and attached railings GV II Terrace of 8 houses, now mostly small hotels. c1834-9. Yellow stock brick with later 2nd floor patching. Nos 31 & 33, rendered ground floors; No.35, stucco ground floor; No.37, painted ground floor; No.41, all floors painted. Plain stucco 1st floor sill bands. All except Nos 31 & 33, slated mansard roofs with dormers. 3 storeys, attics (except Nos 31 & 33) and basements. 2 windows each. Round-arched ground floor openings. Doorways with pilaster-jambs carrying cornice-heads; fanlights and No.29 with panelled door. Others with C20 doors. No.27, single storey stucco entrance extension on return to St. Chad's Street. Gauged brick flat arches (mostly painted) to recessed sashes and casements; 1st floor in shallow, round-headed recesses (mostly painted) with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3029282766

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80239
Monument Type	Listed Building
Preferred Ref.	MLO80239
Name	NUMBERS 28, 29 AND 30 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29608 81609 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE PERCY STREET 798-1/99/1299 (North side) 14/05/74 Nos.28, 29 AND 30 and attached railings GV II 3 terraced houses. Built 1766-1770, altered. Nos 28 and 29 have been refaced. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. No.28: brown brick, stucco ground floor with plain bands at 1st floor and 1st floor sill levels. 4 storeys (3rd floor later addition) and basement. 2 windows. Round-arched doorway with wooden doorcase with pilasters carrying enriched console-bracketed entablature; fanlight and panelled door with lion mask knocker. Gauged red brick flat arches to slightly recessed sash windows with exposed boxing and glazing bars. 20th century stone cornice at 3rd floor level. Parapet. INTERIOR: not inspected. No.29: multi-coloured stock brick, stucco ground floor with plain bands at 1st floor and 1st floor sill levels. 4 storeys (3rd floor later addition) and basement. 3 windows. Round-arched doorway with reeded 1/4 round reveals, cornice head, patterned fanlight and panelled double door with lion mask knocker. Gauged red brick flat arches to recessed sash windows, most with original glazing bars. Stone cornice at 3rd floor level. Parapet. INTERIOR: panelled hall and stone staircase with foliated wrought-iron balustrade. Attic stair with Chinese Chippendale style balustrade. Ground floor front room panelled in 1740s style with carved egg-and-dart framework throughout; panelled doors have similar carving. Distyle-in-antis Ionic screen and dentil box cornice to moulded plaster ceiling. Column flanked chimney piece. Two 1st floor rooms with heavy cornices. No.30: multi-coloured stock brick, refaced above 2nd floor with stone cornice replaced by brick band below parapet. Slated mansard roof with dormers. Stucco bands at 1st floor and 1st floor sill levels. 3 storeys, attic and basement. 3 windows. Doorway with wooden Ionic doorcase with broken pediment, round-arched fanlight and panelled door with lion mask knocker. Margin light to left of doorcase. Gauged red brick flat arches to recessed 20th century sash windows. INTERIOR: panelled hall and stone staircase with foliated wrought-iron balustrade. Ground floor front room panelled. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 7-11). Listing NGR: TQ2960881609

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 28 Percy Street, London, W1P 9FF
 - 28 Percy Street, London, W1P 9FF
 - 29 Percy Street, London, W1P 9FF

Monument/Component Types

- RAILINGS (18th Century - 1766 AD to 1770 AD)
- TERRACE (18th Century - 1766 AD to 1770 AD)
- TERRACED HOUSE (18th Century - 1766 AD to 1770 AD)
- HOUSE (18th Century to Unknown - 1771 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477743 NUMBERS 28, 29 AND 30 AND ATTACHED RAILINGS	CAMDEN TQ2981NE PERCY STREET 798-1/99/1299 (North side) 14/05/74 Nos.28, 29 AND 30 and attached railings GV II 3 terraced houses. Built 1766-1770, altered. Nos 28 and 29 have been refaced. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. No.28: brown brick, stucco ground floor with plain bands at 1st floor and 1st floor sill levels. 4 storeys (3rd floor later addition) and basement. 2 windows. Round-arched doorway with wooden doorcase with pilasters carrying enriched console-bracketed entablature; fanlight and panelled door with lion mask knocker. Gauged red brick flat arches to slightly recessed sash windows with exposed boxing and glazing bars. C20 stone cornice at 3rd floor level. Parapet. INTERIOR: not inspected. No.29: multi-coloured stock brick, stucco ground floor with plain bands at 1st floor and 1st floor sill levels. 4 storeys (3rd floor later addition) and basement. 3 windows. Round-arched doorway with reeded 1/4 round reveals, cornice head, patterned fanlight and panelled double door with lion mask knocker. Gauged red brick flat arches to recessed sash windows, most with original glazing bars. Stone cornice at 3rd floor level. Parapet. INTERIOR: panelled hall and stone staircase with foliated wrought-iron balustrade. Attic stair with Chinese Chippendale style balustrade. Ground floor front room panelled in 1740s style with carved egg-and-dart framework throughout; panelled doors have similar carving. Distyle-in-antis Ionic screen and dentil box cornice to moulded

plaster ceiling. Column flanked chimney piece. Two 1st floor rooms with heavy cornices. No.30: multi-coloured stock brick, refaced above 2nd floor with stone cornice replaced by brick band below parapet. Slated mansard roof with dormers. Stucco bands at 1st floor and 1st floor sill levels. 3 storeys, attic and basement. 3 windows. Doorway with wooden Ionic doorcase with broken pediment, round-arched fanlight and panelled door with lion mask knocker. Margin light to left of doorcase. Gauged red brick flat arches to recessed C20 sash windows. INTERIOR: panelled hall and stone staircase with foliated wrought-iron balustrade. Ground floor front room panelled. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 7-11). Listing NGR: TQ2960881609

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80809
Monument Type	Listed Building
Preferred Ref.	MLO80809
Name	NUMBERS 28, 30 AND 32 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30715 82714 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/512 (North side) 25/10/71 Nos.28, 30 AND 32 and attached railings GV II Terrace of 3 houses. c1827-32. By William Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights (No.30 patterned) and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies, Nos 28 & 30 ground floor with margin glazing. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3071582714

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 28 Frederick Street, London, WC1X 0ND
 - 30 Frederick Street, London, WC1X 0ND
 - 32 Frederick Street, London, WC1X 0ND
 - 32 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1832 AD)
- TERRACE (19th Century - 1827 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477391 NUMBERS 28, 30 AND 32 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/512 (North side) 25/10/71 Nos.28, 30 AND 32 and attached railings GV II Terrace of 3 houses. c1827-32. By William Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights (No.30 patterned) and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies, Nos 28 & 30 ground floor with margin glazing. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3071582714

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80931
Monument Type	Listed Building
Preferred Ref.	MLO80931
Name	NUMBERS 28-34 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30708 82773 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE ACTON STREET 798-1/91/5 (North side) 25/10/71 Nos.28-34 (Even) and attached railings (Formerly Listed as: ACTON STREET Nos.28-34 AND 36-42 (Even)) GV II Terrace of 4 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. Slated mansard roofs with dormers. 3 storeys, attics, and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. No.34 entrance on return to Swinton Place. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3070882773

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 28 Acton Street, London, WC1X 9NE
- 28 Acton Street, London, WC1X 9NE
- 30 Acton Street, London, WC1X 9NE
- 32 Acton Street, London, WC1X 9NE
- 34 Acton Street, London, WC1X 9NE

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACE (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476518 NUMBERS 28-34 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/5 (North side) 25/10/71 Nos.28-34 (Even) and attached railings (Formerly Listed as: ACTON STREET Nos.28-34 AND 36-42 (Even)) GV II Terrace of 4 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. Slated mansard roofs with dormers. 3 storeys, attics, and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. No.34 entrance on return to Swinton Place. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3070882773

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80374
Monument Type	Listed Building
Preferred Ref.	MLO80374
Name	NUMBERS 28-48 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30902 82364 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/139 (South side) 14/05/74 Nos.28-48 (Even) and attached railings GV II Terrace of 11 houses. c1843-9. Built by W Broder, altered. Yellow stock brick with rusticated stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Nos 34 and 42 slightly recessed. Square-headed doorways with pilaster-jambs carrying entablature-heads; fanlights and panelled doors. Architraved sash windows; 1st floors with pediments and cast-iron balconies. Nos 34 & 42, 1st floor square-headed sashes in round-arched, architraved surrounds; 2nd floor round-arched architraved sashes (No.34 with margin lights). Nos 28-32, 38 & 44 with parapets, Nos 34 & 42, cornices and blocking courses, others cut back cornices. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3090282364

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 50 Calthorpe Street, London, WC1X 0JZ

Monument/Component Types

- RAILINGS (19th Century - 1843 AD to 1849 AD)
- TERRACE (19th Century - 1843 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1843 AD to 1849 AD)
- HOUSE (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476786 NUMBERS 28-48 AND ATTACHED RAILINGS	CAMDEN TQ3082SE CALTHORPE STREET 798-1/96/139 (South side) 14/05/74 Nos.28-48 (Even) and attached railings GV II Terrace of 11 houses. c1843-9. Built by W Broder, altered. Yellow stock brick with rusticated stucco ground floor and plain 1st floor sill band. 3 storeys and basements. 2 windows each. Nos 34 and 42 slightly recessed. Square-headed doorways with pilaster-jambs carrying entablature-heads; fanlights and panelled doors. Architraved sash windows; 1st floors with pediments and cast-iron balconies. Nos 34 & 42, 1st floor square-headed sashes in round-arched, architraved surrounds; 2nd floor round-arched architraved sashes (No.34 with margin lights). Nos 28-32, 38 & 44 with parapets, Nos 34 & 42, cornices and blocking courses, others cut back cornices. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 61). Listing NGR: TQ3090282364

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80477
Monument Type	Listed Building
Preferred Ref.	MLO80477
Name	NUMBERS 2-9 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30144 82538 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW SANDWICH STREET 798-1/90/1425 (East side) 14/05/74 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. c1813-1824. Yellow stock brick with some later patching and refacing. No.4 stuccoed. Rusticated stucco ground floors; Nos 2 & 9 lightly scored as ashlar, No.3 plain. Stucco 1st floor bands. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes (mostly reeded) carrying cornice-heads; patterned or radial fanlights (except Nos 2-4) and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor (except No.3) with cast-iron balconies. Parapets. Nos 2 & 4, decorated cast-iron rainwater heads. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London : 24: London: -1952: 88). Listing NGR: TQ3014482538

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Sandwich Street, London, WC1H 9PL
- 3 Sandwich Street, London, WC1H 9PL
- 3 Sandwich Street, London, WC1H 9PL
- 6 Sandwich Street, London, WC1H 9PL
- 7 Sandwich Street, London, WC1H 9PL
- 9 Sandwich Street, London, WC1H 9PL

Monument/Component Types

- RAILINGS (19th Century - 1813 AD to 1824 AD)
- TERRACE (19th Century - 1813 AD to 1824 AD)
- TERRACED HOUSE (19th Century - 1813 AD to 1824 AD)
- HOUSE (19th Century to Unknown - 1825 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477960 NUMBERS 2-9 AND ATTACHED RAILINGS	CAMDEN TQ3082NW SANDWICH STREET 798-1/90/1425 (East side) 14/05/74 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. c1813-1824. Yellow stock brick with some later patching and refacing. No.4 stuccoed. Rusticated stucco ground floors; Nos 2 & 9 lightly scored as ashlar, No.3 plain. Stucco 1st floor bands. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes (mostly reeded) carrying cornice-heads; patterned or radial fanlights (except Nos 2-4) and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor (except No.3) with cast-iron balconies. Parapets. Nos 2 & 4, decorated cast-iron rainwater heads. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London : 24: London: -1952: 88). Listing NGR: TQ3014482538

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81378
Monument Type	Listed Building
Preferred Ref.	MLO81378
Name	NUMBERS 2-9 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30799 82348 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE WREN STREET 798-1/96/1736 (South side) 14/05/74 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. c1824-30. Darkened yellow stock brick with later patching; Nos 2-5 with slated mansard roofs and dormers. 3 storeys, attics (Nos 2-5) and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns carrying cornice-heads; radial fanlights and panelled doors. No.4, doorway with stucco surround, voussoir blocks, reeded surround, lion-head stops, radial fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Parapets; Nos 7-9 with stone cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 62). Listing NGR: TQ3079982348

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Wren Street, London, WC1X 0HA

- 2 Wren Street, London, WC1X 0HA

- 3 Wren Street, London, WC1X 0HA

Monument/Component Types

- RAILINGS (19th Century - 1824 AD to 1830 AD)
- TERRACE (19th Century - 1824 AD to 1830 AD)
- TERRACED HOUSE (19th Century - 1824 AD to 1830 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478580 NUMBERS 2-9 AND ATTACHED RAILINGS	CAMDEN TQ3082SE WREN STREET 798-1/96/1736 (South side) 14/05/74 Nos.2-9 (Consecutive) and attached railings GV II Terrace of 8 houses. c1824-30. Darkened yellow stock brick with later patching; Nos 2-5 with slated mansard roofs and dormers. 3 storeys, attics (Nos 2-5) and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns carrying cornice-heads; radial fanlights and panelled doors. No.4, doorway with stucco surround, voussoir blocks, reeded surround, lion-head stops, radial fanlight and panelled door. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Parapets; Nos 7-9 with stone cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 62). Listing NGR: TQ3079982348

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81327
Monument Type	Listed Building
Preferred Ref.	MLO81327
Name	NUMBERS 29 TO 36 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30848 81991 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE JOHN STREET 798-1/96/945 (West side) 24/10/51 Nos.29-36 (Consecutive) and attached railings GV II Terrace of 8 houses. c1754-59. Built by J Blagrave with W Barlow, J Bosworth, S Room and R Meel. Nos 31 & 32 rebuilt 20th century in facsimile (except for addition of dormers). Multi-coloured stock brick; Nos 31 and 32, brown brick with slated mansard roofs and dormers; No.36, reddened brick. Plain brick bands at 1st and 2nd floor level; No.33 with stone band at 1st floor level. 4 storeys and basements; Nos 31 and 32 with attics. 3 windows each; No.33, 4 windows; No.29, 1 window return to Northington Street. Gauged red brick flat arches to recessed sashes, except No.33, most with glazing bars. Parapets. No.29: round-arched doorway with radial fanlight, pilaster-jambs carrying cornice-head and panelled door. INTERIORS: noted to retain panelled rooms and stairs with turned balusters. Nos 30 & 31: wooden Doric doorcases with triglyph friezes, dentil cornices, open pediments, patterned fanlights and panelled doors. INTERIOR: of No.30 noted to retain panelled rooms and stairs with turned balusters and carved ends in hall with heavy timber archways. Dentilled cornices on first floor. No.31 included for group value. No.32: wooden Ionic doorcase with modillion cornice and pediment. HISTORICAL NOTE: plaque with bronze bas relief roundel of a bust commemorating Sir John Kirk, JP, Christian philanthropist. No.33: slightly projecting with evidence of tuck pointing. Mid C19 stucco doorcase with attached columns. Cast-iron balconies to 1st floor windows. Cyma-bracketed cornice on 3rd floor with pediment across attic storey and oculus in tympanum. Attached mid C19 cast-iron railings to area. INTERIOR: noted to retain moulded ceiling to 1st floor. Turned balusters and carved ends to stairs. Nos 34-36: wooden Ionic doorcases with modillion cornices and pediments, pulvinated friezes and panelled doors. No.34, mid C19 cast-iron railings; No.35, entrance flanked by wrought-iron lamp brackets. INTERIORS: noted to retain panelled rooms, marble fireplaces and dentilled moulded ceilings. Stairs with turned balusters and carved ends. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3084881991

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 31-32 John Street, London, WC1N 2AT
 - 31-32 John Street, London, WC1N 2AT
 - 33 John Street, London, WC1N 2AT
 - 33 John Street, London, WC1N 2AT

Monument/Component Types

- RAILINGS (Undated)
- TERRACE (18th Century - 1754 AD to 1759 AD)
- TERRACED HOUSE (18th Century - 1754 AD to 1759 AD)
- TERRACE (19th Century to Modern - 1900 AD to 1999 AD)
- TERRACED HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478525 NUMBERS 29 TO 36 AND ATTACHED RAILINGS	CAMDEN TQ3082SE JOHN STREET 798-1/96/945 (West side) 24/10/51 Nos.29-36 (Consecutive) and attached railings GV II Terrace of 8 houses. c1754-59. Built by J Blagrave with W Barlow, J Bosworth, S Room and R Meel. Nos 31 & 32 rebuilt C20 in facsimile (except for addition of dormers). Multi-coloured stock brick; Nos 31 and 32, brown brick with slated mansard roofs and dormers; No.36, reddened brick. Plain brick bands at 1st and 2nd floor level; No.33 with stone band at 1st floor level. 4 storeys and basements; Nos 31 and 32 with attics. 3 windows each; No.33, 4 windows; No.29, 1 window return to Northington Street. Gauged red brick flat arches to recessed sashes, except No.33, most with glazing bars. Parapets. No.29: round-arched doorway with radial fanlight, pilaster-jambs carrying cornice-head and panelled door. INTERIORS: noted to retain panelled rooms and stairs with turned balusters. Nos 30 & 31: wooden Doric doorcases with triglyph friezes, dentil cornices, open pediments, patterned fanlights and panelled doors. INTERIOR: of No.30 noted to retain panelled rooms and stairs with turned balusters and carved ends in hall with heavy timber archways. Dentilled cornices on first floor. No.31 included for group value. No.32: wooden Ionic doorcase with modillion cornice and pediment. HISTORICAL NOTE: plaque with bronze bas relief roundel of a bust commemorating Sir John Kirk, JP, Christian

philanthropist. No.33: slightly projecting with evidence of tuck pointing. Mid C19 stucco doorcase with attached columns. Cast-iron balconies to 1st floor windows. Cyma-bracketed cornice on 3rd floor with pediment across attic storey and oculus in tympanum. Attached mid C19 cast-iron railings to area. INTERIOR: noted to retain moulded ceiling to 1st floor. Turned balusters and carved ends to stairs. Nos 34-36: wooden Ionic doorcases with modillion cornices and pediments, pulvinated friezes and panelled doors. No.34, mid C19 cast-iron railings; No.35, entrance flanked by wrought-iron lamp brackets. INTERIORS: noted to retain panelled rooms, marble fireplaces and dentilled moulded ceilings. Stairs with turned balusters and carved ends. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3084881991

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81114
Monument Type	Listed Building
Preferred Ref.	MLO81114
Name	NUMBERS 29, 31 AND 33 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30694 82796 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1585 (South side) 25/10/71 Nos.29, 31 AND 33 and attached railings (Formerly Listed as: SWINTON STREET Nos.29-33 AND 35-49 (Odd)) GV II Terrace of 3 houses. c1835-44. Yellow stock brick with rusticated stucco ground floors. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each; No.33 with blind return to Swinton Place. Segmental-arched doorways with fluted quarter columns, fanlights and panelled doors (No.33 on return). Gauged brick flat arches to recessed sashes with glazing bars; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3069482796

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 29 Swinton Street, London, WC1X 9NW

- 29 Swinton Street, London, WC1X 9NW

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- TERRACE (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478320 NUMBERS 29, 31 AND 33 AND ATTACHED RAILINGS	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1585 (South side) 25/10/71 Nos.29, 31 AND 33 and attached railings (Formerly Listed as: SWINTON STREET Nos.29-33 AND 35-49 (Odd)) GV II Terrace of 3 houses. c1835-44. Yellow stock brick with rusticated stucco ground floors. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each; No.33 with blind return to Swinton Place. Segmental-arched doorways with fluted quarter columns, fanlights and panelled doors (No.33 on return). Gauged brick flat arches to recessed sashes with glazing bars; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3069482796

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80417
Monument Type	Listed Building
Preferred Ref.	MLO80417
Name	NUMBERS 29-32 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30779 81805 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/67 (West side) 14/05/74 Nos.29-32 (Consecutive) and attached railings GV II 4 terraced houses. Nos 29 & 30: mid C18, altered. Yellow stock brick. 4 storeys and basements. 3 and 4 windows. Architraved doorway with pilasters carrying entablature, fanlight and panelled door. Gauged flat brick arches to recessed sash windows with original glazing bars. Stucco band and continuous balcony at 1st floor. Shaped bracketed cornice 3rd floor. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Nos 31 & 32: mid C18, altered in early C19. Yellow stock brick. Rusticated stucco ground floor, now painted. Stucco cornice and blocking course. 4 storeys and basements. 3 windows each, No.32 with a 3-window (some blind) return to Princeton Street. Square-headed architraved doorways with fanlights and panelled doors. Continuous cast-iron balcony at 1st floor level. Recessed, architraved sash windows with 1st floor console bracketed cornices and pediments. INTERIOR: has evidence of mid C18 interior decoration. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3077981805

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 29 Bedford Row, London, WC1R 4HE
 - 31 Bedford Row, London, WC1R 4HE
 - 31 Bedford Row, London, WC1R 4HE
 - 32 Bedford Row, London, WC1R 4HE

Monument/Component Types

- RAILINGS (18th Century - 1733 AD to 1766 AD)
- TERRACE (18th Century - 1733 AD to 1766 AD)
- TERRACED HOUSE (18th Century - 1733 AD to 1766 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476660 NUMBERS 29-32 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/67 (West side) 14/05/74 Nos.29-32 (Consecutive) and attached railings GV II 4 terraced houses. Nos 29 & 30: mid C18, altered. Yellow stock brick. 4 storeys and basements. 3 and 4 windows. Architraved doorway with pilasters carrying entablature, fanlight and panelled door. Gauged flat brick arches to recessed sash windows with original glazing bars. Stucco band and continuous balcony at 1st floor. Shaped bracketed cornice 3rd floor. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Nos 31 & 32: mid C18, altered in early C19. Yellow stock brick. Rusticated stucco ground floor, now painted. Stucco cornice and blocking course. 4 storeys and basements. 3 windows each, No.32 with a 3-window (some blind) return to Princeton Street. Square-headed architraved doorways with fanlights and panelled doors. Continuous cast-iron balcony at 1st floor level. Recessed, architraved sash windows with 1st floor console bracketed cornices and pediments. INTERIOR: has evidence of mid C18 interior decoration. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ3077981805

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80892
Monument Type	Listed Building
Preferred Ref.	MLO80892
Name	NUMBERS 29-38 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30728 82295 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/310 (East side) 14/05/74 Nos.29-38 (Consecutive) and attached railings GV II Terrace of 10 houses. 1794-1810. Built by G Slaton and G Golden. Darkened multi-coloured stock brick with later patching. Plain stucco band at 1st floor sill level. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Nos 29-34, round-arched doorways with reeded surrounds, cornice-heads, fanlights (Nos 29-31 and 33 & 34 patterned) and panelled doors. No.32 with reeded stucco surround and keystone. Nos 35-38, square-headed doorways with stucco surrounds with pilasters and modified cornices, fanlights (Nos 35 & 38 radial) and panelled doors. Gauged brick flat arches to recessed sash windows, Nos 29-34 with glazing bars. Nos 32-38 with cast-iron balconies to 1st floor windows. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3072882295

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 32 Doughty Street, London, WC1N 2AA
 - 35 Doughty Street, London, WC1N 2AA
 - 35 Doughty Street, London, WC1N 2AA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1794 AD to 1810 AD)
- TERRACE (18th Century to 19th Century - 1794 AD to 1810 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1794 AD to 1810 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477068 NUMBERS 29-38 AND ATTACHED RAILINGS	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/310 (East side) 14/05/74 Nos.29-38 (Consecutive) and attached railings GV II Terrace of 10 houses. 1794-1810. Built by G Slaton and G Golden. Darkened multi-coloured stock brick with later patching. Plain stucco band at 1st floor sill level. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Nos 29-34, round-arched doorways with reeded surrounds, cornice-heads, fanlights (Nos 29-31 and 33 & 34 patterned) and panelled doors. No.32 with reeded stucco surround and keystone. Nos 35-38, square-headed doorways with stucco surrounds with pilasters and modified cornices, fanlights (Nos 35 & 38 radial) and panelled doors. Gauged brick flat arches to recessed sash windows, Nos 29-34 with glazing bars. Nos 32-38 with cast-iron balconies to 1st floor windows. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 50-54). Listing NGR: TQ3072882295

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81124
Monument Type	Listed Building
Preferred Ref.	MLO81124
Name	NUMBERS 29-45 AND ATTACHED RAILINGS INCLUDING CONNAUGHT HALL, UNIVERSITY OF LONDON (NUMBERS 36-45)
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29832 82314 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1595 (West side) 10/06/54 Nos.29-45 (Consecutive) and attached railings. Connaught Hall, University of London (36-45) GV II* Terrace of 17 houses. c1825-6. Designed by Lewis Vulliamy; built by G Anstey and JA Frampton. Darkened stock brick with stucco ground floors, Nos 29, 32, 35, 39, 43 and 45 rusticated. Slated roof, Nos 34-45 with 20th century felted mansard and dormers. EXTERIOR: 4 storeys, attics and basements. 3 windows each. Symmetrical facade, No.37 (centre house) slightly projecting with 4 engaged Ionic columns rising through 1st and 2nd floors; Nos 29, 31, 35, 39, 43 and 45 slightly project with Ionic pilasters through the 1st and 2nd floors. All to support the main entablature at 3rd floor level. Round-arched entrances with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Doorways of Nos 36-40 and 42-44 converted for use as windows. Entrances to Nos 29 and 45 on the returns, No.45 with pilasters supporting a cornice, No.29 with portico surmounted by a balustrade with vases. Square-headed, recessed sashes to ground floors except No.37 with round-arched ground floor windows. 1st floor casements with cast-iron balconies. 2nd and 3rd floors with gauged brick flat arches to recessed sashes, most with glazing bars. Attic storey with pilaster strips above bays with pilasters. Cornice above attic storey except Nos 35-39 with balustraded parapets. The north return of No.29 continues the entablature and pilaster treatment and forms a balanced composition, linked by a low screen wall, with No.36 Gordon Square (qv). The south return of No.45 continues the entablature and pilaster treatment and is similarly linked by a screen wall with No.53 Gordon Square (qv). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.36 was listed on 14/05/74. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 97-98). Listing NGR: TQ2983282314

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 31 Tavistock Square, London, WC1H 9HA
- 34 Tavistock Square, London, WC1H 9EZ
- 35 Tavistock Square, London, WC1H 9EZ
- 35 Tavistock Square, London, WC1H 9EZ

Monument/Component Types

- HALL OF RESIDENCE (Undated)
- RAILINGS (19th Century - 1825 AD to 1826 AD)
- TERRACE (19th Century - 1825 AD to 1826 AD)
- TERRACED HOUSE (19th Century - 1825 AD to 1826 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478330 NUMBERS 29-45 AND ATTACHED RAILINGS INCLUDING CONNAUGHT HALL, UNIVERSITY OF LONDON (NUMBERS 36-45)	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1595 (West side) 10/06/54 Nos.29-45 (Consecutive) and attached railings. Connaught Hall, University of London (36-45) GV II* Terrace of 17 houses. c1825-6. Designed by Lewis Vulliamy; built by G Anstey and JA Frampton. Darkened stock brick with stucco ground floors, Nos 29, 32, 35, 39, 43 and 45 rusticated. Slated roof, Nos 34-45 with C20 felted mansard and dormers. EXTERIOR: 4 storeys, attics and basements. 3 windows each. Symmetrical facade, No.37 (centre house) slightly projecting with 4 engaged Ionic columns rising through 1st and 2nd floors; Nos 29, 31, 35, 39, 43 and 45 slightly project with Ionic pilasters through the 1st and 2nd floors. All to support the main entablature at 3rd floor level. Round-arched entrances with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Doorways of Nos 36-40 and 42-44 converted for use as windows. Entrances to Nos 29 and 45 on the returns, No.45 with pilasters supporting a cornice, No.29 with portico surmounted by a balustrade with vases. Square-headed, recessed sashes to ground floors except No.37 with round-arched ground floor windows. 1st floor casements with cast-iron balconies. 2nd and 3rd floors with gauged brick flat arches to recessed sashes, most with glazing bars. Attic storey with pilaster strips above bays with pilasters. Cornice above attic storey except Nos 35-39 with balustraded parapets. The north return of No.29 continues the entablature and pilaster treatment and forms a balanced composition, linked by a low screen wall, with No.36 Gordon Square (qv). The south

return of No.45 continues the entablature and pilaster treatment and is similarly linked by a screen wall with No.53 Gordon Square (qv).
INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.36 was listed on 14/05/74. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 97-98). Listing NGR: TQ2983282314

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81310
Monument Type	Listed Building
Preferred Ref.	MLO81310
Name	NUMBERS 3 AND 4 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30312 82376 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW HUNTER STREET 798-1/95/930 (East side) 14/05/74 Nos.3 AND 4 and attached railings GV II 2 terraced houses. 1800-1810. Darkened yellow stock brick with stucco bands at 1st and 3rd floor sill level. 4 storeys and basements. 3 windows each. Round-arched entrances with console-brackets carrying mutule cornice-heads, fanlights (No.4 radial); panelled doors. Reddened, gauged brick flat arches to recessed sash windows, some with glazing bars; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3031282376

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 8 Hunter Street, London, WC1N 1BN

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1810 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1810 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478507 NUMBERS 3 AND 4 AND ATTACHED RAILINGS	CAMDEN TQ3082SW HUNTER STREET 798-1/95/930 (East side) 14/05/74 Nos.3 AND 4 and attached railings GV II 2 terraced houses. 1800-1810. Darkened yellow stock brick with stucco bands at 1st and 3rd floor sill level. 4 storeys and basements. 3 windows each. Round-arched entrances with console-brackets carrying mutule cornice-heads, fanlights (No.4 radial); panelled doors. Reddened, gauged brick flat arches to recessed sash windows, some with glazing bars; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3031282376

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80532
Monument Type	Listed Building
Preferred Ref.	MLO80532
Name	NUMBERS 3 TO 6 AND ATTACHED RAILINGS AND LAMP HOLDERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30585 82166 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/715 (East side) 02/08/73 Nos.3-6 (Consecutive) and attached railings and lamp-holders GV II Terrace of 4 houses. c1791-1793. Built by J Tomes and W Harrison. Yellow stock brick, No.3 with slated mansard roof and dormers. 4 storeys, No.3 with attic, and basements. 3 windows each, No.3 with 2 windows and 5-window (2 blind) entrance front on the return, No.6 with 2 windows. Round-arched doorways with rendered reveals, pilaster-jambs carrying cornice-heads (except No.3), fanlights (Nos 3, 4 & 6 radial patterned); panelled doors. Gauged red brick flat arches to recessed sashes. No.3 with cast-iron balcony to 1st floor, 2nd window from right. Parapets. INTERIORS: not inspected: now converted to flats. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Nos 5 and 6 with wrought-iron lamp-holders. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 30). Listing NGR: TQ3058582166

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Guilford Place, London, WC1N 1EA
 - 3 Guilford Place, London, WC1N 1EA
 - 4 Guilford Place, London, WC1N 1EA
 - 5 Guilford Place, London, WC1N 1EA
 - 6 Guilford Place, London, WC1N 1EA

Monument/Component Types

- LAMP POST (18th Century - 1791 AD to 1793 AD)
- RAILINGS (18th Century - 1791 AD to 1793 AD)
- TERRACE (18th Century - 1791 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1791 AD to 1793 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477915 NUMBERS 3 TO 6 AND ATTACHED RAILINGS AND LAMP HOLDERS	CAMDEN TQ3082SE GUILFORD PLACE 798-1/96/715 (East side) 02/08/73 Nos.3-6 (Consecutive) and attached railings and lamp-holders GV II Terrace of 4 houses. c1791-1793. Built by J Tomes and W Harrison. Yellow stock brick, No.3 with slated mansard roof and dormers. 4 storeys, No.3 with attic, and basements. 3 windows each, No.3 with 2 windows and 5-window (2 blind) entrance front on the return, No.6 with 2 windows. Round-arched doorways with rendered reveals, pilaster-jambs carrying cornice-heads (except No.3), fanlights (Nos 3, 4 & 6 radial patterned); panelled doors. Gauged red brick flat arches to recessed sashes. No.3 with cast-iron balcony to 1st floor, 2nd window from right. Parapets. INTERIORS: not inspected: now converted to flats. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Nos 5 and 6 with wrought-iron lamp-holders. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 30). Listing NGR: TQ3058582166

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80475
Monument Type	Listed Building
Preferred Ref.	MLO80475
Name	NUMBERS 3 TO 7 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30759 82255 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/718 (South side) 14/05/74 Nos.3-7 (Consecutive) and attached railings GV II Terrace of 5 houses. c1792-1800. Darkened yellow stock brick; No.3 painted. No.6 stuccoed. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each; No.7, 4 windows. Round-arched doorways with pilaster-jambes, cornice-heads, radial patterned fanlights (except Nos 4 & 7) and panelled doors. No.6, architraved doorway surround with stucco blocks and voussoirs. Plain 1st floor sill band. Gauged brick flat arches to recessed sash windows, Nos 4 & 7 with glazing bars. Stone cornice and blocking course; No.6 with cornice only. No.7 with plain parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: original lead rainwater heads and pipes. Attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3075982255

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Guilford Street, London, WC1N 1DR
 - 4 Guilford Street, London, WC1N 1DR
 - 5 Guilford Street, London, WC1N 1DR
 - 6 Guilford Street, London, WC1N 1DR
 - 7 Guilford Street, London, WC1N 1DR
 - 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- RAILINGS (18th Century - 1792 AD to 1800 AD)
- TERRACE (18th Century - 1792 AD to 1800 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1800 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477958 NUMBERS 3 TO 7 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/718 (South side) 14/05/74 Nos.3-7 (Consecutive) and attached railings GV II Terrace of 5 houses. c1792-1800. Darkened yellow stock brick; No.3 painted. No.6 stuccoed. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each; No.7, 4 windows. Round-arched doorways with pilaster-jambes, cornice-heads, radial patterned fanlights (except Nos 4 & 7) and panelled doors. No.6, architraved doorway surround with stucco blocks and voussoirs. Plain 1st floor sill band. Gauged brick flat arches to recessed sash windows, Nos 4 & 7 with glazing bars. Stone cornice and blocking course; No.6 with cornice only. No.7 with plain parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: original lead rainwater heads and pipes. Attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3075982255

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80932
Monument Type	Listed Building
Preferred Ref.	MLO80932
Name	NUMBERS 31-51 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30662 82725 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE ACTON STREET 798-1/91/6 (South side) 25/10/71 Nos.31-51 (Odd) and attached railings GV II Terrace of 11 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3066282725

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 31 Acton Street, London, WC1X 9LZ
- 33 Acton Street, London, WC1X 9LZ
- 35 Acton Street, London, WC1X 9LZ
- 37 Acton Street, London, WC1X 9LZ
- 39 Acton Street, London, WC1X 9LZ
- 41 Acton Street, London, WC1X 9LZ
- 41 Acton Street, London, WC1X 9LZ
- 43 Acton Street, London, WC1X 9LZ
- 45 Acton Street, London, WC1X 9LZ
- 47 Acton Street, London, WC1X 9LZ
- 49 Acton Street, London, WC1X 9LZ
- 51 Acton Street, London, WC1X 9LZ

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACE (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476520 NUMBERS 31-51 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/6 (South side) 25/10/71 Nos.31-51 (Odd) and attached railings GV II Terrace of 11 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3066282725

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80240
Monument Type	Listed Building
Preferred Ref.	MLO80240
Name	NUMBERS 32 AND 33 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29579 81590 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE PERCY STREET 798-1/99/1300 (North side) 01/05/72 Nos.32 AND 33 and attached railings GV II 2 terraced houses. 1766-1770, altered. Partially re-faced following the original design. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. No.32: multi-coloured stock brick. Slated mansard roof with dormers. Stucco 1st floor sill and floor bands. Earlier C19 shopfront with projecting shop window with entablature with projecting dentil cornice. Glazing altered. Wooden doorcase with pilasters carrying enriched console-bracketed entablature; round-arched fanlight and panelled door. Gauged red brick flat arches to recessed sashes. Parapet. INTERIOR: open tread stair with moulded, wreathed handrail, turned balusters and column newels. 1st floor front room ceiling moulded with foliated wreaths and central patera. Patterned cornice. No.33: stock brick, coloured red. Slated mansard roof with large dormer. Stone cornice at 3rd floor level. Stucco 1st floor sill and floor bands. 4 storeys (3rd floor later addition). 3 windows. Late C19 stucco shopfront of 4 bays with round-arched openings to match C18 doorway. Wooden doorcase with pilasters carrying enriched consoles (entablature removed). INTERIOR: 1st floor front room with moulded ceiling of rope and floral design. Patterned cornice. SUBSIDIARY FEATURES: attached cast-iron railings with torche flambe finials to areas. Listing NGR: TQ2957981590

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Percy Street, London, W1P 9FD

Monument/Component Types

- RAILINGS (18th Century - 1766 AD to 1770 AD)
- TERRACED HOUSE (18th Century - 1766 AD to 1770 AD)
- HOUSE (18th Century to Unknown - 1771 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1832 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477744 NUMBERS 32 AND 33 AND ATTACHED RAILINGS	CAMDEN TQ2981NE PERCY STREET 798-1/99/1300 (North side) 01/05/72 Nos.32 AND 33 and attached railings GV II 2 terraced houses. 1766-1770, altered. Partially re-faced following the original design. Built by W Franks, W Richmond, H Roydhouse and J Pritchett. No.32: multi-coloured stock brick. Slated mansard roof with dormers. Stucco 1st floor sill and floor bands. Earlier C19 shopfront with projecting shop window with entablature with projecting dentil cornice. Glazing altered. Wooden doorcase with pilasters carrying enriched console-bracketed entablature; round-arched fanlight and panelled door. Gauged red brick flat arches to recessed sashes. Parapet. INTERIOR: open tread stair with moulded, wreathed handrail, turned balusters and column newels. 1st floor front room ceiling moulded with foliated wreaths and central patera. Patterned cornice. No.33: stock brick, coloured red. Slated mansard roof with large dormer. Stone cornice at 3rd floor level. Stucco 1st floor sill and floor bands. 4 storeys (3rd floor later addition). 3 windows. Late C19 stucco shopfront of 4 bays with round-arched openings to match C18 doorway. Wooden doorcase with pilasters carrying enriched consoles (entablature removed). INTERIOR: 1st floor front room with moulded ceiling of rope and floral design. Patterned cornice. SUBSIDIARY FEATURES: attached cast-iron railings with torche flambe finials to areas. Listing NGR: TQ2957981590

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80418
Monument Type	Listed Building
Preferred Ref.	MLO80418
Name	NUMBERS 33-36 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30888 81692 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/68 (West side) 24/10/51 Nos.33-36 (Consecutive) and attached railings GV II 4 terraced houses. c1691. Built by Nicholas Barbon, refronted early/mid C18. No.33: brown brick with stucco ground floor and stone band at 1st floor level, tiled roofs. Stone band between floors. 3 storeys, attic and basement. 3 windows with 8-window return to Princeton Street, some blind. Architraved door surround with console-bracketed hood, fanlight and panelled door. Gauged red brick flat arches to flush framed sash windows. Later parapet with stone cornice and dormers behind. No.34: multi-coloured stock brick. Bracketed cornice at 3rd floor. 4 storeys and basement. 3 windows. Architraved door surround, recessed panelled door with fanlight. Architraved sash windows. 1st floor casements with ornate blind boxes and stone balcony with wrought-iron railings. Parapet. No.35: multi-coloured stock brick under a slate roof. Stucco band at 1st floor level and sill band. 3 storeys and basement. 3 windows. Stone architraved doorcase with console bracketed hood, radial fanlight and panelled door. Gauged red brick flat arches to recessed sash windows, those at 1st floor with cast-iron balconies. Cornice below later parapet. No.36: red brick under a tile roof. Stucco band at 1st and 2nd floor level. 3 storeys and basement. 3 windows. Architraved door case with console-bracketed hood, radial fanlight and panelled door. Gauged red brick flat arches to slightly recessed sash windows with exposed boxing. Stucco keystones. Cornice below later parapet. INTERIORS: not inspected but No.36 noted to retain lead cistern dated 1691. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3088881692

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 33 Bedford Row, London, WC1R 4JH
- 34 Bedford Row, London, WC1R 4JH
- 35 Bedford Row, London, WC1R 4JH
- 42-43 Bedford Row, London, WC1R 4JL
- 42-43 Bedford Row, London, WC1R 4JL
- 47 Bedford Row, London, WC1R 4LR
- 48 Bedford Row, London, WC1R 4LR
- 52 Bedford Row, London, WC1R 4LR
- 52 Bedford Row, London, WC1R 4LR

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1671 AD to 1711 AD)
- TERRACE (17th Century to 18th Century - 1671 AD to 1711 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1671 AD to 1711 AD)
- HOUSE (17th Century to 18th Century - 1700 AD to 1766 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476662 NUMBERS 33-36 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/68 (West side) 24/10/51 Nos.33-36 (Consecutive) and attached railings GV II 4 terraced houses. c1691. Built by Nicholas Barbon, refronted early/mid C18. No.33: brown brick with stucco ground floor and stone band at 1st floor level, tiled roofs. Stone band between floors. 3 storeys, attic and basement. 3 windows with 8-window return to Princeton Street, some blind. Architraved door surround with console-bracketed hood, fanlight and panelled door. Gauged red brick flat arches to flush framed sash windows. Later parapet with stone cornice and dormers behind. No.34: multi-coloured stock brick. Bracketed cornice at 3rd floor. 4 storeys and basement. 3 windows. Architraved door surround, recessed panelled door with fanlight. Architraved sash windows. 1st floor casements with ornate blind boxes and stone balcony with wrought-iron railings. Parapet. No.35: multi-coloured stock brick under a slate roof. Stucco band at 1st floor level and sill band. 3 storeys and basement. 3 windows. Stone architraved doorcase with console bracketed hood, radial fanlight and panelled door. Gauged red brick flat arches to recessed sash windows, those at 1st floor with cast-iron balconies. Cornice below later parapet. No.36: red brick under a tile roof. Stucco band at 1st and 2nd floor level. 3 storeys and basement. 3 windows. Architraved door case with console-bracketed hood, radial fanlight and

panelled door. Gauged red brick flat arches to slightly recessed sash windows with exposed boxing. Stucco keystones. Cornice below later parapet. INTERIORS: not inspected but No.36 noted to retain lead cistern dated 1691. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3088881692

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79894
Monument Type	Listed Building
Preferred Ref.	MLO79894
Name	NUMBERS 33-49 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30652 82660 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/515 (South side) 25/10/71 Nos.33-49 (Odd) and attached railings GV II Terrace of 9 houses. c1823-26. By Thomas Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. Symmetrical terrace with projecting end bays. 3 storeys and basements. Projecting end bays (Nos 33-37 & 45-49): 1 window each. Round-arched ground floor openings except No.33 with segmental arched ground floor tripartite sash and entrance porch on return to Ampton Place. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Sashes with margin lights. On each house, rising through the 1st and 2nd floors, pilasters with enriched capitals, carrying an entablature and blocking course. Pilasters flank on the 1st floor 4-light windows with gauged brick segmental arch heads and cast-iron balconies; 2nd floor, tripartite sashes. Recessed central bay (Nos 39-43): 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Sashes with margin lights. Upper floors with gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. 1st floor of No.41 with console bracketed cornice. Stucco band beneath cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3065282660

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 33 Frederick Street, London, WC1X 0NB
 - 35 Frederick Street, London, WC1X 0NB
 - 37 Frederick Street, London, WC1X 0NB
 - 39 Frederick Street, London, WC1X 0NB
 - 41 Frederick Street, London, WC1X 0NB
 - 41 Frederick Street, London, WC1X 0NB
 - 43 Frederick Street, London, WC1X 0NB
 - 45 Frederick Street, London, WC1X 0NB
 - 47 Frederick Street, London, WC1X 0NB
 - 49 Frederick Street, London, WC1X 0NB

Monument/Component Types

- RAILINGS (19th Century - 1823 AD to 1826 AD)
- TERRACE (19th Century - 1823 AD to 1826 AD)
- TERRACED HOUSE (19th Century - 1823 AD to 1826 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477398 NUMBERS 33-49 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/515 (South side) 25/10/71 Nos.33-49 (Odd) and attached railings GV II Terrace of 9 houses. c1823-26. By Thomas Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. Symmetrical terrace with projecting end bays. 3 storeys and basements. Projecting end bays (Nos 33-37 & 45-49): 1 window each. Round-arched ground floor openings except No.33 with segmental arched ground floor tripartite sash and entrance porch on return to Ampton Place. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Sashes with margin lights. On each house, rising through the 1st and 2nd floors, pilasters with enriched capitals, carrying an entablature and blocking course. Pilasters flank on the 1st floor 4-light windows with gauged brick segmental arch heads and cast-iron balconies; 2nd floor, tripartite sashes. Recessed central bay (Nos 39-43): 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Sashes with margin lights. Upper floors with gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. 1st floor of No.41 with console bracketed cornice. Stucco band beneath cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3065282660

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86796
Monument Type	Listed Building
Preferred Ref.	MLO86796
Name	NUMBERS 34-38, 38A AND 38B, 39-41 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30910 82664 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/421 (North West side) 29/09/72 Nos.34-38;38A&38B;39-41 and attached railings (Formerly Listed as: GRANVILLE SQUARE (North West side) Nos.1-13;22-38B;39-41 (Consecutive)) GV II 10 terraced houses. In Square planned 1828 by John Booth and his son, also John, Surveyors for the Lloyd Baker Estate. Built 1841-1843 by William Joseph Booth, another son, architect; nos. 27-38B built 1864 by Metropolitan Railway; buildings essentially dismantled and reconstructed c.1980 by Islington Council and converted to flats. Yellow stock brick set in Flemish bond with banded stucco ground-floor to nos. 39-41, stucco lined as ashlar to nos. 34-38B and stucco dressings; roofs obscured, party-wall brick stacks. Side-hall entrance plan; no. 41 with stucco side entrance with flanking pilasters carrying entablature in right return in Granville Street. Three storeys with basement; 2 windows each and 1-window range to Granville Street elevation. Symmetrical composition: houses in groups of six; centre and end houses break forward. Steps rise to entrance: doorway (no. 38A altered) with panelled pilaster jambs carrying corniced-head, patterned or plain rectangular overlight and original panelled door to nos. 34 & 39; others with 20th century panelled door. Door to nos. 35-38 paired and share common console-bracket. 6/6 and 8/8 sashes to nos. 39-41: ground-floor with margin lights; upper floors architraved and 1st floor stucco sill band to full-length sashes with cornices and individual balconies with cast-iron railings. Tripartite pilastered ground-floor sashes with keystones to nos. 34-38B and 1st-floor cast-iron window guards to all except nos. 38-38A; predominantly 2/2 sashes to upper floors of 27-33, some with iron window guards and sill brackets and all with stucco sill band. Plain stucco band beneath cornice and blocking course to nos. 39-41; nos. 34-38B with brick string course and plain brick parapet, some with iron tie rods. Plain brick left-hand return wall (no. 34) forms side wall to 'Riceyman Steps' (q.v.). Attached cast-iron railings with tasselled spearhead finials. Granville Square was the final portion of the Lloyd Baker Estate to be built; formerly it had functioned as a rubbish tip by builders of nearby streets. Originally it was called Sharp Square in honour of Thomas Lloyd Baker's wife, niece to William Granville Sharp, Esq, of Fulham. St. Philip's church was built first, in the centre of the Square, by Edward Buckton Lamb, architect, in 1831-1833 but it was demolished in 1938. In the 1850s the Metropolitan Railway was built below the Square and the company purchased and subsequently demolished the whole SW corner, nos. 29-38, because of subsidence and rebuilt them in 1864. Granville Square is the only street in the Lloyd Baker Estate that was built in a conventional terrace style and is notably squeezed into a restricted space between Wharton and Lloyd Baker Streets. Entrances to Square at north and south via Granville Street and from west connected to King's Cross Road by a flight of granite steps known variously as "Plum Pudding Steps" or "Riceyman Steps". (The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990: 47-51). Listing NGR: TQ3091082664</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- A 38 Granville Square, London, WC1X 9PD

- B 38 Granville Square, London, WC1X 9PD

- B 38 Granville Square, London, WC1X 9PD

Monument/Component Types

- RAILINGS (19th Century - 1841 AD to 1843 AD)
- STEPS (19th Century - 1841 AD to 1843 AD)
- TERRACE (19th Century - 1841 AD to 1843 AD)
- TERRACED HOUSE (19th Century - 1841 AD to 1843 AD)
- APARTMENT (Modern - 1975 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368923 NUMBERS 34-38, 38A AND 38B, 39-41 AND ATTACHED RAILINGS	ISLINGTON TQ3082NE GRANVILLE SQUARE 635-1/67/421 (North West side) 29/09/72 Nos.34-38;38A&38B;39-41 and attached railings (Formerly Listed as: GRANVILLE SQUARE (North West side) Nos.1-13;22-38B;39-41 (Consecutive)) GV II 10 terraced houses. In Square planned 1828 by John Booth and his son, also John, Surveyors for the Lloyd Baker Estate. Built 1841-1843 by William Joseph Booth, another son, architect; nos. 27-38B built 1864 by Metropolitan Railway; buildings essentially dismantled and reconstructed c.1980 by Islington Council and converted to flats. Yellow stock brick set in Flemish bond with banded stucco ground-floor to nos. 39-41, stucco lined as ashlar to nos. 34-38B and stucco dressings; roofs obscured, party-wall brick stacks. Side-hall entrance plan; no. 41 with stucco side entrance with flanking pilasters carrying entablature in right return in Granville Street.

Three storeys with basement; 2 windows each and 1-window range to Granville Street elevation. Symmetrical composition: houses in groups of six; centre and end houses break forward. Steps rise to entrance: doorway (no. 38A altered) with panelled pilaster jambs carrying corniced-head, patterned or plain rectangular overlight and original panelled door to nos. 34 & 39; others with C20 panelled door. Door to nos. 35-38 paired and share common console-bracket. 6/6 and 8/8 sashes to nos. 39-41: ground-floor with margin lights; upper floors architraved and 1st floor stucco sill band to full-length sashes with cornices and individual balconies with cast-iron railings. Tripartite pilastered ground-floor sashes with keystones to nos. 34-38B and 1st-floor cast-iron window guards to all except nos. 38-38A; predominantly 2/2 sashes to upper floors of 27-33, some with iron window guards and sill brackets and all with stucco sill band. Plain stucco band beneath cornice and blocking course to nos. 39-41; nos. 34-38B with brick string course and plain brick parapet, some with iron tie rods. Plain brick left-hand return wall (no. 34) forms side wall to 'Riceyman Steps' (q.v.). Attached cast-iron railings with tasselled spearhead finials. Granville Square was the final portion of the Lloyd Baker Estate to be built; formerly it had functioned as a rubbish tip by builders of nearby streets. Originally it was called Sharp Square in honour of Thomas Lloyd Baker's wife, niece to William Granville Sharp, Esq. of Fulham. St. Philip's church was built first, in the centre of the Square, by Edward Buckton Lamb, architect, in 1831-1833 but it was demolished in 1938. In the 1850s the Metropolitan Railway was built below the Square and the company purchased and subsequently demolished the whole SW corner, nos. 29-38, because of subsidence and rebuilt them in 1864. Granville Square is the only street in the Lloyd Baker Estate that was built in a conventional terrace style and is notably squeezed into a restricted space between Wharton and Lloyd Baker Streets. Entrances to Square at north and south via Granville Street and from west connected to King's Cross Road by a flight of granite steps known variously as "Plum Pudding Steps" or "Riceyman Steps". (The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 47-51). Listing NGR: TQ3091082664

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79895
Monument Type	Listed Building
Preferred Ref.	MLO79895
Name	NUMBERS 34-40 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30702 82709 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/516 (North side) 25/10/71 Nos.34-40 (Even) and attached railings GV II Terrace of 4 houses. c1827-32. By William Cubitt. Stucco with plain stucco 1st floor sill bands. Nos 36 and 38 with slated mansard roofs and dormers. Symmetrical terrace with projecting end bays. End bays (Nos 34 & 40): rusticated stucco ground floors. 4 storeys and basements. 1 window each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Each house with paired pilasters with enriched capitals rising through 1st and 2nd floors to support an entablature at 3rd floor level. Pilasters flanking on each 1st floor a 4-light window with cast-iron balcony; 2nd floor a recessed sash with sill band. 3rd floors with paired pilasters supporting entablatures and blocking courses and flanking on No.34 a recessed sash and No.40 a recessed casement. Recessed central bay (Nos 36 & 38): 3 storeys, attics and basements. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed sashes; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: P.64). Listing NGR: TQ3070282709

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 34 Frederick Street, London, WC1X 0ND
- 36 Frederick Street, London, WC1X 0ND
- 38 Frederick Street, London, WC1X 0ND
- 38 Frederick Street, London, WC1X 0ND
- 40 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1832 AD)
- TERRACE (19th Century - 1827 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477399 NUMBERS 34-40 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/516 (North side) 25/10/71 Nos.34-40 (Even) and attached railings GV II Terrace of 4 houses. c1827-32. By William Cubitt. Stucco with plain stucco 1st floor sill bands. Nos 36 and 38 with slated mansard roofs and dormers. Symmetrical terrace with projecting end bays. End bays (Nos 34 & 40): rusticated stucco ground floors. 4 storeys and basements. 1 window each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Each house with paired pilasters with enriched capitals rising through 1st and 2nd floors to support an entablature at 3rd floor level. Pilasters flanking on each 1st floor a 4-light window with cast-iron balcony; 2nd floor a recessed sash with sill band. 3rd floors with paired pilasters supporting entablatures and blocking courses and flanking on No.34 a recessed sash and No.40 a recessed casement. Recessed central bay (Nos 36 & 38): 3 storeys, attics and basements. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Recessed sashes; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: P.64). Listing NGR: TQ3070282709

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81115
Monument Type	Listed Building
Preferred Ref.	MLO81115
Name	NUMBERS 35-49 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30640 82777 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1586 (South side) 25/10/71 Nos.35-49 (Odd) and attached railings (Formerly Listed as: SWINTON STREET Nos.29-33 AND 35-49 (Odd)) GV II Terrace of 8 houses, No.35 a corner house with shop. c1835-44. Yellow stock brick with rusticated stucco ground floors. Some with slated roofs and dormers. 3 storeys, some with attics, and basements. 2 windows each; No.35 with blind return to Swinton Place. Segmental arched doorways with fluted quarter columns, fanlights (Nos 37 & 47 patterned), and panelled doors. No.35, wooden shopfront with pilasters carrying entablature with bracketed cornice; shop windows with small panes. Shop doorway (on corner) and segmental-arched house doorway (on return), altered. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies, except No.35. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 47-55 Swinton Street, London, WC1X 9NT
 - 47-55 Swinton Street, London, WC1X 9NT
 - 47-55 Swinton Street, London, WC1X 9NT

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- SHOP (19th Century - 1835 AD to 1844 AD)
- TERRACE (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478321 NUMBERS 35-49 AND ATTACHED RAILINGS	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1586 (South side) 25/10/71 Nos.35-49 (Odd) and attached railings (Formerly Listed as: SWINTON STREET Nos.29-33 AND 35-49 (Odd)) GV II Terrace of 8 houses, No.35 a corner house with shop. c1835-44. Yellow stock brick with rusticated stucco ground floors. Some with slated roofs and dormers. 3 storeys, some with attics, and basements. 2 windows each; No.35 with blind return to Swinton Place. Segmental arched doorways with fluted quarter columns, fanlights (Nos 37 & 47 patterned), and panelled doors. No.35, wooden shopfront with pilasters carrying entablature with bracketed cornice; shop windows with small panes. Shop doorway (on corner) and segmental-arched house doorway (on return), altered. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies, except No.35. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79877
Monument Type	Listed Building
Preferred Ref.	MLO79877
Name	NUMBERS 36 AND 46 AND ATTACHED RAILINGS AND WALL ON ENDSLEIGH PLACE RETURN AND SCREEN WALL LINKING NUMBER 36 AND TAVISTOCK SQAURE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29795 82311 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE ENDSLEIGH PLACE 798-1/94/594 Screen wall linking No.36 Gordon 28/03/69 Square & No.29 Tavistock Square GV II See under: Nos.36-46 and attached railings and wall on Endsleigh Place return GORDON SQUARE. CAMDEN TQ2982SE GORDON SQUARE 798-1/94/594 (East side) 28/03/69 Nos.36-46 (Consecutive) and attached railings and wall on Endsleigh Place return GV II Includes: Screen wall linking No.36 Gordon Square & No.29 Tavistock Square ENDSLEIGH PLACE. Terrace of 11 houses. c1825. Built by Thomas Cubitt. Yellow stock brick with rusticated stucco ground floors (No.46 plain). Balanced composition of 4 storeys and basements. 3 windows each. Entrance to No.36 on return to Endsleigh Place. Square-headed, recessed doorways with fanlights and panelled doors. Nos 36, 38, 43 and 45 slightly projecting with 4 Corinthian pilasters through 1st and 2nd floor carrying entablature, continuing across the rest of the terrace, at 3rd floor level. Continuous cast-iron balconies to 1st floor casements, No.46 with cornices. 2nd and 3rd floor, architraved sashes. 3rd floor with pilaster strips above the pilasters. Cornice and blocking course. Return of No.36, with balustraded entrance porch, continues the entablature and pilaster treatment and forms a balanced composition, linked by a low screen wall (along Endsleigh Place), with No.29 Tavistock Square (qv). INTERIORS: not inspected. HISTORICAL NOTE: No.46 was the residence of John Maynard Keynes, economist (GLC plaque). (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 92). Listing NGR: TQ2979582311

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Endsleigh Place, London, WC1H 0PL

Monument/Component Types**Find Types****Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477358 NUMBERS 36 AND 46 AND ATTACHED RAILINGS AND WALL ON ENDSLEIGH PLACE RETURN AND SCREEN WALL LINKING NUMBER 36 AND TAVISTOCK SQAURE	CAMDEN TQ2982SE ENDSLEIGH PLACE 798-1/94/594 Screen wall linking No.36 Gordon 28/03/69 Square & No.29 Tavistock Square GV II See under: Nos.36-46 and attached railings and wall on Endsleigh Place return GORDON SQUARE. CAMDEN TQ2982SE GORDON SQUARE 798-1/94/594 (East side) 28/03/69 Nos.36-46 (Consecutive) and attached railings and wall on Endsleigh Place return GV II Includes: Screen wall linking No.36 Gordon Square & No.29 Tavistock Square ENDSLEIGH PLACE. Terrace of 11 houses. c1825. Built by Thomas Cubitt. Yellow stock brick with rusticated stucco ground floors (No.46 plain). Balanced composition of 4 storeys and basements. 3 windows each. Entrance to No.36 on return to Endsleigh Place. Square-headed, recessed doorways with fanlights and panelled doors. Nos 36, 38, 43 and 45 slightly projecting with 4 Corinthian pilasters through 1st and 2nd floor carrying entablature, continuing across the rest of the terrace, at 3rd floor level. Continuous cast-iron balconies to 1st floor casements, No.46 with cornices. 2nd and 3rd floor, architraved sashes. 3rd floor with pilaster strips above the pilasters. Cornice and blocking course. Return of No.36, with balustraded entrance porch, continues the entablature and pilaster treatment and forms a balanced composition, linked by a low screen wall (along Endsleigh Place), with No.29 Tavistock Square (qv). INTERIORS: not inspected. HISTORICAL NOTE: No.46 was the residence of John Maynard Keynes, economist (GLC plaque). (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 92). Listing NGR: TQ2979582311

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79782
Monument Type	Listed Building
Preferred Ref.	MLO79782
Name	NUMBERS 3-6 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29776 82458 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE ENDSLEIGH STREET 798-1/94/390 (East side) 28/03/69 Nos.3-6 (Consecutive) and attached railings (Formerly Listed as: ENDSLEIGH STREET Nos.3-6, 13-18, 19-23 (consec)) GV II 4 terraced houses, the remainder of a terrace. c1825. Built by Thomas Cubitt. Multi-coloured stock brick with stucco ground floors. 4 storeys and basements. 3 windows each. No.4 slightly projecting. Round-arched doorways with vertically barred fanlights and panelled and studded doors. 1st floor casements with continuous cast-iron balconies. Gauged brick flat arches to casements and 3rd and 4th floor sashes. Continuous entablature at 3rd floor level. No.4 with tetrastyle pilaster treatment through 1st and 2nd floor. Attic storey with pilaster strips. Cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2977682458

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Endsleigh Street, London, WC1H 0DD

- 5 Endsleigh Street, London, WC1H 0DS

- 5 Endsleigh Street, London, WC1H 0DS

- 6 Endsleigh Street, London, WC1H 0DZ

Monument/Component Types

- RAILINGS (19th Century - 1805 AD to 1845 AD)
- TERRACE (19th Century - 1805 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1805 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477191 NUMBERS 3-6 AND ATTACHED RAILINGS	CAMDEN TQ2982SE ENDSLEIGH STREET 798-1/94/390 (East side) 28/03/69 Nos.3-6 (Consecutive) and attached railings (Formerly Listed as: ENDSLEIGH STREET Nos.3-6, 13-18, 19-23 (consec)) GV II 4 terraced houses, the remainder of a terrace. c1825. Built by Thomas Cubitt. Multi-coloured stock brick with stucco ground floors. 4 storeys and basements. 3 windows each. No.4 slightly projecting. Round-arched doorways with vertically barred fanlights and panelled and studded doors. 1st floor casements with continuous cast-iron balconies. Gauged brick flat arches to casements and 3rd and 4th floor sashes. Continuous entablature at 3rd floor level. No.4 with tetrastyle pilaster treatment through 1st and 2nd floor. Attic storey with pilaster strips. Cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2977682458

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80933
Monument Type	Listed Building
Preferred Ref.	MLO80933
Name	NUMBERS 36-42 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30669 82760 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE ACTON STREET 798-1/91/7 (North side) 25/10/71 Nos.36-42 (Even) and attached railings (Formerly Listed as: ACTON STREET Nos.28-34 AND 36-42 (Even)) GV II Terrace of 4 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. Nos 36 & 42 with slated mansard roofs and dormers. 3 storeys, Nos 36 & 42 with attics, and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. No.36 entrance on return to Swinton Place. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3066982760

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 40 Acton Street, London, WC1X 9NB

- 40 Acton Street, London, WC1X 9NB

- 42 Acton Street, London, WC1X 9NB

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1845 AD)
- TERRACE (19th Century - 1835 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476522 NUMBERS 36-42 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/7 (North side) 25/10/71 Nos.36-42 (Even) and attached railings (Formerly Listed as: ACTON STREET Nos.28-34 AND 36-42 (Even)) GV II Terrace of 4 houses. c1835-45. Yellow stock brick and rusticated stucco ground floors with plain 1st floor sill bands. Nos 36 & 42 with slated mansard roofs and dormers. 3 storeys, Nos 36 & 42 with attics, and basements. 2 windows each. Segmental-arched doorways with fluted quarter columns, patterned fanlights and panelled doors. No.36 entrance on return to Swinton Place. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3066982760

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80547
Monument Type	Listed Building
Preferred Ref.	MLO80547
Name	NUMBERS 36-47 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30324 82765 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/49 (West side) 14/05/74 Nos.36-47 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 12 houses, now mostly small hotels, forming the west side of Argyle Square. 1840-49, altered. Yellow stock brick with later patching, No.42, stuccoed. Nos 36 and 37 stuccoed ground floors. Nos 38-40 and 43-46 channelled cement ground floors. No.41, painted ground floor. 4 storeys and basements. 2 windows each. Nos 36 and 47, single storey, 1 window entrance extension on return. Architraved, round-arched ground-floor openings. Doorways, where unaltered, with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Entrances to Nos 36 and 47 in single storey extensions on return. Nos 36 and 47, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing NGR: TQ3032482765

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 36-37 Argyle Square, London, WC1H 8AL
 - 36-37 Argyle Square, London, WC1H 8AL
 - 38-39 Argyle Square, London, WC1H 8AL
 - 38-39 Argyle Square, London, WC1H 8AL
 - 38-39 Argyle Square, London, WC1H 8AL
 - 41 Argyle Square, London, WC1H 8AL
 - 42 Argyle Square, London, WC1H 8AL
 - 43-44 Argyle Square, London, WC1H 8AL
 - 43-44 Argyle Square, London, WC1H 8AL
 - 45-46 Argyle Square, London, WC1H 8AL
 - 45-46 Argyle Square, London, WC1H 8AL

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1849 AD)
- TERRACE (19th Century - 1840 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1849 AD)
- HOTEL (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476613 NUMBERS 36-47 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/49 (West side) 14/05/74 Nos.36-47 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 12 houses, now mostly small hotels, forming the west side of Argyle Square. 1840-49, altered. Yellow stock brick with later patching, No.42, stuccoed. Nos 36 and 37 stuccoed ground floors. Nos 38-40 and 43-46 channelled cement ground floors. No.41, painted ground floor. 4 storeys and basements. 2 windows each. Nos 36 and 47, single storey, 1 window entrance extension on return. Architraved, round-arched ground-floor openings. Doorways, where unaltered, with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Entrances to Nos 36 and 47 in single storey extensions on return. Nos 36 and 47, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing NGR: TQ3032482765

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86696
Monument Type	Listed Building
Preferred Ref.	MLO86696
Name	NUMBERS 38 TO 39 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31114 82546 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/907 (North West side) 29/09/72 Nos.38-39 (Consecutive) and attached railings GV II Two terraced houses. 1819-1841; much rebuilt by Islington Council 1969. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet, stacks not visible. Originally probably side-hall entrance plan; now centre-hall entrance plan. Three storeys with basement; 5 windows each plus 1 window (blind) to left-hand return wall in Attneave Street. Symmetrical and double-fronted. Steps rise to entrance: round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, patterned fanlight, and 20th century panelled door. Ground-floor round-arched sashes with 6/6 curved and radial glazing bars with raised basement sashes in lieu of panel below. Gauged-brick flat arches to upper storeys except 1st floor sashes. 1st floor stucco sill band beneath full-length 6/6 sashes with individual cast-iron balconies with anthemion and Vitruvian scroll pattern to railings. 2nd floor 3/3 sashes. Projecting stucco cornice and blocking course; plain brick parapet with stone coping to left return. Attached cast-iron railings with floral tops and pineapple finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; nos. 38-39 not completed until 1841. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3111482546</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 12 Wilmington Square, London, WC1X 0ES

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1841 AD)
- STEPS (19th Century - 1819 AD to 1841 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1841 AD)
- TERRACED HOUSE (Modern - 1969 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369436 NUMBERS 38 TO 39 (CONSECUTIVE) AND ATTACHED RAILINGS	<p>ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/907 (North West side) 29/09/72 Nos.38-39 (Consecutive) and attached railings GV II Two terraced houses. 1819-1841; much rebuilt by Islington Council 1969. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded stucco ground-floor and stucco dressings; roofs obscured by parapet, stacks not visible. Originally probably side-hall entrance plan; now centre-hall entrance plan. Three storeys with basement; 5 windows each plus 1 window (blind) to left-hand return wall in Attneave Street. Symmetrical and double-fronted. Steps rise to entrance: round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs carrying corniced-head, patterned fanlight, and C20 panelled door. Ground-floor round-arched sashes with 6/6 curved and radial glazing bars with raised basement sashes in lieu of panel below. Gauged-brick flat arches to upper storeys except 1st floor sashes. 1st floor stucco sill band beneath full-length 6/6 sashes with individual cast-iron balconies with anthemion and Vitruvian scroll pattern to railings. 2nd floor 3/3 sashes. Projecting stucco cornice and blocking course; plain brick parapet with stone coping to left return. Attached cast-iron railings with floral tops and pineapple finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; nos. 38-39 not completed until 1841. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3111482546</p>

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80503
Monument Type	Listed Building
Preferred Ref.	MLO80503
Name	NUMBERS 38-43 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30050 81863 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1419 (West side) 28/03/69 Nos.38-43 (Consecutive) and attached railings GV II Terrace of 6 houses. c1800-03. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. 4 storeys and basements. 3 windows each, No.38 with 5-window return, mostly blind, to Montague Place. Round-arched doorways with pilaster-jambs, cornice-heads, fanlights, sidelights and double panelled doors. No.38 has entrance on return with stuccoed Doric projecting porch. No.40 doorway converted to use as a window. Gauged brick flat arches to recessed sashes. Cast-iron balconies to 1st floor windows. Stucco cornice at 3rd floor level. Parapets above attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3005081863

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 38-43 Russell Square, London, WC1B 5DA
 - 38-43 Russell Square, London, WC1B 5DA
 - 38-43 Russell Square, London, WC1B 5DA
 - 38-43 Russell Square, London, WC1B 5DA
 - 38-43 Russell Square, London, WC1B 5DA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1803 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1803 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1803 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477919 NUMBERS 38-43 AND ATTACHED RAILINGS	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1419 (West side) 28/03/69 Nos.38-43 (Consecutive) and attached railings GV II Terrace of 6 houses. c1800-03. By James Burton. Multi-coloured stock brick with rusticated stucco ground floors. 4 storeys and basements. 3 windows each, No.38 with 5-window return, mostly blind, to Montague Place. Round-arched doorways with pilaster-jambs, cornice-heads, fanlights, sidelights and double panelled doors. No.38 has entrance on return with stuccoed Doric projecting porch. No.40 doorway converted to use as a window. Gauged brick flat arches to recessed sashes. Cast-iron balconies to 1st floor windows. Stucco cornice at 3rd floor level. Parapets above attic storey. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3005081863

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80893
Monument Type	Listed Building
Preferred Ref.	MLO80893
Name	NUMBERS 39-47 AND 49-62 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30776 82208 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/311 (East side) 14/05/74 Nos.39-47 AND 49-62 (Consecutive) and attached railings (Formerly Listed as: DOUGHTY STREET Nos.39-62 (Consecutive)) GV II Terrace of 23 houses, excluding No.48 which is listed separately (qv). Nos 39-46 c1792; Nos 47-62 c1807-9; terrace completed by 1820. No.62 rebuilt in facsimile since 1974. Built by J Wigg, G Slaton and J Wilson. Multi-coloured stock brick most with evidence of tuck pointing; No.45 painted. Plain stucco first-floor sill band. Slate mansard roofs with dormers except Nos 53-55 and 62. Nos 39-47, 49-52 and 56-61: three storeys, attics and dormers. Three windows each; No.39 with four windows (one blind) and three-window return to Guilford Street. Round-arched doorways with panelled or recessed pilaster-jambes, cornice-heads, most with patterned fanlights and panelled doors. Nos 44-47, 49, 51 and 52 have doorways with stuccoed surrounds; Nos 57-61, doorways with Greek Doric engaged columns carrying cornice heads with guttae. Gauged brick flat arches to recessed, mostly 2-pane sashes. Nos 49, 52, 56, 57 and 60 with cast-iron balconies to first-floor windows. Stucco cornices and blocking courses, except No.39. Most houses with original lead rainwater heads and pipes. INTERIORS: not inspected. Nos 53-55 and 62: four storeys and basements. Three windows each, No.62 with 3-window return to Roger Street, plus three-storey three-window extension. Nos 53-54, round-arched doorways with moulded jambes and lion-head stops, cornice-heads and patterned radial fanlights. No.55 has projecting round-arched, rusticated stucco portico with cornice and later C19 doorway. Patterned, half-glazed door and overlight. No.62 has return with projecting Doric porch, part-glazed doors and patterned fanlight. Gauged brick flat arches to recessed sash windows; first-floor with cast-iron balconies. Cornice, continuing from other houses in terrace, at third-floor level. INTERIORS: not inspected but Nos 53-55 noted to have stick baluster stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras, IV: London: -1952: 50-54). Listing NGR: TQ3077682208

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 39-47 Doughty Street, London, WC1N 2LF

- 39-47 Doughty Street, London, WC1N 2LF

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1772 AD to 1820 AD)
- TERRACE (18th Century to 19th Century - 1772 AD to 1820 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1772 AD to 1812 AD)
- TERRACED HOUSE (19th Century - 1807 AD to 1809 AD)
- HOUSE (Modern to Unknown - 1974 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477069 NUMBERS 39-47 AND 49-62 AND ATTACHED RAILINGS	CAMDEN TQ3082SE DOUGHTY STREET 798-1/96/311 (East side) 14/05/74 Nos.39-47 AND 49-62 (Consecutive) and attached railings (Formerly Listed as: DOUGHTY STREET Nos.39-62 (Consecutive)) GV II Terrace of 23 houses, excluding No.48 which is listed separately (qv). Nos 39-46 c1792; Nos 47-62 c1807-9; terrace completed by 1820. No.62 rebuilt in facsimile since 1974. Built by J Wigg, G Slaton and J Wilson. Multi-coloured stock brick most with evidence of tuck pointing; No.45 painted. Plain stucco first-floor sill band. Slate mansard roofs with dormers except Nos 53-55 and 62. Nos 39-47, 49-52 and 56-61: three storeys, attics and dormers. Three windows each; No.39 with four windows (one blind) and three-window return to Guilford Street. Round-arched doorways with panelled or recessed pilaster-jambes, cornice-heads, most with patterned fanlights and panelled doors. Nos 44-47, 49, 51 and 52 have doorways with stuccoed surrounds; Nos 57-61, doorways with Greek Doric engaged columns carrying cornice heads with guttae. Gauged brick flat arches to recessed, mostly 2-pane sashes. Nos 49, 52, 56, 57 and 60 with cast-iron balconies to first-floor windows. Stucco cornices and blocking courses, except No.39. Most houses with original lead rainwater heads and pipes. INTERIORS: not inspected. Nos 53-55 and 62: four storeys and basements. Three windows each, No.62 with 3-window return to Roger Street, plus three-storey three-window extension. Nos 53-54, round-arched doorways with moulded jambes and lion-head stops, cornice-heads and patterned radial fanlights. No.55 has projecting round-arched, rusticated stucco

portico with cornice and later C19 doorway. Patterned, half-glazed door and overhead. No.62 has return with projecting Doric porch, part-glazed doors and patterned fanlight. Gauged brick flat arches to recessed sash windows; first-floor with cast-iron balconies. Cornice, continuing from other houses in terrace, at third-floor level. INTERIORS: not inspected but Nos 53-55 noted to have stick baluster stairs. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras, IV: London: -1952: 50-54). Listing NGR: TQ3077682208

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80724
Monument Type	Listed Building
Preferred Ref.	MLO80724
Name	NUMBERS 4 TO 16 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30652 82093 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/666 (North side) 24/10/51 Nos.4-16 (Even) and attached railings GV II* 7 terraced houses. c1720-1, No.4 built by J Cooper; No.6, E Chapman; Nos 8-16 by J Ragdall. Nos 6 & 8 refronted c1860. Nos 4, 10 & 12 restored c1980-1 by Donald Insall & Associates for Rugby Estates and LB Camden. Brown brick with red brick dressings; Nos 6 & 8 yellow stock brick with red brick dressings. Projecting brick strips between the houses. EXTERIOR: 4 storeys and basements. 3 windows each; No.10 with blind half window. No.12, 4 windows. Parapets. No.4: wooden Doric doorcase with fluted pilasters carrying entablature with enriched frieze, patterned radial fanlight and panelled door. Gauged red brick dressings to recessed sashes; 1st and 2nd floors with red brick fielded panel aprons. No.6: wooden doorcase with fluted Ionic half columns carrying entablature with mutule pediment; rectangular fanlight, door currently boarded up. Gauged brick segmental arches to 2-pane sash windows with keystones and bracketed sills. Moulded brick bands at floor levels and enriched brick band at parapet level. No.8: similar to No.6 but doorcase with fluted pilasters carrying projecting cornice; rectangular fanlight and door currently boarded up. No.10: wooden doorcase with fluted pilasters carrying projecting cornice; rectangular fanlight and panelled door. Gauged brick flat arches to recess sash windows. No.12: wooden doorcase with fluted pilasters carrying a frieze with central small female head flanked by triglyphs with guttae and paterae. Foliated console brackets support a dentil cornice forming a hood with panelled soffit. Radial patterned fanlight and panelled door. Gauged brick flat arches to flush frame sashes with exposed boxing on ground and 1st floor; recessed sashes, 2nd and 3rd floors. No.14: wooden doorcase with pilasters carrying entablature with projecting cornice; rectangular fanlight and panelled door. Gauged brick flat arches to flush framed sashes with exposed boxing. No.16: wooden doorcase with reeded pilasters supporting console brackets carrying a projecting cornice. Panelled reveals. Patterned rectangular fanlight and panelled door. Gauged brick flat arches to flush framed sashes with exposed boxing. INTERIORS: not inspected but noted to retain some original staircases with spiral balusters and carved tread ends and some panelled rooms, No.10 is noted to be especially good. SUBSIDIARY FEATURES: attached cast-iron railings, mostly with urn or torch flambe finials to areas. Listing NGR: TQ3065282093

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 19 Great Ormond Street, London, WC1N 3JB

Monument/Component Types

- RAILINGS (18th Century - 1720 AD to 1721 AD)
- TERRACE (18th Century - 1720 AD to 1721 AD)
- TERRACED HOUSE (18th Century - 1720 AD to 1721 AD)
- TERRACE (19th Century - 1840 AD to 1880 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1880 AD)
- TERRACE (Modern - 1980 AD to 1981 AD)
- TERRACED HOUSE (Modern - 1980 AD to 1981 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477652 NUMBERS 4 TO 16 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/666 (North side) 24/10/51 Nos.4-16 (Even) and attached railings GV II* 7 terraced houses. c1720-1, No.4 built by J Cooper; No.6, E Chapman; Nos 8-16 by J Ragdall. Nos 6 & 8 refronted c1860. Nos 4, 10 & 12 restored c1980-1 by Donald Insall & Associates for Rugby Estates and LB Camden. Brown brick with red brick dressings; Nos 6 & 8 yellow stock brick with red brick dressings. Projecting brick strips between the houses. EXTERIOR: 4 storeys and basements. 3 windows each; No.10 with blind half window. No.12, 4 windows. Parapets. No.4: wooden Doric doorcase with fluted pilasters carrying entablature with enriched frieze, patterned radial fanlight and panelled door. Gauged red brick dressings to recessed sashes; 1st and 2nd floors with red brick fielded panel aprons. No.6: wooden doorcase with fluted Ionic half columns carrying entablature with mutule pediment; rectangular fanlight, door currently boarded up. Gauged brick segmental arches to 2-pane sash windows with keystones and bracketed sills. Moulded brick bands at floor levels and enriched brick band at parapet level. No.8: similar to No.6 but doorcase with fluted pilasters carrying projecting cornice; rectangular fanlight and door currently boarded up. No.10: wooden doorcase with fluted pilasters carrying projecting cornice; rectangular

fanlight and panelled door. Gauged brick flat arches to recess sash windows. No.12: wooden doorcase with fluted pilasters carrying a frieze with central small female head flanked by triglyphs with guttae and paterae. Foliated console brackets support a dentil cornice forming a hood with panelled soffit. Radial patterned fanlight and panelled door. Gauged brick flat arches to flush frame sashes with exposed boxing on ground and 1st floor; recessed sashes, 2nd and 3rd floors. No.14: wooden doorcase with pilasters carrying entablature with projecting cornice; rectangular fanlight and panelled door. Gauged brick flat arches to flush framed sashes with exposed boxing. No.16: wooden doorcase with reeded pilasters supporting console brackets carrying a projecting cornice. Panelled reveals. Patterned rectangular fanlight and panelled door. Gauged brick flat arches to flush framed sashes with exposed boxing. INTERIORS: not inspected but noted to retain some original staircases with spiral balusters and carved tread ends and some panelled rooms, No.10 is noted to be especially good. SUBSIDIARY FEATURES: attached cast-iron railings, mostly with urn or torch flambe finials to areas. Listing NGR: TQ3065282093

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79987
Monument Type	Listed Building
Preferred Ref.	MLO79987
Name	NUMBERS 4 TO 7 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30326 82396 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW HANDEL STREET 798-1/95/779 (South side) 14/05/74 Nos.4-7 (Consecutive) and attached railings GV II Terrace of 4 houses. c1800, Nos 6 & 7, 2nd and 3rd floors refaced in facsimile mid 20th century. Nos 4 & 5, brown brick with evidence of tuck pointing (No.5 refaced 3rd floor); Nos 6 & 7, darkened yellow stock brick. Stucco bands at 1st and 3rd floor sill levels. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded pilaster jambs carrying cornice-heads; fanlights, Nos 5-7 radial patterned, and panelled doors. Gauged red brick flat arches to recessed 2-pane sash windows; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3032682396

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (18th Century to 19th Century - 1780 AD to 1820 AD)
- TERRACE (18th Century to 19th Century - 1780 AD to 1820 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1780 AD to 1820 AD)
- RAILINGS (Modern - 1933 AD to 1966 AD)
- TERRACE (Modern - 1933 AD to 1966 AD)
- TERRACED HOUSE (Modern - 1933 AD to 1966 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478060 NUMBERS 4 TO 7 AND ATTACHED RAILINGS	CAMDEN TQ3082SW HANDEL STREET 798-1/95/779 (South side) 14/05/74 Nos.4-7 (Consecutive) and attached railings GV II Terrace of 4 houses. c1800, Nos 6 & 7, 2nd and 3rd floors refaced in facsimile mid C20. Nos 4 & 5, brown brick with evidence of tuck pointing (No.5 refaced 3rd floor); Nos 6 & 7, darkened yellow stock brick. Stucco bands at 1st and 3rd floor sill levels. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded pilaster jambs carrying cornice-heads; fanlights, Nos 5-7 radial patterned, and panelled doors. Gauged red brick flat arches to recessed 2-pane sash windows; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3032682396

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80540
Monument Type	Listed Building
Preferred Ref.	MLO80540
Name	NUMBERS 4, 5 AND 6 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30699 82670 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE AMPTON PLACE 798-1/91/42 (East side) 25/10/71 Nos.4, 5 AND 6 and attached railings GV II Terrace of 3 houses; the main facade of No.31 Frederick Street (qv) forms the end house of the terrace. c1845-7. Possibly by William Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. 4 storeys and basements. Facade (including No.31 Frederick Street) alternating between 2 windows (Nos 4 & 6) and 1 window (No.5). Single window bays slightly projecting. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. No.5 with gauged brick segmental arches to all windows; Nos 4 & 6 to ground floors only. Upper floors with gauged brick flat arches. Stucco cornice at 3rd floor level. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3069982670

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 4 Ampton Place, London, WC1X 0LZ

- 5 Ampton Place, London, WC1X 0LZ

- 5 Ampton Place, London, WC1X 0LZ

- 6 Ampton Place, London, WC1X 0LZ

Monument/Component Types

- RAILINGS (19th Century - 1845 AD to 1847 AD)
- TERRACE (19th Century - 1845 AD to 1847 AD)
- TERRACED HOUSE (19th Century - 1845 AD to 1847 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476605 NUMBERS 4, 5 AND 6 AND ATTACHED RAILINGS	CAMDEN TQ3082NE AMPTON PLACE 798-1/91/42 (East side) 25/10/71 Nos.4, 5 AND 6 and attached railings GV II Terrace of 3 houses; the main facade of No.31 Frederick Street (qv) forms the end house of the terrace. c1845-7. Possibly by William Cubitt. Yellow stock brick with stucco ground floors and 1st floor sill bands. 4 storeys and basements. Facade (including No.31 Frederick Street) alternating between 2 windows (Nos 4 & 6) and 1 window (No.5). Single window bays slightly projecting. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. No.5 with gauged brick segmental arches to all windows; Nos 4 & 6 to ground floors only. Upper floors with gauged brick flat arches. Stucco cornice at 3rd floor level. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 63). Listing NGR: TQ3069982670

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80628
Monument Type Listed Building
Preferred Ref. MLO80628
Name NUMBERS 4, 5 AND 6 AND ATTACHED RAILINGS
Map Sheet TQ28SE
Grid References Centre Point: TQ 29965 82510 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2982NE BURTON PLACE 798-1/89/123 (North side) 11/08/72 Nos.4, 5 AND 6 and attached railings GV II Double-fronted house, now divided into 3 houses. c1809-13. By James Burton. Stucco with ashlar joints and plain 1st floor band. 4 storeys and basements plus single storey side entrance extensions. 3 windows. Central doorway (No.5) with pilasters carrying entablature; panelled door. Former prostyle portico removed leaving stumps of pillars. Square-headed, recessed sash and casement windows with glazing bars; central 1st floor window in segmental-arched recess. Cast-iron balconies to 1st floor windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2996582510

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- HOUSE (19th Century - 1809 AD to 1813 AD)
- RAILINGS (19th Century - 1809 AD to 1813 AD)
- HOUSE (19th Century to Unknown - 1814 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476765 NUMBERS 4, 5 AND 6 AND ATTACHED RAILINGS	CAMDEN TQ2982NE BURTON PLACE 798-1/89/123 (North side) 11/08/72 Nos.4, 5 AND 6 and attached railings GV II Double-fronted house, now divided into 3 houses. c1809-13. By James Burton. Stucco with ashlar joints and plain 1st floor band. 4 storeys and basements plus single storey side entrance extensions. 3 windows. Central doorway (No.5) with pilasters carrying entablature; panelled door. Former prostyle portico removed leaving stumps of pillars. Square-headed, recessed sash and casement windows with glazing bars; central 1st floor window in segmental-arched recess. Cast-iron balconies to 1st floor windows. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2996582510

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86559
Monument Type	Listed Building
Preferred Ref.	MLO86559
Name	NUMBERS 40 TO 47 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31141 82517 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/908 (South West side) 29/09/72 Nos.40-47 (Consecutive) and attached railings (Formerly Listed as: WILMINGTON SQUARE (South West side) Nos.40-45 (Consecutive)) (Formerly Listed as: WILMINGTON (South West side) Nos.46-47 (Consecutive)) GV II Eight terraced houses, nos. 45-46 now Wilmington Hotel. 1819-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded and rusticated (nos. 40 & 47) stucco ground-floor and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each plus one window to right-hand return wall in Attneave Street (no. 40). Symmetrical group with projecting end-houses. Steps rise to entrance (no. 40 with 1 storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs except no. 40 (reeded jambs with stops) carrying corniced-head, fanlight (nos. 40, 42, 43, 47 patterned), and original panelled door (nos. 42 & 47 20th century). Ground-floor round-arched sashes with 6/6 curved and radial glazing bars. Gauged-brick flat arches to upper storeys except 1st floor sashes to right-end house which are gauged-brick round arches. 1st floor stucco sill band (removed from no. 40) beneath full-length 6/6 sashes with individual (except nos. 44, 45 & 47 coupled and supported by iron brackets) cast-iron balconies. Stucco storey bands to 2nd (6/6 sashes) and 3rd (3/3 sashes) floors; 3rd floor also has projecting stucco cornice and sill band except no. 47 which has been cut-back and rendered in concrete. Altered stucco cornice and blocking course, except no. 47 which has been cut-back, heightened and rendered in concrete. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; nos. 40-47 in the west terrace were completed in 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3114182517

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 42 Wilmington Square, London, WC1X 0ET
- 42 Wilmington Square, London, WC1X 0ET
- 43 Wilmington Square, London, WC1X 0ET
- 46 Wilmington Square, London, WC1X 0ET

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1841 AD)
- STEPS (19th Century - 1819 AD to 1841 AD)
- TERRACED HOUSE (19th Century - 1819 AD to 1841 AD)
- TERRACED HOUSE (19th Century to Unknown - 1842 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369437 NUMBERS 40 TO 47 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/908 (South West side) 29/09/72 Nos.40-47 (Consecutive) and attached railings (Formerly Listed as: WILMINGTON SQUARE (South West side) Nos.40-45 (Consecutive)) (Formerly Listed as: WILMINGTON (South West side) Nos.46-47 (Consecutive)) GV II Eight terraced houses, nos. 45-46 now Wilmington Hotel. 1819-1831. By John Wilson, builder for Lord Compton and the Spa Fields Estate. Yellow stock brick laid in Flemish bond with banded and rusticated (nos. 40 & 47) stucco ground-floor and stucco dressings; roofs obscured by parapet, brick party-wall stacks. Side-hall entrance plan with staircase. Four storeys with basement; 2 windows each plus one window to right-hand return wall in Attneave Street (no. 40). Symmetrical group with projecting end-houses. Steps rise to entrance (no. 40 with 1 storey entrance extension): round-arched doorway set in narrow stucco recess with fluted 1/4 column jambs except no. 40 (reeded jambs with stops) carrying corniced-head, fanlight (nos. 40, 42, 43, 47 patterned), and original panelled door (nos. 42 & 47 C20). Ground-floor round-arched sashes with 6/6 curved and radial glazing bars. Gauged-brick flat arches to upper storeys except 1st floor sashes to right-end house which are gauged-brick round arches. 1st floor stucco sill band (removed from no. 40) beneath full-length 6/6 sashes with individual

(except nos. 44, 45 & 47 coupled and supported by iron brackets) cast-iron balconies. Stucco storey bands to 2nd (6/6 sashes) and 3rd (3/3 sashes) floors; 3rd floor also has projecting stucco cornice and sill band except no. 47 which has been cut-back and rendered in concrete. Altered stucco cornice and blocking course, except no. 47 which has been cut-back, heightened and rendered in concrete. Attached cast-iron railings with urn finials. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal: the south terrace was the 1st and grandest; nos. 40-47 in the west terrace were completed in 1831. For financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3114182517

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86291
Monument Type	Listed Building
Preferred Ref.	MLO86291
Name	NUMBERS 40-43 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30926 82702 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/898 (South side) 29/09/72 Nos.40-43 (Consecutive) and attached railings (Formerly Listed as: WHARTON Nos.33-47 (Consecutive)) GV II Terrace of 4 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house except no. 43 which has porticoed entrance to right-hand return wall in Granville Street. Two-storeys with basements; 2 windows each including recessed 1-window entrance bay coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by 20th century reproduction iron balcony railings except no. 43 (projecting with coupled antae and no railing). Architraved doorway with 20th century pair of panelled doors. Architraved 6/6 sashes with margin lights throughout. 1st floor recessed balconied links with narrower doors or 6/6 sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3092682702

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 43 Wharton Street, London, WC1X 9PG

- 43 Wharton Street, London, WC1X 9PG

Monument/Component Types

- RAILINGS (19th Century - 1832 AD)
- VILLA (19th Century - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369428 NUMBERS 40-43 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/898 (South side) 29/09/72 Nos.40-43 (Consecutive) and attached railings (Formerly Listed as: WHARTON Nos.33-47 (Consecutive)) GV II Terrace of 4 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house except no. 43 which has porticoed entrance to right-hand return wall in Granville Street. Two-storeys with basements; 2 windows each including recessed 1-window entrance bay coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by C20 reproduction iron balcony railings except no. 43 (projecting with coupled antae and no railing). Architraved doorway with C20 pair of panelled doors. Architraved 6/6 sashes with margin lights throughout. 1st floor recessed balconied links with narrower doors or 6/6 sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3092682702

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80634
Monument Type	Listed Building
Preferred Ref.	MLO80634
Name	NUMBERS 40-44 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29939 82544 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982NE BURTON STREET 798-1/89/129 (East side) 11/08/72 Nos.40-44 (Consecutive) and attached railings GV II Terrace of 5 houses, converted during 1980s to 1 bedroom flats. c1810-13. Designed and built by James Burton. Yellow stock brick with some later refacing in multi-coloured stocks. Stucco ground floor with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with reeded pilaster-jambes, fanlights and panelled doors. Mostly segmental brick arches to recessed sash windows, 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91). Listing NGR: TQ2993982544

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 40 Burton Street, London, WC1H 9AL
 - 42 Burton Street, London, WC1H 9AL
 - 43 Burton Street, London, WC1H 9AL
 - 44 Burton Street, London, WC1H 9AL
 - 44 Burton Street, London, WC1H 9AL

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- APARTMENT (Modern - 1980 AD to 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476771 NUMBERS 40-44 AND ATTACHED RAILINGS	CAMDEN TQ2982NE BURTON STREET 798-1/89/129 (East side) 11/08/72 Nos.40-44 (Consecutive) and attached railings GV II Terrace of 5 houses, converted during 1980s to 1 bedroom flats. c1810-13. Designed and built by James Burton. Yellow stock brick with some later refacing in multi-coloured stocks. Stucco ground floor with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with reeded pilaster-jambes, fanlights and panelled doors. Mostly segmental brick arches to recessed sash windows, 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 91). Listing NGR: TQ2993982544

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86186
Monument Type	Listed Building
Preferred Ref.	MLO86186
Name	NUMBERS 41 AND 42 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31006 82638 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW LLOYD BAKER STREET 635-1/68/595 (North side) 29/09/72 Nos.41 AND 42 and attached railings (Formerly Listed as: LLOYD BAKER STREET No.41) (Formerly Listed as: LLOYD BAKER STREET No.42) GV II Terraced houses. Early C19. Yellow brick set in Flemish bond, stucco, roof of slate. Two storeys over basement, with dormers in attic, no 41 with three windows, no 42 with 2 in Lloyd Baker Street, and three in Granville Street where it is double-fronted. No 41 has flat-arched entrance set back under porch with antae; one window over entrance, the other bay has a window to each floor set back in a stucco panel, the ground-floor window flat-arched and flanked with pilasters, the first- floor window segmental-arched, and the whole panel set back under a round arch with stucco impost blocks and archivolt; stucco cornice; blocking course; dormer in attic; side stack. In Granville Street, no 42 has steps up to flat-arched entrance set back twice in stucco architraves, the outer architrave consisting of Doric pilasters and entablature; all windows flat-arched, the frames set in plain stucco surrounds, with heads of gauged yellow brick, the central first-floor window blank; sashes of original design to all windows in Granville Street except that to left on ground floor; stucco cornice and blocking course; the right-hand return in Lloyd Baker Street echoes the forward bays of no 41 with the addition of pilasters to the ground-floor windows. Cast-iron railings to steps and area. Listing NGR: TQ3100682638

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 41 Lloyd Baker Street, London, WC1X 9AB

- 41 Lloyd Baker Street, London, WC1X 9AB

- 42 Lloyd Baker Street, London, WC1X 9AB

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- STEPS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369112 NUMBERS 41 AND 42 AND ATTACHED RAILINGS	ISLINGTON TQ3182NW LLOYD BAKER STREET 635-1/68/595 (North side) 29/09/72 Nos.41 AND 42 and attached railings (Formerly Listed as: LLOYD BAKER STREET No.41) (Formerly Listed as: LLOYD BAKER STREET No.42) GV II Terraced houses. Early C19. Yellow brick set in Flemish bond, stucco, roof of slate. Two storeys over basement, with dormers in attic, no 41 with three windows, no 42 with 2 in Lloyd Baker Street, and three in Granville Street where it is double-fronted. No 41 has flat-arched entrance set back under porch with antae; one window over entrance, the other bay has a window to each floor set back in a stucco panel, the ground-floor window flat-arched and flanked with pilasters, the first- floor window segmental-arched, and the whole panel set back under a round arch with stucco impost blocks and archivolt; stucco cornice; blocking course; dormer in attic; side stack. In Granville Street, no 42 has steps up to flat-arched entrance set back twice in stucco architraves, the outer architrave consisting of Doric pilasters and entablature; all windows flat-arched, the frames set in plain stucco surrounds, with heads of gauged yellow brick, the central first-floor window blank; sashes of original design to all windows in Granville Street except that to left on ground floor; stucco cornice and blocking course; the right-hand return in Lloyd Baker Street echoes the forward bays of no 41 with the addition of pilasters to the ground-floor windows. Cast-iron railings to steps and area. Listing NGR: TQ3100682638

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80630
Monument Type	Listed Building
Preferred Ref.	MLO80630
Name	NUMBERS 4-13 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29977 82444 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE BURTON STREET 798-1/94/125 (West side) 14/05/74 Nos.4-13 (Consecutive) and attached railings GV II Terrace of 10 houses. Nos 4-8, c1808-13; Nos 9-13, c1810-13. Nos 9, 10 & 13 refaced mid 20th century in facsimile. Restored 1980s. Designed and built by James Burton. Yellow stock brick (later refacing) and stucco ground floors (No.9 rusticated) with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes and cornice-heads (Nos 9-13 with sidelights and reeded surrounds), Nos 7 and 8 with original patterned fanlights, the rest replicated 20th century, likewise all the panelled doors. Gauged brick flat arches to recessed sash windows; 1st floor mostly casements with cast-iron balconies. No.7 with balcony of 2 panels with intricate design including swags and female heads. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 92). Listing NGR: TQ2997782444

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Burton Street, London, WC1H 9AQ

- 7 Burton Street, London, WC1H 9AQ

Monument/Component Types

- RAILINGS (19th Century - 1808 AD to 1813 AD)
- TERRACE (19th Century - 1808 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1808 AD to 1813 AD)
- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)
- HOUSE (Modern - 1933 AD to 1966 AD)
- HOUSE (Modern - 1980 AD to 1989 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476767 NUMBERS 4-13 AND ATTACHED RAILINGS	CAMDEN TQ2982SE BURTON STREET 798-1/94/125 (West side) 14/05/74 Nos.4-13 (Consecutive) and attached railings GV II Terrace of 10 houses. Nos 4-8, c1808-13; Nos 9-13, c1810-13. Nos 9, 10 & 13 refaced mid C20 in facsimile. Restored 1980s. Designed and built by James Burton. Yellow stock brick (later refacing) and stucco ground floors (No.9 rusticated) with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with pilaster-jambes and cornice-heads (Nos 9-13 with sidelights and reeded surrounds), Nos 7 and 8 with original patterned fanlights, the rest replicated C20, likewise all the panelled doors. Gauged brick flat arches to recessed sash windows; 1st floor mostly casements with cast-iron balconies. No.7 with balcony of 2 panels with intricate design including swags and female heads. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 92). Listing NGR: TQ2997782444

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86221
Monument Type	Listed Building
Preferred Ref.	MLO86221
Name	NUMBERS 4-15 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30919 82790 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE PERCY CIRCUS 635-1/67/687 (South side) 29/09/72 Nos.4-15 (Consecutive) and attached railings GV II Twelve terraced houses. Forming crescent between Prideaux Place and the western leg of Great Percy Street on the southern side of a circus built on steep hill. 1841-1843. Circus laid out and probably designed by William Chadwell Mylne for the New River Estate. Gold and brown stock bricks set in Flemish bond with banded stucco ground-floor with channelling and stucco dressings; slate mansard roofs to nos. 5, 6, 9, 10, 13, 14, (no. 13 of Welsh-slate); others obscured by blocking course, brick party-wall stacks. Side-hall entrance plan; side entrance to end houses (nos. 4 & 15) to left and right return walls in Prideaux Place and Great Percy Street. Four storeys with basement to nos. 4, 7, 8, 11, 12, 15; nos. 5, 6, 9, 10, 13, 14 of three storeys with basement and dormered attic; 2 windows each except 1 X 1-bay end houses; houses paired, apart from end houses. Low steps rise to entrance on left (end houses each with side entrance composed of stucco portico; no. 4 with fine console and circlet cornice): width and height of recessed doorway varies to accomodate steep gradient; doorway with pilaster jambs carrying corniced-head, rectangular overlight and panelled door (20th century door to nos. 4, 8, 11; nos. 5 & 15 with 20th century jambs, corniced-head and door). End houses and alternate pairs with ground-floor tripartite sashes; intervening pairs and return wall to Prideaux Place with 6/6 (nos. 4, 6, 9, 10) and 8/8 (nos. 5, 13, 14) sashes. Stucco sill band to 1st floor full-length 6/6 architraved sashes with console-bracketed cornices and individual iron-bracketed cast-iron balconies with palmette pattern iron railings; end houses with console-bracketed pedimented tripartite sashes with architraves. 2nd floors of end houses and alternate pairs with 6/6 architraved sashes with keystones (to nos. 7, 8, 11, 12); intervening pairs with gauged brick flat-arches to 6/6 sashes. 3rd floors of end houses and alternate pairs with gauged-brick flat arched 6/6 sashes; nos. 7, 8, 11, 12, 15 with stucco sill band. Stucco cornice and blocking course to end houses and alternate pairs; intervening pairs with stucco parapet with stone coping to attic storey (nos. 5 & 6 with stucco cornice). Attached iron railings. Percy Circus was one of the last additions to the New River Estate and named in honour of Robert Percy Smith, one of the governors of the New River Company. The Circus suffered extensive damage in the 2nd World War and 2 ranges along its northern side were destroyed by bombing; in 1968 a 3rd was pulled down in order to build the Royal Scot Hotel. Percy Circus is one of London's few circuses and its only residential one. Listing NGR: TQ3091982790

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 12 Percy Circus, London, WC1X 9ES
 - 13 Percy Circus, London, WC1X 9ES
 - 14 Percy Circus, London, WC1X 9ES
 - 5 Percy Circus, London, WC1X 9ES
 - 6 Percy Circus, London, WC1X 9ES
 - 7 Percy Circus, London, WC1X 9ES
 - 7 Percy Circus, London, WC1X 9ES
 - 8 Percy Circus, London, WC1X 9ES
 - 9 Percy Circus, London, WC1X 9ES

Monument/Component Types

- RAILINGS (19th Century - 1841 AD to 1843 AD)
- STEPS (19th Century - 1841 AD to 1843 AD)
- TERRACE (19th Century - 1841 AD to 1843 AD)
- TERRACED HOUSE (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369203 NUMBERS 4-15 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE PERCY CIRCUS 635-1/67/687 (South side) 29/09/72 Nos.4-15 (Consecutive) and attached railings GV II Twelve terraced houses. Forming crescent between Prideaux Place and the western leg of Great Percy Street on the southern side of a circus built on steep hill. 1841-1843. Circus laid out and probably designed by William Chadwell Mylne for the New River Estate. Gold and brown stock bricks set in Flemish bond with banded stucco ground-floor with channelling and stucco dressings; slate mansard roofs to nos. 5, 6, 9, 10, 13, 14, (no. 13 of Welsh-slate); others obscured by blocking course, brick party-wall stacks. Side-hall entrance plan; side entrance to end houses (nos. 4 & 15) to left and right return walls in Prideaux Place and Great Percy Street. Four storeys with basement to nos. 4, 7, 8, 11, 12,

15; nos. 5, 6, 9, 10, 13, 14 of three storeys with basement and dormered attic; 2 windows each except 1 X 1-bay end houses; houses paired, apart from end houses. Low steps rise to entrance on left (end houses each with side entrance composed of stucco portico; no. 4 with fine console and cirlet cornice); width and height of recessed doorway varies to accommodate steep gradient; doorway with pilaster jambs carrying corniced-head, rectangular overlight and panelled door (C20 door to nos. 4, 8, 11; nos. 5 & 15 with C20 jambs, corniced-head and door). End houses and alternate pairs with ground-floor tripartite sashes; intervening pairs and return wall to Prideaux Place with 6/6 (nos. 4, 6, 9, 10) and 8/8 (nos. 5, 13, 14) sashes. Stucco sill band to 1st floor full-length 6/6 architraved sashes with console-bracketed cornices and individual iron-bracketed cast-iron balconies with palmette pattern iron railings; end houses with console-bracketed pedimented tripartite sashes with architraves. 2nd floors of end houses and alternate pairs with 6/6 architraved sashes with keystones (to nos. 7, 8, 11, 12); intervening pairs with gauged brick flat-arches to 6/6 sashes. 3rd floors of end houses and alternate pairs with gauged-brick flat arched 6/6 sashes; nos. 7, 8, 11, 12, 15 with stucco sill band. Stucco cornice and blocking course to end houses and alternate pairs; intervening pairs with stucco parapet with stone coping to attic storey (nos. 5 & 6 with stucco cornice). Attached iron railings. Percy Circus was one of the last additions to the New River Estate and named in honour of Robert Percy Smith, one of the governors of the New River Company. The Circus suffered extensive damage in the 2nd World War and 2 ranges along its northern side were destroyed by bombing; in 1968 a 3rd was pulled down in order to build the Royal Scot Hotel. Percy Circus is one of London's few circuses and its only residential one. Listing NGR: TQ3091982790

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80419
Monument Type Listed Building
Preferred Ref. MLO80419
Name NUMBERS 42 AND 43 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30808 81720 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE BEDFORD ROW 798-1/101/69 (West side) 24/10/51 Nos.42 AND 43 and attached railings GV II 2 terraced houses. c1693. Built by Nicholas Barbon, refronted 1965 in replica restoration. Brown brick under tiled roofs with dormers. 3 storeys, attics and basements. 3 windows and half blind window each. No.42: wood doorcase with Doric pilasters, fluted frieze with pateral and dentil cornice, fanlight and panelled door. Red brick dressings and flat arches to flush framed sash windows. Cornice below parapet. Lead rainwater pipe. No.43: wood doorcase with carved brackets carrying hood, fanlight and panelled door. Stone bands at floor levels. Red brick dressings and flat arches with stucco keystones to flush framed sash windows. Parapet. Lead rainwater head and pipe. INTERIORS: not inspected but known to retain early fabric. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3080881720

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 42-43 Bedford Row, London, WC1R 4JL

- 42-43 Bedford Row, London, WC1R 4JL

- 42-43 Bedford Row, London, WC1R 4JL

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1673 AD to 1713 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1673 AD to 1713 AD)
- HOUSE (Modern - 1965 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476665 NUMBERS 42 AND 43 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/69 (West side) 24/10/51 Nos.42 AND 43 and attached railings GV II 2 terraced houses. c1693. Built by Nicholas Barbon, refronted 1965 in replica restoration. Brown brick under tiled roofs with dormers. 3 storeys, attics and basements. 3 windows and half blind window each. No.42: wood doorcase with Doric pilasters, fluted frieze with pateral and dentil cornice, fanlight and panelled door. Red brick dressings and flat arches to flush framed sash windows. Cornice below parapet. Lead rainwater pipe. No.43: wood doorcase with carved brackets carrying hood, fanlight and panelled door. Stone bands at floor levels. Red brick dressings and flat arches with stucco keystones to flush framed sash windows. Parapet. Lead rainwater head and pipe. INTERIORS: not inspected but known to retain early fabric. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3080881720

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79897
Monument Type	Listed Building
Preferred Ref.	MLO79897
Name	NUMBERS 42, 44 AND 46 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30692 82705 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/517 (North side) 25/10/71 Nos.42, 44 AND 46 and attached railings GV II Terrace of 3 houses. c1827-32. By William Cubitt. Yellow stock brick with stucco ground floor and 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3069282705

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 42 Frederick Street, London, WC1X 0ND
 - 42 Frederick Street, London, WC1X 0ND
 - 44 Frederick Street, London, WC1X 0ND
 - 46 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1832 AD)
- TERRACE (19th Century - 1827 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477401 NUMBERS 42, 44 AND 46 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/517 (North side) 25/10/71 Nos.42, 44 AND 46 and attached railings GV II Terrace of 3 houses. c1827-32. By William Cubitt. Yellow stock brick with stucco ground floor and 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3069282705

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81112
Monument Type	Listed Building
Preferred Ref.	MLO81112
Name	NUMBERS 4-26 AND ATTACHED RAILINGS INCLUDING SWINTON HOTEL (NUMBERS 22 AND 24)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30747 82849 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1583 (North side) 25/10/71 Nos.4-26 (Even) and attached railings. Swinton Hotel (Nos.22 AND 24) GV II Terrace of 12 houses. c1835-44. 3 storeys and basements. Nos 22-26 with 20th century attics in slated mansard roofs with dormers. 2 windows each. Nos 4-22: yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. No.14, ground floor painted. Nos 10 & 12 slightly projecting. Round-arched ground floor openings. Architraved doorways with pilaster jambs carrying cornice-heads, some with patterned fanlights, and panelled doors. Architraved sashes; ground floors mostly with margin lights. 1st floors with cornices and cast-iron balconies. Parapets. Nos 24 & 26: yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. Segmental-arched doorways with fanlights, No.24 with pilaster-jambs carrying cornice-head, No.26 with fluted quarter columns. Gauged brick flat arches to recessed sashes with glazing bars; 1st floors with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3074782849

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Swinton Street, London, WC1X 9NX
- 12 Swinton Street, London, WC1X 9NX
- 12 Swinton Street, London, WC1X 9NX
- 18-24 Swinton Street, London, WC1X 9NX
- 18-24 Swinton Street, London, WC1X 9NX
- 18-24 Swinton Street, London, WC1X 9NX
- 18-24 Swinton Street, London, WC1X 9NX
- 6 Swinton Street, London, WC1X 9NX
- 8 Swinton Street, London, WC1X 9NX

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- TERRACE (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)
- HOTEL (19th Century to Unknown - 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478318 NUMBERS 4-26 AND ATTACHED RAILINGS INCLUDING SWINTON HOTEL (NUMBERS 22 AND 24)	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1583 (North side) 25/10/71 Nos.4-26 (Even) and attached railings. Swinton Hotel (Nos.22 AND 24) GV II Terrace of 12 houses. c1835-44. 3 storeys and basements. Nos 22-26 with C20 attics in slated mansard roofs with dormers. 2 windows each. Nos 4-22: yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. No.14, ground floor painted. Nos 10 & 12 slightly projecting. Round-arched ground floor openings. Architraved doorways with pilaster jambs carrying cornice-heads, some with patterned fanlights, and panelled doors. Architraved sashes; ground floors mostly with margin lights. 1st floors with cornices and cast-iron balconies. Parapets. Nos 24 & 26: yellow stock brick with rusticated stucco ground floors and plain 1st floor sill band. Segmental-arched doorways with fanlights, No.24 with pilaster-jambs carrying cornice-head, No.26 with fluted quarter columns. Gauged brick flat arches to recessed sashes with glazing bars; 1st floors with cast-iron balconies. Stucco cornices and blocking courses. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3074782849

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86624
Monument Type	Listed Building
Preferred Ref.	MLO86624
Name	NUMBERS 43 TO 46 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30992 82608 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE LLOYD BAKER STREET 635-1/67/596 (North side) 29/09/72 Nos.43-46 (Consecutive) and attached railings GV II Terrace of four semi-detached linked villas. On slope of hill leading up to Lloyd Square. 1825. By John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate; William Joseph Booth, another son, architect. Gold stock bricks set in Flemish bond with stucco dressings (no. 46 1st floor rendered in stucco), and stucco pediment over each pair; artificial slate gabled roofs; brick centre stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house. Two-storeys with basement; 2 windows each including recessed 1-window entrance bays coupled as links and 3-window range double-fronted right-hand return to no. 43 in Granville Street. Low steps rise to deeply recessed stucco entrance (nos. 44-45 altered) with antae supporting entablature. Architraved doorway with 20th century door; no. 43 to return in Granville Street with recessed architraved doorway flanked by stucco pilasters carrying entablature. Architraved sashes in arched stuccoed recesses with stucco impost blocks and stucco moulded archivolt: ground-floor with predominantly 8/8 and 1st floor mostly 4/8 sashes, some with segmental heads. 1st floor recessed balconied links (nos. 44-45 enclosed) with narrower doors or sashes and no. 46 with Gothic-style iron balustrade. Plain stucco band beneath pediments; stucco parapet with stucco coping or blocking course to 1st floor recessed link. Attached cast-iron railings with urn finials. Listing NGR: TQ3099282608

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 43 Lloyd Baker Street, London, WC1X 9AA
- 43 Lloyd Baker Street, London, WC1X 9AA
- 44 Lloyd Baker Street, London, WC1X 9AA
- 45 Lloyd Baker Street, London, WC1X 9AA
- 46 Lloyd Baker Street, London, WC1X 9AA

Monument/Component Types

- RAILINGS (19th Century - 1825 AD)
- STEPS (19th Century - 1825 AD)
- TERRACE (19th Century - 1825 AD)
- TERRACED HOUSE (19th Century - 1825 AD)
- VILLA (19th Century - 1825 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369113 NUMBERS 43 TO 46 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE LLOYD BAKER STREET 635-1/67/596 (North side) 29/09/72 Nos.43-46 (Consecutive) and attached railings GV II Terrace of four semi-detached linked villas. On slope of hill leading up to Lloyd Square. 1825. By John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate; William Joseph Booth, another son, architect. Gold stock bricks set in Flemish bond with stucco dressings (no. 46 1st floor rendered in stucco), and stucco pediment over each pair; artificial slate gabled roofs; brick centre stacks. Restrained Greek Revival style. Side-hall entrance plan to outer linked bay of each house. Two-storeys with basement; 2 windows each including recessed 1-window entrance bays coupled as links and 3-window range double-fronted right-hand return to no. 43 in Granville Street. Low steps rise to deeply recessed stucco entrance (nos. 44-45 altered) with antae supporting entablature. Architraved doorway with C20 door; no. 43 to return in Granville Street with recessed architraved doorway flanked by stucco pilasters carrying entablature. Architraved sashes in arched stuccoed recesses with stucco impost blocks and stucco moulded archivolt: ground-floor with predominantly 8/8 and 1st floor mostly 4/8 sashes, some with segmental heads. 1st floor recessed balconied links (nos. 44-45 enclosed) with narrower doors or sashes and no. 46 with Gothic-style iron balustrade. Plain stucco band beneath pediments; stucco parapet with stucco coping or blocking course to 1st floor recessed link. Attached cast-iron railings with urn finials. Listing NGR: TQ3099282608

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80381
Monument Type	Listed Building
Preferred Ref.	MLO80381
Name	NUMBERS 43, 44 AND 45 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30409 81614 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/105 (South side) 24/10/51 Nos.43, 44 AND 45 and attached railings GV II 3 terraced houses. c1760, altered 1830-40. 4 storeys, attics and basements. 3 windows each, No.45 with 4 window return (2 blind bays) to Southampton Place. No.43: darkened brick. Slate roof with dormers. Stone pedimented doorcase with engaged Ionic columns carrying entablature; square-headed fanlight and panelled door. Recessed sashes with architraves, 1st and 2nd floors with enriched frieze and plain cornice. 1st floor continuous stone balcony with cast-iron balustrade. Sill bands to 2nd and 3rd floors. Stucco entablature with bracketed cornice and enriched frieze. Cast-iron parapet. No.44: stucco fronted with vermiculated rustications to flanking piers and ground floor. Square-headed, recessed doorway with fanlight and panelled door. Square-headed architraved sash windows, 1st floor with Corinthian pilasters carrying entablatures and segmental pediments, 2nd floor with cornices. Continuous cast-iron balcony at 1st floor level. Band at 3rd floor level. Bracketed cornice with stone balustraded parapet above and with dormers behind. No.45: darkened brick. Slate roof with 2 dormers on each facade, their windows architraved and forming part of the stone balustraded parapet. Entrance in Southampton Place with C19 stone door surround with segmental pediment on brackets. Recessed sash windows with gauged flat brick arches, the first floor with cast-iron balconies to each window. Stone band at 1st floor level. Bracketed cornice at 3rd floor level. Main bracketed cornice below balustraded parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. HISTORICAL NOTE: tablet on exterior commemorates the residence of the Earls of Chesterfield. Listing NGR: TQ3040981614

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 43 Bloomsbury Square, London, WC1A 2RA
 - 44 Bloomsbury Square, London, WC1A 2RA
 - 44 Bloomsbury Square, London, WC1A 2RA

Monument/Component Types

- TERRACE (18th Century - 1740 AD to 1780 AD)
- TERRACED HOUSE (18th Century - 1740 AD to 1780 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1899 AD)
- HOUSE (19th Century - 1830 AD to 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476735 NUMBERS 43, 44 AND 45 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/105 (South side) 24/10/51 Nos.43, 44 AND 45 and attached railings GV II 3 terraced houses. c1760, altered 1830-40. 4 storeys, attics and basements. 3 windows each, No.45 with 4 window return (2 blind bays) to Southampton Place. No.43: darkened brick. Slate roof with dormers. Stone pedimented doorcase with engaged Ionic columns carrying entablature; square-headed fanlight and panelled door. Recessed sashes with architraves, 1st and 2nd floors with enriched frieze and plain cornice. 1st floor continuous stone balcony with cast-iron balustrade. Sill bands to 2nd and 3rd floors. Stucco entablature with bracketed cornice and enriched frieze. Cast-iron parapet. No.44: stucco fronted with vermiculated rustications to flanking piers and ground floor. Square-headed, recessed doorway with fanlight and panelled door. Square-headed architraved sash windows, 1st floor with Corinthian pilasters carrying entablatures and segmental pediments, 2nd floor with cornices. Continuous cast-iron balcony at 1st floor level. Band at 3rd floor level. Bracketed cornice with stone balustraded parapet above and with dormers behind. No.45: darkened brick. Slate roof with 2 dormers on each facade, their windows architraved and forming part of the stone balustraded parapet. Entrance in Southampton Place with C19 stone door surround with segmental pediment on brackets. Recessed sash windows with gauged flat brick arches, the first floor with cast-iron balconies to each window. Stone band at 1st floor level. Bracketed cornice at 3rd floor level. Main bracketed cornice below balustraded parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. HISTORICAL NOTE: tablet on exterior commemorates the residence of the Earls of Chesterfield.

Listing NGR: TQ3040981614

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80072
Monument Type	Listed Building
Preferred Ref.	MLO80072
Name	NUMBERS 43-47 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30541 82431 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1113 (North side) 20/05/69 Nos.43-47 (Consecutive) and attached railings GV II 5 terraced houses, being the remains of a terrace forming the north side of Mecklenburgh Square. c1824-5. By Joseph Kay. Built by T Weeding except No.43, Woolcot & Browning and No.47, S Wright. Yellow stock brick with later patching and rusticated stucco ground floors. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded surrounds, patterned fanlights and double panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with continuous balconies. Continuous stucco cornice at 3rd floor level and stucco coping to parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV): London: -1952: 47-50). Listing NGR: TQ3054182431

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 47 Mecklenburgh Square, London, WC1N 2AJ

- 47 Mecklenburgh Square, London, WC1N 2AJ

Monument/Component Types

- RAILINGS (19th Century - 1824 AD to 1825 AD)
- TERRACE (19th Century - 1824 AD to 1825 AD)
- TERRACED HOUSE (19th Century - 1824 AD to 1825 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477497 NUMBERS 43-47 AND ATTACHED RAILINGS	CAMDEN TQ3082SE MECKLENBURGH SQUARE 798-1/96/1113 (North side) 20/05/69 Nos.43-47 (Consecutive) and attached railings GV II 5 terraced houses, being the remains of a terrace forming the north side of Mecklenburgh Square. c1824-5. By Joseph Kay. Built by T Weeding except No.43, Woolcot & Browning and No.47, S Wright. Yellow stock brick with later patching and rusticated stucco ground floors. 4 storeys and basements. 3 windows each. Round-arched doorways with reeded surrounds, patterned fanlights and double panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with continuous balconies. Continuous stucco cornice at 3rd floor level and stucco coping to parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (St Pancras part IV): London: -1952: 47-50). Listing NGR: TQ3054182431

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86695
Monument Type	Listed Building
Preferred Ref.	MLO86695
Name	NUMBERS 44 TO 47 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30898 82691 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/899 (South side) 29/09/72 Nos.44-47 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET Nos.33-47 (Consecutive)) GV II Terrace of 4 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; gabled roofs, materials obscured by parapet; centre brick stacks. Side-hall entrance plan to outer linked bay of each house except no. 44 which has porticoed side entrance to left-hand return wall in Granville Street. Restrained Greek Revival style. Two-storeys with basements; 2 windows each including recessed 1-window entrance bay coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by 20th century reproduction iron balcony railings except no. 44 (with coupled antae portico and no railings). Architraved panelled doorway. Architraved 8/8 sashes throughout; 1st floor recessed balconied links with narrower doors or sashes except no. 44 (projecting on roof of portico). Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3089882691

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 44 Wharton Street, London, WC1X 9PA
 - 45 Wharton Street, London, WC1X 9PA
 - 45 Wharton Street, London, WC1X 9PA
 - 46 Wharton Street, London, WC1X 9PA
 - 47 Wharton Street, London, WC1X 9PA

Monument/Component Types

- RAILINGS (19th Century - 1832 AD)
- STEPS (19th Century - 1832 AD)
- VILLA (19th Century - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369429 NUMBERS 44 TO 47 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/899 (South side) 29/09/72 Nos.44-47 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET Nos.33-47 (Consecutive)) GV II Terrace of 4 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; gabled roofs, materials obscured by parapet; centre brick stacks. Side-hall entrance plan to outer linked bay of each house except no. 44 which has porticoed side entrance to left-hand return wall in Granville Street. Restrained Greek Revival style. Two-storeys with basements; 2 windows each including recessed 1-window entrance bay coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by C20 reproduction iron balcony railings except no. 44 (with coupled antae portico and no railings). Architraved panelled doorway. Architraved 8/8 sashes throughout; 1st floor recessed balconied links with narrower doors or sashes except no. 44 (projecting on roof of portico). Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3089882691

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86380
Monument Type	Listed Building
Preferred Ref.	MLO86380
Name	NUMBERS 44 TO 58 (EVEN) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30854 82658 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3084SE KINGS CROSS ROAD 635-1/51/1012 Nos.44-58 (Even) 06/04/73 and attached railings GV II Row of houses. c. 1830. Stock brick, with parapeted roofs and party wall stacks. Three storeys over basement. Eight houses remain of a symmetrical terrace of eleven. Centre (Nos 52,54 and 56) projecting slightly, each house having one-window range only at first and second floor level, with segmental-headed 6/6 windows in recessed surrounds, divided by recessed pilaster-bands. The other houses (44,46,48,50 and 58) of two-window range: 6/6 sashes with segmental headed openings at ground level. Panelled doors. Plat bands between ground and first and second floors. Original railings and railings to steps remain to several houses. Included for group value. Listing NGR: TQ3085482658

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 44 King's Cross Road, London, WC1X 9QE
- 46 King's Cross Road, London, WC1X 9QE
- 50 King's Cross Road, London, WC1X 9QE
- 54 King's Cross Road, London, WC1X 9QE
- 58 King's Cross Road, London, WC1X 9QE
- 58 King's Cross Road, London, WC1X 9QE

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1850 AD)
- ROW (19th Century - 1810 AD to 1850 AD)
- ROW HOUSE (19th Century - 1810 AD to 1850 AD)
- STEPS (19th Century - 1810 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369060 NUMBERS 44 TO 58 (EVEN) AND ATTACHED RAILINGS	ISLINGTON TQ3084SE KINGS CROSS ROAD 635-1/51/1012 Nos.44-58 (Even) 06/04/73 and attached railings GV II Row of houses. c. 1830. Stock brick, with parapeted roofs and party wall stacks. Three storeys over basement. Eight houses remain of a symmetrical terrace of eleven. Centre (Nos 52,54 and 56) projecting slightly, each house having one-window range only at first and second floor level, with segmental-headed 6/6 windows in recessed surrounds, divided by recessed pilaster-bands. The other houses (44,46,48,50 and 58) of two-window range: 6/6 sashes with segmental headed openings at ground level. Panelled doors. Plat bands between ground and first and second floors. Original railings and railings to steps remain to several houses. Included for group value. Listing NGR: TQ3085482658

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80504
Monument Type	Listed Building
Preferred Ref.	MLO80504
Name	NUMBERS 44-49 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30121 81843 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1420 (South side) 28/03/69 Nos.44-49 (Consecutive) and attached railings GV II Terrace of 6 houses, formerly a symmetrical terrace similar to Nos 52-60 (qv); with one surviving, projecting end bay (No.44) and central bays (Nos 47-49). c1800-03. By James Burton, altered c1898 by PE Pilditch. Multi-coloured stock brick with rusticated stucco ground floors and slated mansard roofs with dormers. Later terracotta dressings. EXTERIOR: 3 storeys, attics and dormers. Projecting bays 4 storeys. 3 windows each, No.44 with return of 4 blind windows to Montague Street. Round-arched doorways with pilaster-jambs, cornice-heads, fanlights, sidelights and double panelled doors; Nos 44, 47 and 48 with square-headed terracotta surrounds. Recessed, architraved casement and sash windows. 1st floor with cornices and central windows with pediments; Nos 47-49 central windows 3-light canted bays. Continuous cast-iron balconies to 1st floor windows. Projecting bays with 3rd floor cornice and enriched frieze below. Parapets. Dormers with terracotta cornices; projecting bays with alternating triangular and semicircular pediments, Nos 45 and 46 with semicircular pediments to centre dormers only. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: the Duke of Bedford was inspired to add terracotta dressings to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ3012181843

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 44 Russell Square, London, WC1B 4JP
- 45 Russell Square, London, WC1B 4JP
- 45 Russell Square, London, WC1B 4JP
- 46-47 Russell Square, London, WC1B 4JP
- 46-47 Russell Square, London, WC1B 4JP
- 48-49 Russell Square, London, WC1B 4JY
- 48-49 Russell Square, London, WC1B 4JY

Monument/Component Types

- TERRACE (18th Century to 19th Century - 1800 AD to 1803 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1803 AD)
- RAILINGS (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Modern - 1878 AD to 1918 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477920 NUMBERS 44-49 AND ATTACHED RAILINGS	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1420 (South side) 28/03/69 Nos.44-49 (Consecutive) and attached railings GV II Terrace of 6 houses, formerly a symmetrical terrace similar to Nos 52-60 (qv); with one surviving, projecting end bay (No.44) and central bays (Nos 47-49). c1800-03. By James Burton, altered c1898 by PE Pilditch. Multi-coloured stock brick with rusticated stucco ground floors and slated mansard roofs with dormers. Later terracotta dressings. EXTERIOR: 3 storeys, attics and dormers. Projecting bays 4 storeys. 3 windows each, No.44 with return of 4 blind windows to Montague Street. Round-arched doorways with pilaster-jambs, cornice-heads, fanlights, sidelights and double panelled doors; Nos 44, 47 and 48 with square-headed terracotta surrounds. Recessed, architraved casement and sash windows. 1st floor with cornices and central windows with pediments; Nos 47-49 central windows 3-light canted bays. Continuous cast-iron balconies to 1st floor windows. Projecting bays with 3rd floor cornice and enriched frieze below. Parapets. Dormers with terracotta cornices; projecting bays with alternating triangular and semicircular pediments, Nos 45 and 46 with semicircular pediments to centre dormers only. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: the Duke of Bedford was inspired to add terracotta dressings to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ3012181843

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81419
Monument Type	Listed Building
Preferred Ref.	MLO81419
Name	NUMBERS 45-63 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30873 82594 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE KINGS CROSS ROAD 798-1/91/991 (West side) 22/01/73 Nos.45-63 (Odd) and attached railings II Terrace of 10 houses. No.45: early C19. Stucco with rusticated ground floor. 3 storeys and basement. 1 window. Segmental arched doorway with splayed reveals, cornice-head, fanlight and panelled door. Pilasters rise through 1st and 2nd floors carrying entablature. Recessed sash windows; 1st floor round-arched, architraved with fan decoration in the tympanum and cast-iron balcony. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. Nos 47-59: early C19, altered. Yellow stock brick with rusticated stucco ground floors and plain stucco 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental arched doorways with splayed reveals, panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Cement cornice and blocking course. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials. Nos 61 & 63: mid C19. Yellow stock brick; parapet rebuilt in multi-coloured stocks. Plain stucco band at ground floor level. 3 storeys and basements. 2 windows each, No.63 with 1 window right hand extension. Round-arched doorways with fanlights and panelled doors. Gauged red brick flat arches to recessed sashes. Set into the wall, a carved mask keystone and plaque inscribed: S + P THIS IS BAGNIGGE HOVSE NEARE THE PINDER A WAKEFEILDE 1680. SUBSIDIARY FEATURES: attached cast-iron railings to areas. INTERIORS: not inspected. HISTORICAL NOTE: this was the site of Bagnigge Wells, watering place and pleasure garden founded 1759 by Thomas Hughes. The houses are on the site of the Long Room where concerts were held. The inscription, refixed, may be derived from an earlier house on the site of the spa. Nos 45-59 were probably developed when the spa was reduced in size in 1813. Nos 61 and 63 were probably built when the spa was closed in 1841. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 66-68). Listing NGR: TQ3087382594

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 King's Cross Road, London, WC1X 9LN
- 47 King's Cross Road, London, WC1X 9LN
- 49 King's Cross Road, London, WC1X 9LN
- 49 King's Cross Road, London, WC1X 9LN
- 51 King's Cross Road, London, WC1X 9LN
- 53 King's Cross Road, London, WC1X 9LN
- 55 King's Cross Road, London, WC1X 9LN
- 57 King's Cross Road, London, WC1X 9LN
- 59 King's Cross Road, London, WC1X 9LN

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- HOUSE (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Unknown - 1833 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478624 NUMBERS 45-63 AND ATTACHED RAILINGS	CAMDEN TQ3082NE KINGS CROSS ROAD 798-1/91/991 (West side) 22/01/73 Nos.45-63 (Odd) and attached railings II Terrace of 10 houses. No.45: early C19. Stucco with rusticated ground floor. 3 storeys and basement. 1 window. Segmental arched doorway with splayed reveals, cornice-head, fanlight and panelled door. Pilasters rise through 1st and 2nd floors carrying entablature. Recessed sash windows; 1st floor round-arched, architraved with fan decoration in the tympanum and cast-iron balcony. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to areas. Nos 47-59: early C19, altered. Yellow stock brick with rusticated stucco ground floors and plain stucco 1st floor sill bands. 3 storeys and basements. 2 windows each. Segmental arched doorways with splayed reveals, panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Cement cornice and blocking course. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials. Nos 61 & 63: mid C19. Yellow stock

brick; parapet rebuilt in multi-coloured stocks. Plain stucco band at ground floor level. 3 storeys and basements. 2 windows each, No.63 with 1 window right hand extension. Round-arched doorways with fanlights and panelled doors. Gauged red brick flat arches to recessed sashes. Set into the wall, a carved mask keystone and plaque inscribed: S + P THIS IS BAGNIGGE HOVSE NEARE THE PINDER A WAKEFEILDE 1680. SUBSIDIARY FEATURES: attached cast-iron railings to areas. INTERIORS: not inspected. HISTORICAL NOTE: this was the site of Bagnigge Wells, watering place and pleasure garden founded 1759 by Thomas Hughes. The houses are on the site of the Long Room where concerts were held. The inscription, refixed, may be derived from an earlier house on the site of the spa. Nos 45-59 were probably developed when the spa was reduced in size in 1813. Nos 61 and 63 were probably built when the spa was closed in 1841. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 66-68). Listing NGR: TQ3087382594

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80382
Monument Type	Listed Building
Preferred Ref.	MLO80382
Name	NUMBERS 46 AND 47 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30374 81596 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/106 (South West side) 01/03/73 Nos.46 AND 47 and attached railings GV II 2 terraced houses. c1840-50. Darkened brick with rusticated stucco ground floor and stucco block quoins. Slate mansard roof with dormers. 4 storeys, attics and basements. 2 windows each, No.46 with 3-window (blind) return, bay corner treatment and a 2 storey back extension. Square-headed, recessed doorways with fanlights and panelled doors. Square-headed, architraved sash windows, No.46 with 1st floor bracketed cornices; No.47 with 1st floor segmental pediments and 2nd floor bracketed cornices. Continuous cast-iron balcony at 1st floor level with palmette motif. 3rd floor sill band. Stucco cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Nos 1, 46 and 47 form a group. Listing NGR: TQ3037481596

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 46-47 Bloomsbury Square, London, WC1A 2RH

- 46-47 Bloomsbury Square, London, WC1A 2RH

- 46-47 Bloomsbury Square, London, WC1A 2RH

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476736 NUMBERS 46 AND 47 AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/106 (South West side) 01/03/73 Nos.46 AND 47 and attached railings GV II 2 terraced houses. c1840-50. Darkened brick with rusticated stucco ground floor and stucco block quoins. Slate mansard roof with dormers. 4 storeys, attics and basements. 2 windows each, No.46 with 3-window (blind) return, bay corner treatment and a 2 storey back extension. Square-headed, recessed doorways with fanlights and panelled doors. Square-headed, architraved sash windows, No.46 with 1st floor bracketed cornices; No.47 with 1st floor segmental pediments and 2nd floor bracketed cornices. Continuous cast-iron balcony at 1st floor level with palmette motif. 3rd floor sill band. Stucco cornice and blocking course. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Nos 1, 46 and 47 form a group. Listing NGR: TQ3037481596

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81312
Monument Type	Listed Building
Preferred Ref.	MLO81312
Name	NUMBERS 46 TO 68 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29558 82048 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE HUNTLEY STREET 798-1/94/932 (East side) 28/03/69 Nos.46-68 (Even) and attached railings GV II Terrace of 12 houses. Late C18. Multi-coloured stock brick with plain stucco 1st floor sill band. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Round-arched doorways most with patterned impost bands and keystone blocks, pilaster-jambs, radial patterned fanlights and panelled doors. Gauged brick flat arches to recessed sash windows. Parapets. Some original lead rainwater heads and pipes. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2955882048

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 46 Huntley Street, London, WC1E 6DD
 - 46 Huntley Street, London, WC1E 6DD
 - 52 Huntley Street, London, WC1E 6DD

Monument/Component Types

- RAILINGS (Undated)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478509 NUMBERS 46 TO 68 AND ATTACHED RAILINGS	CAMDEN TQ2982SE HUNTLEY STREET 798-1/94/932 (East side) 28/03/69 Nos.46-68 (Even) and attached railings GV II Terrace of 12 houses. Late C18. Multi-coloured stock brick with plain stucco 1st floor sill band. Slated mansard roofs with dormers. 3 storeys, attics and basements. 2 windows each. Round-arched doorways most with patterned impost bands and keystone blocks, pilaster-jambs, radial patterned fanlights and panelled doors. Gauged brick flat arches to recessed sash windows. Parapets. Some original lead rainwater heads and pipes. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2955882048

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80420
Monument Type	Listed Building
Preferred Ref.	MLO80420
Name	NUMBERS 46, 47, 47A, AND 48 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30852 81660 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE BEDFORD ROW 798-1/101/70 (West side) 14/05/74 Nos.46, 47, 47A AND 48 and attached railings (Formerly Listed as: BEDFORD ROW Nos.46-48 (Consecutive)) GV II 3 terraced houses. Late C18, altered. No.47 with two entrances. Yellow stock brick. 4 storeys and basements. No.46: 3 windows. Segmental-arched entrance with keystone, impost blocks and pilasters to door frame; patterned radial fanlight and panelled door. Ground floor recessed 20th century sash windows, 1st, 2nd, and 3rd floor stucco architraved sashes. Stucco 1st floor and sill band, the brickwork in between partly painted. Stucco cornice and blocking course. No.47 & 47A: 2 windows. 2 wood doorcases with panelled reveals, carved brackets carrying hoods; fanlights and panelled doors. One recessed sash window with painted red brick flat arch between the doors. Stucco sill band to 1st floor. Stucco architraved sash windows to 1st, 2nd, and 3rd floors. Stucco cornice and blocking course. No.48: 2 windows. Stucco ground floor with arched entrance, fanlight and panelled door. Recessed 20th century sash to left. 1st floor architraved 20th century sashes with wrought-iron balcony. Stone band 2nd floor sill level. 2nd and 3rd floor 20th century recessed sashes. Parapet with brick band. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Nos 46-48 (consec) form a group closing the vista at the south end of the street. Listing NGR: TQ3085281660

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 47 Bedford Row, London, WC1R 4LR
 - 48 Bedford Row, London, WC1R 4LR
 - A 47 Bedford Row, London, WC1R 4LR
 - A 47 Bedford Row, London, WC1R 4LR

Monument/Component Types

- RAILINGS (18th Century - 1767 AD to 1799 AD)
- TERRACE (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)
- HOUSE (18th Century to Unknown - 1800 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476666 NUMBERS 46, 47, 47A, AND 48 AND ATTACHED RAILINGS	CAMDEN TQ3081NE BEDFORD ROW 798-1/101/70 (West side) 14/05/74 Nos.46, 47, 47A AND 48 and attached railings (Formerly Listed as: BEDFORD ROW Nos.46-48 (Consecutive)) GV II 3 terraced houses. Late C18, altered. No.47 with two entrances. Yellow stock brick. 4 storeys and basements. No.46: 3 windows. Segmental-arched entrance with keystone, impost blocks and pilasters to door frame; patterned radial fanlight and panelled door. Ground floor recessed C20 sash windows, 1st, 2nd, and 3rd floor stucco architraved sashes. Stucco 1st floor and sill band, the brickwork in between partly painted. Stucco cornice and blocking course. No.47 & 47A: 2 windows. 2 wood doorcases with panelled reveals, carved brackets carrying hoods; fanlights and panelled doors. One recessed sash window with painted red brick flat arch between the doors. Stucco sill band to 1st floor. Stucco architraved sash windows to 1st, 2nd, and 3rd floors. Stucco cornice and blocking course. No.48: 2 windows. Stucco ground floor with arched entrance, fanlight and panelled door. Recessed C20 sash to left. 1st floor architraved C20 sashes with wrought-iron balcony. Stone band 2nd floor sill level. 2nd and 3rd floor C20 recessed sashes. Parapet with brick band. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Nos 46-48 (consec) form a group closing the vista at the south end of the street. Listing NGR: TQ3085281660

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80340
Monument Type	Listed Building
Preferred Ref.	MLO80340
Name	NUMBERS 46-63 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30010 82489 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW CARTWRIGHT GARDENS 798-1/95/179 Nos.46-63 (Consecutive) 14/05/74 and attached railings (Formerly Listed as: CARTWRIGHT GARDENS Nos.46-63 (Consecutive) Avalon Hotel, Nat West Hostel, Mentone Hotel, George Hotel, Harlingford Hotel) GV II Terrace of 18 houses forming the southern half of a crescent. Now occupied mostly as hotels as follows: Nos 46 & 47 Avalon Hotel, Nos 49 & 50 Crescent Hotel, No.53 Euro Hotel, Nos 54 & 55 Mentone Hotel, No.56 Devon Hotel, No.57 Avonmore Hotel, Nos 58-60 George Hotel, Nos 61-63 Harlingford Hotel. c1809-11. Designed and built by James Burton. Darkened stock brick (evidence of tuck pointing) with rusticated stucco ground floors (some gloss painted) and stucco cornice at 3rd floor level. EXTERIOR: 4 storeys and basements. 2 and 3 windows. Centre 4 and end 3 houses projecting. Round-arched doorways, (where unaltered) with reeded jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 46 & 63 doorways on returns to Burton Place and Marchmont Street; No.46 (4 windows, 3 blind) with prostyle Doric portico; No.63, 1 window above rusticated stucco porch with subsidiary doorway to the right. Ground floor windows round-arched, those on the projecting bays in shallow, round-arched recesses. Gauged brick flat arches (mostly reddened) to recessed sash windows. 1st floor on central projecting bay, casements, one with geometrically patterned glazing to top light. All 1st floor windows, with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with baluster finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 89). Listing NGR: TQ3001082489

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 46 Cartwright Gardens, London, WC1H 9EL
- 48 Cartwright Gardens, London, WC1H 9EL
- 48 Cartwright Gardens, London, WC1H 9EL
- 49-50 Cartwright Gardens, London, WC1H 9EL
- 49-50 Cartwright Gardens, London, WC1H 9EL
- 51-53 Cartwright Gardens, London, WC1H 9EL
- 51-53 Cartwright Gardens, London, WC1H 9EL
- 54-55 Cartwright Gardens, London, WC1H 9EL
- 54-55 Cartwright Gardens, London, WC1H 9EL
- 56 Cartwright Gardens, London, WC1H 9EL
- 57 Cartwright Gardens, London, WC1H 9EL
- 58-60 Cartwright Gardens, London, WC1H 9EL
- 58-60 Cartwright Gardens, London, WC1H 9EL
- 61-62 Cartwright Gardens, London, WC1H 9EL
- 61-62 Cartwright Gardens, London, WC1H 9EL

Monument/Component Types

- HOTEL (Undated)
- CRESCENT (19th Century - 1809 AD to 1811 AD)
- RAILINGS (19th Century - 1809 AD to 1811 AD)
- TERRACE (19th Century - 1809 AD to 1811 AD)
- TERRACED HOUSE (19th Century - 1809 AD to 1811 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476858 NUMBERS 46-63 AND ATTACHED RAILINGS	CAMDEN TQ3082SW CARTWRIGHT GARDENS 798-1/95/179 Nos.46-63 (Consecutive) 14/05/74 and attached railings (Formerly Listed as: CARTWRIGHT GARDENS Nos.46-63 (Consecutive) Avalon Hotel, Nat West Hostel, Mentone Hotel, George Hotel, Harlingford Hotel) GV II Terrace of 18 houses forming the southern half of a crescent. Now occupied mostly as hotels as follows: Nos 46 & 47 Avalon Hotel, Nos 49 & 50 Crescent Hotel, No.53 Euro Hotel, Nos 54 & 55 Mentone Hotel, No.56 Devon Hotel, No.57 Avonmore Hotel, Nos 58-60 George Hotel, Nos 61-63 Harlingford Hotel. c1809-11. Designed and built by James Burton. Darkened stock brick (evidence of tuck pointing) with rusticated stucco ground floors (some gloss painted) and stucco cornice at 3rd floor level. EXTERIOR: 4 storeys and basements. 2 and 3 windows. Centre 4 and end 3 houses projecting. Round-arched

doorways, (where unaltered) with reeded jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 46 & 63 doorways on returns to Burton Place and Marchmont Street; No.46 (4 windows, 3 blind) with prostyle Doric portico; No.63, 1 window above rusticated stucco porch with subsidiary doorway to the right. Ground floor windows round-arched, those on the projecting bays in shallow, round-arched recesses. Gauged brick flat arches (mostly reddened) to recessed sash windows. 1st floor on central projecting bay, casements, one with geometrically patterned glazing to top light. All 1st floor windows, with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with baluster finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 89). Listing NGR: TQ3001082489

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79880
Monument Type	Listed Building
Preferred Ref.	MLO79880
Name	NUMBERS 47 TO 53 AND ATTACHED RAILINGS TO AREAS AND WALL TO NUMBER 45 TAVISTOCK SQUARE AND SCREEN WALL LINKING NUMBER 53 GORDON SQUARE AND NUMBER 45 T
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29837 82251 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/595 (East side) 03/04/69 Nos.47-53 (Consecutive) and attached railings to areas and wall to No.45 Tavistock Square GV II Includes: Screen wall linking No.53 Gordon Square & No.45 Tavistock Square TAVISTOCK SQUARE. Terrace of 7 houses. Mid 19th century. Yellow stock brick with alternating rusticated and plain stucco ground floors. Rusticated stucco quoins. EXTERIOR: 5 storeys and basements. 3 windows each and 3-window right hand return (1 blind) forming entrance to No.53. Symmetrical composition in Italianate style with projecting central (No.50) and end bays (Nos 47 & 53). Nos 47, 52 & 53 with Doric prostyle porticoes with balustraded parapets. Square-headed, recessed doorways with fanlights and panelled doors. Architraved 1st floor sash windows, Nos 47, 50 & 53 with pediments and continuous balustraded balconies on large brackets. Nos 48, 49, 51 & 52 with cornices and continuous cast-iron balconies. Remaining windows architraved sashes, the 2nd floors of Nos 47, 50 & 53 with cornices. Moulded stucco 4th floor sill band. Projecting, bracketed stucco cornice. Slab chimney above No.53 with similar, scaled down cornice. Attached cast-iron railings with pineapple and foliated finials to areas. INTERIORS: retain good features and moulded ceilings. SUBSIDIARY FEATURES: attached wall from return of No.53 to No.45 Tavistock Square (qv) forming a balanced composition; stucco, divided into 7 bays by pilasters. HISTORICAL NOTE: No.51 was the home of Lytton Strachey, critic and biographer (GLC plaque). CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/595 Screen wall linking No.53 Gordon 03/04/69 Square & No.45 Tavistock Square GV II See under: Nos.47-53 and attached railings to areas and wall to No.45 Tavistock Square GORDON SQUARE. Listing NGR: TQ2983782251

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Bma House Tavistock Square, London, WC1H 9LD

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1866 AD)
- TERRACE (19th Century - 1833 AD to 1866 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1866 AD)
- WALL (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477361 NUMBERS 47 TO 53 AND ATTACHED RAILINGS TO AREAS AND WALL TO NUMBER 45 TAVISTOCK SQUARE AND SCREEN WALL LINKING NUMBER 53 GORDON SQUARE AND NUMBER 45 TAVISTOCK SQUARE	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/595 (East side) 03/04/69 Nos.47-53 (Consecutive) and attached railings to areas and wall to No.45 Tavistock Square GV II Includes: Screen wall linking No.53 Gordon Square & No.45 Tavistock Square TAVISTOCK SQUARE. Terrace of 7 houses. Mid C19. Yellow stock brick with alternating rusticated and plain stucco ground floors. Rusticated stucco quoins. EXTERIOR: 5 storeys and basements. 3 windows each and 3-window right hand return (1 blind) forming entrance to No.53. Symmetrical composition in Italianate style with projecting central (No.50) and end bays (Nos 47 & 53). Nos 47, 52 & 53 with Doric prostyle porticoes with balustraded parapets. Square-headed, recessed doorways with fanlights and panelled doors. Architraved 1st floor sash windows, Nos 47, 50 & 53 with pediments and continuous balustraded balconies on large brackets. Nos 48, 49, 51 & 52 with cornices and continuous cast-iron balconies. Remaining windows architraved sashes, the 2nd floors of Nos 47, 50 & 53 with cornices. Moulded stucco 4th floor sill band. Projecting, bracketed stucco cornice. Slab chimney above No.53 with similar, scaled down cornice. Attached cast-iron railings with pineapple and foliated finials to areas. INTERIORS: retain good features and moulded ceilings. SUBSIDIARY FEATURES: attached wall from return of No.53 to No.45 Tavistock Square (qv) forming a balanced composition; stucco, divided into 7 bays by pilasters. HISTORICAL NOTE: No.51 was the home of Lytton Strachey, critic and biographer (GLC plaque). CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/595 Screen wall linking No.53 Gordon 03/04/69 Square & No.45 Tavistock Square GV II See under: Nos.47-53 and attached railings to areas and wall to No.45 Tavistock Square GORDON SQUARE. Listing NGR: TQ2983782251

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80103
Monument Type	Listed Building
Preferred Ref.	MLO80103
Name	NUMBERS 47-57 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31060 82184 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3182SW MOUNT PLEASANT 798-1/97/1163 (East side) 14/05/74 Nos.47-57 (Odd) and attached railings GV II Terrace of 6 houses. c1720, Nos 55 & 57 believed to be rebuilt later 19th century in facsimile. No.47: brown brick with stucco 2nd floor band and parapet. Brick cornice below the parapet. Tiled roof with dormer. 3 storeys, attic and cellar. 3 windows. Later 19th century shopfront with 20th century door and fascia flanked by consoles. Gauged red brick segmental arches and dressings to flush frame sashes with exposed boxing. INTERIOR: not inspected but noted to retain stairs with turned balusters and column newels. No.49: brown brick with brick 2nd floor band and cornice below the parapet. Tiled mansard roof with dormers. 3 storeys, attic and cellar. 3 windows. 20th century reproduction wooden shopfront with round-arched lights and panelled stallboard. Later 19th century consoles flanking fascia. Gauged red brick segmental arches and dressings to flush frame sashes with exposed boxing having hinged sash supports. INTERIOR: not inspected but noted to be panelled. Nos 51 & 53: stuccoed fronts with rusticated ground floors and quoins. 20th century tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Ground floors with 20th century sashes and panelled doors. Upper floors with segmental-arched, architraved, recessed sashes with exposed boxing; 1st floor of No.51 and 1st & 2nd floors, No.53 with gated sashes. Parapets. INTERIORS: not inspected. Nos 55 & 57: red brick, No.55 painted. Tiled double pitched roofs. Brick cornices below parapets. 20th century ground floor terrazzo betting shopfrontage but No.55 retaining wooden doorcase with pilasters and brackets carrying flat hood. Gauged brick segmental arches to recessed sashes with exposed boxing. At 1st floor level, centrally positioned tablet with moulded brick cornice inscribed "Dorrington Street 1720" not in situ. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 51 & 53. Listing NGR: TQ3106082184

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 45 Mount Pleasant, London, WC1X 0AE

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1740 AD)
- TERRACE (17th Century to 18th Century - 1700 AD to 1740 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1740 AD)
- HOUSE (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477551 NUMBERS 47-57 AND ATTACHED RAILINGS	CAMDEN TQ3182SW MOUNT PLEASANT 798-1/97/1163 (East side) 14/05/74 Nos.47-57 (Odd) and attached railings GV II Terrace of 6 houses. c1720, Nos 55 & 57 believed to be rebuilt later C19 in facsimile. No.47: brown brick with stucco 2nd floor band and parapet. Brick cornice below the parapet. Tiled roof with dormer. 3 storeys, attic and cellar. 3 windows. Later C19 shopfront with C20 door and fascia flanked by consoles. Gauged red brick segmental arches and dressings to flush frame sashes with exposed boxing. INTERIOR: not inspected but noted to retain stairs with turned balusters and column newels. No.49: brown brick with brick 2nd floor band and cornice below the parapet. Tiled mansard roof with dormers. 3 storeys, attic and cellar. 3 windows. C20 reproduction wooden shopfront with round-arched lights and panelled stallboard. Later C19 consoles flanking fascia. Gauged red brick segmental arches and dressings to flush frame sashes with exposed boxing having hinged sash supports. INTERIOR: not inspected but noted to be panelled. Nos 51 & 53: stuccoed fronts with rusticated ground floors and quoins. C20 tiled mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Ground floors with C20 sashes and panelled doors. Upper floors with segmental-arched, architraved, recessed sashes with exposed boxing; 1st floor of No.51 and 1st & 2nd floors, No.53 with gated sashes. Parapets. INTERIORS: not inspected. Nos 55 & 57: red brick, No.55 painted. Tiled double pitched roofs. Brick cornices below parapets. C20 ground floor terrazzo betting shopfrontage but No.55 retaining wooden doorcase with pilasters and brackets carrying flat hood. Gauged brick

segmental arches to recessed sashes with exposed boxing. At 1st floor level, centrally positioned tablet with moulded brick cornice inscribed "Dorrington Street 1720" not in situ. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 51 & 53. Listing NGR: TQ3106082184

Other Statuses and References

Type/Grade **Reference/Title**

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID **Name/Ref**

Not Applicable	No Associated Event
--------------------------------	---------------------

Brief Description (click Event ID for details)

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79899
Monument Type	Listed Building
Preferred Ref.	MLO79899
Name	NUMBERS 48, 50 AND 52 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30677 82700 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/518 (North side) 25/10/71 Nos.48, 50 AND 52 and attached railings GV II Terrace of 3 houses. c1815-21. By Thomas Cubitt. Stucco with plain stucco 1st floor sill bands. Terrace closing the vista the north end of Ampton Place. 4 storeys and basements. 1 window each in slightly projecting bays. Round-arched ground floor openings. Doorways and panelled jambs, cornice-heads, fanlights and panelled doors. 4-light 1st floor windows with cast-iron verandahs with tented hoods with patterned wooden fringe. Segmental arched 2nd floor windows with cast-iron window guards. Individual cornices at 3rd floor level on projecting bays only. Recessed sashes to 3rds floors and parapets (formerly scrolled). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3067782700

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 48 Frederick Street, London, WC1X 0ND
 - 48 Frederick Street, London, WC1X 0ND
 - 50 Frederick Street, London, WC1X 0ND
 - 52 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1815 AD to 1821 AD)
- TERRACE (19th Century - 1815 AD to 1821 AD)
- TERRACED HOUSE (19th Century - 1815 AD to 1821 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477403 NUMBERS 48, 50 AND 52 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/518 (North side) 25/10/71 Nos.48, 50 AND 52 and attached railings GV II Terrace of 3 houses. c1815-21. By Thomas Cubitt. Stucco with plain stucco 1st floor sill bands. Terrace closing the vista the north end of Ampton Place. 4 storeys and basements. 1 window each in slightly projecting bays. Round-arched ground floor openings. Doorways and panelled jambs, cornice-heads, fanlights and panelled doors. 4-light 1st floor windows with cast-iron verandahs with tented hoods with patterned wooden fringe. Segmental arched 2nd floor windows with cast-iron window guards. Individual cornices at 3rd floor level on projecting bays only. Recessed sashes to 3rds floors and parapets (formerly scrolled). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3067782700

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80432
Monument Type	Listed Building
Preferred Ref.	MLO80432
Name	NUMBERS 48-58 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30312 82731 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/54 (South side) 14/05/74 Nos.48-58 (Even) and attached railings GV II Terrace of 6 houses, now mostly small hotels. c1839-49. Yellow stock brick. Nos 48-52 with channelled cement ground floors; No.54, painted ground floor. Nos 48-54 with slated mansard roofs and dormers. 3 storeys, Nos 48-54 with attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways, Nos 48-52 with cement surrounds; Nos 54-58 with stucco surrounds; pilaster-jamb, cornice-heads, fanlights (Nos 56 & 58 patterned) and panelled doors. Ground floor windows with margin lights except Nos 56 & 58 with intersecting tracery. Upper floors with gauged brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3031282731

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 56 Argyle Street, London, WC1H 8ER

- 56 Argyle Street, London, WC1H 8ER

- 58 Argyle Street, London, WC1H 8ER

Monument/Component Types

- RAILINGS (19th Century - 1839 AD to 1849 AD)
- TERRACE (19th Century - 1839 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1839 AD to 1849 AD)
- HOTEL (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476618 NUMBERS 48-58 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/54 (South side) 14/05/74 Nos.48-58 (Even) and attached railings GV II Terrace of 6 houses, now mostly small hotels. c1839-49. Yellow stock brick. Nos 48-52 with channelled cement ground floors; No.54, painted ground floor. Nos 48-54 with slated mansard roofs and dormers. 3 storeys, Nos 48-54 with attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways, Nos 48-52 with cement surrounds; Nos 54-58 with stucco surrounds; pilaster-jamb, cornice-heads, fanlights (Nos 56 & 58 patterned) and panelled doors. Ground floor windows with margin lights except Nos 56 & 58 with intersecting tracery. Upper floors with gauged brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3031282731

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86290
Monument Type	Listed Building
Preferred Ref.	MLO86290
Name	NUMBERS 5 TO 24 (CONSECUTIVE) AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30920 82736 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/895 (North side) 29/09/72 Nos.5-24 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET Nos.5-24; 33-47 (Consecutive)) GV II Terrace of 20 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh (nos. 6, 10, 12) and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Side-hall entrance plan to outer linked bay of each house. Restrained Greek Revival style. Two-storeys with basements; 2-windows each including recessed 1-window entrance bays coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by 20th century reproduction iron balcony railings. Architraved doorway with pair of 3-panelled doors except to nos. 5-10 (4 & 6-panelled single door). Architraved sashes throughout: ground-floor with predominantly 6/6 sashes with margin lights except to nos. 7-10, 12, 14, 21, 24 (8/8) and 1st floor 8/8 sashes except nos. 18-20, 22, 23 (6/6 with margin lights) and nos. 23-24 with cast-iron Neo-classical window guards in palmette pattern; 1st floor recessed balconied links with narrower doors nos. 20, 21, 23, 24 (original) or various sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Mary Cosh: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3092082736

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 10 Wharton Street, London, WC1X 9PX
 - 12 Wharton Street, London, WC1X 9PT
 - 13 Wharton Street, London, WC1X 9PT
 - 14 Wharton Street, London, WC1X 9PT
 - 15 Wharton Street, London, WC1X 9PT
 - 15 Wharton Street, London, WC1X 9PT
 - 16 Wharton Street, London, WC1X 9PT
 - 17 Wharton Street, London, WC1X 9PT
 - 18 Wharton Street, London, WC1X 9PT
 - 19 Wharton Street, London, WC1X 9PT
 - 20 Wharton Street, London, WC1X 9PT
 - 21 Wharton Street, London, WC1X 9PT
 - 22 Wharton Street, London, WC1X 9PT
 - 23 Wharton Street, London, WC1X 9PT
 - 24 Wharton Street, London, WC1X 9PT
 - 5 Wharton Street, London, WC1X 9PX
 - 6 Wharton Street, London, WC1X 9PX
 - 7 Wharton Street, London, WC1X 9PX
 - 8 Wharton Street, London, WC1X 9PX

Monument/Component Types

- RAILINGS (19th Century - 1832 AD)
- STEPS (19th Century - 1832 AD)
- VILLA (19th Century - 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369425 NUMBERS 5 TO 24 (CONSECUTIVE) AND ATTACHED RAILINGS	ISLINGTON TQ3082NE WHARTON STREET 635-1/67/895 (North side) 29/09/72 Nos.5-24 (Consecutive) and attached railings (Formerly Listed as: WHARTON STREET Nos.5-24; 33-47 (Consecutive)) GV II Terrace of 20 semi-detached linked villas. On slope of hill. Street laid out in 1832 by John Booth, and his son, also John, Surveyors for the Lloyd Baker Estate. Gold stock bricks set in Flemish bond with stucco dressings, and stucco pediment over each pair; Welsh (nos. 6, 10, 12) and artificial slate gabled roofs, others obscured by parapet; centre brick or stucco rendered stacks. Side-hall entrance plan to outer linked bay of each house. Restrained Greek Revival style. Two-storeys with

basements; 2-windows each including recessed 1-window entrance bays coupled as link. Low steps rise to deeply recessed stucco entrance with antae supporting entablature surmounted by C20 reproduction iron balcony railings. Architraved doorway with pair of 3-panelled doors except to nos. 5-10 (4 & 6-panelled single door). Architraved sashes throughout: ground-floor with predominantly 6/6 sashes with margin lights except to nos. 7-10, 12, 14, 21, 24 (8/8) and 1st floor 8/8 sashes except nos. 18-20, 22, 23 (6/6 with margin lights) and nos. 23-24 with cast-iron Neo-classical window guards in palmette pattern; 1st floor recessed balconied links with narrower doors nos. 20, 21, 23, 24 (original) or various sashes. Plain stucco band beneath pediments; stucco parapet with stone coping or blocking course to 1st floor recessed link. Attached iron railings. (Historians File, English Heritage, London Division: 1990-; The Squares of Islington: Mary Cosh: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 57-58). Listing NGR: TQ3092082736

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80399
Monument Type	Listed Building
Preferred Ref.	MLO80399
Name	NUMBERS 5, 5A AND 6 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30321 81591 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/100 (West side) 24/10/51 Nos.5, 5A AND 6 and attached railings and lamp-holder (Formerly Listed as: BLOOMSBURY SQUARE Nos.5 AND 6) GV II* Two houses, now in three units: No.6 facing Bloomsbury Square, Nos 5 and 5A main facade on Bloomsbury Way with return to Bloomsbury Square. 1744. By Henry Flitcroft. Possibly built by JI Devall. Darkened multi-coloured stock brick. Stone bracketed cornice below brick parapet and stone band at 1st floor level. Tiled roof with dormers. 3 storeys, attic and basement. Nos 5 and 5a: symmetrical facade in Bloomsbury Way with No.23 Bloomsbury Way (qv). 7 windows (right hand two blind), 3-window return to Bloomsbury Square. Pedimented centre bay slightly projecting with round arched entrance doorway with stone archivolt and band at springing, patterned fanlight and panelled door. To either side of door, sashes with keystone blocks. Above, at first floor level, round-headed sash flanked by 2 narrow square-headed sashes, all with stone sill band. 2nd floor with Diocletian type window. Gauged brick flat arches to recessed sash windows with stucco archivolts, some with original glazing bars. Right hand wing blind apart from left hand 2nd floor window. Lead rainwater heads and pipes. INTERIOR: some original panelled rooms and fireplaces; stone staircase with balustrade restored to original design. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.6: 3 windows. Stone architraved doorcase with console bracketed cornice, wood pilaster-jambs to door frame, fanlight and panelled, part glazed, door. Gauged brick flat arches to recessed sash windows with stucco archivolts, some with original glazing bars. INTERIOR: noted to contain some original panelling and features. Staircase altered early 20th century. SUBSIDIARY FEATURES: attached cast-iron railings to areas with urn finials and overthrow lamp-holder. HISTORICAL NOTE: No.6 was home, in his youth of Isaac Disraeli, father of Benjamin Disraeli (GLC plaque). Listing NGR: TQ3032181591

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Bloomsbury Square, London, WC1A 2TA

- 5 Bloomsbury Square, London, WC1A 2TA

Monument/Component Types

- HOUSE (18th Century - 1744 AD)
- LAMP BRACKET (18th Century - 1744 AD)
- RAILINGS (18th Century - 1744 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476726 NUMBERS 5, 5A AND 6 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/100 (West side) 24/10/51 Nos.5, 5A AND 6 and attached railings and lamp-holder (Formerly Listed as: BLOOMSBURY SQUARE Nos.5 AND 6) GV II* Two houses, now in three units: No.6 facing Bloomsbury Square, Nos 5 and 5A main facade on Bloomsbury Way with return to Bloomsbury Square. 1744. By Henry Flitcroft. Possibly built by JI Devall. Darkened multi-coloured stock brick. Stone bracketed cornice below brick parapet and stone band at 1st floor level. Tiled roof with dormers. 3 storeys, attic and basement. Nos 5 and 5a: symmetrical facade in Bloomsbury Way with No.23 Bloomsbury Way (qv). 7 windows (right hand two blind), 3-window return to Bloomsbury Square. Pedimented centre bay slightly projecting with round arched entrance doorway with stone archivolt and band at springing, patterned fanlight and panelled door. To either side of door, sashes with keystone blocks. Above, at first floor level, round-headed sash flanked by 2 narrow square-headed sashes, all with stone sill band. 2nd floor with Diocletian type window. Gauged brick flat arches to recessed sash windows with stucco archivolts, some with original glazing bars. Right hand wing blind apart from left hand 2nd floor window. Lead rainwater heads and pipes. INTERIOR: some original panelled rooms and fireplaces; stone staircase with balustrade restored to original design. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.6: 3 windows. Stone architraved doorcase with console bracketed cornice, wood pilaster-jambs to door frame, fanlight and panelled, part glazed, door. Gauged brick flat arches to recessed sash windows with stucco archivolts, some with original glazing bars. INTERIOR: noted to contain some original panelling and features. Staircase altered early C20. SUBSIDIARY

FEATURES: attached cast-iron railings to areas with urn finials and overthrow lamp-holder. HISTORICAL NOTE: No.6 was home, in his youth of Isaac Disraeli, father of Benjamin Disraeli (GLC plaque). Listing NGR: TQ3032181591

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81116
Monument Type	Listed Building
Preferred Ref.	MLO81116
Name	NUMBERS 51 AND 53 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30640 82777 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1587 (South side) 25/10/71 Nos.51 AND 53 and attached railings GV II 2 terraced houses. c1835-44. Grey stock brick with rusticated stucco ground floors. 4 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fanlights and panelled doors (to top panels glazed). Architraved 4-pane sashes; 1st floor with bracketed cornices and cast-iron balconies. 2nd floor with cornices. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 47-55 Swinton Street, London, WC1X 9NT

- 47-55 Swinton Street, London, WC1X 9NT

- 47-55 Swinton Street, London, WC1X 9NT

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478322 NUMBERS 51 AND 53 AND ATTACHED RAILINGS	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1587 (South side) 25/10/71 Nos.51 AND 53 and attached railings GV II 2 terraced houses. c1835-44. Grey stock brick with rusticated stucco ground floors. 4 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fanlights and panelled doors (to top panels glazed). Architraved 4-pane sashes; 1st floor with bracketed cornices and cast-iron balconies. 2nd floor with cornices. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80812
Monument Type	Listed Building
Preferred Ref.	MLO80812
Name	NUMBERS 51 TO 85 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29643 82027 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/606 (West side) 28/03/69 Nos.51-85 (Odd) and attached railings GV II Terrace of 18 houses. Nos 51-59 built 1786; Nos 61-85, 1787. Darkened yellow stock brick. Stucco band at ground floor level and to 1st floor sills. Slated mansard roofs with dormers. 3 storeys, attics and basements. Nos 65, 67 & 73, 4 storeys. 3 windows each. Entrances with stucco surrounds with pilasters and dentil cornices; alternating round and segmental-arched doorways with fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, most with original glazing bars. Ground and 1st floor windows with bracketed sills and cast-iron window guards. Nos 65 & 67 ground floor windows in segmental-arched recesses with stucco archivolt, impost and keys. Stone dentil cornices; Nos 65, 67 & 73 cornices at 3rd floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings, mostly with urn finials, to areas. Listing NGR: TQ2964382027

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53 Gower Street, London, WC1E 6HJ
 - 55 Gower Street, London, WC1E 6HQ
 - 57 Gower Street, London, WC1E 6HJ
 - 60 Gower Street, London, WC1E 6EA
 - 63 Gower Street, London, WC1E 6HJ
 - 65-67 Gower Street, London, WC1E 6HJ
 - 65-67 Gower Street, London, WC1E 6HJ
 - 66-72 Gower Street, London, WC1E 6EA
 - 66-72 Gower Street, London, WC1E 6EA
 - 66-72 Gower Street, London, WC1E 6EA
 - 66-72 Gower Street, London, WC1E 6EA
 - 69 Gower Street, London, WC1E 6HJ
 - 71-73 Gower Street, London, WC1E 6HJ
 - 71-73 Gower Street, London, WC1E 6HJ
 - 75 Gower Street, London, WC1E 6HJ
 - 77-79 Gower Street, London, WC1E 6HJ
 - 77-79 Gower Street, London, WC1E 6HJ
 - 81 Gower Street, London, WC1E 6HJ
 - 83 Gower Street, London, WC1E 6HJ
 - 85 Gower Street, London, WC1E 6HJ
 - 85 Gower Street, London, WC1E 6HJ

Monument/Component Types

- RAILINGS (18th Century - 1786 AD)
- TERRACE (18th Century - 1786 AD to 1787 AD)
- TERRACED HOUSE (18th Century - 1786 AD)
- RAILINGS (18th Century - 1787 AD)
- TERRACED HOUSE (18th Century - 1787 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477394 NUMBERS 51 TO 85 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GOWER STREET 798-1/94/606 (West side) 28/03/69 Nos.51-85 (Odd) and attached railings GV II Terrace of 18 houses. Nos 51-59 built 1786; Nos 61-85, 1787. Darkened yellow stock brick. Stucco band at ground floor level and to 1st floor sills. Slated mansard roofs with dormers. 3 storeys, attics and basements. Nos 65, 67 & 73, 4 storeys. 3 windows each. Entrances with stucco surrounds with pilasters and dentil cornices; alternating round and segmental-arched doorways with fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, most with original glazing bars. Ground and 1st floor windows with bracketed sills and cast-iron window guards. Nos 65 & 67 ground floor windows in segmental-arched recesses with stucco archivolt, impost and keys. Stone dentil cornices; Nos 65, 67 & 73 cornices at 3rd floor level. Parapets.

INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings, mostly with urn finials, to areas. Listing NGR: TQ2964382027

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79929
Monument Type	Listed Building
Preferred Ref.	MLO79929
Name	NUMBERS 51-55 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30477 82541 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW SIDMOUTH STREET 798-1/90/1442 (South side) 14/05/74 Nos.51-55 (Odd) and attached railings GV II 3 terraced houses. 1807-1818, altered, restored late 20th century. Darkened stock brick with some later patching. Rusticated stucco ground floors with 1st floor sill bands; Nos 51 and 55 rusticated. 3 storeys and basements. 2 windows each. Round-arched doorways, No.53 with architrave, with fluted attached Doric columns carrying dentil cornice-heads and patterned radial fanlights; panelled doors. Round-arched ground floor windows. Gauged brick flat arches to recessed sashes; Nos 51 and 55 1st floor windows in round-arched, shallow recesses with impost bands. No.51 1st floor windows with architraves, No.53 with casements. Cast-iron balconies to all 1st floor windows. Parapets; No.53 with stuccoed 2nd floor sill band and stuccoed parapet. Right hand return of No.55 painted with early 20th century advertising material. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 77). Listing NGR: TQ3047782541

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 51 Sidmouth Street, London, WC1H 8JB
- 51 Sidmouth Street, London, WC1H 8JB
- 53 Sidmouth Street, London, WC1H 8JB
- 55 Sidmouth Street, London, WC1H 8JB

Monument/Component Types

- RAILINGS (19th Century - 1807 AD to 1818 AD)
- TERRACE (19th Century - 1807 AD to 1818 AD)
- TERRACED HOUSE (19th Century - 1807 AD to 1818 AD)
- HOUSE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478002 NUMBERS 51-55 AND ATTACHED RAILINGS	CAMDEN TQ3082NW SIDMOUTH STREET 798-1/90/1442 (South side) 14/05/74 Nos.51-55 (Odd) and attached railings GV II 3 terraced houses. 1807-1818, altered, restored late C20. Darkened stock brick with some later patching. Rusticated stucco ground floors with 1st floor sill bands; Nos 51 and 55 rusticated. 3 storeys and basements. 2 windows each. Round-arched doorways, No.53 with architrave, with fluted attached Doric columns carrying dentil cornice-heads and patterned radial fanlights; panelled doors. Round-arched ground floor windows. Gauged brick flat arches to recessed sashes; Nos 51 and 55 1st floor windows in round-arched, shallow recesses with impost bands. No.51 1st floor windows with architraves, No.53 with casements. Cast-iron balconies to all 1st floor windows. Parapets; No.53 with stuccoed 2nd floor sill band and stuccoed parapet. Right hand return of No.55 painted with early C20 advertising material. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials. (Survey of London: Vol. XXIV, King's Cross Neighbourhood: London: -1952: 77). Listing NGR: TQ3047782541

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81113
Monument Type	Listed Building
Preferred Ref.	MLO81113
Name	NUMBERS 5-17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30744 82814 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1584 (South side) 25/10/71 Nos.5-17 (Odd) and attached railings GV II Terrace of 7 houses. c1835-44. Darkened stock brick with rusticated stucco ground floors, Nos 15 & 17 painted; plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings, except No.17. Doorways with fluted quarter columns, cornice-heads, fanlights and panelled doors. No.17 with pilaster-jambes carrying dentil cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes with glazing bars; ground floor sashes of Nos 5, 11 & 13 with margin glazing. No.17, 1st floor, architraved sashes with bracketed cornices. Cast-iron balconies to all 1st floor windows. Stucco cornices with blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3074482814

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13 Swinton Street, London, WC1X 9NL
 - 15 Swinton Street, London, WC1X 9NL
 - 15 Swinton Street, London, WC1X 9NL
 - 17 Swinton Street, London, WC1X 9NL
 - 5 Swinton Street, London, WC1X 9NL
 - 9 Swinton Street, London, WC1X 9NL

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- TERRACE (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478319 NUMBERS 5-17 AND ATTACHED RAILINGS	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1584 (South side) 25/10/71 Nos.5-17 (Odd) and attached railings GV II Terrace of 7 houses. c1835-44. Darkened stock brick with rusticated stucco ground floors, Nos 15 & 17 painted; plain 1st floor sill band. 3 storeys and basements. 2 windows each. Round-arched ground floor openings, except No.17. Doorways with fluted quarter columns, cornice-heads, fanlights and panelled doors. No.17 with pilaster-jambes carrying dentil cornice-head, fanlight and panelled door. Gauged brick flat arches to recessed sashes with glazing bars; ground floor sashes of Nos 5, 11 & 13 with margin glazing. No.17, 1st floor, architraved sashes with bracketed cornices. Cast-iron balconies to all 1st floor windows. Stucco cornices with blocking courses. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3074482814

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80505
Monument Type	Listed Building
Preferred Ref.	MLO80505
Name	NUMBERS 52-60 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30218 81913 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1421 (South side) 28/03/69 Nos.52-60 (Consecutive) and attached railings GV II Terrace of 9 houses. c1800-03. By James Burton, altered c1898 by PE Pilditch. Multi-coloured stock brick with rusticated stucco ground floors. Later terracotta dressings. Slated mansard roofs with dormers. Symmetrical terrace with projecting end bays (Nos 52 and 60) and central bays (Nos 55, 56 and 57). EXTERIOR: 3 storeys, attics and basements. Projecting bays 4 storeys. 3 windows each. No.52, 4 window (blind) return to Bedford Place and single storey, 5 window, 1 door stuccoed extension. Round-arched doorways with pilaster-jambes, cornice heads, fanlights, sidelights and double panelled doors; Nos 52, 55, 57 and 60 with terracotta surrounds. Recessed, architraved, mostly casement windows; 1st floor with cornices and central window of each bay pedimented. No.56 with semicircular pediment; Nos 55 and 57 with pedimented, canted bay windows. Continuous cast-iron balconies to 1st floor casements. Projecting bays with 3rd floor cornice and enriched frieze below. Parapets. Dormers with terracotta cornices and alternating triangular and semicircular pediments; Nos 53, 54, 58 and 59 with semicircular pediments to centre dormers only. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: the Duke of Bedford was inspired to add terracotta to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ3021881913

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 56 Russell Square, London, WC1B 4HP
 - 56 Russell Square, London, WC1B 4HP
 - 57-58 Russell Square, London, WC1B 4HP
 - 57-58 Russell Square, London, WC1B 4HP

Monument/Component Types

- TERRACE (18th Century to 19th Century - 1800 AD to 1803 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1803 AD)
- RAILINGS (19th Century - 1833 AD to 1866 AD)
- HOUSE (19th Century to Modern - 1878 AD to 1918 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477921 NUMBERS 52-60 AND ATTACHED RAILINGS	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1421 (South side) 28/03/69 Nos.52-60 (Consecutive) and attached railings GV II Terrace of 9 houses. c1800-03. By James Burton, altered c1898 by PE Pilditch. Multi-coloured stock brick with rusticated stucco ground floors. Later terracotta dressings. Slated mansard roofs with dormers. Symmetrical terrace with projecting end bays (Nos 52 and 60) and central bays (Nos 55, 56 and 57). EXTERIOR: 3 storeys, attics and basements. Projecting bays 4 storeys. 3 windows each. No.52, 4 window (blind) return to Bedford Place and single storey, 5 window, 1 door stuccoed extension. Round-arched doorways with pilaster-jambes, cornice heads, fanlights, sidelights and double panelled doors; Nos 52, 55, 57 and 60 with terracotta surrounds. Recessed, architraved, mostly casement windows; 1st floor with cornices and central window of each bay pedimented. No.56 with semicircular pediment; Nos 55 and 57 with pedimented, canted bay windows. Continuous cast-iron balconies to 1st floor casements. Projecting bays with 3rd floor cornice and enriched frieze below. Parapets. Dormers with terracotta cornices and alternating triangular and semicircular pediments; Nos 53, 54, 58 and 59 with semicircular pediments to centre dormers only. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached mid C19 cast-iron railings to areas. HISTORICAL NOTE: the Duke of Bedford was inspired to add terracotta to these houses following the building of The Russell Hotel (qv). Listing NGR: TQ3021881913

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80934
Monument Type	Listed Building
Preferred Ref.	MLO80934
Name	NUMBERS 53 AND 55 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30631 82712 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE ACTON STREET 798-1/91/8 (South side) 25/10/71 Nos.53 AND 55 and attached railings GV II 2 terraced houses forming the projecting end of a terrace. c1835-44. Yellow stock brick (with later patching) and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns, radial patterned fanlights and panelled doors. Ground floor sashes with margin glazing. Upper floor sashes with gauged brick flat arches and cast-iron balconies to 1st floor. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3063182712

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Acton Street, London, WC1X 9LZ

- 55 Acton Street, London, WC1X 9LZ

Monument/Component Types

- RAILINGS (19th Century - 1835 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1835 AD to 1844 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476525 NUMBERS 53 AND 55 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/8 (South side) 25/10/71 Nos.53 AND 55 and attached railings GV II 2 terraced houses forming the projecting end of a terrace. c1835-44. Yellow stock brick (with later patching) and rusticated stucco ground floors with plain 1st floor sill bands. 3 storeys and basements. 2 windows each. Round-arched ground floor openings. Doorways with fluted quarter columns, radial patterned fanlights and panelled doors. Ground floor sashes with margin glazing. Upper floor sashes with gauged brick flat arches and cast-iron balconies to 1st floor. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 96). Listing NGR: TQ3063182712

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79901
Monument Type	Listed Building
Preferred Ref.	MLO79901
Name	NUMBERS 54-72 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30647 82689 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE FREDERICK STREET 798-1/91/519 (North side) 25/10/71 Nos.54-72 (Even) and attached railings GV II Terrace of 10 houses. c1823-7. By Thomas Cubitt. Yellow stock brick with stucco ground floors (except Nos 70 & 72) and 1st floor sill bands. 3 storeys and basements. 2 windows each except Nos 60 & 62 with 1 window each. Nos 60 & 62 and 70 & 72 slightly projecting. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 70 & 72 doorways with fluted quarter columns carrying cornice-heads; fanlights and panelled doors. No.54 ground floor window with margin lights. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Nos 60 & 62, segmental arches to 4-light windows with cast-iron balconies on 1st floor, 2nd floor, tripartite sashes. Parapets. Nos 54-60 with stucco band below coping. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3064782689

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 54 Frederick Street, London, WC1X 0ND
 - 56 Frederick Street, London, WC1X 0ND
 - 58 Frederick Street, London, WC1X 0ND
 - 60 Frederick Street, London, WC1X 0ND
 - 60 Frederick Street, London, WC1X 0ND
 - 62 Frederick Street, London, WC1X 0ND
 - 64 Frederick Street, London, WC1X 0ND
 - 66 Frederick Street, London, WC1X 0ND
 - 68 Frederick Street, London, WC1X 0ND
 - 70 Frederick Street, London, WC1X 0ND
 - 72 Frederick Street, London, WC1X 0ND

Monument/Component Types

- RAILINGS (19th Century - 1823 AD to 1827 AD)
- TERRACE (19th Century - 1823 AD to 1827 AD)
- TERRACED HOUSE (19th Century - 1823 AD to 1827 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477405 NUMBERS 54-72 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/519 (North side) 25/10/71 Nos.54-72 (Even) and attached railings GV II Terrace of 10 houses. c1823-7. By Thomas Cubitt. Yellow stock brick with stucco ground floors (except Nos 70 & 72) and 1st floor sill bands. 3 storeys and basements. 2 windows each except Nos 60 & 62 with 1 window each. Nos 60 & 62 and 70 & 72 slightly projecting. Round-arched ground floor openings. Doorways with panelled jambs, cornice-heads, fanlights (some patterned) and panelled doors. Nos 70 & 72 doorways with fluted quarter columns carrying cornice-heads; fanlights and panelled doors. No.54 ground floor window with margin lights. Gauged brick flat arches to recessed sashes; 1st floors with cast-iron balconies. Nos 60 & 62, segmental arches to 4-light windows with cast-iron balconies on 1st floor, 2nd floor, tripartite sashes. Parapets. Nos 54-60 with stucco band below coping. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railings. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3064782689

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79881
Monument Type	Listed Building
Preferred Ref.	MLO79881
Name	NUMBERS 55 TO 59 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29867 82205 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/596 (South side) 14/05/74 Nos.55-59 (Consecutive) and attached railings GV II Terrace of 5 houses. c1824. Built by Thomas Cubitt. Yellow stock brick with stucco ground floor (Nos 55 & 59 rusticated) and dressings. EXTERIOR: symmetrical front of 11 bays, 3 bays at each end projecting. Left hand return 1 window; right hand return to Woburn Square, 3 windows and single storey, 1-window extension. 4 storeys and basements. Entrances on main facade converted to 20th century sash windows. Projecting bays with 4 pilasters rising through the 1st and 2nd storeys to support an entablature at 3rd floor level, continuing in a simplified form across the front of the building. Windows to projecting bays tripartite sashes except 1st floor being casements with cast-iron balconies. Architraved 1st floor casements to centre of facade with cast-iron balconies. Plain stucco 2nd floor sill band. Remaining windows, recessed sashes. Parapet with stucco capping. Returns with pilasters at angles supporting entablature at 3rd floor level. No.55 entrance in left hand single storey extension with pilasters and segmental headed window; entrance to No.59 on right hand return with Doric porch surmounted by a balustraded balcony to 1st floor window. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2986782205

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55-59 Gordon Square, London, WC1H 0NU
- 55-59 Gordon Square, London, WC1H 0NU
- 55-59 Gordon Square, London, WC1H 0NU
- 55-59 Gordon Square, London, WC1H 0NU
- 58 Gordon Square, London, WC1H 0NT

Monument/Component Types

- RAILINGS (19th Century - 1824 AD)
- TERRACE (19th Century - 1824 AD)
- TERRACED HOUSE (19th Century - 1824 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477362 NUMBERS 55 TO 59 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GORDON SQUARE 798-1/94/596 (South side) 14/05/74 Nos.55-59 (Consecutive) and attached railings GV II Terrace of 5 houses. c1824. Built by Thomas Cubitt. Yellow stock brick with stucco ground floor (Nos 55 & 59 rusticated) and dressings. EXTERIOR: symmetrical front of 11 bays, 3 bays at each end projecting. Left hand return 1 window; right hand return to Woburn Square, 3 windows and single storey, 1-window extension. 4 storeys and basements. Entrances on main facade converted to C20 sash windows. Projecting bays with 4 pilasters rising through the 1st and 2nd storeys to support an entablature at 3rd floor level, continuing in a simplified form across the front of the building. Windows to projecting bays tripartite sashes except 1st floor being casements with cast-iron balconies. Architraved 1st floor casements to centre of facade with cast-iron balconies. Plain stucco 2nd floor sill band. Remaining windows, recessed sashes. Parapet with stucco capping. Returns with pilasters at angles supporting entablature at 3rd floor level. No.55 entrance in left hand single storey extension with pilasters and segmental headed window; entrance to No.59 on right hand return with Doric porch surmounted by a balustraded balcony to 1st floor window. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2986782205

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81117
Monument Type	Listed Building
Preferred Ref.	MLO81117
Name	NUMBERS 55-67 AND ATTACHED RAILINGS INCLUDING THE KINGS HEAD PUBLIC HOUSE (NUMBERS 61-63)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30640 82777 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1588 (South side) 25/10/71 Nos.55-67 (Odd) and attached railings. The King's Head Public House (61-63) GV II Terrace of 7 houses. c1776, some altered. Nos 55-59: darkened stock brick, Nos 55 & 57, 3rd floors rebuilt. No.55 painted ground floor; Nos 55 & 57 rusticated stucco ground floors. Plain stucco 1st floor bands. 4 storeys and basements. 3 windows each. No.55, wooden doorway with fluted pilasters and brackets carrying projecting cornice; fanlight and panelled door. No.57, wooden Doric doorcase with open pediment; round-arched doorway with radial fanlight, panelled reveals and door. No.59, segmental-arched, recessed doorway with fanlight. Gauged red brick flat arches to recessed sashes with glazing bars; 1st floors Nos 55 & 57 with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn (No.55) and torch flambe finials to areas. Nos 61-63 (King's Head Public House): stucco. Formerly 2 houses with 3 windows each, now 5 windows. 4 storeys and cellars. 20th century public house frontage with late C19 consoles flanking fascia. Architraved sashes, with lugs to 1st floor. Parapet with plain stucco band. INTERIORS: ground floor with c1930s bar interior with central counter and bar back. No.65: darkened stock brick. 4 storeys 1 window. Late C19 wooden shopfrontage with enriched consoles. Gauged red brick flat arches to recessed 20th century sashes. Parapet. INTERIOR: not inspected. No.67: darkened stock brick with painted ground floor. 4 storeys and basement. 3 windows. Wooden architraved doorcase with simplified Doric entablature and dentil cornice, fanlight, panelled reveals and 20th century door. Gauged red brick flat arches to recessed 20th century sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 47-55 Swinton Street, London, WC1X 9NT

- 47-55 Swinton Street, London, WC1X 9NT

- 61 Swinton Street, London, WC1X 9NT

Monument/Component Types

- RAILINGS (18th Century - 1756 AD to 1796 AD)
- TERRACE (18th Century - 1756 AD to 1796 AD)
- TERRACED HOUSE (18th Century - 1756 AD to 1796 AD)
- HOUSE (18th Century to Unknown - 1797 AD)
- PUBLIC HOUSE (18th Century to Unknown - 1797 AD)
- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)
- SHOP (19th Century - 1867 AD to 1899 AD)
- PUBLIC HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478323 NUMBERS 55-67 AND ATTACHED RAILINGS INCLUDING THE KINGS HEAD PUBLIC HOUSE (NUMBERS 61-63)	CAMDEN TQ3082NE SWINTON STREET 798-1/91/1588 (South side) 25/10/71 Nos.55-67 (Odd) and attached railings. The King's Head Public House (61-63) GV II Terrace of 7 houses. c1776, some altered. Nos 55-59: darkened stock brick, Nos 55 & 57, 3rd floors rebuilt. No.55 painted ground floor; Nos 55 & 57 rusticated stucco ground floors. Plain stucco 1st floor bands. 4 storeys and basements. 3 windows each. No.55, wooden doorway with fluted pilasters and brackets carrying projecting cornice; fanlight and panelled door. No.57, wooden Doric doorcase with open pediment; round-arched doorway with radial fanlight, panelled reveals and door. No.59, segmental-arched, recessed doorway with fanlight. Gauged red brick flat arches to recessed sashes with glazing bars; 1st floors Nos 55 & 57 with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn (No.55) and torch flambe finials to areas. Nos 61-63 (King's Head Public House): stucco. Formerly 2 houses with 3 windows each, now 5 windows. 4 storeys and cellars. C20 public house frontage with late C19 consoles flanking fascia. Architraved sashes, with lugs to 1st floor. Parapet with plain stucco band. INTERIORS: ground floor with c1930s bar interior with central counter and bar back. No.65: darkened stock brick. 4 storeys 1 window. Late C19 wooden shopfrontage with enriched consoles. Gauged red

brick flat arches to recessed C20 sashes. Parapet. INTERIOR: not inspected. No.67: darkened stock brick with painted ground floor. 4 storeys and basement. 3 windows. Wooden architraved doorcase with simplified Doric entablature and dentil cornice, fanlight, panelled reveals and C20 door. Gauged red brick flat arches to recessed C20 sashes. Parapet. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 98). Listing NGR: TQ3064082777

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80208
Monument Type	Listed Building
Preferred Ref.	MLO80208
Name	NUMBERS 5-9 AND ATTACHED RAILINGS TO NUMBER 8
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29598 81566 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE PERCY STREET 798-1/99/1294 (South side) 14/05/74 Nos.5-9 (Consecutive) and attached railings to No.8 GV II 5 terraced houses with later shops. 1764-1770, altered. Built by W Franks and W Reeves. Multi-coloured stock brick with slated mansard roofs and dormers. Stucco 1st floor sill and floor bands, except No.5. Stone cornices. EXTERIOR: 3 storeys, attics and basements. 3 windows each; No.6, 2 windows. Gauged brick flat arches (mostly reddened) to recessed sash windows, most with original glazing bars. Parapets. No.5: rusticated stucco ground floor, now painted. 20th century shop window. Round-arched doorway with fanlight and panelled door. No.6: rusticated stucco ground floor, now painted. 20th century shopfrontage. Square-head doorway with rectangular fanlight and panelled door. No.7: rusticated stucco ground floor, now painted. 20th century shop window with C19 filigree ironwork head. Square-headed doorway with fanlight and panelled double doors. 1st floor centre window elongated. No.8: painted ground floor. Round-arched doorway with panelled jambs, cornice-head, radial patterned fanlight and panelled door. 1st floor centre window elongated. No.9: painted ground floor. 20th century ground floor frontage. Round-arched doorway with wooden doorcase; pilasters carrying enriched console-bracketed soffit; fanlight and panelled door. INTERIORS: not inspected but No.8 noted to retain panelled ground floor front room and hall. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials and cast-iron lamp brackets flanking entrance to No.8. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 7-11). Listing NGR: TQ2959881566

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Percy Street, London, W1P 9FB
- 6 Percy Street, London, W1P 9FB
- 7 Percy Street, London, W1P 9FB
- 8 Percy Street, London, W1P 9FB
- 8 Percy Street, London, W1P 9FB
- 9 Percy Street, London, W1P 9FB

Monument/Component Types

- LAMP BRACKET (18th Century - 1764 AD to 1770 AD)
- RAILINGS (18th Century - 1764 AD to 1770 AD)
- TERRACE (18th Century - 1764 AD to 1770 AD)
- TERRACED HOUSE (18th Century - 1764 AD to 1770 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1899 AD)
- HOUSE (19th Century to Modern - 1900 AD to 1999 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477738 NUMBERS 5-9 AND ATTACHED RAILINGS TO NUMBER 8	CAMDEN TQ2981NE PERCY STREET 798-1/99/1294 (South side) 14/05/74 Nos.5-9 (Consecutive) and attached railings to No.8 GV II 5 terraced houses with later shops. 1764-1770, altered. Built by W Franks and W Reeves. Multi-coloured stock brick with slated mansard roofs and dormers. Stucco 1st floor sill and floor bands, except No.5. Stone cornices. EXTERIOR: 3 storeys, attics and basements. 3 windows each; No.6, 2 windows. Gauged brick flat arches (mostly reddened) to recessed sash windows, most with original glazing bars. Parapets. No.5: rusticated stucco ground floor, now painted. C20 shop window. Round-arched doorway with fanlight and panelled door. No.6: rusticated stucco ground floor, now painted. C20 shopfrontage. Square-head doorway with rectangular fanlight and panelled door. No.7: rusticated stucco ground floor, now painted. C20 shop window with C19 filigree ironwork head. Square-headed doorway with fanlight and panelled double doors. 1st floor centre window elongated. No.8: painted ground floor. Round-arched doorway with panelled jambs, cornice-head, radial patterned fanlight and panelled door. 1st floor centre window elongated. No.9: painted ground floor. C20 ground floor frontage. Round-arched doorway with wooden doorcase; pilasters carrying enriched console-bracketed soffit; fanlight and panelled door. INTERIORS: not inspected but No.8 noted to retain panelled ground

floor front room and hall. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials and cast-iron lamp brackets flanking entrance to No.8. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 7-11). Listing NGR: TQ2959881566

Other Statuses and References

Type/Grade *Reference/Title*

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID *Name/Ref* *Brief Description (click Event ID for details)*

[Not Applicable](#) No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81488
Monument Type	Listed Building
Preferred Ref.	MLO81488
Name	NUMBERS 6, 7 AND 8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30677 81461 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1052 (North side) 24/10/51 Nos.6, 7 AND 8 and attached railings GV II 3 terraced houses. C18 early to mid, No.8 with C19 alterations. Multi-coloured stock brick (dyed red). Tiled mansard roofs (No.8 slate) with dormers. Brick band 1st floor level; stone 1st floor sill band to Nos 6 & 7. 3 storeys, basements and attics. 3 windows. Gauged flat arches to recessed sash windows. Parapets (Nos 6 & 8 stucco) with stone cornices below. Lead rainwater head between Nos 7 & 8. No.6: stone doorcase with moulded architrave, pulvinated frieze and plain cornice; fanlight and fielded panelled door. Front railings removed. INTERIOR: not inspected but noted to contain enriched cornice to hall; square balusters, iron newels and close string. Upper floor with turned balusters and panelled newels. Some original panelled rooms. No.7: stone doorcase with moulded architrave, pulvinated frieze and plain cornice; fanlight and fielded panelled door. INTERIOR: not inspected but noted to contain staircase with turned balusters and panelled newels. Good fireplace, panelled rooms and other internal features. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.8: round-headed entrance with modern architraved doorway with rendered reveals. 1st floor casement windows with early C19 cast-iron balcony. INTERIOR: not inspected but noted to contain staircase with turned balusters and panelled newels. Good fireplace, some panelled rooms and other internal features. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3067781461

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Lincoln's Inn Fields, London, WC2A 3BP

- 7 Lincoln's Inn Fields, London, WC2A 3BP

- 7 Lincoln's Inn Fields, London, WC2A 3BP

Monument/Component Types

- RAILINGS (17th Century to 18th Century - 1700 AD to 1766 AD)
- TERRACE (17th Century to 18th Century - 1700 AD to 1766 AD)
- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1766 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478703 NUMBERS 6, 7 AND 8 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1052 (North side) 24/10/51 Nos.6, 7 AND 8 and attached railings GV II 3 terraced houses. C18 early to mid, No.8 with C19 alterations. Multi-coloured stock brick (dyed red). Tiled mansard roofs (No.8 slate) with dormers. Brick band 1st floor level; stone 1st floor sill band to Nos 6 & 7. 3 storeys, basements and attics. 3 windows. Gauged flat arches to recessed sash windows. Parapets (Nos 6 & 8 stucco) with stone cornices below. Lead rainwater head between Nos 7 & 8. No.6: stone doorcase with moulded architrave, pulvinated frieze and plain cornice; fanlight and fielded panelled door. Front railings removed. INTERIOR: not inspected but noted to contain enriched cornice to hall; square balusters, iron newels and close string. Upper floor with turned balusters and panelled newels. Some original panelled rooms. No.7: stone doorcase with moulded architrave, pulvinated frieze and plain cornice; fanlight and fielded panelled door. INTERIOR: not inspected but noted to contain staircase with turned balusters and panelled newels. Good fireplace, panelled rooms and other internal features. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.8: round-headed entrance with modern architraved doorway with rendered reveals. 1st floor casement windows with early C19 cast-iron balcony. INTERIOR: not inspected but noted to contain staircase with turned balusters and panelled newels. Good fireplace, some panelled rooms and other internal features. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3067781461

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80433
Monument Type	Listed Building
Preferred Ref.	MLO80433
Name	NUMBERS 60-66 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30322 82733 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ARGYLE STREET 798-1/90/55 (South side) 14/05/74 Nos.60-66 (Even) and attached railings GV II 4 terraced houses being a continuation of the south side of Argyle Square. c1839-49. Yellow stock brick. Stucco 1st floor sill bands. 4 storeys and basements. 2 windows each. Round-arched, architraved ground floor openings. 20th century reproduction doorways with pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor architraved, Nos 60 & 62 with cast-iron balconies, Nos 64 & 66 with plain iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3032282733

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 60 Argyle Street, London, WC1H 8ER
 - 60 Argyle Street, London, WC1H 8ER
 - 62 Argyle Street, London, WC1H 8ER
 - 64-66 Argyle Street, London, WC1H 8ER
 - 64-66 Argyle Street, London, WC1H 8ER

Monument/Component Types

- RAILINGS (19th Century - 1839 AD to 1849 AD)
- TERRACE (19th Century - 1839 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1839 AD to 1849 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476619 NUMBERS 60-66 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/55 (South side) 14/05/74 Nos.60-66 (Even) and attached railings GV II 4 terraced houses being a continuation of the south side of Argyle Square. c1839-49. Yellow stock brick. Stucco 1st floor sill bands. 4 storeys and basements. 2 windows each. Round-arched, architraved ground floor openings. C20 reproduction doorways with pilaster-jambes carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor architraved, Nos 60 & 62 with cast-iron balconies, Nos 64 & 66 with plain iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3032282733

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80479
Monument Type	Listed Building
Preferred Ref.	MLO80479
Name	NUMBERS 61 TO 66 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30246 82083 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/720 Nos.61-66 (Consecutive) 08/06/90 and attached railings GV II Terrace of 6 houses, now a hotel and houses. c1793-9. Built by James Burton. Flemish bond brick; front of Nos 61 to 63 partly rebuilt after damage in World War II. Welsh slate roof having brick ridge and end stacks. Double-depth plan. Nos 61-65: 4 storeys and basement, symmetrical 15-window range. Doorways; No.61 has 20th century panelled door set in mid C19 semicircular arched stucco surround, Nos 62 & 63 have late C18 fielded 6-panelled doors set in similar surrounds with late C18 fluted and reeded architraves, Nos 64 & 65 have flat arches over late C19 panelled doors set in ground floor of channelled stucco. Gauged brick flat arches to tall 1st floor 20th century casements and plate-glass sashes. Continuous stucco sill bands beneath 1st and 3rd floor windows. Plain stone coped parapet. Late C18 sashes with glazing bars to rear of Nos 64 & 65. INTERIORS: retain late C18 dog-leg staircases with stick balusters set on open strings with fret-cut brackets and wreathed mahogany handrails. Late C18 enriched and modillioned plaster cornices survive in most rooms; mid C19 marble fireplace in 1st floor room of No.61; Nos 64 & 65 also retain late C18 shutters and panelled doors set in moulded and reeded architraves. Late C18 fireplaces noted to survive in some rooms which could not be inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with urn finials to front. No.66: 4 storeys and basement. 3 windows. Ground floor of channelled stucco. Flat arch to doorway with late C19 panelled door with overlight. Ground floor sashes with flat arches and late C19 plate-glass. Upper floors have gauged brick flat arches to late C19 4-pane plate-glass sashes; 3rd floor stucco sill band. Stone coped parapet. To rear, late C18 sashes. INTERIOR: not inspected but noted as having late C18/early C19 dog-leg staircase with turned balusters. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3024682083

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 61-63 Guilford Street, London, WC1N 1DD
- 61-63 Guilford Street, London, WC1N 1DD
- 64-65 Guilford Street, London, WC1N 1DD
- 64-65 Guilford Street, London, WC1N 1DD
- 64-65 Guilford Street, London, WC1N 1DD
- 66-82 Guilford Street, London, WC1N 1DF

Monument/Component Types

- RAILINGS (18th Century - 1793 AD to 1799 AD)
- TERRACE (18th Century - 1793 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1793 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477962 NUMBERS 61 TO 66 AND ATTACHED RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/720 Nos.61-66 (Consecutive) 08/06/90 and attached railings GV II Terrace of 6 houses, now a hotel and houses. c1793-9. Built by James Burton. Flemish bond brick; front of Nos 61 to 63 partly rebuilt after damage in World War II. Welsh slate roof having brick ridge and end stacks. Double-depth plan. Nos 61-65: 4 storeys and basement, symmetrical 15-window range. Doorways; No.61 has C20 panelled door set in mid C19 semicircular arched stucco surround, Nos 62 & 63 have late C18 fielded 6-panelled doors set in similar surrounds with late C18 fluted and reeded architraves, Nos 64 & 65 have flat arches over late C19 panelled doors set in ground floor of channelled stucco. Gauged brick flat arches to tall 1st floor C20 casements and plate-glass sashes. Continuous stucco sill bands beneath 1st and 3rd floor windows. Plain stone coped parapet. Late C18 sashes with glazing bars to rear of Nos 64 & 65. INTERIORS: retain late C18 dog-leg staircases with stick balusters set on open strings with fret-cut brackets and wreathed mahogany handrails. Late C18 enriched and modillioned plaster cornices survive in most rooms; mid C19 marble fireplace in 1st floor room of No.61; Nos 64 & 65 also retain late C18 shutters and panelled doors set in moulded and reeded architraves. Late C18 fireplaces noted to survive in some rooms which could not be inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with urn finials to front.

No.66: 4 storeys and basement. 3 windows. Ground floor of channelled stucco. Flat arch to doorway with late C19 panelled door with overlight. Ground floor sashes with flat arches and late C19 plate-glass. Upper floors have gauged brick flat arches to late C19 4-pane plate-glass sashes; 3rd floor stucco sill band. Stone coped parapet. To rear, late C18 sashes. INTERIOR: not inspected but noted as having late C18/early C19 dog-leg staircase with turned balusters. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3024682083

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to **Top** of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80610
Monument Type	Listed Building
Preferred Ref.	MLO80610
Name	NUMBERS 6-10 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29725 81658 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE BAYLEY STREET 798-1/99/62 (North side) 14/05/74 Nos.6-10 (Consecutive) and attached railings GV II Terrace of 5 houses. Late C18. Multi-coloured stock brick. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Stucco surrounds to doorways with pilasters carrying bracketed cornices; rectangular fanlights and panelled doors. Gauged brick arches to recessed sash windows, 1st and 2nd floor with bracketed sills and cast-iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ2972581658

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Bayley Street, London, WC1B 3HB
- 8 Bayley Street, London, WC1B 3HB
- 9 Bayley Street, London, WC1B 3HB
- 9 Bayley Street, London, WC1B 3HB

Monument/Component Types

- RAILINGS (18th Century - 1767 AD to 1799 AD)
- TERRACE (18th Century - 1767 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476641 NUMBERS 6-10 AND ATTACHED RAILINGS	CAMDEN TQ2981NE BAYLEY STREET 798-1/99/62 (North side) 14/05/74 Nos.6-10 (Consecutive) and attached railings GV II Terrace of 5 houses. Late C18. Multi-coloured stock brick. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Stucco surrounds to doorways with pilasters carrying bracketed cornices; rectangular fanlights and panelled doors. Gauged brick arches to recessed sash windows, 1st and 2nd floor with bracketed sills and cast-iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ2972581658

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86167
Monument Type	Listed Building
Preferred Ref.	MLO86167
Name	NUMBERS 62 AND 64 AND RAILINGS ATTACHED TO NUMBER 64
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30845 82668 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/542 (East side) 06/04/73 Nos.62 AND 64 and railings attached to no. 64 (Formerly Listed as: KING'S CROSS ROAD (East side) Nos.44-58, 62 & 64 (Even)) II Two houses, part of terrace. Early to mid-C19. Yellow stock bricks set in Flemish bond with stucco to basement, ground-floor entrance bay of no. 64 and stucco sill bands to upper floors; roofs obscured by parapet, end-wall stack to right. Three storeys with basement; 2 windows each (no. 64 with full-height entrance bay set back with gauged-brick flat arches to blind windows to upper floors). Steps rise to entrance in left bay: segmental (no. 62) and canted (no. 64) arched doorway; no. 64 with pilaster jambs carrying corniced-head, plain fanlight and 20th century door. Gauged-brick segmental-arched ground-floor sashes (no. 62 1/1; no. 64 20th century sash set in segmental arched recess). No. 62 1st floor gauged-brick flat arches to full-height 6/6 sashes; no. 64 gauged-brick segmental arch to 20th century sash set in segmental arched recess in right bay. No. 62 with gauged-brick flat arches to 3/3 sashes; no. 64 with gauged-brick segmental arch to 20th century sash set in segmental arched recess in right bay. Brick parapets (no. 62 with quasi-triglyph decoration) with stone coping. No. 64 with attached iron railings. Listing NGR: TQ3084582668

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 62 King's Cross Road, London, WC1X 9QE

- 64 King's Cross Road, London, WC1X 9QE

- 64 King's Cross Road, London, WC1X 9QE

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1866 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1866 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369057 NUMBERS 62 AND 64 AND RAILINGS ATTACHED TO NUMBER 64	ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/542 (East side) 06/04/73 Nos.62 AND 64 and railings attached to no. 64 (Formerly Listed as: KING'S CROSS ROAD (East side) Nos.44-58, 62 & 64 (Even)) II Two houses, part of terrace. Early to mid-C19. Yellow stock bricks set in Flemish bond with stucco to basement, ground-floor entrance bay of no. 64 and stucco sill bands to upper floors; roofs obscured by parapet, end-wall stack to right. Three storeys with basement; 2 windows each (no. 64 with full-height entrance bay set back with gauged-brick flat arches to blind windows to upper floors). Steps rise to entrance in left bay: segmental (no. 62) and canted (no. 64) arched doorway; no. 64 with pilaster jambs carrying corniced-head, plain fanlight and C20 door. Gauged-brick segmental-arched ground-floor sashes (no. 62 1/1; no. 64 C20 sash set in segmental arched recess). No. 62 1st floor gauged-brick flat arches to full-height 6/6 sashes; no. 64 gauged-brick segmental arch to C20 sash set in segmental arched recess in right bay. No. 62 with gauged-brick flat arches to 3/3 sashes; no. 64 with gauged-brick segmental arch to C20 sash set in segmental arched recess in right bay. Brick parapets (no. 62 with quasi-triglyph decoration) with stone coping. No. 64 with attached iron railings. Listing NGR: TQ3084582668

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80792
Monument Type	Listed Building
Preferred Ref.	MLO80792
Name	NUMBERS 64 AND 66 AND ATACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30859 82378 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GOUGH STREET 798-1/96/600 (West side) 23/12/96 Nos.64 AND 66 and attached railings GV II Pair of semi-detached houses. c1840-50. Yellow stock brick with channelled stucco ground floor having a plain continuous sill band and stucco cornice. 2 storeys and basement. 2 windows each. Square-headed entrances with panelled doors, overlights and bracketed cornices. Recessed sashes; 1st floor architraved with pediments. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3085982378

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 49 Gough Street, London, WC1X 0BZ

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1850 AD)
- SEMI DETACHED HOUSE (19th Century - 1840 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477374 NUMBERS 64 AND 66 AND ATACHED RAILINGS	CAMDEN TQ3082SE GOUGH STREET 798-1/96/600 (West side) 23/12/96 Nos.64 AND 66 and attached railings GV II Pair of semi-detached houses. c1840-50. Yellow stock brick with channelled stucco ground floor having a plain continuous sill band and stucco cornice. 2 storeys and basement. 2 windows each. Square-headed entrances with panelled doors, overlights and bracketed cornices. Recessed sashes; 1st floor architraved with pediments. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3085982378

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80673
Monument Type	Listed Building
Preferred Ref.	MLO80673
Name	NUMBERS 66 TO 71 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30243 81660 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/687 (South side) 30/06/69 Nos.66-71 (Consecutive) and attached railings GV II Terrace of 6 houses. 1777-8. By John Nash. Stuccoed brick, roof not seen. Four storeys and cellars. 3 windows each. No.66 with 5-window return (some blind) to Bury Place. Plain band at 1st floor level and 1st floor sill band. Recessed sash windows. 4th storeys as attic with cornices cut back. No.66: 20th century reproduction of C19 shopfront. No.67: wooden doorcase with Ionic pilasters carrying entablature with cornice. Nos 68 & 69: architraved doorcases with half Ionic pilasters carrying entablature with cornice. No.70: wooden doorcase with Ionic pilasters carrying entablature with cornice. No.71: round-headed ground floor openings, one forming blocked extra entrance. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn or pineapple finials, No.71 foliated, to areas. HISTORICAL NOTE: John Nash's first work, and one of the earliest developments of stuccoed houses. Listing NGR: TQ3024381660

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 67 Great Russell Street, London, WC1B 3BN
- 68-69 Great Russell Street, London, WC1B 3BN
- 68-69 Great Russell Street, London, WC1B 3BN
- 70 Great Russell Street, London, WC1B 3BN
- 70 Great Russell Street, London, WC1B 3BN

Monument/Component Types

- RAILINGS (18th Century - 1777 AD to 1778 AD)
- TERRACE (18th Century - 1777 AD to 1778 AD)
- TERRACED HOUSE (18th Century - 1777 AD to 1778 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477855 NUMBERS 66 TO 71 AND ATTACHED RAILINGS	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/687 (South side) 30/06/69 Nos.66-71 (Consecutive) and attached railings GV II Terrace of 6 houses. 1777-8. By John Nash. Stuccoed brick, roof not seen. Four storeys and cellars. 3 windows each. No.66 with 5-window return (some blind) to Bury Place. Plain band at 1st floor level and 1st floor sill band. Recessed sash windows. 4th storeys as attic with cornices cut back. No.66: C20 reproduction of C19 shopfront. No.67: wooden doorcase with Ionic pilasters carrying entablature with cornice. Nos 68 & 69: architraved doorcases with half Ionic pilasters carrying entablature with cornice. No.70: wooden doorcase with Ionic pilasters carrying entablature with cornice. No.71: round-headed ground floor openings, one forming blocked extra entrance. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn or pineapple finials, No.71 foliated, to areas. HISTORICAL NOTE: John Nash's first work, and one of the earliest developments of stuccoed houses. Listing NGR: TQ3024381660

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80481
Monument Type	Listed Building
Preferred Ref.	MLO80481
Name	NUMBERS 67, 68 AND 69 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30326 82115 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/721 (North side) 14/05/74 Nos.67, 68 AND 69 and attached railings GV II 3 terraced houses. c1793-1799 by James Burton. No.67: darkened multi-coloured stock brick, 3rd floor refaced. Rusticated stucco ground floor. 4 storeys and basement. 3 windows. Round-arched, recessed entrance with overlight and part-glazed door. Gauged brick flat arches to recessed sashes, mostly with original glazing bars; 1st floor with continuous cast-iron balcony. Stucco 3rd floor sill band. Parapet. Nos 68 & 69: yellow stock brick with stucco ground floor. Stucco cornice at 3rd floor level. Formerly 2 residences, No.68, 4 windows; No.69, 3 windows. Entrance in No.69, round-arched with fluted surround, side panels, radial fanlight and panelled double doors. No.68 former entrance converted for use as a window. Red gauged brick flat arches to recessed sash windows; 1st floor with cast-iron balconies, No.69 2nd floor also. No.69 with blind boxes to 1st and 2nd floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 66-82 Guilford Street, London, WC1N 1DF

- 66-82 Guilford Street, London, WC1N 1DF

Monument/Component Types

- RAILINGS (18th Century - 1793 AD to 1799 AD)
- TERRACE (18th Century - 1793 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1793 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477964 NUMBERS 67, 68 AND 69 AND ATTACHED RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/721 (North side) 14/05/74 Nos.67, 68 AND 69 and attached railings GV II 3 terraced houses. c1793-1799 by James Burton. No.67: darkened multi-coloured stock brick, 3rd floor refaced. Rusticated stucco ground floor. 4 storeys and basement. 3 windows. Round-arched, recessed entrance with overlight and part-glazed door. Gauged brick flat arches to recessed sashes, mostly with original glazing bars; 1st floor with continuous cast-iron balcony. Stucco 3rd floor sill band. Parapet. Nos 68 & 69: yellow stock brick with stucco ground floor. Stucco cornice at 3rd floor level. Formerly 2 residences, No.68, 4 windows; No.69, 3 windows. Entrance in No.69, round-arched with fluted surround, side panels, radial fanlight and panelled double doors. No.68 former entrance converted for use as a window. Red gauged brick flat arches to recessed sash windows; 1st floor with cast-iron balconies, No.69 2nd floor also. No.69 with blind boxes to 1st and 2nd floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81296
Monument Type	Listed Building
Preferred Ref.	MLO81296
Name	NUMBERS 7 AND 8 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30945 81680 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE WARWICK COURT 798-1/101/1681 (East side) 24/10/51 Nos.7 AND 8 and attached railings II 2 terraced houses. 1697 with later alterations to fronts and interiors. No.7: altered C19. Yellow stock brick, stucco ground floor. Brick bands at 2nd floor and parapet levels. 3 storeys, basement and attic with re-built dormers. 4 windows. Wooden doorcase with carved consoles carrying hood. 20th century radial fanlight and panelled door. Gauged red brick flat arches to almost flush-frame sashes. Parapet. INTERIOR: not inspected but noted to retain some panelling and good fireplaces. C18 ceiling in 1st floor front room. No.8: altered 1808. Brown brick with rusticated stone faced ground floor. Brick bands at 2nd floor and parapet levels. 3 storeys and basement. 3 windows. Stone pilasters and entablature with tablet inscribed "Warwick House" to ground floor. 20th century timber and glass entrance with panelled door. 1st floor with stone niches in lieu of side windows and a central 3-light recessed window with segmental-headed architrave and a griffon on the keystone. To this window an iron window guard with an urn on a pedestal either side. Gauged red brick flat arches and dressings to flush frame windows on 2nd floor. Parapet with a concave cornice in decorative brick. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3094581680

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- RAILINGS (17th Century - 1697 AD)
- TERRACED HOUSE (17th Century - 1697 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- HOUSE (19th Century - 1808 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478493 NUMBERS 7 AND 8 AND ATTACHED RAILINGS	CAMDEN TQ3081NE WARWICK COURT 798-1/101/1681 (East side) 24/10/51 Nos.7 AND 8 and attached railings II 2 terraced houses. 1697 with later alterations to fronts and interiors. No.7: altered C19. Yellow stock brick, stucco ground floor. Brick bands at 2nd floor and parapet levels. 3 storeys, basement and attic with re-built dormers. 4 windows. Wooden doorcase with carved consoles carrying hood. C20 radial fanlight and panelled door. Gauged red brick flat arches to almost flush-frame sashes. Parapet. INTERIOR: not inspected but noted to retain some panelling and good fireplaces. C18 ceiling in 1st floor front room. No.8: altered 1808. Brown brick with rusticated stone faced ground floor. Brick bands at 2nd floor and parapet levels. 3 storeys and basement. 3 windows. Stone pilasters and entablature with tablet inscribed "Warwick House" to ground floor. C20 timber and glass entrance with panelled door. 1st floor with stone niches in lieu of side windows and a central 3-light recessed window with segmental-headed architrave and a griffon on the keystone. To this window an iron window guard with an urn on a pedestal either side. Gauged red brick flat arches and dressings to flush frame windows on 2nd floor. Parapet with a concave cornice in decorative brick. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3094581680

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79767
Monument Type	Listed Building
Preferred Ref.	MLO79767
Name	NUMBERS 7, 8 AND 9 AND ATTACHED RAILINGS AND LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31421 81622 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW ELY PLACE 798-1/102/375 (West side) 14/05/74 Nos.7, 8 AND 9 and attached railings and lamp-holder (Formerly Listed as: ELY PLACE Nos.7-9 AND 13 (Consecutive)) GV II 3 terraced houses. c1773. By C Cole and J Gorham. Brick; No.7 brown, tuck pointed with red window arches; No.8 multi-coloured with yellow window arches; No.9 red with yellow window arches. 4 storeys and basements. 3 windows. Wood Corinthian doorcases with architraved, half pilasters at sides, fluted friezes with roundels, and dentil cornices. Patterned fanlights. Gauged flat brick arches to recessed sash windows, nearly all 20th century. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: cast-iron railings to areas, No.7 with finials and twisted columns to left of doorway. No.8 with lamp-holder. Listing NGR: TQ3142181622

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Ely Place, London, EC1N 6RY
 - 7 Ely Place, London, EC1N 6RY
 - 9 Ely Place, London, EC1N 6RY

Monument/Component Types

- LAMP BRACKET (18th Century - 1753 AD to 1793 AD)
- RAILINGS (18th Century - 1753 AD to 1793 AD)
- TERRACE (18th Century - 1753 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1753 AD to 1793 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477175 NUMBERS 7, 8 AND 9 AND ATTACHED RAILINGS AND LAMP HOLDER	CAMDEN TQ3181NW ELY PLACE 798-1/102/375 (West side) 14/05/74 Nos.7, 8 AND 9 and attached railings and lamp-holder (Formerly Listed as: ELY PLACE Nos.7-9 AND 13 (Consecutive)) GV II 3 terraced houses. c1773. By C Cole and J Gorham. Brick; No.7 brown, tuck pointed with red window arches; No.8 multi-coloured with yellow window arches; No.9 red with yellow window arches. 4 storeys and basements. 3 windows. Wood Corinthian doorcases with architraved, half pilasters at sides, fluted friezes with roundels, and dentil cornices. Patterned fanlights. Gauged flat brick arches to recessed sash windows, nearly all C20. Parapet. INTERIORS: not inspected. SUBSIDIARY FEATURES: cast-iron railings to areas, No.7 with finials and twisted columns to left of doorway. No.8 with lamp-holder. Listing NGR: TQ3142181622

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80927
Monument Type	Listed Building
Preferred Ref.	MLO80927
Name	NUMBERS 7-13 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30738 82751 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NE ACTON STREET 798-1/91/1 (South side) Nos.7-13 (Odd) and attached railings GV II 4 terraced houses. c1830. Yellow stock brick with channelled stucco ground floors and 1st floor band. Nos 7 & 9, 4 storeys and basements; Nos 11 & 13, 3 storeys. 2 windows each. Square-headed entrances with panelled doors and overlights. Gauged brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3073882751

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Acton Street, London, WC1X 9LX
 - 11 Acton Street, London, WC1X 9LX
 - 13 Acton Street, London, WC1X 9LX

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1850 AD)
- TERRACE (19th Century - 1810 AD to 1850 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476505 NUMBERS 7-13 AND ATTACHED RAILINGS	CAMDEN TQ3082NE ACTON STREET 798-1/91/1 (South side) Nos.7-13 (Odd) and attached railings GV II 4 terraced houses. c1830. Yellow stock brick with channelled stucco ground floors and 1st floor band. Nos 7 & 9, 4 storeys and basements; Nos 11 & 13, 3 storeys. 2 windows each. Square-headed entrances with panelled doors and overlights. Gauged brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3073882751

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80428
Monument Type	Listed Building
Preferred Ref.	MLO80428
Name	NUMBERS 7-19 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30250 82830 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ARGYLE STREET 798-1/90/50 (East side) 14/05/74 Nos.7-19 (Odd) and attached railings GV II Terrace of 7 houses, now mostly small hotels. c1833-9. Yellow stock brick. No.7, stucco ground floor; No.9, pebble dash rendered ground floor; Nos 13-19 painted stucco ground floors (No.15 rusticated). Plain stucco 1st floor sill bands. Nos 13-19, slate mansard roofs with dormers. 3 storeys, Nos 13-19 attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways of Nos 7-11 with pilaster-jambes carrying cornice-heads; fanlights and panelled doors; Those to Nos 13-19, 20th century reproduction with glazed doors. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3025082830

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13 Argyle Street, London, WC1H 8EJ
- 15 Argyle Street, London, WC1H 8EJ
- 15 Argyle Street, London, WC1H 8EJ
- 17-19 Argyle Street, London, WC1H 8EJ
- 17-19 Argyle Street, London, WC1H 8EJ
- 7 Argyle Street, London, WC1H 8EJ
- 9 Argyle Street, London, WC1H 8EJ

Monument/Component Types

- RAILINGS (19th Century - 1833 AD to 1839 AD)
- TERRACE (19th Century - 1833 AD to 1839 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1839 AD)
- HOTEL (19th Century to Unknown - 1840 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476614 NUMBERS 7-19 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE STREET 798-1/90/50 (East side) 14/05/74 Nos.7-19 (Odd) and attached railings GV II Terrace of 7 houses, now mostly small hotels. c1833-9. Yellow stock brick. No.7, stucco ground floor; No.9, pebble dash rendered ground floor; Nos 13-19 painted stucco ground floors (No.15 rusticated). Plain stucco 1st floor sill bands. Nos 13-19, slate mansard roofs with dormers. 3 storeys, Nos 13-19 attics, and basements. 2 windows each. Round-arched ground floor openings. Doorways of Nos 7-11 with pilaster-jambes carrying cornice-heads; fanlights and panelled doors; Those to Nos 13-19, C20 reproduction with glazed doors. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses with cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 106). Listing NGR: TQ3025082830

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80545
Monument Type	Listed Building
Preferred Ref.	MLO80545
Name	NUMBERS 7-25 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30370 82836 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/47 (East side) 14/05/74 Nos.7-25 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 19 houses, now mostly small hotels, forming the east side of Argyle Square. 1840-49, altered. Yellow stock brick, Nos 7, 9, 10 and 16-18 painted. Rusticated stucco ground floors, Nos 7, 9, 10, and 16-18. Painted ground floors, Nos 6, 11, 12, 14, 15 and 19-25. 4 storeys and basements. 2 windows each. Architraved, round-arched ground floor openings. Doorways, where unaltered, with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Entrance to No.7 in single storey stucco extension on left hand return. Nos 7 and 25, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing NGR: TQ3037082836

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Argyle Square, London, WC1H 8AS
 - 10 Argyle Square, London, WC1H 8AS
 - 11-12 Argyle Square, London, WC1H 8AS
 - 11-12 Argyle Square, London, WC1H 8AS
 - 13-15 Argyle Square, London, WC1H 8AS
 - 13-15 Argyle Square, London, WC1H 8AS
 - 16-17 Argyle Square, London, WC1H 8AS
 - 16-17 Argyle Square, London, WC1H 8AS
 - 18 Argyle Square, London, WC1H 8AS
 - 19 Argyle Square, London, WC1H 8AS
 - 20 Argyle Square, London, WC1H 8AS
 - 21-22 Argyle Square, London, WC1H 8AS
 - 21-22 Argyle Square, London, WC1H 8AS
 - 23-25 Argyle Square, London, WC1H 8AS
 - 25 Argyle Square, London, WC1H 8AS
 - 7-8 Argyle Square, London, WC1H 8AS
 - 7-8 Argyle Square, London, WC1H 8AS
 - 9 Argyle Square, London, WC1H 8AS

Monument/Component Types

- RAILINGS (19th Century - 1840 AD to 1849 AD)
- TERRACE (19th Century - 1840 AD to 1849 AD)
- TERRACED HOUSE (19th Century - 1840 AD to 1849 AD)
- HOTEL (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476610 NUMBERS 7-25 AND ATTACHED RAILINGS	CAMDEN TQ3082NW ARGYLE SQUARE 798-1/90/47 (East side) 14/05/74 Nos.7-25 (Consecutive) and attached railings (Formerly Listed as: ARGYLE SQUARE Nos.7-25, 26-35, 36-47 (consec)) GV II Terrace of 19 houses, now mostly small hotels, forming the east side of Argyle Square. 1840-49, altered. Yellow stock brick, Nos 7, 9, 10 and 16-18 painted. Rusticated stucco ground floors, Nos 7, 9, 10, and 16-18. Painted ground floors, Nos 6, 11, 12, 14, 15 and 19-25. 4 storeys and basements. 2 windows each. Architraved, round-arched ground floor openings. Doorways, where unaltered, with pilaster-jambs carrying cornice-heads; patterned fanlights and panelled doors. Entrance to No.7 in single storey stucco extension on left hand return. Nos 7 and 25, square-headed ground floor windows. Gauged brick flat arches to assortment of recessed casements and sashes on upper floors; 1st floors with architraves and cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross

Neighbourhood, Parish of St Pancras IV: London: -1952: 105). Listing
NGR: TQ3037082836

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80675
Monument Type	Listed Building
Preferred Ref.	MLO80675
Name	NUMBERS 74 TO 77 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30239 81696 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/688 (North side) 28/02/69 Nos.74-77 (Consecutive) and attached railings GV II Terrace of 4 houses. c1662-4, altered mid C19. Stucco with rusticated ground floor. 4 storeys and basements. 3 windows each. No.77 with 3-window return to Montague Street. Entrances with architraved stucco surrounds, panelled reveals, consoles and cornices; fanlights and panelled doors. Pilasters (rusticated on 1st and 2nd floors) between houses and at angles carry main cornice with balustraded parapet. Architraved 4-pane sashes, 1st floor with console bracketed cornices. Bracketed cornice at 3rd floor level. Return to No.77 with cast-iron verandah, added 1841, with elaborately ornamented cast-iron balustrade, including heads on roundels and foliage, and posts to tented canopy. INTERIORS: No.75 with panelled hall and rooms. Stair with barley sugar twist balusters and wreathed handrail. No.77 has a panelled hall with Corinthian fluted pilasters and door with enriched mouldings; original staircase. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. HISTORICAL NOTE: No.77 was the home of Thomas Henry Wyatt, architect (GLC plaque). Listing NGR: TQ3023981696

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- RAILINGS (17th Century - 1662 AD to 1664 AD)
- TERRACE (17th Century - 1662 AD to 1664 AD)
- TERRACED HOUSE (17th Century - 1662 AD to 1664 AD)
- TERRACE (19th Century - 1833 AD to 1866 AD)
- TERRACED HOUSE (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477857 NUMBERS 74 TO 77 AND ATTACHED RAILINGS	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/688 (North side) 28/02/69 Nos.74-77 (Consecutive) and attached railings GV II Terrace of 4 houses. c1662-4, altered mid C19. Stucco with rusticated ground floor. 4 storeys and basements. 3 windows each. No.77 with 3-window return to Montague Street. Entrances with architraved stucco surrounds, panelled reveals, consoles and cornices; fanlights and panelled doors. Pilasters (rusticated on 1st and 2nd floors) between houses and at angles carry main cornice with balustraded parapet. Architraved 4-pane sashes, 1st floor with console bracketed cornices. Bracketed cornice at 3rd floor level. Return to No.77 with cast-iron verandah, added 1841, with elaborately ornamented cast-iron balustrade, including heads on roundels and foliage, and posts to tented canopy. INTERIORS: No.75 with panelled hall and rooms. Stair with barley sugar twist balusters and wreathed handrail. No.77 has a panelled hall with Corinthian fluted pilasters and door with enriched mouldings; original staircase. SUBSIDIARY FEATURES: attached C19 cast-iron railings to areas. HISTORICAL NOTE: No.77 was the home of Thomas Henry Wyatt, architect (GLC plaque). Listing NGR: TQ3023981696

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80814
Monument Type	Listed Building
Preferred Ref.	MLO80814
Name	NUMBERS 74 TO 80 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29693 82014 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/607 (East side) 28/03/69 Nos.74-80 (Even) and attached railings GV II Terrace of 4 houses. c1787. Darkened multi-coloured stock brick with stucco band at ground floor and 1st floor sill levels. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Round-arched entrances with good patterned radial fanlights and panelled doors; No.74 with attached Doric columns carrying entablature; No.76 with doorway replaced by small window; No.78 with fluted pilaster-jambes carrying cornice-head; No.80 with sidelights. Gauged brick flat arches to recessed sash windows with original glazing bars. No.74 ground floor windows with round-arched heads. Ground and 1st floor windows with bracketed sills and cast-iron guards. Nos 76 & 78 with rendered apron across fronts below 2nd floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2969382014

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 17 Gordon Square, London, WC1H 0AG

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1767 AD to 1807 AD)
- TERRACE (18th Century to 19th Century - 1767 AD to 1807 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1767 AD to 1807 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477396 NUMBERS 74 TO 80 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GOWER STREET 798-1/94/607 (East side) 28/03/69 Nos.74-80 (Even) and attached railings GV II Terrace of 4 houses. c1787. Darkened multi-coloured stock brick with stucco band at ground floor and 1st floor sill levels. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Round-arched entrances with good patterned radial fanlights and panelled doors; No.74 with attached Doric columns carrying entablature; No.76 with doorway replaced by small window; No.78 with fluted pilaster-jambes carrying cornice-head; No.80 with sidelights. Gauged brick flat arches to recessed sash windows with original glazing bars. No.74 ground floor windows with round-arched heads. Ground and 1st floor windows with bracketed sills and cast-iron guards. Nos 76 & 78 with rendered apron across fronts below 2nd floor windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ2969382014

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

Export generated by HBSMR from exeGesIS SDM

Start of record

MonUID	MLO80053
Monument Type	Listed Building
Preferred Ref.	MLO80053
Name	NUMBERS 75 TO 81 AND 81A AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30902 82117 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/645 (West side) 14/05/74 Nos.75-81 AND 81A (Odd) and attached railings GV II 4 terraced houses with later shops. c1791, altered. Yellow stock brick with slate mansard roofs (No.77, corrugated iron) and dormers. EXTERIOR: 3 storeys, attics and basements. 2 windows each, No.81 with 2-window return forming No.81A. No.75: round-arched doorway with stucco reveals, fluted pilaster-jambes carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses linked by stucco impost bands. Moulded brick band at base of parapet. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to area. No.77: 20th century shopfront with late 19th century consoles. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. No.79: round-arched doorway with stucco reveals, fluted pilaster-jambes carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to area. No.81: mid-20th century shopfront with vitrolite fascia. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Rebuilt parapet. INTERIORS: not inspected. Listing NGR: TQ3090282117

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 55 Gray's Inn Road, London, WC1X 8PP

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1771 AD to 1811 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1771 AD to 1811 AD)
- TERRACED HOUSE (19th Century to Unknown - 1812 AD)
- SHOP (Modern - 1933 AD to 1966 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477478 NUMBERS 75 TO 81 AND 81A AND ATTACHED RAILINGS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/645 (West side) 14/05/74 Nos.75-81 AND 81A (Odd) and attached railings GV II 4 terraced houses with later shops. c1791, altered. Yellow stock brick with slate mansard roofs (No.77, corrugated iron) and dormers. EXTERIOR: 3 storeys, attics and basements. 2 windows each, No.81 with 2-window return forming No.81A. No.75: round-arched doorway with stucco reveals, fluted pilaster-jambes carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses linked by stucco impost bands. Moulded brick band at base of parapet. SUBSIDIARY FEATURES: attached cast-iron railings with tasselled spearhead finials to area. No.77: C20 shopfront with late C19 consoles. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. No.79: round-arched doorway with stucco reveals, fluted pilaster-jambes carrying cornice-head; patterned radial fanlight and panelled door. Stucco 1st floor sill band. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Parapet. SUBSIDIARY FEATURES: attached cast-iron railings with acorn finials to area. No.81: mid-C20 shopfront with vitrolite fascia. Gauged brick flat arches to recessed sashes; 1st floor in shallow, round-arched recesses. Rebuilt parapet. INTERIORS: not inspected. Listing NGR: TQ3090282117

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80565
Monument Type	Listed Building
Preferred Ref.	MLO80565
Name	NUMBERS 75 TO 82 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30326 82115 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/723 (North side) 14/05/74 Nos.75-82 (Consecutive) and attached railings GV II 8 terraced houses. c1793-1799. By James Burton, altered. Nos 75 & 76: darkened multi-coloured stock brick with stucco ground floors, No.75 rusticated. EXTERIOR: 4 storeys and basements. Formerly 2 houses with 3 windows each. No.75 with Roman Doric doorcase, fanlight and double panelled doors. No.76 doorway altered for use as a window. Gauged brick flat arches to recessed 2-pane sashes; 1st floor with continuous cast-iron balconies. 1st and 2nd floors No.76 with blind boxes. Stucco cornices at 3rd floor level. Parapets. Nos 77-82: darkened multi-coloured stock brick, No.81 refronted. 4 storeys and basements. 3 windows each, except No.82 with 2 windows. Round-arched doorways with fluted surrounds, radial fanlights and double panelled doors; No.78, doorway converted for use as a window. No.82, stucco door surround with pilasters, fluted head and cornice. Plain stucco band at 1st floor level. Reddened gauged brick flat arches to recessed sashes; 1st floor with balconies except Nos 79 & 82. Stucco cornice at 3rd floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF
 - 66-82 Guilford Street, London, WC1N 1DF

Monument/Component Types

- RAILINGS (18th Century - 1793 AD to 1799 AD)
- TERRACE (18th Century - 1793 AD to 1799 AD)
- TERRACED HOUSE (18th Century - 1793 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477966 NUMBERS 75 TO 82 AND ATTACHED RAILINGS	CAMDEN TQ3082SW GUILFORD STREET 798-1/95/723 (North side) 14/05/74 Nos.75-82 (Consecutive) and attached railings GV II 8 terraced houses. c1793-1799. By James Burton, altered. Nos 75 & 76: darkened multi-coloured stock brick with stucco ground floors, No.75 rusticated. EXTERIOR: 4 storeys and basements. Formerly 2 houses with 3 windows each. No.75 with Roman Doric doorcase, fanlight and double panelled doors. No.76 doorway altered for use as a window. Gauged brick flat arches to recessed 2-pane sashes; 1st floor with continuous cast-iron balconies. 1st and 2nd floors No.76 with blind boxes. Stucco cornices at 3rd floor level. Parapets. Nos 77-82: darkened multi-coloured stock brick, No.81 refronted. 4 storeys and basements. 3 windows each, except No.82 with 2 windows. Round-arched doorways with fluted surrounds, radial fanlights and double panelled doors; No.78, doorway converted for use as a window. No.82, stucco door surround with pilasters, fluted head and cornice. Plain stucco band at 1st floor level. Reddened gauged brick flat arches to recessed sashes; 1st floor with balconies except Nos 79 & 82. Stucco cornice at 3rd floor level. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3032682115

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80476
Monument Type	Listed Building
Preferred Ref.	MLO80476
Name	NUMBERS 8, 9 AND 10 AND ATTACHED RAILINGS TO NUMBERS 9 AND 10
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30706 82232 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GUILFORD STREET 798-1/96/719 (South side) 14/05/74 Nos.8, 9 AND 10 (Consecutive) and attached railings to Nos.9 and 10 GV II Terrace of 4 houses. c1792-1800, altered. No.8: multi-coloured stock brick with later patching. Stucco ground floor and 1st floor sill band. Corner block with slated mansard roof with dormers. Formerly 2 residences with 3 windows each and 3 window return to Doughty Street. 3 storeys, attic and basements. Slightly projecting 20th century portico with Ionic pilasters carrying entablature. 20th century radial fanlight and panelled door. Architraved ground floor windows. Upper storey with reddened gauged brick flat arches to recessed 2-pane sashes. Stone cornice and blocking course. Nos 9 & 10: multi-coloured stock brick. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Round-arched doorways with pilaster-jambs carrying cornice heads; fanlights and panelled doors. Stucco 1st floor sill band. Reddened gauged brick flat arches to recessed sashes; No.9, 2-pane and with cast-iron balconies to 1st floor. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 9 and 10. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3070682232

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Guilford Street, London, WC1N 1DR

Monument/Component Types

- RAILINGS (18th Century - 1792 AD to 1800 AD)
- TERRACE (18th Century - 1792 AD to 1800 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1800 AD)
- TERRACE (19th Century to Unknown - 1801 AD)
- TERRACED HOUSE (19th Century to Unknown - 1801 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477959 NUMBERS 8, 9 AND 10 AND ATTACHED RAILINGS TO NUMBERS 9 AND 10	CAMDEN TQ3082SE GUILFORD STREET 798-1/96/719 (South side) 14/05/74 Nos.8, 9 AND 10 (Consecutive) and attached railings to Nos.9 and 10 GV II Terrace of 4 houses. c1792-1800, altered. No.8: multi-coloured stock brick with later patching. Stucco ground floor and 1st floor sill band. Corner block with slated mansard roof with dormers. Formerly 2 residences with 3 windows each and 3 window return to Doughty Street. 3 storeys, attic and basements. Slightly projecting C20 portico with Ionic pilasters carrying entablature. C20 radial fanlight and panelled door. Architraved ground floor windows. Upper storey with reddened gauged brick flat arches to recessed 2-pane sashes. Stone cornice and blocking course. Nos 9 & 10: multi-coloured stock brick. Slated mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Round-arched doorways with pilaster-jambs carrying cornice heads; fanlights and panelled doors. Stucco 1st floor sill band. Reddened gauged brick flat arches to recessed sashes; No.9, 2-pane and with cast-iron balconies to 1st floor. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas of Nos 9 and 10. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 32). Listing NGR: TQ3070682232

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81482
Monument Type	Listed Building
Preferred Ref.	MLO81482
Name	NUMBERS 8-11 AND ATTACHED RAILINGS AND GATES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30987 81531 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1028 (North side) 24/10/51 Nos.8-11 (consec) Stone Buildings & attached railings & gates GV I Terraced chambers and Inns of Court Territorial HQ (No.10). 1775-1780. By Sir Robert Taylor. No.10, rusticated stone ground floor, ashlar 1st floor & attic. Nos 8, 9 & 11, yellow stock brick with stone basements and dressings. EXTERIOR: No.10: 2 storeys, basement and attic. 7 windows. Round-headed entrance and round-headed windows to ground and 1st floor, those on ground floor being in shallow round-headed ashlar recesses. Recessed rectangular attic windows, horizontally pivoted. Plain impost bands to ground floor windows, plain band at 1st floor level and fluted springing bands to 1st floor windows which are flanked by shallow niches. Dentil cornice and blocking course. No.11: flanking No.10 to the left. 3 storeys and basement. 7 windows. Square-headed door with elaborate Nico lantern bracketed over and round-headed fanlight, in shallow round-headed recess. Gauged flat arches to recessed sash windows, those on the ground floor in shallow round-headed recesses with plain impost bands. Plain stone band at 2nd floor level. Stone mutule cornice and blocking course. No.9: flanking No.10 to the right. 3 storeys and basement. 7 windows. Similar to No.11 but the entrance door has a pilastered and pedimented case under a plain stone band with fanlight over. No.8: formed by a 1-window projection to No.9 with a right-hand return of 5 windows. Similar to Nos 9 & 11. East elevation to Chantry Lane is similar in character. Nos 8, 9 and 11 with good, original lead rainwater pipes and heads with lion masks and dated 1775. INTERIORS: not inspected. SUBSIDIARY FEATURES: cast-iron railings in front of Nos 9 and 11. Cast-iron railings with torch flambe finials along Chancery Lane frontage with cast-iron entrance gates at south end dating to 1845. No.10 was listed on 14/05/74. Listing NGR: TQ3098781531

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Stone Buildings, London, WC2A 3TD
 - 10 Stone Buildings, London, WC2A 3TD
 - 11 Stone Buildings, London, WC2A 3TG
 - 9 Stone Buildings, London, WC2A 3NN

Monument/Component Types

- INNS OF COURT (18th Century - 1775 AD to 1780 AD)
- LEGAL CHAMBERS (18th Century - 1775 AD to 1780 AD)
- MILITARY HEADQUARTERS (18th Century - 1775 AD to 1780 AD)
- RAILINGS (18th Century - 1775 AD to 1780 AD)
- TERRACE (18th Century - 1775 AD to 1780 AD)
- TERRACED HOUSE (18th Century - 1775 AD to 1780 AD)
- GATE (19th Century - 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478697 NUMBERS 8-11 AND ATTACHED RAILINGS AND GATES	CAMDEN TQ3081NE LINCOLN'S INN 798-1/101/1028 (North side) 24/10/51 Nos.8-11 (consec) Stone Buildings & attached railings & gates GV I Terraced chambers and Inns of Court Territorial HQ (No.10). 1775-1780. By Sir Robert Taylor. No.10, rusticated stone ground floor, ashlar 1st floor & attic. Nos 8, 9 & 11, yellow stock brick with stone basements and dressings. EXTERIOR: No.10: 2 storeys, basement and attic. 7 windows. Round-headed entrance and round-headed windows to ground and 1st floor, those on ground floor being in shallow round-headed ashlar recesses. Recessed rectangular attic windows, horizontally pivoted. Plain impost bands to ground floor windows, plain band at 1st floor level and fluted springing bands to 1st floor windows which are flanked by shallow niches. Dentil cornice and blocking course. No.11: flanking No.10 to the left. 3 storeys and basement. 7 windows. Square-headed door with elaborate Nico lantern bracketed over and round-headed fanlight, in shallow round-headed recess. Gauged flat arches to recessed sash windows, those on the ground floor in shallow round-headed recesses with plain impost bands. Plain stone band at 2nd floor level. Stone mutule cornice and blocking course. No.9: flanking No.10 to the right. 3 storeys and basement. 7 windows. Similar to No.11 but the entrance door has a pilastered and pedimented case under a plain stone band with fanlight over. No.8: formed by a 1-window projection to No.9 with a right-hand return of 5 windows. Similar to Nos 9 & 11. East elevation to Chantry Lane is

similar in character. Nos 8, 9 and 11 with good, original lead rainwater pipes and heads with lion masks and dated 1775. INTERIORS: not inspected. SUBSIDIARY FEATURES: cast-iron railings in front of Nos 9 and 11. Cast-iron railings with torch flambe finials along Chancery Lane frontage with cast-iron entrance gates at south end dating to 1845. No.10 was listed on 14/05/74. Listing NGR: TQ3098781531

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80426
Monument Type	Listed Building
Preferred Ref.	MLO80426
Name	NUMBERS 8-13 AND ATTACHED RAILINGS. NUMBER 11 INCORPORATING THE FORMER NUMBER 10
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30840 81763 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1810 (East side) 24/10/51 Nos.8-13 (Consecutive) and attached railings. No.11 incorporating the former No.10 (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II* 6 terraced houses. 1717-18. By Robert Burford, carpenter, on land leased to him and George Devall, plumber, by Margaret Skipwith in 1716. Most with internal alterations of high quality c1820. No.10 (gutted in 1941) rebuilt in replica after Second World War as part of No.11. Brown or yellow stock brick with some refacing of upper storeys and parapets. Tiled mansard roofs at right-angles to street front, those to Nos 10 and 11 slated. EXTERIOR/PLAN: each house is 2 rooms deep, originally with cross passage between them but in early C19 incorporated into front rooms as buffet alcove; this spaced filled at upper levels with stair, all with closet wings. Principal stair to rear of entrance extends to first floor only, with rooms over this space at upper levels. Rear extensions over gardens and mews not of interest except where noted. Brick bands at first floor level. No.12 tuck pointed. 4 storeys and basements. 3 windows each, No.11 four windows wide. Gauged red brick arches and dressings to flush frame sash windows. Nos 8-9: wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, patterned fanlights and panelled doors. No.11: 20th century wood doorcase with fluted Doric engaged columns carrying entablature and modillion cornice, patterned fanlight and panelled door. Nos 12 and 13 have wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, with patterned fanlights and panelled doors complete with original hinges and bars. Some houses with original lead rainwater heads inscribed 1718. INTERIORS: No.8 with fully panelled ground floor rooms and box cornices. Entrance hall also fully panelled with Corinthian pilasters forming inner arch. Fine open-string staircase with twisted balusters and decorated tread ends, counterpoised by continuous dado on other side. Upper floors not inspected but noted to be of high quality. No.9 has fully panelled entrance hall with dado rail and box cornices, marble tiled floor. Fluted pilasters with Corinthian pilasters to inner arch. Ground-floor rooms with raised and fielded panelling, with smaller panels over fireplaces, and shutters. Front room with flat arch leading to curved buffet arch. Early C19 cornice. Ground-floor rear room and closet with full panelling, box cornices and corner fireplaces. Room beyond closet a later C18 addition fully panelled with simple cornice and early 20th century fireplace. Grand staircase to first floor with open-string staircase with decorated ends, twisted balusters set three per square; a corresponding panelled dado with small Corinthian pilasters at head, foot and turn of flights; box cornices; shutters to giant staircase window. First floor rooms with early C19 ceilings and fireplaces, the rear room with corner fireplace and closet having early C18 panelling. Between the main rooms closed-string staircase with chunky turned balusters rises to third floor, all save return flight to second floor renewed in 1994. Second floor with simpler ovolo-moulded panelling and dado, rear room with Adamesque fireplace with marble lining and box cornice; closet with corner fireplace and cast-iron grate. Front room partitioned but retains full-height ovolo panelling and dado and fireplace with marble surround. Over principal stair another rear room with ovolo panelling, box cornice and fireplace. Third floor with some panelling and early 20th century fireplaces. Attic reached by stick baluster stair. No.10 incorporated as part of No.11 in 1944. It has a fireplace moved from the ground floor of No.11 and now forms part of that address. No.11 is the most impressive house in the row, built on a larger plot for Dame Rebecca Moyer, resident 1720-23. Her initials and the date 1720 on water tanks brought from basement and now in conference room added 1950s in sympathetic style to rear. Pair of closet wings at rear. Magnificent entrance hall and staircase. The staircase with twisted balusters and landing, filling front entrance hall. Hall with corner fireplace, fully panelled and with fine and complete sequence of wall paintings by John Vanderbank in commemoration of George I, mounted and surrounded by allegorical figures in painted architectural surround, early 1720s. Secondary stair to rear of this at ground floor continues as principal stair from first to third floor, with turned balusters on closed string, corresponding dadoes and panelling. Ground-floor front room with C18 panelling and early C19 cornices, shutters and fireplace. Rear room with early C19 cornices and fireplace brought from third floor. Ground-floor panelled closet wing to rear of stair with corner fireplace. First floor rooms continue this lavish combination of fine raised and fielded panelling with richly moulded early C19 cornices and marble fireplaces. Second floor retains box cornices, ovolo panelling, and fireplaces. Third floor with plain panelling, most complete in rear rooms. Basement wine cellars. Nos 12 and 13 in common ownership with linking doors. No.12 has fully panelled entrance and staircase hall with fluted Corinthian pilasters to inner arch. From ground to first floor a handsome open-string stair with decorative ends and twisted balusters, three per tread, with corresponding dado which has Corinthian pilaster strips at head, foot and turn of flights extending to full height. Ground-floor front room divided by timber Corinthian columns of early C19 to form buffet. Marble fireplace, cornice, shutters with C18 hinges as in staircase hall. Rear room with marble fireplace under dentilled mantelpiece, ovolo-panelled closet. First floor altered early C19 with cornices to both rooms and ceiling rose to front room. Central closed-string stair with turned balusters rises from first floor to attic in central compartment at right-angles to street. Second floor with ovolo panelling to all rooms, and fireplaces in those to rear. Third floor retains panelling and cupboards to rear room; panelling to front room very simple. No.13 has fully panelled entrance hall, and staircase of identical pattern to those in Nos 8, 9 and 12 but woodgrained and never painted. However, staircase hall has plaster moulded swags and drops between panels, with richly moulded fruit and leaves - rare in a London townhouse of this date. Ground-floor front room divided by marbled timber columns supporting arch to rear buffet, box cornices and full panelling with dado rail. C19 fireplace. Rear room also fully panelled with closet, the latter carefully restored on all floors in 1992. First floor front room with handsome early C19 marble fireplace and cornice. Rear room with C18 panelling and C18 marble fireplace in later Victorian surround. Door to closet treated as continuation of panelling to dado height with upper section treated as window with early C19 glazing bars. Panelled closet with 1820s grate. Closed string staircase rises from first to third floors through centre of house at right-angles to street, panelled and with corresponding dado panelling flanking stair. Second-floor rooms with ovolo panelling, box cornices and cupboard with H-hinges; C19 fireplace to front, C18 fireplace in closet. Third floor retains some simple panelling and matchboarding, with C18 rear corner fireplace at rear. SUBSIDIARY FEATURES: attached cast-iron railings to areas, some with urn or torch flambe finials.</p>

HISTORICAL NOTE: a fascinating and well-preserved group of houses of unusual richness which together form a group of exceptional quality. The painted staircase hall in No.11 is an individual piece of architectural bravura, making for one of the finest early C18 interiors in London. (British Printing Industries Federation: 11 Bedford Row: -1992). Listing NGR: TQ3084081763

Sources

Number **Reference**

Location

Administrative Area

- [Borough] CAMDEN

Address

- 12 Bedford Row, London, WC1R 4BU
- 13 Bedford Row, London, WC1R 4BU
- 8 Bedford Row, London, WC1R 4BU
- 8 Bedford Row, London, WC1R 4BU
- 9 Bedford Row, London, WC1R 4AZ

Monument/Component Types

- RAILINGS (18th Century - 1717 AD to 1718 AD)
- TERRACE (18th Century - 1717 AD to 1718 AD)
- TERRACED HOUSE (18th Century - 1717 AD to 1718 AD)
- HOUSE (18th Century to Unknown - 1719 AD)
- HOUSE (Modern - 1941 AD)
- HOUSE (Modern - 1944 AD)

Find Types

Designations

Type/Grade

Listed Building (II*)

Reference/Title

476652 NUMBERS 8-13 AND
ATTACHED RAILINGS.
NUMBER 11 INCORPORATING
THE FORMER NUMBER 10

Description

CAMDEN TQ3081NE BEDFORD ROW 798-1/101/1810 (East side) 24/10/51 Nos.8-13 (Consecutive) and attached railings. No.11 incorporating the former No.10 (Formerly Listed as: BEDFORD ROW Nos.1-9 AND 11-17 (Consecutive)) GV II* 6 terraced houses. 1717-18. By Robert Burford, carpenter, on land leased to him and George Devall, plumber, by Margaret Skipwith in 1716. Most with internal alterations of high quality c1820. No.10 (gutted in 1941) rebuilt in replica after Second World War as part of No.11. Brown or yellow stock brick with some refacing of upper storeys and parapets. Tiled mansard roofs at right-angles to street front, those to Nos 10 and 11 slated. EXTERIOR/PLAN: each house is 2 rooms deep, originally with cross passage between them but in early C19 incorporated into front rooms as buffet alcove; this spaced filled at upper levels with stair, all with closet wings. Principal stair to rear of entrance extends to first floor only, with rooms over this space at upper levels. Rear extensions over gardens and mews not of interest except where noted. Brick bands at first floor level. No.12 tuck pointed. 4 storeys and basements. 3 windows each, No.11 four windows wide. Gauged red brick arches and dressings to flush frame sash windows. Nos 8-9: wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, patterned fanlights and panelled doors. No.11: C20 wood doorcase with fluted Doric engaged columns carrying entablature and modillion cornice, patterned fanlight and panelled door. Nos 12 and 13 have wood architraved doorcases with good carved brackets, panelled soffits to flat hoods, with patterned fanlights and panelled doors complete with original hinges and bars. Some houses with original lead rainwater heads inscribed 1718. INTERIORS: No.8 with fully panelled ground floor rooms and box cornices. Entrance hall also fully panelled with Corinthian pilasters forming inner arch. Fine open-string staircase with twisted balusters and decorated tread ends, counterpoised by continuous dado on other side. Upper floors not inspected but noted to be of high quality. No.9 has fully panelled entrance hall with dado rail and box cornices, marble tiled floor. Fluted pilasters with Corinthian pilasters to inner arch. Ground-floor rooms with raised and fielded panelling, with smaller panels over fireplaces, and shutters. Front room with flat arch leading to curved buffet arch. Early C19 cornice. Ground-floor rear room and closet with full panelling, box cornices and corner fireplaces. Room beyond closet a later C18 addition fully panelled with simple cornice and early C20 fireplace. Grand staircase to first floor with open-string staircase with decorated ends, twisted balusters set three per square; a corresponding panelled dado with small Corinthian pilasters at head, foot and turn of flights; box cornices; shutters to giant staircase window. First floor rooms with early C19 ceilings and fireplaces, the rear room with corner fireplace and closet having early C18 panelling. Between the main rooms closed-string staircase with chunky turned balusters rises to third floor, all save return flight to second floor renewed in 1994. Second floor with simpler ovolo-moulded panelling and dado, rear room with Adamesque fireplace with marble lining and box cornice; closet with corner fireplace and cast-iron grate.

Front room partitioned but retains full-height ovolo panelling and dado and fireplace with marble surround. Over principal stair another rear room with ovolo panelling, box cornice and fireplace. Third floor with some panelling and early C20 fireplaces. Attic reached by stick baluster stair. No.10 incorporated as part of No.11 in 1944. It has a fireplace moved from the ground floor of No.11 and now forms part of that address. No.11 is the most impressive house in the row, built on a larger plot for Dame Rebecca Moyer, resident 1720-23. Her initials and the date 1720 on water tanks brought from basement and now in conference room added 1950s in sympathetic style to rear. Pair of closet wings at rear. Magnificent entrance hall and staircase. The staircase with twisted balusters and landing, filling front entrance hall. Hall with corner fireplace, fully panelled and with fine and complete sequence of wall paintings by John Vanderbank in commemoration of George I, mounted and surrounded by allegorical figures in painted architectural surround, early 1720s. Secondary stair to rear of this at ground floor continues as principal stair from first to third floor, with turned balusters on closed string, corresponding dadoes and panelling. Ground-floor front room with C18 panelling and early C19 cornices, shutters and fireplace. Rear room with early C19 cornices and fireplace brought from third floor. Ground-floor panelled closet wing to rear of stair with corner fireplace. First floor rooms continue this lavish combination of fine raised and fielded panelling with richly moulded early C19 cornices and marble fireplaces. Second floor retains box cornices, ovolo panelling, and fireplaces. Third floor with plain panelling, most complete in rear rooms. Basement wine cellars. Nos 12 and 13 in common ownership with linking doors. No.12 has fully panelled entrance and staircase hall with fluted Corinthian pilasters to inner arch. From ground to first floor a handsome open-string stair with decorative ends and twisted balusters, three per tread, with corresponding dado which has Corinthian pilaster strips at head, foot and turn of flights extending to full height. Ground-floor front room divided by timber Corinthian columns of early C19 to form buffet. Marble fireplace, cornice, shutters with C18 hinges as in staircase hall. Rear room with marble fireplace under dentilled mantelpiece, ovolo-panelled closet. First floor altered early C19 with cornices to both rooms and ceiling rose to front room. Central closed-string stair with turned balusters rises from first floor to attic in central compartment at right-angles to street. Second floor with ovolo panelling to all rooms, and fireplaces in those to rear. Third floor retains panelling and cupboards to rear room; panelling to front room very simple. No.13 has fully panelled entrance hall, and staircase of identical pattern to those in Nos 8, 9 and 12 but woodgrained and never painted. However, staircase hall has plaster moulded swags and drops between panels, with richly moulded fruit and leaves - rare in a London townhouse of this date. Ground-floor front room divided by marbled timber columns supporting arch to rear buffet, box cornices and full panelling with dado rail. C19 fireplace. Rear room also fully panelled with closet, the latter carefully restored on all floors in 1992. First floor front room with handsome early C19 marble fireplace and cornice. Rear room with C18 panelling and C18 marble fireplace in later Victorian surround. Door to closet treated as continuation of panelling to dado height with upper section treated as window with early C19 glazing bars. Panelled closet with 1820s grate. Closed string staircase rises from first to third floors through centre of house at right-angles to street, panelled and with corresponding dado panelling flanking stair. Second-floor rooms with ovolo panelling, box cornices and cupboard with H-hinges; C19 fireplace to front, C18 fireplace in closet. Third floor retains some simple panelling and matchboarding, with C18 rear corner fireplace at rear. **SUBSIDIARY FEATURES:** attached cast-iron railings to areas, some with urn or torch flambe finials. **HISTORICAL NOTE:** a fascinating and well-preserved group of houses of unusual richness which together form a group of exceptional quality. The painted staircase hall in No.11 is an individual piece of architectural bravura, making for one of the finest early C18 interiors in London. (British Printing Industries Federation: 11 Bedford Row: -1992). Listing NGR: TQ3084081763

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

[End of record](#)

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81477
Monument Type	Listed Building
Preferred Ref.	MLO81477
Name	NUMBERS 8-15 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31039 81459 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1029 (North West side) 14/05/74 Nos.8-15 (consec) Old Square and attached railings GV II 8 terraced chambers. Nos 8-10 1774 by Sir George Gilbert Scott, Nos.11-15 1878-86 by J Oldrid Scott, all in Tudor style. Red brick with blue diapers and stone dressings. Slate roofs with tall decorative brick chimney pots, No.13 with a pyramid roof over one bay. Stone plinth moulding at ground floor level. 4 storeys. Entrances of square headed and moulded arch types, No.15 with lamp over, approached by steps with solid brick balustrades with moulded capping. Nos 8-13 with moulded stone drip strings at floor levels. Square headed transom and mullion windows, Nos 8-10 with cusped ogee tracery and cusped lancets, some forming bays. No.15 with enriched terracotta aprons to 1st, 2nd and 3rd floor windows. Those above the entrance with geometrical tracery. Nos 8-11 with cornice at 3rd floor with enriched band below. Embattled parapets with gables capped by finials. Lead rainwater heads and pipes. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3103981459

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 14 Old Square, London, WC2A 3UB
 - 15 Old Square, London, WC2A 3UE
 - 15 Old Square, London, WC2A 3UE

Monument/Component Types

- LEGAL CHAMBERS (18th Century - 1774 AD)
- RAILINGS (18th Century - 1774 AD)
- TERRACE (18th Century - 1774 AD)
- TERRACED HOUSE (18th Century - 1774 AD)
- LEGAL CHAMBERS (19th Century - 1878 AD to 1886 AD)
- RAILINGS (19th Century - 1878 AD to 1886 AD)
- TERRACE (19th Century - 1878 AD to 1886 AD)
- TERRACED HOUSE (19th Century - 1878 AD to 1886 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478690 NUMBERS 8-15 AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1029 (North West side) 14/05/74 Nos.8-15 (consec) Old Square and attached railings GV II 8 terraced chambers. Nos 8-10 1774 by Sir George Gilbert Scott, Nos.11-15 1878-86 by J Oldrid Scott, all in Tudor style. Red brick with blue diapers and stone dressings. Slate roofs with tall decorative brick chimney pots, No.13 with a pyramid roof over one bay. Stone plinth moulding at ground floor level. 4 storeys. Entrances of square headed and moulded arch types, No.15 with lamp over, approached by steps with solid brick balustrades with moulded capping. Nos 8-13 with moulded stone drip strings at floor levels. Square headed transom and mullion windows, Nos 8-10 with cusped ogee tracery and cusped lancets, some forming bays. No.15 with enriched terracotta aprons to 1st, 2nd and 3rd floor windows. Those above the entrance with geometrical tracery. Nos 8-11 with cornice at 3rd floor with enriched band below. Embattled parapets with gables capped by finials. Lead rainwater heads and pipes. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas. Listing NGR: TQ3103981459

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81133
Monument Type	Listed Building
Preferred Ref.	MLO81133
Name	NUMBERS 8-17 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30152 82610 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW THANET STREET 798-1/90/1604 (East side) 19/11/70 Nos.8-17 (Consecutive) and attached railings GV II Terrace of 10 houses. c1820-22. Probably by James Burton. Yellow stock brick (No.8 painted) with stucco ground floors (Nos 8-11 and 16 rusticated). Stucco bands at 1st floor level and parapets. 2 storeys and basements. 2 windows each; No.13 with extra, central blind window and segmental-arched mews entrance. Round-arched ground floor openings. Doorways with pilaster-jambes carrying cornice-heads; fanlights (nos. 8, 10, 13 & 15 patterned) and panelled doors (No.8, 20th century). Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies (except No.17). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 87). Listing NGR: TQ3015282610

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Thanet Street, London, WC1H 9QL
- 11 Thanet Street, London, WC1H 9QL
- 12 Thanet Street, London, WC1H 9QL
- 12 Thanet Street, London, WC1H 9QL
- 13 Thanet Street, London, WC1H 9QL
- 14 Thanet Street, London, WC1H 9QL
- 15 Thanet Street, London, WC1H 9QL
- 16 Thanet Street, London, WC1H 9QL
- 17 Thanet Street, London, WC1H 9QL
- 8 Thanet Street, London, WC1H 9QL
- 9 Thanet Street, London, WC1H 9QL

Monument/Component Types

- RAILINGS (19th Century - 1820 AD to 1822 AD)
- TERRACE (19th Century - 1820 AD to 1822 AD)
- TERRACED HOUSE (19th Century - 1820 AD to 1822 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478339 NUMBERS 8-17 AND ATTACHED RAILINGS	CAMDEN TQ3082NW THANET STREET 798-1/90/1604 (East side) 19/11/70 Nos.8-17 (Consecutive) and attached railings GV II Terrace of 10 houses. c1820-22. Probably by James Burton. Yellow stock brick (No.8 painted) with stucco ground floors (Nos 8-11 and 16 rusticated). Stucco bands at 1st floor level and parapets. 2 storeys and basements. 2 windows each; No.13 with extra, central blind window and segmental-arched mews entrance. Round-arched ground floor openings. Doorways with pilaster-jambes carrying cornice-heads; fanlights (nos. 8, 10, 13 & 15 patterned) and panelled doors (No.8, C20). Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies (except No.17). INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, St Pancras IV: London: -1952: 87). Listing NGR: TQ3015282610

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81329
Monument Type	Listed Building
Preferred Ref.	MLO81329
Name	NUMBERS 87 TO 103 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30176 82610 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NW JUDD STREET 798-1/90/947 (West side) 19/11/70 Nos.87-103 (Odd) and attached railings GV II Terrace of 9 houses with shops. c1816. By James Burton. Darkened multi-coloured stock brick with some later patching. Plain stucco 3rd floor sill band. 4 storeys, basements or cellars. Nos 91 to 99 slightly projecting. Gauged brick flat arches to recessed sashes; 1st floors of Nos 87-91 and 101 and 103 with casements and continuous cast-iron balconies. Parapets. Nos 87-91 & 103: ground floors rusticated stucco with round arched openings. Doorways with pilaster-jambes carrying cornice-heads (Nos 87 & 91 with mask-head stops); fanlights and good panelled doors. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.93: earlier-mid C19 shopfront with dentil cornice and right hand enriched console, projecting shop window with segmental-arched lights and large panes. Segmental arched shop and house doorways with fanlights and house with panelled door. No.95: early C19 shopfront with half round, fluted, Corinthian pilasters carrying inswept entablature with projecting dentil cornice. Shop window with large panes. Shop and house doorways with rectangular fanlights and panelled doors. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to area. Nos 97 & 99: 20th century shopfronts, No.99 reproduction C19 but retaining C19 console-brackets flanking fascia. Shop and house doorways with rectangular fanlights and panelled doors to houses. No.99 retains original stair, dadoes and internal fittings. No.101: early C19 shopfront with reeded, simplified pilasters carrying inswept entablature with projecting cornice; projecting shop window with rounded ends and large panes. Round-arched doorway with pilaster-jambes carrying cornice-head; fanlight and panelled door. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (Parish of St Pancras IV): London: -1952: 84). Listing NGR: TQ3017682610

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 89 Judd Street, London, WC1H 9NE

- 89 Judd Street, London, WC1H 9NE

- 95 Judd Street, London, WC1H 9NE

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1796 AD to 1836 AD)
- TERRACE (18th Century to 19th Century - 1796 AD to 1836 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1796 AD to 1836 AD)
- SHOP (18th Century to 19th Century - 1800 AD to 1866 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478527 NUMBERS 87 TO 103 AND ATTACHED RAILINGS	CAMDEN TQ3082NW JUDD STREET 798-1/90/947 (West side) 19/11/70 Nos.87-103 (Odd) and attached railings GV II Terrace of 9 houses with shops. c1816. By James Burton. Darkened multi-coloured stock brick with some later patching. Plain stucco 3rd floor sill band. 4 storeys, basements or cellars. Nos 91 to 99 slightly projecting. Gauged brick flat arches to recessed sashes; 1st floors of Nos 87-91 and 101 and 103 with casements and continuous cast-iron balconies. Parapets. Nos 87-91 & 103: ground floors rusticated stucco with round arched openings. Doorways with pilaster-jambes carrying cornice-heads (Nos 87 & 91 with mask-head stops); fanlights and good panelled doors. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. No.93: earlier-mid C19 shopfront with dentil cornice and right hand enriched console, projecting shop window with segmental-arched lights and large panes. Segmental arched shop and house doorways with fanlights and house with panelled door. No.95: early C19 shopfront with half round, fluted, Corinthian pilasters carrying inswept entablature with projecting dentil cornice. Shop window with large panes. Shop and house doorways with rectangular fanlights and panelled doors. SUBSIDIARY FEATURES: attached cast-iron railings with spearhead finials to area. Nos 97 & 99: C20 shopfronts, No.99 reproduction C19 but retaining C19 console-brackets flanking fascia. Shop and house doorways with rectangular fanlights and panelled doors to houses. No.99 retains original stair, dadoes and internal fittings. No.101: early C19 shopfront with reeded, simplified pilasters carrying inswept entablature with projecting cornice; projecting shop window with

rounded ends and large panes. Round-arched doorway with pilaster-jambes carrying cornice-head; fanlight and panelled door. INTERIORS: not inspected. (Survey of London: Vol. XXIV, King's Cross Neighbourhood (Parish of St Pancras IV): London: -1952: 84). Listing NGR: TQ3017682610

Other Statuses and References

Type/Grade **Reference/Title**

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID **Name/Ref**

[Not Applicable](#) No Associated Event

Brief Description (click Event ID for details)

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79893
Monument Type	Listed Building
Preferred Ref.	MLO79893
Name	NUMBERS 87 TO 97 AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29627 82047 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/608 (West side) 28/03/69 Nos.87-97 (Odd) and attached railings GV II Terrace of 6 houses. c1789. Darkened stock brick with slate mansard roofs and dormers. Nos 95 & 97 with rusticated stucco ground floors. 3 storeys, attics and basements; No.91, 4 storeys. 3 windows each. Round-arched doorways with pilaster-jambes and cornice-heads, fanlights (Nos 91 & 93 radial patterned) and panelled doors. Gauged brick flat arches to recessed sashes, No.91 with glazing bars. Ground floor and 1st floor of No.91 with bracketed sills. Plain stone 1st floor sill bands. No.87 with 1st floor cast-iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.91 was the home of George Dance the Younger, architect (GLC plaque). (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood: London: -1949: 78). Listing NGR: TQ2962782047

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 87 Gower Street, London, WC1E 6AA

- 87 Gower Street, London, WC1E 6AA

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1779 AD to 1809 AD)
- TERRACE (18th Century to 19th Century - 1779 AD to 1809 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1779 AD to 1809 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477397 NUMBERS 87 TO 97 AND ATTACHED RAILINGS	CAMDEN TQ2982SE GOWER STREET 798-1/94/608 (West side) 28/03/69 Nos.87-97 (Odd) and attached railings GV II Terrace of 6 houses. c1789. Darkened stock brick with slate mansard roofs and dormers. Nos 95 & 97 with rusticated stucco ground floors. 3 storeys, attics and basements; No.91, 4 storeys. 3 windows each. Round-arched doorways with pilaster-jambes and cornice-heads, fanlights (Nos 91 & 93 radial patterned) and panelled doors. Gauged brick flat arches to recessed sashes, No.91 with glazing bars. Ground floor and 1st floor of No.91 with bracketed sills. Plain stone 1st floor sill bands. No.87 with 1st floor cast-iron window guards. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. HISTORICAL NOTE: No.91 was the home of George Dance the Younger, architect (GLC plaque). (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood: London: -1949: 78). Listing NGR: TQ2962782047

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80676
Monument Type	Listed Building
Preferred Ref.	MLO80676
Name	NUMBERS 89, 90 AND 91 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30040 81564 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/689 (North side) 28/03/69 Nos.89, 90 AND 91 and attached railings GV II 3 terraced houses. No.89, earlier C19; Nos 90 and 91, late C18 altered. Darkened brick; No.89 with rusticated stucco ground floor. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed sash windows, No.90 with original glazing bars. Stucco cornices and blocking courses. No.89: round-arched doorway with pilaster jambs carrying cornice head; fanlight and panelled door. "Y" shaped glazing bars to dormer windows. Attached cast-iron railings to areas with urn finials. No.90: later C19 shopfront with pilasters carrying entablature flanked by brackets. Shop window altered. Square-headed doorway with fanlight and panelled door. No.91: later C19 stucco shopfront with Ionic pilasters carrying entablature with dentil cornice. 3 ground floor openings with arched end bays with enriched spandrels. Doorway with pilaster jambs carrying entablature with figured frieze. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railing to entrance with cone finials and 3 shoe scrapers. HISTORICAL NOTE: No.91 was the home of George du Maurier 1863-1868 (GLC plaque). Listing NGR: TQ3004081564

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 89 Great Russell Street, London, WC1B 3PS
- 89 Great Russell Street, London, WC1B 3PS
- 90 Great Russell Street, London, WC1B 3RJ
- 91 Great Russell Street, London, WC1B 3PS

Monument/Component Types

- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477858 NUMBERS 89, 90 AND 91 AND ATTACHED RAILINGS	CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/689 (North side) 28/03/69 Nos.89, 90 AND 91 and attached railings GV II 3 terraced houses. No.89, earlier C19; Nos 90 and 91, late C18 altered. Darkened brick; No.89 with rusticated stucco ground floor. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows each. Gauged brick flat arches to recessed sash windows, No.90 with original glazing bars. Stucco cornices and blocking courses. No.89: round-arched doorway with pilaster jambs carrying cornice head; fanlight and panelled door. "Y" shaped glazing bars to dormer windows. Attached cast-iron railings to areas with urn finials. No.90: later C19 shopfront with pilasters carrying entablature flanked by brackets. Shop window altered. Square-headed doorway with fanlight and panelled door. No.91: later C19 stucco shopfront with Ionic pilasters carrying entablature with dentil cornice. 3 ground floor openings with arched end bays with enriched spandrels. Doorway with pilaster jambs carrying entablature with figured frieze. INTERIORS not inspected. SUBSIDIARY FEATURES: attached cast-iron railing to entrance with cone finials and 3 shoe scrapers. HISTORICAL NOTE: No.91 was the home of George du Maurier 1863-1868 (GLC plaque). Listing NGR: TQ3004081564

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80156
Monument Type	Listed Building
Preferred Ref.	MLO80156
Name	NUMBERS 9 TO 15 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30644 82062 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/667 (South side) 24/10/51 Nos.9-15 (Odd) and attached railings (Formerly Listed as: GREAT ORMOND STREET Nos.1-15 (Odd)) GV II 4 terraced houses. c1721. Built by J Richbell and W Paine (No.9, J Richbell and R Williams); altered in C19 century. Partially rebuilt c1980 by Donald Insall & Associates as part of a Rugby Estate and LB Camden Rehabilitation Scheme. Brown brick with red brick dressings. Stucco ground floors with 1st floor sill bands. 4 storeys and basements. 3 windows each. Wooden doorcases; No.9 with fluted Doric pilasters carrying entablature; fanlight and half glazed door; No.11, plain pilasters supporting entablature; fanlight and part glazed door with C19 stained glass; No.13, doorway replaced by a window; No.15, with carved brackets and small hood to architraved doorcase, fanlight and panelled door. Gauged red brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected but noted to retain panelling. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3064482062

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Great Ormond Street, London, WC1N 3RA
 - 15 Great Ormond Street, London, WC1N 3RA
 - 9 Great Ormond Street, London, WC1N 3RA

Monument/Component Types

- RAILINGS (18th Century - 1701 AD to 1741 AD)
- TERRACE (18th Century - 1701 AD to 1741 AD)
- TERRACED HOUSE (18th Century - 1701 AD to 1741 AD)
- TERRACE (18th Century to 19th Century - 1800 AD to 1899 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- TERRACE (Modern - 1975 AD to 1985 AD)
- TERRACED HOUSE (Modern - 1975 AD to 1985 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477654 NUMBERS 9 TO 15 AND ATTACHED RAILINGS	CAMDEN TQ3082SE GREAT ORMOND STREET 798-1/96/667 (South side) 24/10/51 Nos.9-15 (Odd) and attached railings (Formerly Listed as: GREAT ORMOND STREET Nos.1-15 (Odd)) GV II 4 terraced houses. c1721. Built by J Richbell and W Paine (No.9, J Richbell and R Williams); altered in C19 century. Partially rebuilt c1980 by Donald Insall & Associates as part of a Rugby Estate and LB Camden Rehabilitation Scheme. Brown brick with red brick dressings. Stucco ground floors with 1st floor sill bands. 4 storeys and basements. 3 windows each. Wooden doorcases; No.9 with fluted Doric pilasters carrying entablature; fanlight and half glazed door; No.11, plain pilasters supporting entablature; fanlight and part glazed door with C19 stained glass; No.13, doorway replaced by a window; No.15, with carved brackets and small hood to architraved doorcase, fanlight and panelled door. Gauged red brick flat arches to recessed sashes. Parapets. INTERIORS: not inspected but noted to retain panelling. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. Listing NGR: TQ3064482062

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81450
Monument Type	Listed Building
Preferred Ref.	MLO81450
Name	NUMBERS 9, 10 AND 11 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30155 82501 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW LEIGH STREET 798-1/90/1021 (South side) 14/05/74 Nos.9, 10 AND 11 and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 3 terraced houses. c1810-13. Built by JR Parry. Darkened stock brick with some later patching. Stucco ground floor with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with reeded pilaster-jamb carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3015582501

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 9 Leigh Street, London, WC1H 9EW

- 9 Leigh Street, London, WC1H 9EW

Monument/Component Types

- RAILINGS (19th Century - 1810 AD to 1813 AD)
- TERRACE (19th Century - 1810 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1810 AD to 1813 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478655 NUMBERS 9, 10 AND 11 AND ATTACHED RAILINGS	CAMDEN TQ3082NW LEIGH STREET 798-1/90/1021 (South side) 14/05/74 Nos.9, 10 AND 11 and attached railings (Formerly Listed as: LEIGH STREET Nos.1-19 (Consecutive)) GV II 3 terraced houses. c1810-13. Built by JR Parry. Darkened stock brick with some later patching. Stucco ground floor with plain 1st floor sill band. 4 storeys and basements. 2 windows each. Round-arched doorways with reeded pilaster-jamb carrying cornice-heads; fanlights and panelled doors. Gauged brick flat arches to recessed sash windows, 1st floor with continuous cast-iron balconies. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 88). Listing NGR: TQ3015582501

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80601
Monument Type	Listed Building
Preferred Ref.	MLO80601
Name	NUMBERS 9-15 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30603 81904 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE DOMBEY STREET 798-1/101/307 (South side) 01/08/73 Nos.9-15 (Consecutive) and attached railings GV II 7 terraced houses. 1766-1773. Possibly built by G Travell. Multi-coloured stock brick; Nos 13, 14 & 15 with stucco ground floor with band above. No.13 refronted above 1st floor level. Slate roofs. 4 storeys and basements. 2 windows each; No.13 with an additional window over entrance to Harpur Mews. Square-headed architraved wooden doorcases with panelled reveals, enriched consoles carrying dentil, pedimented cornice; fanlights (Nos 9, 11 & 12 patterned) and panelled doors. Gauged red brick flat arches to recessed sash windows most with original glazing bars. Parapets and upper floors repaired in yellow stock brick. INTERIORS altered earlier C19, except for panelled 1st floor room of No.13. Rear elevation with segmental-arched windows having flush frames and exposed boxing. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. (Worsley G: The Saving of Dombey Street: London: -1985). Listing NGR: TQ3060381904

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Dombey Street, London, WC1N 3PB
 - 9 Dombey Street, London, WC1N 3PB
 - 9 Dombey Street, London, WC1N 3PB

Monument/Component Types

- RAILINGS (18th Century - 1766 AD to 1773 AD)
- TERRACE (18th Century - 1766 AD to 1773 AD)
- TERRACED HOUSE (18th Century - 1766 AD to 1773 AD)
- HOUSE (18th Century to Unknown - 1774 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477065 NUMBERS 9-15 AND ATTACHED RAILINGS	CAMDEN TQ3081NE DOMBEY STREET 798-1/101/307 (South side) 01/08/73 Nos.9-15 (Consecutive) and attached railings GV II 7 terraced houses. 1766-1773. Possibly built by G Travell. Multi-coloured stock brick; Nos 13, 14 & 15 with stucco ground floor with band above. No.13 refronted above 1st floor level. Slate roofs. 4 storeys and basements. 2 windows each; No.13 with an additional window over entrance to Harpur Mews. Square-headed architraved wooden doorcases with panelled reveals, enriched consoles carrying dentil, pedimented cornice; fanlights (Nos 9, 11 & 12 patterned) and panelled doors. Gauged red brick flat arches to recessed sash windows most with original glazing bars. Parapets and upper floors repaired in yellow stock brick. INTERIORS altered earlier C19, except for panelled 1st floor room of No.13. Rear elevation with segmental-arched windows having flush frames and exposed boxing. SUBSIDIARY FEATURES: attached cast-iron railings with torch flambe finials to areas. (Worsley G: The Saving of Dombey Street: London: -1985). Listing NGR: TQ3060381904

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80805
Monument Type	Listed Building
Preferred Ref.	MLO80805
Name	NUMBERS 9-27 AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30723 82683 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082NE FREDERICK STREET 798-1/91/510 (South side) 25/10/71 Nos.9-27 (Odd) and attached railings GV II Terrace of 10 houses. c1827-32. By William Cubitt. Symmetrical terrace with projecting end houses (Nos 9 & 11 and 25 & 27) and central houses (Nos 15-21). No.9 with prostyle stucco side portico. Also, single storey, splayed corner extension forming No.65 Cubitt Street (qv). Similar to arrangement on No.7 Frederick Street (qv) giving the impression of lodges at the entrance to Cubitt Street. Projecting houses: stucco with rusticated ground floors. 4 storeys and basements. 2 windows each, No.9 with 3 window (blind) return to Cubitt Street. Square-headed doorways with panelled jambs, cornice-heads, overlights and panelled doors. Recessed sashes; 1st floor architraved with pulvinated friezes and pediments. Console bracketed cornice at 3rd floor level. Recessed houses (Nos 13 and 23): yellow stock brick and stucco ground floors. 3 storeys and basements. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco band below parapet coping. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3072382683

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11 Frederick Street, London, WC1X 0NF
 - 13 Frederick Street, London, WC1X 0NF
 - 15 Frederick Street, London, WC1X 0NF
 - 17 Frederick Street, London, WC1X 0NF
 - 19 Frederick Street, London, WC1X 0NF
 - 21 Frederick Street, London, WC1X 0NF
 - 21 Frederick Street, London, WC1X 0NF
 - 23 Frederick Street, London, WC1X 0NF
 - 25 Frederick Street, London, WC1X 0NF
 - 27 Frederick Street, London, WC1X 0NF
 - 9 Frederick Street, London, WC1X 0NF

Monument/Component Types

- RAILINGS (19th Century - 1827 AD to 1832 AD)
- TERRACE (19th Century - 1827 AD to 1832 AD)
- TERRACED HOUSE (19th Century - 1827 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477387 NUMBERS 9-27 AND ATTACHED RAILINGS	CAMDEN TQ3082NE FREDERICK STREET 798-1/91/510 (South side) 25/10/71 Nos.9-27 (Odd) and attached railings GV II Terrace of 10 houses. c1827-32. By William Cubitt. Symmetrical terrace with projecting end houses (Nos 9 & 11 and 25 & 27) and central houses (Nos 15-21). No.9 with prostyle stucco side portico. Also, single storey, splayed corner extension forming No.65 Cubitt Street (qv). Similar to arrangement on No.7 Frederick Street (qv) giving the impression of lodges at the entrance to Cubitt Street. Projecting houses: stucco with rusticated ground floors. 4 storeys and basements. 2 windows each, No.9 with 3 window (blind) return to Cubitt Street. Square-headed doorways with panelled jambs, cornice-heads, overlights and panelled doors. Recessed sashes; 1st floor architraved with pulvinated friezes and pediments. Console bracketed cornice at 3rd floor level. Recessed houses (Nos 13 and 23): yellow stock brick and stucco ground floors. 3 storeys and basements. 2 windows each. Square-headed doorways with panelled jambs, cornice-heads, fanlights and panelled doors. Gauged brick flat arches to recessed sashes; 1st floor with cast-iron balconies. Stucco band below parapet coping. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with bud finials to areas. (Survey of London: Vol. XXIV, King's Cross Neighbourhood, Parish of St Pancras IV: London: -1952: 64). Listing NGR: TQ3072382683

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79896
Monument Type	Listed Building
Preferred Ref.	MLO79896
Name	NUMBERS 99 TO 113 AND ATTACHED RAILINGS, THE CATHOLIC CHAPLAINCY (NUMBER 111)
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29790 81879 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE GOWER STREET 798-1/94/609 (West side) 28/03/69 Nos.99-113 (Odd) and attached railings. The Catholic Chaplaincy (No.111) (Formerly Listed as: GOWER STREET Nos.99-105 AND 111 (Odd) The Catholic Chaplaincy (incorporating Nos.107-113)) GV II Terrace of 6 houses, the Catholic Chaplaincy No.111 incorporates Nos 107-113 (odd). c1790, altered. Nos 99-103: darkened stock brick with slate mansard roofs and dormers. 3 storeys, attics and basements, No.103, 4 storeys. Round-arched doorways with flanking Doric columns carrying entablature heads; fanlights and panelled doors. Ground floor with shallow arcaded recesses linked by impost bands. No.101 with elliptical arch. Gauged brick flat arches to recessed sash windows. 1st floor sill bands. Parapets. No.105: refaced later 19th century. Darkened brick with stucco ground floor and dressings. Slate mansard roof with pedimented dormers. 3 storeys, attic and basement. 3 windows. Square-headed, recessed doorway. Recessed sash windows with pediments to 1st floor and centre window 2nd floor. Flanking 2nd floor windows with moulded stucco panels above. Bracketed cornice with balustraded parapet over and stucco panel below. Nos 107-113: stucco with rusticated ground floors. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows to each former house. Square-headed, entrances to No.107. Nos 109 and 113 blocked. No.111, round-arched doorway with panelled pilaster-jamb, cornice-head, fanlight and panelled door. Plain 1st floor sill band. Square-headed, recessed sash windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to areas; No.101 with wrought-iron lampstandard. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 80). Listing NGR: TQ2979081879

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 99 Gower Street, London, WC1E 6AZ

- 99 Gower Street, London, WC1E 6AZ

Monument/Component Types

- CHAPLAINCY (18th Century to 19th Century - 1770 AD to 1810 AD)
- LAMP POST (18th Century to 19th Century - 1770 AD to 1810 AD)
- RAILINGS (18th Century to 19th Century - 1770 AD to 1810 AD)
- TERRACE (18th Century to 19th Century - 1770 AD to 1810 AD)
- TERRACED HOUSE (18th Century to 19th Century - 1770 AD to 1810 AD)
- CHAPLAINCY (19th Century to Unknown - 1811 AD)
- TERRACED HOUSE (19th Century to Unknown - 1811 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477400 NUMBERS 99 TO 113 AND ATTACHED RAILINGS, THE CATHOLIC CHAPLAINCY (NUMBER 111)	CAMDEN TQ2982SE GOWER STREET 798-1/94/609 (West side) 28/03/69 Nos.99-113 (Odd) and attached railings. The Catholic Chaplaincy (No.111) (Formerly Listed as: GOWER STREET Nos.99-105 AND 111 (Odd) The Catholic Chaplaincy (incorporating Nos.107-113)) GV II Terrace of 6 houses, the Catholic Chaplaincy No.111 incorporates Nos 107-113 (odd). c1790, altered. Nos 99-103: darkened stock brick with slate mansard roofs and dormers. 3 storeys, attics and basements, No.103, 4 storeys. Round-arched doorways with flanking Doric columns carrying entablature heads; fanlights and panelled doors. Ground floor with shallow arcaded recesses linked by impost bands. No.101 with elliptical arch. Gauged brick flat arches to recessed sash windows. 1st floor sill bands. Parapets. No.105: refaced later C19. Darkened brick with stucco ground floor and dressings. Slate mansard roof with pedimented dormers. 3 storeys, attic and basement. 3 windows. Square-headed, recessed doorway. Recessed sash windows with pediments to 1st floor and centre window 2nd floor. Flanking 2nd floor windows with moulded stucco panels above. Bracketed cornice with balustraded parapet over and stucco panel below. Nos 107-113: stucco with rusticated ground floors. Slate mansard roofs with dormers. 3 storeys, attics and basements. 3 windows to each former house. Square-headed, entrances to No.107. Nos 109 and 113 blocked. No.111, round-arched doorway with panelled pilaster-jamb, cornice-head, fanlight and panelled door. Plain 1st floor sill band. Square-headed, recessed sash windows. Parapets. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings to

areas; No.101 with wrought-iron lampstandard. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 80). Listing NGR: TQ2979081879

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81053
Monument Type	Listed Building
Preferred Ref.	MLO81053
Name	OBELISK MARKING CITY BOUNDARY ON NORTH SIDE OF ROADWAY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31149 81618 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW HIGH HOLBORN 798-1/102/841 (North side) 05/06/72 Obelisk marking City boundary on north side of roadway (Formerly Listed as: HIGH HOLBORN 2 obelisks marking City boundary on each side of roadway) (Formerly Listed as: CITY OF LONDON HOLBORN Pair of Obelisks marking boundary of City of London) GV II Obelisk marking City boundary on north side of roadway. Mid C19. Granite. Formerly surmounted by lantern, now replaced by gilded griffin. Forms a pair with an identical obelisk on the south side of the road which is within the City of London. Both of the obelisks were listed in the City of London on 05/06/72 and later included in the LB of Camden list on 14/05/74. Following boundary changes on 1 April 1994, this northernmost obelisk is now situated in the LB of Camden and the southernmost obelisk in the City of London. Listing NGR: TQ3114981618

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 212-214 High Holborn, London, WC1V 7RN

Monument/Component Types

- OBELISK (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478256 OBELISK MARKING CITY BOUNDARY ON NORTH SIDE OF ROADWAY	CAMDEN TQ3181NW HIGH HOLBORN 798-1/102/841 (North side) 05/06/72 Obelisk marking City boundary on north side of roadway (Formerly Listed as: HIGH HOLBORN 2 obelisks marking City boundary on each side of roadway) (Formerly Listed as: CITY OF LONDON HOLBORN Pair of Obelisks marking boundary of City of London) GV II Obelisk marking City boundary on north side of roadway. Mid C19. Granite. Formerly surmounted by lantern, now replaced by gilded griffin. Forms a pair with an identical obelisk on the south side of the road which is within the City of London. Both of the obelisks were listed in the City of London on 05/06/72 and later included in the LB of Camden list on 14/05/74. Following boundary changes on 1 April 1994, this northernmost obelisk is now situated in the LB of Camden and the southernmost obelisk in the City of London. Listing NGR: TQ3114981618

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

Export generated by HBSMR from exeGesIS SDM

Start of record

MonUID	MLO81623
Monument Type	Listed Building
Preferred Ref.	MLO81623
Name	OBELISK MARKING CITY BOUNDARY ON SOUTH SIDE OF ROAD
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31149 81618 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ31SINW HIGH HOLBORN 627-0/1/3 (South side) 05/06/72 Obelisk marking city boundary on South side of road (Formerly listed as: CAMDEN HIGH HOLBORN 2 Obelisks marking city boundary on each side of roadway) (Formerly Listed as: HIGH HOLBORN Pair of obelisks marking the boundary of the City of London) GV II Obelisk marking City boundary on south side of roadway. Mid C19. Granite. Formerly surmounted by lantern, now with gilded Griffin. Forms a pair with an, identical obelisk on the north side of the roadway in the LB of Camden. Both obelisks were originally listed in the City of London on 05/06/72 and also included in the Camden list of 14/05/74. Following boundary changes of 1 April 1994 the northern obelisk is within the LB of Camden and the southern obelisk in the City of London. Listing NGR: TQ3114981618

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 337 High Holborn, London, WC1V 7PX

Monument/Component Types

- BOUNDARY MARKER (19th Century - 1833 AD to 1866 AD)
- OBELISK (19th Century - 1833 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	199512 OBELISK MARKING CITY BOUNDARY ON SOUTH SIDE OF ROAD	TQ31SINW HIGH HOLBORN 627-0/1/3 (South side) 05/06/72 Obelisk marking city boundary on South side of road (Formerly listed as: CAMDEN HIGH HOLBORN 2 Obelisks marking city boundary on each side of roadway) (Formerly Listed as: HIGH HOLBORN Pair of obelisks marking the boundary of the City of London) GV II Obelisk marking City boundary on south side of roadway. Mid C19. Granite. Formerly surmounted by lantern, now with gilded Griffin. Forms a pair with an, identical obelisk on the north side of the roadway in the LB of Camden. Both obelisks were originally listed in the City of London on 05/06/72 and also included in the Camden list of 14/05/74. Following boundary changes of 1 April 1994 the northern obelisk is within the LB of Camden and the southern obelisk in the City of London. Listing NGR: TQ3114981618

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate (Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81996
Monument Type	Listed Building
Preferred Ref.	MLO81996
Name	OFFICES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31238 81407 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description
 TQ 3181 SW GREYSTOKE PLACE 627-0/7/10050 Offices II Offices, formerly architects' own offices. 1961. Yorke, Rosenberg and Mardall. Reinforced concrete frame, clad in white ceramic tiles. Timber windows; flat roof Two story podium, partly treated as semi-basement, of two main bays with a narrow bay to the right, with narrower 4 storey block set back above, of two main bays with narrow bay to right, and top storey set back and of only 2 bays. Horizontal strip windows, each main bay divided into three by flat painted mullions, and tile-clad frame exposed between and to left hand end. To right side the upper part of the windows wrap around to form 1 narrow horizontal bands on the return. The tile cladding was calculated to fit without the need to cut tiles. Timber windows each with transom just below half way down. A distinguished and well detailed building which embodied and displayed this firm's architectural "house style". The top storey was originally FRS Yorke's penthouse suite. The Architecture of Yorke Rosenberg and Mardall, R. Bainham (Lund Humphries, 1972). Listing NGR: TQ3123881407

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- APARTMENT (Modern - 1961 AD)
- CONCRETE FRAMED BUILDING (Modern - 1961 AD)
- DRAWING OFFICE (Modern - 1961 AD)
- OFFICE (Modern - 1961 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	442088 OFFICES	TQ 3181 SW GREYSTOKE PLACE 627-0/7/10050 Offices II Offices, formerly architects' own offices. 1961. Yorke, Rosenberg and Mardall. Reinforced concrete frame, clad in white ceramic tiles. Timber windows; flat roof Two story podium, partly treated as semi-basement, of two main bays with a narrow bay to the right, with narrower 4 storey block set back above, of two main bays with narrow bay to right, and top storey set back and of only 2 bays. Horizontal strip windows, each main bay divided into three by flat painted mullions, and tile-clad frame exposed between and to left hand end. To right side the upper part of the windows wrap around to form 1 narrow horizontal bands on the return. The tile cladding was calculated to fit without the need to cut tiles. Timber windows each with transom just below half way down. A distinguished and well detailed building which embodied and displayed this firm's architectural "house style". The top storey was originally FRS Yorke's penthouse suite. The Architecture of Yorke Rosenberg and Mardall, R. Bainham (Lund Humphries, 1972). Listing NGR: TQ3123881407

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81479
Monument Type	Listed Building
Preferred Ref.	MLO81479
Name	OLD HALL AND ATTACHED GATEWAY
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31030 81395 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1045 (West side) 24/10/51 Old Hall and attached gateway, Old Square GV I Banqueting hall and attached gateway. Hall 1489-92, enlarged c1582-84 by Ralph Symons (surveyor), lengthened c1818-19 under the directions of Joseph and Francis Wigg, extensively restored by Sir John Simpson 1925-8. Gateway added 1926-8. Red brick with blue diapers and stone dressings. Tiled roof with tall brick stacks at either end and central 20th century wooden louvred lantern with cupola and weathervane. EXTERIOR: single storey. Unusual in having 4 traceried bay-windows rising the height of the building, 1 at each end of east & west facade. Wall between on east and west facade buttressed with three 3-light traceried windows under 4-centred arches. On the east facade under the right window, a Tudor style entrance of moulded pointed arch having hoodmould with enriched spandrels and label stops. Embattled parapet. To the left, an attached gateway, with foot passage to left of main four centred vehicle arch with 6-light oriel window and small gable over. Inside the gateway a re-set 13th century arch on shafts, with dog-tooth ornament, probably being from the wall-arcading of the north wall of the original 13th century hall. INTERIOR: of hall has arch-braced roof with collar-beams, walls with linenfold panelling and, against the south wall, an oak screen made by Robert Linton (joiner) and installed 1624. Clock inserted 1819. HISTORICAL NOTE: The Society of Lincoln's Inn moved to this site in c1422 taking over the town house of the Bishops of Chichester who had been established here since c1227. The medieval buildings were gradually replaced; the earliest now surviving is the Old Hall. (Simpson JW Sir: Some Account of the Old Hall of Lincoln's Inn: Brighton: -1928; Transactions of the Ancient Monuments Society, Vol. 28: Summerson J Sir: The Old Hall of Lincoln's Inn: -1984: 8-22). Listing NGR: TQ3103081395

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Old Square, London, WC2A 3UE

Monument/Component Types

- GATEHOUSE (Medieval - 1200 AD to 1299 AD)
- BANQUETING HOUSE (15th Century - 1489 AD to 1492 AD)
- BANQUETING HOUSE (16th Century - 1582 AD to 1584 AD)
- BANQUETING HOUSE (19th Century - 1818 AD to 1819 AD)
- BANQUETING HOUSE (Modern - 1925 AD to 1928 AD)
- GATEHOUSE (Modern - 1926 AD to 1928 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478692 OLD HALL AND ATTACHED GATEWAY	CAMDEN TQ3181SW LINCOLN'S INN 798-1/107/1045 (West side) 24/10/51 Old Hall and attached gateway, Old Square GV I Banqueting hall and attached gateway. Hall 1489-92, enlarged c1582-84 by Ralph Symons (surveyor), lengthened c1818-19 under the directions of Joseph and Francis Wigg, extensively restored by Sir John Simpson 1925-8. Gateway added 1926-8. Red brick with blue diapers and stone dressings. Tiled roof with tall brick stacks at either end and central C20 wooden louvred lantern with cupola and weathervane. EXTERIOR: single storey. Unusual in having 4 traceried bay-windows rising the height of the building, 1 at each end of east & west facade. Wall between on east and west facade buttressed with three 3-light traceried windows under 4-centred arches. On the east facade under the right window, a Tudor style entrance of moulded pointed arch having hoodmould with enriched spandrels and label stops. Embattled parapet. To the left, an attached gateway, with foot passage to left of main four centred vehicle arch with 6-light oriel window and small gable over. Inside the gateway a re-set 13th century arch on shafts, with dog-tooth ornament, probably being from the wall-arcading of the north wall of the original 13th century hall. INTERIOR: of hall has arch-braced roof with collar-beams, walls with linenfold panelling and, against the south wall, an oak screen made by Robert Linton (joiner) and installed 1624. Clock inserted 1819. HISTORICAL NOTE: The Society of Lincoln's Inn moved to this site in c1422 taking over the town house of the Bishops of Chichester who had been established here since c1227. The medieval buildings were gradually replaced; the earliest now surviving is the Old Hall. (Simpson JW Sir: Some Account of the Old Hall of Lincoln's Inn:

Brighton: -1928; Transactions of the Ancient Monuments Society, Vol. 28: Summerson J Sir: The Old Hall of Lincoln's Inn: -1984: 8-22).
Listing NGR: TQ3103081395

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80191
Monument Type	Listed Building
Preferred Ref.	MLO80191
Name	PAKENHAM ARMS PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30903 82416 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1262 (West side) 14/05/74 No.1 Pakenham Arms Public House GV II Public house. Late C19. Red brick with rusticated stucco dressings. On a corner site, designed to match earlier terraces in Calthorpe Street. 3 storeys. 1 window, 1 window on bowed corner and 2-window return to Calthorpe Street. Public house frontage of red granite pilasters carrying entablature; entrance on corner with part glazed panelled door and similar panels to either side. 2nd and 3rd floor window bays stepped forward from corner, with rusticated quoins. 1st floor windows; outer bays architraved, tripartite sashes with cornices and segmental pediments; inner bays architraved sashes with cornices and triangular pediments. Moulded 2nd floor sill band. Architraved 2nd floor sashes, outer bays tripartite. Entablature and projecting cornice following the stepping of the bays. INTERIOR: not inspected. Listing NGR: TQ3090382416

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Pakenham Street, London, WC1X 0LA

Monument/Component Types

- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477690 PAKENHAM ARMS PUBLIC HOUSE	CAMDEN TQ3082SE PAKENHAM STREET 798-1/96/1262 (West side) 14/05/74 No.1 Pakenham Arms Public House GV II Public house. Late C19. Red brick with rusticated stucco dressings. On a corner site, designed to match earlier terraces in Calthorpe Street. 3 storeys. 1 window, 1 window on bowed corner and 2-window return to Calthorpe Street. Public house frontage of red granite pilasters carrying entablature; entrance on corner with part glazed panelled door and similar panels to either side. 2nd and 3rd floor window bays stepped forward from corner, with rusticated quoins. 1st floor windows; outer bays architraved, tripartite sashes with cornices and segmental pediments; inner bays architraved sashes with cornices and triangular pediments. Moulded 2nd floor sill band. Architraved 2nd floor sashes, outer bays tripartite. Entablature and projecting cornice following the stepping of the bays. INTERIOR: not inspected. Listing NGR: TQ3090382416

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81546
Monument Type	Listed Building
Preferred Ref.	MLO81546
Name	Parker Street, [No 60], Camden, {early 19th century workshop}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 3052 8139 (MBR: 14m by 16m)

Summary	This building was constructed after 1815 and before 1828 as a workshop, probably associated with the coach building trade and later as part of a printing works. It is of brick with a stone parapet and pitched slate roof.
Description	Record created from imported Listed Buildings On-line dataset 11-Jan-2006. Workshop, probably associated with the coach building trade, later part of a printing and publishing works and finally offices. Built after 1815 and before 1828. Some later 19th century alterations to rear windows, 20th century shopfront and some internal modifications. EXTERIOR: Built of stock brick with stone parapet. Pitched slate roof with central glazed panel, concealed by parapet. Four storeys: three upper floors have five-light continuous windows with wooden architraves and timber tilt and turn sashes retaining original crown glass to front. Second floor windows have 24 panes, first and third floors have 16 panes. Left side lights to first and second floor windows have been later subdivided, probably to incorporate toilet accommodation. End full-height brick pilasters. Ground floor has late 20th century wooden shopfront in traditional style with deep moulded fascia and central pilasters, three bay shopfront with multi-pane windows and eight panelled door with low letterbox. Rear elevation is also of stock brick with end full-height pilasters and retains the original wooden architraves but later 19th century wooden casements with pivoting tops have been inserted. First floor door originally to two storey rear extension most of which has been demolished at time of survey except for some cast iron columns. Ground floor has right side round-headed entrance. INTERIOR: Ground floor was subdivided in later 20th century with plasterboard partition. Each floor has floorboards set on two large axial beams spanning seven metres with chamfer and runout stop, early 19th century in date. Front beam on the ground floor has a two inch chamfer and is probably a replaced reused beam. Basic open tread stairs without handrail between floors. Top floors narrow towards right side of rear elevation over cambered arch, probably to provide light to already existing buildings nearby. Early 19th century scientific kingpost roof with purlins, ridgepiece and rafters with central glazed panel. See linked Designation record and (1) for full details.

Sources

Number	Reference
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 60 Parker Street, Camden, Greater London

Monument/Component Types

- (Former Type) WORKSHOP (19th Century to Modern - 1815 AD? to 2050 AD?)
- (Former Type) PRINTING WORKS (19th Century - 1829 AD? to 1899 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	480318 60 Parker Street, Camden, Greater London	TQ 3081 PARKER STREET 798-1/106/10160 Camden 17-JUN-00 60 II Workshop, probably associated with the coach building trade, later part of a printing and publishing works and finally offices. Built after 1815 and before 1828. Some later C19 alterations to rear windows, C20 shopfront and some internal modifications EXTERIOR: Built of stock brick with stone parapet. Pitched slate roof with central glazed panel, concealed by parapet. Four storeys: three upper floors have 5-light continuous windows with wooden architraves and timber tilt and turn sashes retaining original crown glass to front. Second floor windows have 24 panes, first and third floors have 16 panes. Left side lights to first and second floor windows have been later subdivided, probably to incorporate toilet accommodation. End full-height brick pilasters. Ground floor has late C20 wooden shopfront in traditional style with deep moulded fascia and central pilasters, 3 bay shopfront with multi-pane windows and 8 panelled door with low letterbox. Rear elevation is also of stock brick with end full-height pilasters and retains the original wooden architraves but later C19 wooden casements with pivoting tops have been inserted. First floor door originally to two storey rear extension most of which has been demolished at time of survey except for some cast iron columns. Ground floor has right side round-headed entrance. INTERIOR: Ground floor was subdivided in later C20 with plasterboard partition. Each floor has floorboards set on two large axial beams spanning 7 metres with chamfer and runout stop, early C19 in date. Front beam on the ground floor has a two inch chamfer and is probably a replaced reused beam. Basic open tread stairs without handrail between floors. Top floors narrow towards right side of rear

elevation over cambered arch, probably to provide light to already existing buildings nearby . Early C19 scientific kingpost roof with purlins, ridgepiece and rafters with central glazed panel.

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO81546

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81023
Monument Type	Listed Building
Preferred Ref.	MLO81023
Name	PARNELL HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30005 81476 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2981SE STREATHAM STREET 798-1/104/1544 (North side) 14/05/74 Parnell House II* Block of artisans' flats. 1849. By Henry Roberts. For The Society for Improving the Condition of the Labouring Classes. Interiors replanned c1985. Yellow stock brick with rusticated stucco 1st & 2nd floors, and stucco dressings. Fireproof construction of brick load-bearing walls and arched hollow-brick floors. L-shaped plan. EXTERIOR: 5 storeys and basement (top storey added later). 6 bays and 12-window return to Dyott Street. Stucco doorway surround with architrave, console-bracketed cornice and pediment. Plain stucco band at 2nd floor level inscribed "MODEL HOUSES FOR FAMILIES". Square-headed recessed sash windows with stucco lintels in form of gauged flat arches; ground and 1st floor windows in stucco recesses. Stucco sill bands at 2nd and 4th floors, and stucco plinth. Bracketed brick cornice. Open galleries in courtyard, supported by brick piers which span 2 floors, give access to flats comprising kitchen and scullery, living room and mostly with 2 bedrooms. INTERIORS: not inspected. HISTORICAL NOTE: originally known as Streatham Street Buildings, they are the earliest surviving example of flats to provide accommodation for the "deserving poor" in regular employment. The second earliest survivor is New Court, Flask Walk (qv). Listing NGR: TQ3000581476

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 Parnell House Streatham Street, London, WC1A 1JB

Monument/Component Types

- COURTYARD (19th Century - 1849 AD)
- FIREPROOF BUILDING (19th Century - 1849 AD)
- MODEL DWELLING (19th Century - 1849 AD)
- MODEL DWELLING (19th Century to Unknown - 1850 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478225 PARNELL HOUSE	CAMDEN TQ2981SE STREATHAM STREET 798-1/104/1544 (North side) 14/05/74 Parnell House II* Block of artisans' flats. 1849. By Henry Roberts. For The Society for Improving the Condition of the Labouring Classes. Interiors replanned c1985. Yellow stock brick with rusticated stucco 1st & 2nd floors, and stucco dressings. Fireproof construction of brick load-bearing walls and arched hollow-brick floors. L-shaped plan. EXTERIOR: 5 storeys and basement (top storey added later). 6 bays and 12-window return to Dyott Street. Stucco doorway surround with architrave, console-bracketed cornice and pediment. Plain stucco band at 2nd floor level inscribed "MODEL HOUSES FOR FAMILIES". Square-headed recessed sash windows with stucco lintels in form of gauged flat arches; ground and 1st floor windows in stucco recesses. Stucco sill bands at 2nd and 4th floors, and stucco plinth. Bracketed brick cornice. Open galleries in courtyard, supported by brick piers which span 2 floors, give access to flats comprising kitchen and scullery, living room and mostly with 2 bedrooms. INTERIORS: not inspected. HISTORICAL NOTE: originally known as Streatham Street Buildings, they are the earliest surviving example of flats to provide accommodation for the "deserving poor" in regular employment. The second earliest survivor is New Court, Flask Walk (qv). Listing NGR: TQ3000581476

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79781
Monument Type	Listed Building
Preferred Ref.	MLO79781
Name	PASSFIELD HALL AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29773 82368 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE ENDSLEIGH PLACE 798-1/94/389 (North side) 28/03/69 Nos.1-7 (Consecutive) Passfield Hall and attached railings GV II Terrace of 7 houses, now a hall of residence. c1825. Built by Thomas Cubitt. Darkened brick with stucco ground floor, 3 bays at each end rusticated. 4 storeys and basements. Each former house with 3 windows, Nos 1 & 7 with single window returns to Taviton Street and Endsleigh Street respectively. Symmetrical facade with projecting central (No.4) and end bays (Nos 1 & 7). Round-arched entrances, Nos 2 & 5 with pilaster-jambes carrying cornice-heads; radial patterned fanlights and panelled doors; Nos 3, 4 & 6 doorways converted for use as windows. Nos 1 & 7 with entrance porches on returns. Reddened, gauged brick flat arches to recessed sashes, central bays with architraves and round-arched ground floor windows. Continuous cast-iron balcony at 1st floor level to casement windows. On end bays pilasters rise through 1st and 2nd floors to carry cornice at 3rd floor. Pilaster strips on attic storey. Cornice and blocking course. Returns with pilasters and ornamental panel between 1st and 3rd floor windows. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103). Listing NGR: TQ2977382368

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Endsleigh Place, London, WC1H 0PL
- 2 Endsleigh Place, London, WC1H 0PL
- 3 Endsleigh Place, London, WC1H 0PL
- 4 Endsleigh Place, London, WC1H 0PL
- 5 Endsleigh Place, London, WC1H 0PL
- 6 Endsleigh Place, London, WC1H 0PL
- 6 Endsleigh Place, London, WC1H 0PL
- 7 Endsleigh Place, London, WC1H 0PL

Monument/Component Types

- HALL OF RESIDENCE (Undated)
- RAILINGS (19th Century - 1805 AD to 1845 AD)
- TERRACE (19th Century - 1805 AD to 1845 AD)
- TERRACED HOUSE (19th Century - 1805 AD to 1845 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477190 PASSFIELD HALL AND ATTACHED RAILINGS	CAMDEN TQ2982SE ENDSLEIGH PLACE 798-1/94/389 (North side) 28/03/69 Nos.1-7 (Consecutive) Passfield Hall and attached railings GV II Terrace of 7 houses, now a hall of residence. c1825. Built by Thomas Cubitt. Darkened brick with stucco ground floor, 3 bays at each end rusticated. 4 storeys and basements. Each former house with 3 windows, Nos 1 & 7 with single window returns to Taviton Street and Endsleigh Street respectively. Symmetrical facade with projecting central (No.4) and end bays (Nos 1 & 7). Round-arched entrances, Nos 2 & 5 with pilaster-jambes carrying cornice-heads; radial patterned fanlights and panelled doors; Nos 3, 4 & 6 doorways converted for use as windows. Nos 1 & 7 with entrance porches on returns. Reddened, gauged brick flat arches to recessed sashes, central bays with architraves and round-arched ground floor windows. Continuous cast-iron balcony at 1st floor level to casement windows. On end bays pilasters rise through 1st and 2nd floors to carry cornice at 3rd floor. Pilaster strips on attic storey. Cornice and blocking course. Returns with pilasters and ornamental panel between 1st and 3rd floor windows. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. (Survey of London: Vol. XXI, Tottenham Court Road and Neighbourhood, St Pancras III: London: -1949: 103). Listing NGR: TQ2977382368

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81048
Monument Type	Listed Building
Preferred Ref.	MLO81048
Name	PEARL ASSURANCE COMPANY LIMITED
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30695 81502 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NE HIGH HOLBORN 798-1/101/836 (South side) 14/05/74 Nos.247-252 (Consecutive) Pearl Assurance Co Ltd II Office block. Central block, 1912-19 by C Newman; east block, 1929-30 by P Moncton; south-east extension, 1954-6 by Bates & Sinning; west block, 1959-60 by Bates & Sinning. Portland stone with granite, rusticated podium. Steep slated roof. Irregular plan ranged round central courtyard. EXTERIOR: main facade 5 storeys, attics and 2 storeys of dormers in Edwardian Baroque style. Symmetrical design with projecting end and central bays, windows 1:7:1:7:1. Engaged Ionic columns and pilasters rise through 2nd-4th floors carrying entablature. Round arched entrance with console-keystone and flanked by elaborate bracketed lanterns in 2 groups of 3; bronze gates. Ground floor windows architraved with rusticated keystones, 1st floor round-headed architraved, 2nd square-headed architraved, 3rd with cartouche keys and cast-iron balconies, 4th are oculi. Central entrance bay flanked by paired columns with broken segmental pediment; 2 stage tower above with leaded dome carried by Ionic engaged columns. End bays with smaller leaded domes. INTERIOR: has good features including ground floor cash hall and marble balustraded staircase. SUBSIDIARY FEATURES: attached balustraded parapets to basement areas. Listing NGR: TQ3069581502

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 252 High Holborn, London, WC1V 7EN

- 252 High Holborn, London, WC1V 7EN

Monument/Component Types

- OFFICE (Modern - 1912 AD to 1919 AD)
- OFFICE (Modern - 1929 AD to 1930 AD)
- OFFICE (Modern - 1954 AD to 1956 AD)
- OFFICE (Modern - 1959 AD to 1960 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478251 PEARL ASSURANCE COMPANY LIMITED	CAMDEN TQ3081NE HIGH HOLBORN 798-1/101/836 (South side) 14/05/74 Nos.247-252 (Consecutive) Pearl Assurance Co Ltd II Office block. Central block, 1912-19 by C Newman; east block, 1929-30 by P Moncton; south-east extension, 1954-6 by Bates & Sinning; west block, 1959-60 by Bates & Sinning. Portland stone with granite, rusticated podium. Steep slated roof. Irregular plan ranged round central courtyard. EXTERIOR: main facade 5 storeys, attics and 2 storeys of dormers in Edwardian Baroque style. Symmetrical design with projecting end and central bays, windows 1:7:1:7:1. Engaged Ionic columns and pilasters rise through 2nd-4th floors carrying entablature. Round arched entrance with console-keystone and flanked by elaborate bracketed lanterns in 2 groups of 3; bronze gates. Ground floor windows architraved with rusticated keystones, 1st floor round-headed architraved, 2nd square-headed architraved, 3rd with cartouche keys and cast-iron balconies, 4th are oculi. Central entrance bay flanked by paired columns with broken segmental pediment; 2 stage tower above with leaded dome carried by Ionic engaged columns. End bays with smaller leaded domes. INTERIOR: has good features including ground floor cash hall and marble balustraded staircase. SUBSIDIARY FEATURES: attached balustraded parapets to basement areas. Listing NGR: TQ3069581502

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86379
Monument Type	Listed Building
Preferred Ref.	MLO86379
Name	POLICE STATION
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30831 82745 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/543 (East side) No.76 Police Station GV II Police Station. 1869-1870 by Thomas Charles Sorby, Surveyor to the Metropolitan Police. Stock bricks with Portland and Tilbury stone dressings to front elevation; projecting eaves to roof, material obscured; prominent brick stacks to bearing walls. Italianate style. Four storeys with basement and one-storey Welsh-slate hipped roof block breaking forward along the front right facade; 6-window range. Assymetrical double-fronted with irregular end bays breaking forward and 4-window range centrepiece in recess. Steps rise to slightly off-centre single-bay porch entrance with stone dressings, and bracketed cornice surmounted by elaborate stone sculpture with heraldic supporters, possibly of a later date. 6/6 sashes with brick and stone surrounds throughout, windows becoming shorter as they rise. Ornament in loose, almost brutal manner; stone and brick sill bands to upper floors. Lavish brick cornice beneath eaves. Built as Clerkenwell Police Station to replace an earlier station of 1842 part of which appears to remain attached to the Magistrates Court (q. v.). (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3083182745

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- Kings Cross Police Station 76 King's Cross Road, London, WC1X 9QG

Monument/Component Types

- POLICE STATION (19th Century - 1869 AD to 1870 AD)
- STEPS (19th Century - 1869 AD to 1870 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369058 POLICE STATION	ISLINGTON TQ3082NE KING'S CROSS ROAD 635-1/67/543 (East side) No.76 Police Station GV II Police Station. 1869-1870 by Thomas Charles Sorby, Surveyor to the Metropolitan Police. Stock bricks with Portland and Tilbury stone dressings to front elevation; projecting eaves to roof, material obscured; prominent brick stacks to bearing walls. Italianate style. Four storeys with basement and one-storey Welsh-slate hipped roof block breaking forward along the front right facade; 6-window range. Assymetrical double-fronted with irregular end bays breaking forward and 4-window range centrepiece in recess. Steps rise to slightly off-centre single-bay porch entrance with stone dressings, and bracketed cornice surmounted by elaborate stone sculpture with heraldic supporters, possibly of a later date. 6/6 sashes with brick and stone surrounds throughout, windows becoming shorter as they rise. Ornament in loose, almost brutal manner; stone and brick sill bands to upper floors. Lavish brick cornice beneath eaves. Built as Clerkenwell Police Station to replace an earlier station of 1842 part of which appears to remain attached to the Magistrates Court (q. v.). (Historians File, English Heritage, London Division: 1990-). Listing NGR: TQ3083182745

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79771
Monument Type	Listed Building
Preferred Ref.	MLO79771
Name	PORTERS LODGE AT ENTRANCE AND ATTACHED GATES, STANDARDS AND SPUR STONES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31437 81617 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW ELY PLACE 798-1/102/379 Porter's Lodge at entrance and 14/05/74 attached gates, standards and spur stones (Formerly Listed as: ELY PLACE Porter's Lodge at entrance to Ely Place) GV II Porter's lodge. Late C18. Yellow stock brick with rusticated stone angles. 1 storey. 1 stone architraved window to each elevation, door on north. Pedimented ends to roof. Fluted stone chimney pot. INTERIOR: plain. SUBSIDIARY FEATURES: iron gates across road to west and east, with ornamental iron standard on west wide. Gates to pavements. Spur stones to lodge angles & gate standards. HISTORICAL NOTE: a rare survival of a gated road in London. Listing NGR: TQ3143781617

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Ely Place, London, EC1N 6RY

Monument/Component Types

- GATE (18th Century - 1767 AD to 1799 AD)
- LAMP POST (18th Century - 1767 AD to 1799 AD)
- PORTERS LODGE (18th Century - 1767 AD to 1799 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477179 PORTERS LODGE AT ENTRANCE AND ATTACHED GATES, STANDARDS AND SPUR STONES	CAMDEN TQ3181NW ELY PLACE 798-1/102/379 Porter's Lodge at entrance and 14/05/74 attached gates, standards and spur stones (Formerly Listed as: ELY PLACE Porter's Lodge at entrance to Ely Place) GV II Porter's lodge. Late C18. Yellow stock brick with rusticated stone angles. 1 storey. 1 stone architraved window to each elevation, door on north. Pedimented ends to roof. Fluted stone chimney pot. INTERIOR: plain. SUBSIDIARY FEATURES: iron gates across road to west and east, with ornamental iron standard on west wide. Gates to pavements. Spur stones to lodge angles & gate standards. HISTORICAL NOTE: a rare survival of a gated road in London. Listing NGR: TQ3143781617

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81478
Monument Type	Listed Building
Preferred Ref.	MLO81478
Name	PORTERS LODGE AT NORTH WEST CORNER OF NUMBER 10
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30961 81448 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1047 Porter's Lodge at north-west corner 14/05/74 of No.10 Old Square GV II Small porter's lodge. Late C19. Red brick with stone dressings. Fish-scale tile roof with wrought-iron central feature. Rectangular plan with concave angles. In Tudor style with square-headed windows, pointed arch doorway and door and crow-step gables on each side surmounted by finials. Listing NGR: TQ3096181448

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 15 Old Square, London, WC2A 3UE

Monument/Component Types

- PORTERS LODGE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478691 PORTERS LODGE AT NORTH WEST CORNER OF NUMBER 10	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1047 Porter's Lodge at north-west corner 14/05/74 of No.10 Old Square GV II Small porter's lodge. Late C19. Red brick with stone dressings. Fish-scale tile roof with wrought-iron central feature. Rectangular plan with concave angles. In Tudor style with square-headed windows, pointed arch doorway and door and crow-step gables on each side surmounted by finials. Listing NGR: TQ3096181448

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81499
Monument Type	Listed Building
Preferred Ref.	MLO81499
Name	POWIS HOUSE AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30608 81403 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1063 (South side) 24/10/51 No.66 Powis House and attached railings (Formerly Listed as: LINCOLN'S INN FIELDS Nos.65 AND 66) GV II* House. c1685. Designed by William Winde. For the Marquis of Powis. Craftsman, A Jordan. Exterior rebuilt by Lutyens c1930 following C17 style. Interior from c1772 when the house was divided into two parts, probably by Thomas Leverton. Brown brick, red brick and stone dressings with rusticated stone quoins. Stone semi-basement, bands to each floor, dentil and modillion cornice. Tiled hipped roof with pedimented dormers and stone dressed chimney-stacks. EXTERIOR: 3 storeys, attic and semi-basement. 7 windows with projecting, central, pedimented 3 window bay. 2-leaf entrance doors with flanking rusticated pilasters carrying entablature with open pediment; approached by twin quadrant flights of steps with wrought-iron railings and overthrow lamp-holder. Gauged flat brick arches to slightly recessed sash windows with exposed boxing; centre second floor window with stone architrave surmounted by stone cherubs holding cartouche. Window above with stone architrave. North end of house returned over arcade of brick arches on pavement to Remnant Street. INTERIOR: good, with C19 open well staircase, panelled rooms, enriched doorcases and other features. Only internal feature which might date to C17 is the carved marble chimney piece on the second floor. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to cobbled forecourt. (RCHME: London, Vol. II, West London: London: -1925: 59-60; Survey of London: Vol. III, St Giles-in-the-Fields, part I, Lincoln's Inn Fields: London: -1912: 110-118). Listing NGR: TQ3060881403

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65-66 Lincoln's Inn Fields, London, WC2A 3LH

Monument/Component Types

- FORECOURT (17th Century to 18th Century - 1665 AD to 1705 AD)
- HOUSE (17th Century to 18th Century - 1665 AD to 1705 AD)
- RAILINGS (17th Century to 18th Century - 1665 AD to 1705 AD)
- HOUSE (Modern - 1920 AD to 1940 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478715 POWIS HOUSE AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1063 (South side) 24/10/51 No.66 Powis House and attached railings (Formerly Listed as: LINCOLN'S INN FIELDS Nos.65 AND 66) GV II* House. c1685. Designed by William Winde. For the Marquis of Powis. Craftsman, A Jordan. Exterior rebuilt by Lutyens c1930 following C17 style. Interior from c1772 when the house was divided into two parts, probably by Thomas Leverton. Brown brick, red brick and stone dressings with rusticated stone quoins. Stone semi-basement, bands to each floor, dentil and modillion cornice. Tiled hipped roof with pedimented dormers and stone dressed chimney-stacks. EXTERIOR: 3 storeys, attic and semi-basement. 7 windows with projecting, central, pedimented 3 window bay. 2-leaf entrance doors with flanking rusticated pilasters carrying entablature with open pediment; approached by twin quadrant flights of steps with wrought-iron railings and overthrow lamp-holder. Gauged flat brick arches to slightly recessed sash windows with exposed boxing; centre second floor window with stone architrave surmounted by stone cherubs holding cartouche. Window above with stone architrave. North end of house returned over arcade of brick arches on pavement to Remnant Street. INTERIOR: good, with C19 open well staircase, panelled rooms, enriched doorcases and other features. Only internal feature which might date to C17 is the carved marble chimney piece on the second floor. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to cobbled forecourt. (RCHME: London, Vol. II, West London: London: -1925: 59-60; Survey of London: Vol. III, St Giles-in-the-Fields, part I, Lincoln's Inn Fields: London: -1912: 110-118). Listing NGR: TQ3060881403

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80912
Monument Type	Listed Building
Preferred Ref.	MLO80912
Name	PRESBYTERY TO ROMAN CATHOLIC ITALIAN CHURCH OF ST PETER AND ROMAN CATHOLIC ITALIAN CHURCH OF ST PETER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31286 82071 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3182SW BACK HILL 798-1/97/262 No.4 14/05/74 Presbytery to Roman Catholic Italian Church of St Peter II* See under: No.136 Roman Catholic Italian Church of St Peter CLERKENWELL ROAD. CAMDEN TQ3182SW CLERKENWELL ROAD 798-1/97/262 (North side) 14/05/74 No.136 Roman Catholic Italian Church of St Peter II* Includes: No.4 Presbytery to Roman Catholic Italian Church of St Peter BACK HILL. Roman Catholic church. 1862-3. By John Miller Bryson, based on a previous design of 1853 by Francesco Gualandi. Front to Clerkenwell Road with loggia, superstructure and campanile behind by Francis W Tasker, 1891. Exterior of church hidden but of grey stock brick reinforced internally with hoop iron. Red-brick front to Clerkenwell Road has stucco-faced loggia in quattrocento style with two open round arches surmounted by three niches with statues - including St Peter, and upper storey in English Renaissance style with stucco dressings rising to a pediment enclosing papal arms. Loggia interior with vaulted roof and coats of arms above wooden panelled doors and memorials to the First World War and the Arandora Star. INTERIOR of church has basilican plan based on San Crisogono, Rome, with unfinished nave of six bays, aisles, transepts and three apses facing west. Ionic nave colonnade of stone, painted to resemble marble, carrying entablature surmounted by round-arched tribune (formerly open) and clerestory. Round arches at entrance to chancel and apsidal sanctuary. Baldacchino with marble columns over high altar. Organ at west end on gallery, flanked by piers surmounted by urns installed by Mssrs Walker 1959 incorporating earlier elements. Painted decoration throughout church by two Piedmontese artists, Arnaud and Gauthier, 1885-6, since the 1950s without the surrounding painted architectural framework that formerly enclosed it. Presbytery attached to church also by Bryson but completed by Wylson and Long, 1862-5. Elevation towards Back Hill in Italianate style with stucco dressings. Windows replaced late 20th century. Listing NGR: TQ3128682071

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- BELL TOWER (19th Century - 1862 AD to 1863 AD)
- LOGGIA (19th Century - 1862 AD to 1863 AD)
- PRIESTS HOUSE (19th Century - 1862 AD to 1865 AD)
- ROMAN CATHOLIC CHURCH (19th Century - 1862 AD to 1863 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	476992 PRESBYTERY TO ROMAN CATHOLIC ITALIAN CHURCH OF ST PETER AND ROMAN CATHOLIC ITALIAN CHURCH OF ST PETER	CAMDEN TQ3182SW BACK HILL 798-1/97/262 No.4 14/05/74 Presbytery to Roman Catholic Italian Church of St Peter II* See under: No.136 Roman Catholic Italian Church of St Peter CLERKENWELL ROAD. CAMDEN TQ3182SW CLERKENWELL ROAD 798-1/97/262 (North side) 14/05/74 No.136 Roman Catholic Italian Church of St Peter II* Includes: No.4 Presbytery to Roman Catholic Italian Church of St Peter BACK HILL. Roman Catholic church. 1862-3. By John Miller Bryson, based on a previous design of 1853 by Francesco Gualandi. Front to Clerkenwell Road with loggia, superstructure and campanile behind by Francis W Tasker, 1891. Exterior of church hidden but of grey stock brick reinforced internally with hoop iron. Red-brick front to Clerkenwell Road has stucco-faced loggia in quattrocento style with two open round arches surmounted by three niches with statues - including St Peter, and upper storey in English Renaissance style with stucco dressings rising to a pediment enclosing papal arms. Loggia interior with vaulted roof and coats of arms above wooden panelled doors and memorials to the First World War and the Arandora Star. INTERIOR of church has basilican plan based on San Crisogono, Rome, with unfinished nave of six bays, aisles, transepts and three apses facing west. Ionic nave colonnade of stone, painted to resemble marble, carrying entablature surmounted by round-arched tribune (formerly open) and clerestory. Round arches at entrance to chancel and apsidal sanctuary. Baldacchino with marble columns over high altar. Organ at west end on gallery, flanked by piers surmounted by urns installed by Mssrs Walker 1959 incorporating earlier elements. Painted decoration throughout church by two Piedmontese artists, Arnaud and Gauthier, 1885-6, since the 1950s without the surrounding painted architectural

framework that formerly enclosed it. Presbytery attached to church also by Bryson but completed by Wylson and Long, 1862-5. Elevation towards Back Hill in Italianate style with stucco dressings. Windows replaced late C20. Listing NGR: TQ3128682071

Other Statuses and References

Type/Grade *Reference/Title*

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID *Name/Ref*
[Not Applicable](#) No Associated Event

Brief Description (click Event ID for details)

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81042
Monument Type	Listed Building
Preferred Ref.	MLO81042
Name	PRINCESS LOUISE PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30436 81486 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/833 (South side) 15/01/73 Nos.208 AND 209 Princess Louise Public House II* Public house. Mid C19. Interior 1891 by William B Simpson and Sons who contracted out the work. Yellow brick with stone and terracotta dressings. EXTERIOR: 4 storeys 4 windows. Double-fronted public house ground floor facade of red granite columns and pilasters (with masks on the capitals), carrying entablature flanked by modified consoles. Central bow window with arched and lozenge lights flanked by wide entrances. Recessed sash windows with moulded stone heads, enriched impost bands, bracketed sills with cast-iron window guards to 2nd and 3rd floors. Entablature with dentil cornice and rosettes in frieze. Parapet. INTERIOR: good interior with decorative, polychrome tile work, gold embossed glass by R Morris & Son, stained glass and original mahogany bar fittings by WH Lascelles and Co. In centre of bar, 4 cast-iron Corinthian columns carrying patterned ceiling with moulded cornice and polychrome tile frieze decorated with urns and swags. Staircase with elaborate wrought-iron balustrade between ground and 1st floor. 1st floor bar with good fittings and Art Nouveau dado. Interesting contemporary gents WC in basement with marble urinals and retaining some tiled walls and fittings. Included II* as a rich example of a Victorian public house interior. Listing NGR: TQ3043681486

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 208 High Holborn, London, WC1V 7BW
 - 208 High Holborn, London, WC1V 7BW

Monument/Component Types

- PUBLIC HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)
- PUBLIC HOUSE (19th Century - 1891 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	478245 PRINCESS LOUISE PUBLIC HOUSE	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/833 (South side) 15/01/73 Nos.208 AND 209 Princess Louise Public House II* Public house. Mid C19. Interior 1891 by William B Simpson and Sons who contracted out the work. Yellow brick with stone and terracotta dressings. EXTERIOR: 4 storeys 4 windows. Double-fronted public house ground floor facade of red granite columns and pilasters (with masks on the capitals), carrying entablature flanked by modified consoles. Central bow window with arched and lozenge lights flanked by wide entrances. Recessed sash windows with moulded stone heads, bracketed sills with cast-iron window guards to 2nd and 3rd floors. Entablature with dentil cornice and rosettes in frieze. Parapet. INTERIOR: good interior with decorative, polychrome tile work, gold embossed glass by R Morris & Son, stained glass and original mahogany bar fittings by WH Lascelles and Co. In centre of bar, 4 cast-iron Corinthian columns carrying patterned ceiling with moulded cornice and polychrome tile frieze decorated with urns and swags. Staircase with elaborate wrought-iron balustrade between ground and 1st floor. 1st floor bar with good fittings and Art Nouveau dado. Interesting contemporary gents WC in basement with marble urinals and retaining some tiled walls and fittings. Included II* as a rich example of a Victorian public house interior. Listing NGR: TQ3043681486

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81233
Monument Type	Listed Building
Preferred Ref.	MLO81233
Name	PRUDENTIAL ASSURANCE BUILDING
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31214 81665 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3181NW HOLBORN BARS 798-1/102/888 (North side) 03/03/72 No.142 Prudential Assurance Building (Formerly Listed as: GREVILLE STREET Prudential Assurance Building) (Formerly Listed as: CITY OF LONDON HOLBORN (North side) No.142 Prudential Assurance Company Offices) GV II* Office block. 1885-1901 in several phases, by Alfred Waterhouse assisted by his son Paul and with additions of 1930-32 by EM Joseph not entirely replaced by rebuilding of 1989-93 and which include 1878-9 fragments. Polished granite, red brick, red terracotta and much use of fine ironwork, with roof in most areas of slate laid in diminishing courses. The 1930s work with internal steel frame, but the building is made coherent despite the many phases by the use of similar materials of a very restricted colour range. STYLE: boldly detailed and picturesque Gothic Revival style. PLAN: complex plan, dominated by front range of 1897-1901, the Furnival's Inn building campaign. To left or west of this range is the steel-framed range of 1930-32 by EM Joseph in matching style, on the site of the first Prudential development on the site of 1879-83 and now truncated; however the late 20th century work along Brooke Street incorporates within it a three-window range of 1885-8 by Waterhouse. East of the Furnival's Inn block and returning along Leather Lane is the so-called Ridler's Hotel block, of 1897-1901. North of this are the Wood's Hotel range of 1895-6 and Greville Street/ Leather Lane block of 1895. Large internal courtyard now known as Waterhouse Square, with smaller courtyard to south. EXTERIOR: Holborn Bars elevation (part of Furnival's Inn building campaign) has carriageway arch flanked by pedestrian arched walkways in range that terminates in tower with hipped roof and fleche. Three window ranges to either side, the centre of which is topped by a gabled dormer; terminating these ranges are full-height rectangular bays finishing in facing gables, three-window segmental bay to each. To the left or west the 1930-32 range is seven storeys in the main, but the ranges to Holborn Bars continue the facade height of the Furnival's Inn building. Joseph's work has four-window range contiguous with Waterhouse's and terminating, at the corner with Brooke Street, in a rectangular bay. There is a short return along the west of two-window ranges before the building steps up to a full seven-storey high wing of three windows. Joseph's range further north along Brooke Street has been replaced by recent construction. Embedded in this late 20th century work is a three-window range of 1885-8 with four-window return to north; on the corner is a polygonal turret finishing in a high hipped roof. To the east of the Furnival's Inn block and returning along Leather Lane the Ridler's Hotel parcel has a five-window range continuing from the Furnival's Inn range and terminating in a rectangular corner wing or block. The return continues the design of the main block before setting back along the long Leather Lane elevation, which has a basement area enclosed by railings of an authentic design. This build of 1897-1901 continues to just north of the angled bay which terminates in a turret with a conical roof; although the material is similar to that found on the main Holborn Bars elevation the detailing is considerably simplified. East of the angled bay / tower is two-storey, flat-roofed block of two-window range; behind this are ranges of the Furnival's Inn campaign once again, here exactly matching the design of the Ridler's Hotel block. To the north of the bay which contains a pedestrian way to the north courtyard is the Wood's Hotel block, which has a four-window range. North of this point, marked by a hefty half-round, attached shaft, the elevation cambers westwards for nine windows. This is the Greville Street and Leather Lane block, and it terminates near the corner in two facing gables; there is a short return westwards along the former line of Greville Street. The design of the elevation to this north-east block are the simplest in the whole complex but still match the colour of the other elevations. The north courtyard is now named in honour of Waterhouse. Its north range is four windows wide flanked by gable facing pavilions and it is part of the Wood's Hotel block. The northernmost bays of the east and west ranges of this courtyard are also part of this campaign. The southern parts of these ranges and that along the south are part of the Furnival's Inn campaign, as is the narrow carriageway to the south entrance courtyard. The 1914-18 War Memorial is now relocated to the north-east corner of Waterhouse Square. Bronze memorial plaques are nearby, flanking the entrance from Waterhouse Square to Leather Lane. These latter commemorate the 1939-45 war. INTERIOR: significant interiors include the public office on the ground floor of Furnival's Inn block and the Director's Staircase. Both are sheafed in faience. The Library is the only room to survive with most of its original fittings, including lights. Other interiors of special interest in the Furnival's Inn block include: on the first floor the suite of manager's offices retains mahogany panelling in one of the tower rooms and all the rooms to the east. A number of rooms on the second floor have good panelling, plaster ceilings and fireplaces. The faience in the Cashier's Office is particularly noteworthy. Panelling from the 1878-9 Board Room was used in the Director's Rest Room. The frontage to Holborn was formerly listed in the City of London on 03/03/72; the frontage to Greville Street listed in the LB of Camden on 14/05/74. Both parts were included in the LB of Camden following boundary changes on 1 April 1994. (Cunningham C and Waterhouse P: Alfred Waterhouse, 1830-1905, Biography of a Practice: Oxford: - 1992). Listing NGR: TQ3121481665</p>

Sources
Number Reference

Location
Administrative Area
 - [Borough] CAMDEN
Address

- Monument/Component Types**
- ARCHITECTURAL FRAGMENT (19th Century - 1878 AD to 1879 AD)
 - OFFICE (19th Century - 1885 AD to 1888 AD)
 - OFFICE (19th Century - 1895 AD)
 - OFFICE (19th Century to Modern - 1897 AD to 1901 AD)

- WAR MEMORIAL (Modern - 1914 AD to 1918 AD)
- METAL FRAMED BUILDING (Modern - 1930 AD to 1932 AD)
- OFFICE (Modern - 1930 AD to 1932 AD)
- WAR MEMORIAL (Modern - 1939 AD to 1945 AD)
- OFFICE (Modern - 1989 AD to 1993 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	478430 PRUDENTIAL ASSURANCE BUILDING	<p>CAMDEN TQ3181NW HOLBORN BARS 798-1/102/888 (North side) 03/03/72 No.142 Prudential Assurance Building (Formerly Listed as: GREVILLE STREET Prudential Assurance Building) (Formerly Listed as: CITY OF LONDON HOLBORN (North side) No.142 Prudential Assurance Company Offices) GV II* Office block. 1885-1901 in several phases, by Alfred Waterhouse assisted by his son Paul and with additions of 1930-32 by EM Joseph not entirely replaced by rebuilding of 1989-93 and which include 1878-9 fragments. Polished granite, red brick, red terracotta and much use of fine ironwork, with roof in most areas of slate laid in diminishing courses. The 1930s work with internal steel frame, but the building is made coherent despite the many phases by the use of similar materials of a very restricted colour range. STYLE: boldly detailed and picturesque Gothic Revival style. PLAN: complex plan, dominated by front range of 1897-1901, the Furnival's Inn building campaign. To left or west of this range is the steel-framed range of 1930-32 by EM Joseph in matching style, on the site of the first Prudential development on the site of 1879-83 and now truncated; however the late C20 work along Brooke Street incorporates within it a three-window range of 1885-8 by Waterhouse. East of the Furnival's Inn block and returning along Leather Lane is the so-called Ridler's Hotel block, of 1897-1901. North of this are the Wood's Hotel range of 1895-6 and Greville Street/ Leather Lane block of 1895. Large internal courtyard now known as Waterhouse Square, with smaller courtyard to south. EXTERIOR: Holborn Bars elevation (part of Furnival's Inn building campaign) has carriageway arch flanked by pedestrian arched walkways in range that terminates in tower with hipped roof and fleche. Three window ranges to either side, the centre of which is topped by a gabled dormer; terminating these ranges are full-height rectangular bays finishing in facing gables, three-window segmental bay to each. To the left or west the 1930-32 range is seven storeys in the main, but the ranges to Holborn Bars continue the facade height of the Furnival's Inn building. Joseph's work has four-window range contiguous with Waterhouse's and terminating, at the corner with Brooke Street, in a rectangular bay. There is a short return along the west of two-window ranges before the building steps up to a full seven-storey high wing of three windows. Joseph's range further north along Brooke Street has been replaced by recent construction. Embedded in this late C20 work is a three-window range of 1885-8 with four-window return to north; on the corner is a polygonal turret finishing in a high hipped roof. To the east of the Furnival's Inn block and returning along Leather Lane the Ridler's Hotel parcel has a five-window range continuing from the Furnival's Inn range and terminating in a rectangular corner wing or block. The return continues the design of the main block before setting back along the long Leather Lane elevation, which has a basement area enclosed by railings of an authentic design. This build of 1897-1901 continues to just north of the angled bay which terminates in a turret with a conical roof; although the material is similar to that found on the main Holborn Bars elevation the detailing is considerably simplified. East of the angled bay / tower is two-storey, flat-roofed block of two-window range; behind this are ranges of the Furnival's Inn campaign once again, here exactly matching the design of the Ridler's Hotel block. To the north of the bay which contains a pedestrian way to the north courtyard is the Wood's Hotel block, which has a four-window range. North of this point, marked by a hefty half-round, attached shaft, the elevation cambers westwards for nine windows. This is the Greville Street and Leather Lane block, and it terminates near the corner in two facing gables; there is a short return westwards along the former line of Greville Street. The design of the elevation to this north-east block are the simplest in the whole complex but still match the colour of the other elevations. The north courtyard is now named in honour of Waterhouse. Its north range is four windows wide flanked by gable facing pavilions and it is part of the Wood's Hotel block. The northernmost bays of the east and west ranges of this courtyard are also part of this campaign. The southern parts of these ranges and that along the south are part of the Furnival's Inn campaign, as is the narrow carriageway to the south entrance courtyard. The 1914-18 War Memorial is now relocated to the north-east corner of Waterhouse Square. Bronze memorial plaques are nearby, flanking the entrance from Waterhouse Square to Leather Lane. These latter commemorate the 1939-45 war. INTERIOR: significant interiors include the public office on the ground floor of Furnival's Inn block and the Director's Staircase. Both are sheafed in</p>

faience. The Library is the only room to survive with most of its original fittings, including lights. Other interiors of special interest in the Furnival's Inn block include: on the first floor the suite of manager's offices retains mahogany panelling in one of the tower rooms and all the rooms to the east. A number of rooms on the second floor have good panelling, plaster ceilings and fireplaces. The faience in the Cashier's Office is particularly noteworthy. Panelling from the 1878-9 Board Room was used in the Director's Rest Room. The frontage to Holborn was formerly listed in the City of London on 03/03/72; the frontage to Greville Street listed in the LB of Camden on 14/05/74. Both parts were included in the LB of Camden following boundary changes on 1 April 1994. (Cunningham C and Waterhouse P: Alfred Waterhouse, 1830-1905, Biography of a Practice: Oxford: -1992). Listing NGR: TQ3121481665

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82136
Monument Type	Listed Building
Preferred Ref.	MLO82136
Name	PUBLIC RECORD OFFICE AND THE PUBLIC RECORD OFFICE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31213 81287 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3181 SW CITY OF WESTMINSTER CHANCERY LANE, WC2 61/7 9.1.70 The Public Record Office G.V. II* Public building. Original part to east partly within City of London, Fetter Lane q.v., 1853-55 by Sir James Pennethorne, extended with frontage to Chancery Lane 1891-96 by Sir John Taylor including re-erected C.13 archway of the Rolls Chapel. Pennethorne's work of Bath stone with lead roofs; Taylor's extension of Portland stone, both rock faced with ashlar dressings. Pennethorne's building is notable for its fire proof construction with individual modular document cells built of wrought iron with shallow arched brick vaults and cast iron girders; the elevations employing Perpendicular Gothic in very functional way; the Perpendicular style was continued by Taylor in a rather more elaborated fashion. Symmetrical front to Chancery Lane with central archway in "gatehouse" and terminal polygonal turrets with stone ogee cupolas. Symmetrical east-west range with central "gatehouse" and square tower above, and a more asymmetrical range with polygonal turrets to Fetter Lane. The Pennethorne work distinguished by the sheer mullion-buttresses articulating the fully glazed window bays finished off with depressed triangular arches over the top floor below pierced parapet and crocketed finials. Similar details to Taylor extension but with closer net mullions dividing the lights. Part of the chancel arch of the demolished C.13 Rolls Chapel re-erected against the rear of the Chancery Lane block at the south east end. Important Renaissance monuments from the chapel are now in the Record Office museum. Listing NGR: TQ3121381287

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 78 Fetter Lane, London, EC4A 1EQ

Monument/Component Types

- LAMP POST (19th Century to Unknown - 1851 AD)
- RAILINGS (19th Century to Unknown - 1851 AD)
- RECORD OFFICE (19th Century - 1851 AD to 1866 AD)
- WALL (19th Century to Unknown - 1851 AD)
- RECORD OFFICE (19th Century - 1891 AD to 1896 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	199443 PUBLIC RECORD OFFICE AND THE PUBLIC RECORD OFFICE	TQ 3181 SW CITY OF WESTMINSTER CHANCERY LANE, WC2 61/7 9.1.70 The Public Record Office G.V. II* Public building. Original part to east partly within City of London, Fetter Lane q.v., 1853-55 by Sir James Pennethorne, extended with frontage to Chancery Lane 1891-96 by Sir John Taylor including re-erected C.13 archway of the Rolls Chapel. Pennethorne's work of Bath stone with lead roofs; Taylor's extension of Portland stone, both rock faced with ashlar dressings. Pennethorne's building is notable for its fire proof construction with individual modular document cells built of wrought iron with shallow arched brick vaults and cast iron girders; the elevations employing Perpendicular Gothic in very functional way; the Perpendicular style was continued by Taylor in a rather more elaborated fashion. Symmetrical front to Chancery Lane with central archway in "gatehouse" and terminal polygonal turrets with stone ogee cupolas. Symmetrical east-west range with central "gatehouse" and square tower above, and a more asymmetrical range with polygonal turrets to Fetter Lane. The Pennethorne work distinguished by the sheer mullion-buttresses articulating the fully glazed window bays finished off with depressed triangular arches over the top floor below pierced parapet and crocketed finials. Similar details to Taylor extension but with closer net mullions dividing the lights. Part of the chancel arch of the demolished C.13 Rolls Chapel re-erected against the rear of the Chancery Lane block at the south east end. Important Renaissance monuments from the chapel are now in the Record Office museum. Listing NGR: TQ3121381287

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80784
Monument Type	Listed Building
Preferred Ref.	MLO80784
Name	PUMP ON SOUTH SIDE OF GRAYS INN SQAURE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31032 81738 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/635 (South side) 14/05/74 Pump on south side of Gray's Inn Square GV II Water pump. C19 early/mid. Cast-iron pump (handle removed), octagonal in Gothic style with ogee, cusped panels and domed top with crockets on the ribs. Listing NGR: TQ3103281738

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- WATER PUMP (18th Century to 19th Century - 1800 AD to 1866 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477460 PUMP ON SOUTH SIDE OF GRAYS INN SQAURE	CAMDEN TQ3181NW GRAY'S INN 798-1/102/635 (South side) 14/05/74 Pump on south side of Gray's Inn Square GV II Water pump. C19 early/mid. Cast-iron pump (handle removed), octagonal in Gothic style with ogee, cusped panels and domed top with crockets on the ribs. Listing NGR: TQ3103281738

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80636
Monument Type	Listed Building
Preferred Ref.	MLO80636
Name	QUAKER INTERNATIONAL CENTRE AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29722 82130 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2982SE BYNG PLACE 798-1/94/131 (North side) 14/05/74 No.1 Quaker International Centre and attached railings (Formerly Listed as: BYNG PLACE Courtauld House) GV II House, later converted into 3 residences, currently in single occupation. c1832. Built by Thomas Cubitt. Painted stucco with rusticated ground floor. 4 storeys and basements. Symmetrical east facade with 9 windows and projecting centre bays. South return with 3 windows (1 blind) and 1 window, 2 storey extension to the west. Main entrance on south facade with projecting, balustraded porch; square-headed doorway with panelled jambs, cornice head, overlight and panelled door. East facade with similar but part glazed doorways. Projecting centre with 4 pilasters supporting simplified entablature and pediment above attic storey. Cornice and blocking course above attic storey. Prior to 1947, a continuous balustraded balcony to the 1st floor. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2972282130

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Byng Place, London, WC1E 7JJ

Monument/Component Types

- CONFERENCE CENTRE (Undated)
- FRIENDS MEETING HOUSE (Undated)
- HOUSE (19th Century - 1812 AD to 1852 AD)
- RAILINGS (19th Century - 1812 AD to 1852 AD)
- HOUSE (19th Century to Modern - 1853 AD to 1946 AD)
- HOUSE (Modern - 1947 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476773 QUAKER INTERNATIONAL CENTRE AND ATTACHED RAILINGS	CAMDEN TQ2982SE BYNG PLACE 798-1/94/131 (North side) 14/05/74 No.1 Quaker International Centre and attached railings (Formerly Listed as: BYNG PLACE Courtauld House) GV II House, later converted into 3 residences, currently in single occupation. c1832. Built by Thomas Cubitt. Painted stucco with rusticated ground floor. 4 storeys and basements. Symmetrical east facade with 9 windows and projecting centre bays. South return with 3 windows (1 blind) and 1 window, 2 storey extension to the west. Main entrance on south facade with projecting, balustraded porch; square-headed doorway with panelled jambs, cornice head, overlight and panelled door. East facade with similar but part glazed doorways. Projecting centre with 4 pilasters supporting simplified entablature and pediment above attic storey. Cornice and blocking course above attic storey. Prior to 1947, a continuous balustraded balcony to the 1st floor. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached cast-iron railings with foliated finials to areas. Listing NGR: TQ2972282130

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86790
Monument Type	Listed Building
Preferred Ref.	MLO86790
Name	QUALITY CHOP HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31210 82344 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/392 (East side) 01/09/89 No.94 Quality Chop House GV II Terraced house, with restaurant. 1890s by Roland Plumber; restaurant early 1900s with (possibly) slightly later facade. Buff bricks laid in Flemish bond to upper floors. Glazed shopfront, canted each side of central mahogany door. Twelve square lights to each side with central three-light strips, those to left reading: 'Quick Service' 'London's noted cup of Tea', 'civility'; those to right reading: 'snacks', 'Progressive Working Class Caterers', 'Best Quality'. Painted wooden sign over. INTERIOR: of restaurant: nine bays of oak benches and oak tables bolted to floor and wall, in two lines with central passage. Benches with parallel backs and end balusters. Benches and tables have ornate cast-iron legs. Linenfold timber panelling with shelf brackets to walls, ceiling and frieze of 'steleorite' decorative tin panels, central pendant gas heater. Dog-leg staircase in corner with end scrolls and turned balusters. Kitchen to rear reached via central door through oak screen with composite pilasters and sliding glazed hatch. Probably unique example of early 20th century working class restaurant, surviving complete with all fittings of high quality. Listing NGR: TQ3121082344

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 94 Farringdon Road, London, EC1R 3EA

Monument/Component Types

- TERRACE (19th Century - 1890 AD to 1899 AD)
- TERRACED HOUSE (19th Century - 1890 AD to 1899 AD)
- RESTAURANT (19th Century to Modern - 1900 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368892 QUALITY CHOP HOUSE	ISLINGTON TQ3182SW FARRINGDON ROAD 635-1/73/392 (East side) 01/09/89 No.94 Quality Chop House GV II Terraced house, with restaurant. 1890s by Roland Plumber; restaurant early 1900s with (possibly) slightly later facade. Buff bricks laid in Flemish bond to upper floors. Glazed shopfront, canted each side of central mahogany door. Twelve square lights to each side with central three-light strips, those to left reading: 'Quick Service' 'London's noted cup of Tea', 'civility'; those to right reading: 'snacks', 'Progressive Working Class Caterers', 'Best Quality'. Painted wooden sign over. INTERIOR: of restaurant: nine bays of oak benches and oak tables bolted to floor and wall, in two lines with central passage. Benches with parallel backs and end balusters. Benches and tables have ornate cast-iron legs. Linenfold timber panelling with shelf brackets to walls, ceiling and frieze of 'steleorite' decorative tin panels, central pendant gas heater. Dog-leg staircase in corner with end scrolls and turned balusters. Kitchen to rear reached via central door through oak screen with composite pilasters and sliding glazed hatch. Probably unique example of early C20 working class restaurant, surviving complete with all fittings of high quality. Listing NGR: TQ3121082344

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)**End of record**

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80567
Monument Type	Listed Building
Preferred Ref.	MLO80567
Name	QUEEN ALEXANDRA MANSIONS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30133 81413 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW GRAPE STREET 798-1/105/1851 Nos.1-7 (Odd) Queen Alexandra Mansions GV II See under: Nos.228-234 Queen Alexandra Mansions SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1851 (South East side) Nos.228-234 (Even) Queen Alexandra Mansions GV II Includes: Nos.1-7 Queen Alexandra Mansions GRAPE STREET. Shops with mansion flats over. 1902-8. Almost certainly by C Fitzroy Doll. Red brick with exuberant terracotta dressings, slate roof with tall stacks. PLAN/EXTERIOR: asymmetrical L-shaped plan, with 5-window range to Shaftesbury Avenue and eight windows to Grape Street. 5 storeys, with 2-storey attic remodelled along Grape Street late 20th century. Massive corner bartizan which rises from a single ground floor column with foliate capital to form tourelle with panels of moulded heads on giant modillion frieze. This is answered by corner tourelle rising from third floor at junction fronting New Oxford Street. 2 more regular square 3-storey oriels face Shaftesbury Avenue, with 2 likewise to Grape Street, all with machicolated frieze. All linked by parapets, modillion cornice and many bands. The main corner bartizan with balconies either side, with terracotta balustrading and behind which the windows have segmental-arched transoms. The other windows are mullion and transom casements in moulded terracotta surrounds with notched lintels that continue as bands across the composition. Shopfronts to Shaftesbury Avenue 20th century, those to Grape Street to consistent design, all set between moulded terracotta pilasters. INTERIORS not inspected. Included primarily for the quality of its street facades, an exceptionally powerful work in Doll's typically bombastic idiom using fine terracotta. Listing NGR: TQ3013381413

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Flat 1 Queen Alexandra Mansions Grape Street, London, WC2H 8DX
- Flat 1 Queen Alexandra Mansions Grape Street, London, WC2H 8DX
- Flat 3 Queen Alexandra Mansions Grape Street, London, WC2H 8DX
- Flat 5 Queen Alexandra Mansions Grape Street, London, WC2H 8DX
- Flat 7 Queen Alexandra Mansions Grape Street, London, WC2H 8DX

Monument/Component Types

- MANSION FLATS (Modern - 1902 AD to 1908 AD)
- SHOP (Modern - 1902 AD to 1908 AD)
- MANSION FLATS (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477968 QUEEN ALEXANDRA MANSIONS	CAMDEN TQ3081SW GRAPE STREET 798-1/105/1851 Nos.1-7 (Odd) Queen Alexandra Mansions GV II See under: Nos.228-234 Queen Alexandra Mansions SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1851 (South East side) Nos.228-234 (Even) Queen Alexandra Mansions GV II Includes: Nos.1-7 Queen Alexandra Mansions GRAPE STREET. Shops with mansion flats over. 1902-8. Almost certainly by C Fitzroy Doll. Red brick with exuberant terracotta dressings, slate roof with tall stacks. PLAN/EXTERIOR: asymmetrical L-shaped plan, with 5-window range to Shaftesbury Avenue and eight windows to Grape Street. 5 storeys, with 2-storey attic remodelled along Grape Street late C20. Massive corner bartizan which rises from a single ground floor column with foliate capital to form tourelle with panels of moulded heads on giant modillion frieze. This is answered by corner tourelle rising from third floor at junction fronting New Oxford Street. 2 more regular square 3-storey oriels face Shaftesbury Avenue, with 2 likewise to Grape Street, all with machicolated frieze. All linked by parapets, modillion cornice and many bands. The main corner bartizan with balconies either side, with terracotta balustrading and behind which the windows have segmental-arched transoms. The other windows are mullion and transom casements in moulded terracotta surrounds with notched lintels that continue as bands across the composition. Shopfronts to Shaftesbury Avenue C20, those to Grape Street to consistent design, all set between moulded terracotta pilasters. INTERIORS not inspected. Included primarily for the quality of its street facades, an exceptionally powerful work in Doll's typically bombastic idiom using fine terracotta.

Listing NGR: TQ3013381413

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80172
Monument Type	Listed Building
Preferred Ref.	MLO80172
Name	QUEEN MARY HALL AND YWCA CENTRAL CLUB AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29913 81464 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/683 (South side) 14/05/74 Nos.16-22 (Consecutive) Queen Mary Hall and attached railings GV II YWCA residential club. 1928-32. By Sir Edwin Lutyens. For the Young Women's Christian Association. Brown brick & stone under a slated hipped roof with dormers. 4 storeys, attic and basement. 7 windows with 13-window return; the 3-window bays at each end of the return form projecting wings. Symmetrical facade and return in Neo-Georgian style. Gauged flat brick arches with stone keystones to flush framed sash windows (32-pane on ground & 1st floor, 16 on 2nd & 3rd). Main central entrance with stone doorcase comprising Corinthian pilasters carrying entablature with open segmental pediment dated 1932, above which a stone dressed window with triangular pediment. Doorway approached by double flight of steps with wrought-iron balustrade. Stone cornice. Subsidiary entrance on return with stone doorcase with brick banded pilasters. Angel head keystone to window above. INTERIOR: original features survive of a functional nature. 1st floor double storey concert hall. SUBSIDIARY FEATURES: attached wrought-iron railings to areas. Listing NGR: TQ2991381464

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- CHRISTIAN ASSOCIATION HOSTEL (Modern - 1928 AD to 1932 AD)
- RAILINGS (Modern - 1928 AD to 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477670 QUEEN MARY HALL AND YWCA CENTRAL CLUB AND ATTACHED RAILINGS	CAMDEN TQ2981SE GREAT RUSSELL STREET 798-1/104/683 (South side) 14/05/74 Nos.16-22 (Consecutive) Queen Mary Hall and YWCA Central Club and attached railings GV II YWCA residential club. 1928-32. By Sir Edwin Lutyens. For the Young Women's Christian Association. Brown brick & stone under a slated hipped roof with dormers. 4 storeys, attic and basement. 7 windows with 13-window return; the 3-window bays at each end of the return form projecting wings. Symmetrical facade and return in Neo-Georgian style. Gauged flat brick arches with stone keystones to flush framed sash windows (32-pane on ground & 1st floor, 16 on 2nd & 3rd). Main central entrance with stone doorcase comprising Corinthian pilasters carrying entablature with open segmental pediment dated 1932, above which a stone dressed window with triangular pediment. Doorway approached by double flight of steps with wrought-iron balustrade. Stone cornice. Subsidiary entrance on return with stone doorcase with brick banded pilasters. Angel head keystone to window above. INTERIOR: original features survive of a functional nature. 1st floor double storey concert hall. SUBSIDIARY FEATURES: attached wrought-iron railings to areas. Listing NGR: TQ2991381464

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO78526
Monument Type	Listed Building
Preferred Ref.	MLO78526
Name	QUEENS LARDER PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30355 81925 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1358 (West side) 14/05/74 No.1 Queen's Larder Public House (Formerly Listed as: QUEEN SQUARE Nos.1 AND 2 Queen's Larder Public House (No.1)) GV II Terraced house, now a public house. Early C18, altered early 19th century. Multi-coloured stock brick. 4 storeys and basements. 3 windows and 4-window return, 2 blind, to Cosmo Place. Wooden architraved doorcase with shaped brackets carrying entablature with pulvinated frieze. Gauged, reddened brick flat arches to recessed sashes. Return elevation with later 19th century ground floor public house frontage with pilasters carrying entablature with dentil cornice flanked by consoles. INTERIOR: retains 20th century matchboarding to frieze height, 19th century ribbed ceiling. Listing NGR: TQ3035581925

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 1 Queen Square, London, WC1N 3AR

Monument/Component Types

- TERRACED HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)
- PUBLIC HOUSE (19th Century - 1867 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477819 QUEENS LARDER PUBLIC HOUSE	CAMDEN TQ3081NW QUEEN SQUARE 798-1/100/1358 (West side) 14/05/74 No.1 Queen's Larder Public House (Formerly Listed as: QUEEN SQUARE Nos.1 AND 2 Queen's Larder Public House (No.1)) GV II Terraced house, now a public house. Early C18, altered early C19. Multi-coloured stock brick. 4 storeys and basements. 3 windows and 4-window return, 2 blind, to Cosmo Place. Wooden architraved doorcase with shaped brackets carrying entablature with pulvinated frieze. Gauged, reddened brick flat arches to recessed sashes. Return elevation with later C19 ground floor public house frontage with pilasters carrying entablature with dentil cornice flanked by consoles. INTERIOR: retains C20 matchboarding to frieze height, C19 ribbed ceiling. Listing NGR: TQ3035581925

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate (Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80049
Monument Type	Listed Building
Preferred Ref.	MLO80049
Name	RAILINGS AND GATES SOUTH OF VERULAM BUILDINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31017 81841 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/638 (East side) 14/05/74 Railings and gates south of Verulam Buildings GV II Railings and gates. Early 19th century. Cast-iron with urn finials on later stone capped brick wall. 2-leaf cast-iron gates and steps leading to Gray's Inn Gardens. Listing NGR: TQ3101781841

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- GATE (18th Century to 19th Century - 1800 AD to 1832 AD)
- RAILINGS (18th Century to 19th Century - 1800 AD to 1832 AD)
- STEPS (19th Century to Unknown - 1833 AD)
- WALL (19th Century to Unknown - 1833 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477474 RAILINGS AND GATES SOUTH OF VERULAM BUILDINGS	CAMDEN TQ3181NW GRAY'S INN 798-1/102/638 (East side) 14/05/74 Railings and gates south of Verulam Buildings GV II Railings and gates. Early C19. Cast-iron with urn finials on later stone capped brick wall. 2-leaf cast-iron gates and steps leading to Gray's Inn Gardens. Listing NGR: TQ3101781841

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80406
Monument Type	Listed Building
Preferred Ref.	MLO80406
Name	RAILINGS AND GATES TO PRIVATE GARDEN IN MIDDLE OF SQUARE
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29787 81647 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/81 Railings and gates to private garden 24/10/51 in middle of square GV II Railings and gates to private garden in middle of square. 1776-1781. Plain cast-iron bracketed railings with spearhead finials. Garden gates on north and south sides with wrought-iron overthrows. The gates were listed on 14/05/74. Listing NGR: TQ2978781647

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 6 Bedford Square, London, WC1B 3RA

Monument/Component Types

- GATE (18th Century - 1776 AD to 1781 AD)
- RAILINGS (18th Century - 1776 AD to 1781 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476707 RAILINGS AND GATES TO PRIVATE GARDEN IN MIDDLE OF SQUARE	CAMDEN TQ2981NE BEDFORD SQUARE 798-1/99/81 Railings and gates to private garden 24/10/51 in middle of square GV II Railings and gates to private garden in middle of square. 1776-1781. Plain cast-iron bracketed railings with spearhead finials. Garden gates on north and south sides with wrought-iron overthrows. The gates were listed on 14/05/74. Listing NGR: TQ2978781647

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86294
Monument Type	Listed Building
Preferred Ref.	MLO86294
Name	RAILINGS ROUNG CENTRAL GARDEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31197 82542 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/909 Railings round central garden 29/09/72 GV II Railings. 1819-1841. Cast iron. To perimeter of central garden square. Spear-headed bars with pineapple finials to standards. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal and for financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3119782542

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address

- 12 Wilmington Square, London, WC1X 0ES

Monument/Component Types

- RAILINGS (19th Century - 1819 AD to 1841 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369438 RAILINGS ROUNG CENTRAL GARDEN	ISLINGTON TQ3182NW WILMINGTON SQUARE 635-1/68/909 Railings round central garden 29/09/72 GV II Railings. 1819-1841. Cast iron. To perimeter of central garden square. Spear-headed bars with pineapple finials to standards. Wilmington Square was created from the Earls of Northampton's Spa Fields Estate, which in 1817 the 9th Earl assigned to his heir Lord Compton. The subsequent building in Wilmington Square was one of London's 1st post-Waterloo developments. Progress was piecemeal and for financial reasons the square was reduced in depth and thus became a backwater on the fringes of estates. (The Squares of Islington: Cosh, M: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 93-98). Listing NGR: TQ3119782542

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80786
Monument Type Listed Building
Preferred Ref. MLO80786
Name RAYMOND BUILDINGS NUMBERS 1 TO 6 AND ATTACHED RAILINGS
Map Sheet TQ38SW
Grid References Centre Point: TQ 30880 81831 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE GRAY'S INN 798-1/101/639 (East side) 24/10/51 Raymond Buildings Nos.1-6 and attached railings GV II 6 terraced chambers. 1825, restored late 20th century. Multi-coloured stock brick under a slate roof with dormers. West elevation - 4 storeys, attics and basements. 7 windows each. Entrances of semicircular arches with key-stones and impost blocks. Gauged brick flat arches to recessed sash windows. Restored parapet. East elevation - facing gardens, with stone bands at ground and 1st floor. INTERIORS: have stone stairs with square iron balusters. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3088081831

Sources

Number	Reference

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (19th Century - 1825 AD)
- RAILINGS (19th Century - 1825 AD)
- TERRACE (19th Century - 1825 AD)
- LEGAL CHAMBERS (Modern - 1967 AD to 1999 AD)
- TERRACE (Modern - 1967 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477462 RAYMOND BUILDINGS NUMBERS 1 TO 6 AND ATTACHED RAILINGS	CAMDEN TQ3081NE GRAY'S INN 798-1/101/639 (East side) 24/10/51 Raymond Buildings Nos.1-6 and attached railings GV II 6 terraced chambers. 1825, restored late C20. Multi-coloured stock brick under a slate roof with dormers. West elevation - 4 storeys, attics and basements. 7 windows each. Entrances of semicircular arches with key-stones and impost blocks. Gauged brick flat arches to recessed sash windows. Restored parapet. East elevation - facing gardens, with stone bands at ground and 1st floor. INTERIORS: have stone stairs with square iron balusters. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. Listing NGR: TQ3088081831

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO102692
Monument Type	Listed Building
Preferred Ref.	MLO102692
Name	Red Lion Square, (No.25), [Conway Hall], Camden, WC1R {Early 20th Century Hall and Library}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 30651 81783 (MBR: 41m by 44m) (Estimated from sources)
Summary	Hall with library, 1929 by Frederick Herbert Mansford incorporating a mid-late Victorian terrace on Theobalds Road. For the South Place Ethical Society.

Description**Sources**

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Conway Hall, 25 Red Lion Square, Camden, WC1R

Monument/Component Types

- CHURCH HALL ((between) Modern - 1929 AD to 2050 AD)
- LIBRARY ((between) Modern - 1929 AD to 2050 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	504369 Conway Hall, Red Lion Square	<p>CAMDEN TOWN 798/0/10233 RED LION SQUARE 18-DEC-07</p> <p>Conway Hall II Hall with library, 1929 by Frederick Herbert Mansford incorporating a mid-late Victorian terrace on Theobalds Road. For the South Place Ethical Society. Stock brick with stone dressings. PLAN: Lobby accessed from Red Lion Square leads to central corridor connecting with entrance from Theobalds Road. Second hall and main hall are accessed from the corridor, the latter also from the lobby and a further entrance to the building on Lamb's Conduit Passage. The staircase leads to the first floor library, offices and the gallery of the main hall. Elsewhere, on the upper floors of the Theobalds Road building and the third floor of the main hall, are offices and accommodation for a secretary and a caretaker. EXTERIOR: The site of Conway Hall is an awkward one and only one element of the brick building has a wide aspect - the entrance foyer facing Red Lion Square at a slightly acute angle. Consequently this is the grandest element of the design and has a large round-headed French window set into gauged red and grey brickwork with a curved iron balcony above a wide entrance, the whole accentuated by flanking stone quadrant piers with horizontal rustication and topped with stone urns. The third storey contains a Venetian window with red brick dressings, above which is a pedimented parapet with a stone cornice. The balcony has the words 'South Place Ethical Society' inscribed in its base and a stone course, painted white, above the arched window bears the inscription 'Conway Hall'. The sense of movement created by the quadrant piers is maintained as the elevation continues along narrow Lambs Conduit Passage: the next section of the façade has a shallow curve, which hints at the staircase it houses, three round-arched windows and three dormer windows. The rest of the façade is the hall itself and contains mullion windows on the ground floor (which light the fire escape passage running alongside the hall) and round windows set high in the elevation which light the hall's southern gallery. All the windows contain the original metal frames. There are further stone urns along the parapet of the hall section of the building; all the urns were salvaged from a bank building in the City which was being demolished at the time of Conway Hall's construction. To Theobalds Road, the building incorporates a mid-late Victorian terraced house and ground floor shop. Its essentially domestic appearance has been adapted to function as a second entrance to the hall: there is a double-door recessed into what would have been the shop-front and blue mosaic signage on the façade which reads 'South Place Ethical Society / Conway Hall / Sunday Lectures 11.a.m.' in gold letters. INTERIOR: Largely unchanged since 1929. There are five principal areas of note: the lobby, the staircase, the central corridor, the library and the main hall. The lobby is lined with polished reconstituted stone and has a tiled floor. There is a two-bay arcade with tapering shallow arches supported by a central marble Tuscan column with a plain capital, which divides the foyer from the staircase area. Similar arched openings lead off the lobby to the central corridor and to the bar area (formerly the ladies cloakroom). The</p>

staircase is also made of polished reconstituted stone and cantilevers from three sides of the stairwell which is lit by large windows and contains a hanging lantern. The balustrade is solid stone and has a stone seat set into it on the first floor landing. The central corridor, leading from the lobby to the secondary entrance from Theobalds Road and providing access to the main hall, cloakrooms and a smaller hall, is tiled and lit by skylights. The first floor library retains its original parquet flooring, clock, fireplace and bookcases; inscriptions record that the latter two fixtures were bequeathed by or in honour of Society members. It is lit by a skylight and a pair of French windows which lead to a balcony at its southern end. Plans that the library would expand to fill a gallery were never executed. The library retains its original light fittings. The main hall is panelled and contains a stage and a concrete gallery on three sides. It originally seated 325 on the ground floor and 178 in the gallery and the original fixed and numbered seating survives in the gallery. The capitals of the pilasters flanking the proscenium contain panels with bas-reliefs of a man, woman and child holding a light (to the left) and a mirror (to the right); the latter may symbolise self-knowledge, a theme alluded to in the motto painted across the proscenium arch 'To thine own self by true'. The gallery is faced with oak plywood, and has balustrading in a metal lattice design; the original clock also survives. The shallow barrel vault ceiling contains skylights which are currently blocked. Behind the stage is a second staircase providing access to the gallery; on the landing are original lockers used by musicians. In addition there are a number of rooms of lesser interest: rooms behind the stage, offices, a former caretaker's flat, a former secretary's flat and cloakrooms. The section of the building facing Theobalds Road, the mid-late Victorian terraced house, retains its plan and features including several fireplaces. HISTORY: Conway Hall was built in 1929 as the headquarters of the South Place Ethical Society. The Society was previously based in a chapel in South Place, Finsbury and hoped that this new purpose-built hall would, in the words of a pamphlet issued in 1927: 'enable the South Place Ethical Society to continue and increase its work and activities for a fuller and more vigorous moral, intellectual, and religious life... It is the aim of the Trustees and Committee to place at the disposal of the members and visitors from the Provinces, British Dominions, United States of America and other countries, Headquarters in the heart of London, where men and women of advanced thought could meet and enjoy the amenities of social discourse, with facilities for writing, rest and refreshment'. Plans were prepared for 'a dignified and commodious building' by a Society member, Frederick Herbert Mansford (1871-1946), a Licentiate of the Royal Institute of British Architects, and the hall was built at a cost of about £45,000. Its name was chosen in honour of Moncure Daniel Conway (1832-1907), an anti-slavery advocate, supporter of free thought and biographer of Thomas Paine. The choice of Bloomsbury as the location for the new hall may have been influenced by the area's connotations of intellectual radicalism in the early C20, mainly through the reputation of the Bloomsbury Group circle of writers, artists and thinkers. The society stemmed from a group of Christian dissenters and originally appointed ministers of religion as leaders. In 1888, however, the it was renamed the South Place Ethical Society and hence became allied with a general movement promoting nontheistic religion established by Felix Adler in New York City in 1876 (although members at the time later forced the minister who had enacted the name change, Stanton Coit, to resign because they did not want to be part of the British branch of this movement). From 1897 the South Place Ethical Society appointed lecturers instead of ministers to deliver a Sunday address, preceded and followed by music. A number of ethical societies were established in the late C19 and early C20 in London, Cambridge and Cheltenham amongst other places, but the movement remained largely east-coast American in popularity. The South Place Ethical Society is the only remaining such society in the UK. In its early days it was connected with a number of important figures including Joseph McCabe, the secularist writer and lecturer, Herbert Burrows, a socialist reformer, and John Hobson, social theorist and economist. Frederick Herbert Mansford was the architect of a number of schemes in London, including houses, offices and a restaurant on Earls Court Road in 1913, none of which is listed. Conway Hall was the most high-profile commission of his career. The site of the hall was occupied by the Raglan Music Hall in the 1870s. This building was demolished before the end of the C19 and terraced houses built along Lambs Conduit Passage. These were cleared to make way for a second large building, possibly a hall, built in the Edwardian period, which was in turn replaced by Conway Hall in the 1920s. The site abuts one of the mid-late Victorian terraced houses on Theobalds Road which was adapted in 1929 to provide a second entrance to Conway Hall. SOURCES: Dictionary of National Biography articles mentioning the South Place Ethical Society 'Obituary of Frederick Herbert Mansford', Builder 171 (5 July 1946), 3 'London Ethical Society's new home: designed by F. Herbert Mansford', Architects' Journal 70 (25 September 1929), 455-

458 REASONS FOR DESIGNATION DECISION: Conway Hall is listed at Grade II for the following principal reasons: * it has special architectural interest in its elegant design of which the elevation to Red Lion Square is particularly handsome with its grand classical entrance bay and stone urns along the parapet; * the interior of the building is finished with quality materials, and is largely intact; * this significance is enhanced by the historic interest of the building as the headquarters of the South Place Ethical Society, a long-standing, free-thinking organisation to which a number of important figures have been connected in the past. Selected Sources Article Reference - Title: 25 September - Date: 1929 - Journal Title: Architects Journal - Volume: 70 - Page References: 455-58 Article Reference - Title: 5 July - Date: 1946 - Journal Title: The Builder - Volume: 171 - Page References: 3 National Grid Reference: TQ 30652 81777

Other Statues and References

<i>Type/Grade</i>	<i>Reference/Title</i>
Planning Application No (Granted)	2010/1480/P
Planning Application No (Granted)	2010/1481/L
Historic Environment Record	MLO102692

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86537
Monument Type	Listed Building
Preferred Ref.	MLO86537
Name	RICEYMAN STEPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30926 82625 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description ISLINGTON TQ3082NE GWYNNE PLACE 635-1/67/435 (East side) Riceyman Steps GV II Flight of 20 steps, formerly 'Plum Pudding Steps' now 'Riceyman Steps'. Pedestrian access connecting Gwynne Place and thus King's Cross Road to Granville Square: functions as only entrance to square from west where ground falls sharply away; situated between exterior side walls of two houses (nos. 33 & 34) (q.v.) in Granville Square. 1841-1843; possibly rebuilt mid C19. Original design probably by John Booth, Surveyor to the Lloyd Baker Estate. Granite steps with York paving stones to landings. Bottom two steps lead to 1st landing; next flight of 15 steps leads to 2nd landing; top flight of 11 steps enters Granville Square. Bottom two steps approximately 20 feet in width; upper flights approximately 15 feet wide. In the 1850s the Metropolitan Railway was constructed beneath the SW corner of Granville Square and nos. 29-38 were demolished and rebuilt in 1864-1865. Gwynne Place, originally called Granville Place, below the steps was essentially destroyed in the Second World War. In the 1960s Gwynne Place was demolished to build a car park but the steps remained. In 1971 the London Ryan Hotel was planned to straddle the steps but they were again retained. Always known locally as 'Plum Pudding Steps' until 1923 when they were popularized as 'Riceyman Steps' in honour of Arnold Bennett's novel of the same name. (The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 49). Listing NGR: TQ3092682625

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address**Monument/Component Types**

- STEPS (19th Century - 1833 AD to 1866 AD)
- STEPS (19th Century - 1841 AD to 1843 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	368943 RICEYMAN STEPS	ISLINGTON TQ3082NE GWYNNE PLACE 635-1/67/435 (East side) Riceyman Steps GV II Flight of 20 steps, formerly 'Plum Pudding Steps' now 'Riceyman Steps'. Pedestrian access connecting Gwynne Place and thus King's Cross Road to Granville Square: functions as only entrance to square from west where ground falls sharply away; situated between exterior side walls of two houses (nos. 33 & 34) (q.v.) in Granville Square. 1841-1843; possibly rebuilt mid C19. Original design probably by John Booth, Surveyor to the Lloyd Baker Estate. Granite steps with York paving stones to landings. Bottom two steps lead to 1st landing; next flight of 15 steps leads to 2nd landing; top flight of 11 steps enters Granville Square. Bottom two steps approximately 20 feet in width; upper flights approximately 15 feet wide. In the 1850s the Metropolitan Railway was constructed beneath the SW corner of Granville Square and nos. 29-38 were demolished and rebuilt in 1864-1865. Gwynne Place, originally called Granville Place, below the steps was essentially destroyed in the Second World War. In the 1960s Gwynne Place was demolished to build a car park but the steps remained. In 1971 the London Ryan Hotel was planned to straddle the steps but they were again retained. Always known locally as 'Plum Pudding Steps' until 1923 when they were popularized as 'Riceyman Steps' in honour of Arnold Bennett's novel of the same name. (The Squares of Islington: Cosh, Mary: The Squares of Islington Part I: Finsbury and Clerkenwell: Islington: 1990-: 49). Listing NGR: TQ3092682625

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81428
Monument Type	Listed Building
Preferred Ref.	MLO81428
Name	ROMAN CATHOLIC CHURCH OF ST AUSELM AND ST CECILIA
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30591 81430 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE KINGSWAY 798-1/106/1000 (East side) 14/05/74 Roman Catholic Church of St Auselm & St Cecilia II Roman Catholic church. c1909 by FA Walters, south aisle added c1953 by SC Kerr Bate and the facade rebuilt at this time. Entrance facade of Portland stone with block quoins; brick left return with stone dressings. Nave of 4 bays with south aisle. Sanctuary of 2 bays with narrow aisles. Main front symmetrical. Entrance portico with tetrastyle Ionic order and central arched doorway with cartouche over square-headed door. Upper storey with broad pilasters flanking Venetian window. Segmental pediment flanked by scrolls. On right hand side, separate entrance extension to south aisle with arched doorway and window above. Bell turret with lead cupola at east end. INTERIOR: plastered with stone dressings and timber tunnel-vault. Carved gallery at west end. Listing NGR: TQ3059181430

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 65 Kingsway, London, WC2B 6TD

Monument/Component Types

- ROMAN CATHOLIC CHURCH (19th Century to Modern - 1889 AD to 1929 AD)
- ROMAN CATHOLIC CHURCH (Modern - 1943 AD to 1963 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478633 ROMAN CATHOLIC CHURCH OF ST AUSELM AND ST CECILIA	CAMDEN TQ3081SE KINGSWAY 798-1/106/1000 (East side) 14/05/74 Roman Catholic Church of St Auselm & St Cecilia II Roman Catholic church. c1909 by FA Walters, south aisle added c1953 by SC Kerr Bate and the facade rebuilt at this time. Entrance facade of Portland stone with block quoins; brick left return with stone dressings. Nave of 4 bays with south aisle. Sanctuary of 2 bays with narrow aisles. Main front symmetrical. Entrance portico with tetrastyle Ionic order and central arched doorway with cartouche over square-headed door. Upper storey with broad pilasters flanking Venetian window. Segmental pediment flanked by scrolls. On right hand side, separate entrance extension to south aisle with arched doorway and window above. Bell turret with lead cupola at east end. INTERIOR: plastered with stone dressings and timber tunnel-vault. Carved gallery at west end. Listing NGR: TQ3059181430

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79772
Monument Type	Listed Building
Preferred Ref.	MLO79772
Name	ROMAN CATHOLIC CHURCH OF ST ETHELDREDA AND ATTACHED WALLS AND PIERS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31411 81673 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3181NW ELY PLACE 798-1/102/380 (West side) 24/10/51 Roman Catholic Church of St Etheldreda and attached walls & piers GV I Roman Catholic chapel and crypt. Built c1300 as the chapel of the town house of the Bishops of Ely. Restored 1874 by George Gilbert Scott Jnr, 1935 by Sir Giles Gilbert Scott, c1944-52 following war damage and refitted 1960s. Ragstone with limestone dressings. PLAN: rectangular chapel over plain crypt. EXTERIOR: single storey. 5 bays and entrance bay. Only east elevation visible externally with 2 narrow late Geometrical style windows to the crypt and, above, a large 5 light elaborately traceried late Geometrical window (heavily restored following war damage) with a tall, narrow, blind, gabled and cusped arcade to either side and blind quatrefoil window over. West window similar. Entrance in the western bay of the south elevation with pointed archway and 3 moulded orders. INTERIOR: 2-light windows with pointed trefoil tracery to north and south elevations with glass depicting scenes from the Old & New Testaments by Charles Blakeman, 1952-8. West window, depicting English martyrs also by Blakeman (1964). East window of Christ in Majesty by Joseph Nuttgens, 1952. Between windows on north and south elevations and left and right of east and west windows, tall, narrow, blind, cusped arcades with crocketed gables and statues of martyrs (May Blakeman, 1962-4) on enriched corbels. Organ screen by Francis Bentley. Crypt with 19th century columns and London paving stone floor. Glass 1960s by Charles Blakeman. SUBSIDIARY FEATURES: attached stone walls to areas and gabled stone gate piers. HISTORICAL NOTE: the chapel formerly had octagonal turrets at the 4 corners. During the reign of Elizabeth I the house and chapel were temporarily confiscated but later returned and remained in the see of Ely until 1722 when the house was demolished and the chapel became a proprietary chapel. After passing through several hands it was bought in 1874 by the Rosminian Fathers. Listing NGR: TQ3141181673

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 7 Ely Place, London, EC1N 6RY

Monument/Component Types

- CRYPT (Medieval - 1280 AD to 1320 AD)
- DOMESTIC CHAPEL (Medieval - 1280 AD to 1320 AD)
- GATE PIER (Medieval - 1280 AD to 1320 AD)
- PRECINCT WALL (Medieval - 1280 AD to 1320 AD)
- CHAPEL (18th Century - 1722 AD)
- ROMAN CATHOLIC CHAPEL (19th Century - 1874 AD)
- ROMAN CATHOLIC CHAPEL (Modern - 1935 AD)
- ROMAN CATHOLIC CHAPEL (Modern - 1939 AD to 1944 AD)
- ROMAN CATHOLIC CHAPEL (Modern - 1944 AD to 1952 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	477180 ROMAN CATHOLIC CHURCH OF ST ETHELDREDA AND ATTACHED WALLS AND PIERS	CAMDEN TQ3181NW ELY PLACE 798-1/102/380 (West side) 24/10/51 Roman Catholic Church of St Etheldreda and attached walls & piers GV I Roman Catholic chapel and crypt. Built c1300 as the chapel of the town house of the Bishops of Ely. Restored 1874 by George Gilbert Scott Jnr, 1935 by Sir Giles Gilbert Scott, c1944-52 following war damage and refitted 1960s. Ragstone with limestone dressings. PLAN: rectangular chapel over plain crypt. EXTERIOR: single storey. 5 bays and entrance bay. Only east elevation visible externally with 2 narrow late Geometrical style windows to the crypt and, above, a large 5 light elaborately traceried late Geometrical window (heavily restored following war damage) with a tall, narrow, blind, gabled and cusped arcade to either side and blind quatrefoil window over. West window similar. Entrance in the western bay of the south elevation with pointed archway and 3 moulded orders. INTERIOR: 2-light windows with pointed trefoil tracery to north and south elevations with glass depicting scenes from the Old & New Testaments by Charles Blakeman, 1952-8. West window, depicting English martyrs also by Blakeman (1964). East window of Christ in Majesty by Joseph Nuttgens, 1952. Between windows on north and south elevations and left and right of east and west windows, tall, narrow, blind, cusped arcades with crocketed gables and statues of martyrs (May Blakeman, 1962-4) on enriched corbels. Organ screen by Francis Bentley. Crypt with C19 columns and

London paving stone floor. Glass 1960s by Charles Blakeman.
SUBSIDIARY FEATURES: attached stone walls to areas and gabled stone gate piers. HISTORICAL NOTE: the chapel formerly had octagonal turrets at the 4 corners. During the reign of Elizabeth I the house and chapel were temporarily confiscated but later returned and remained in the see of Ely until 1722 when the house was demolished and the chapel became a proprietary chapel. After passing through several hands it was bought in 1874 by the Rosminian Fathers. Listing NGR: TQ3141181673

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO86693
Monument Type	Listed Building
Preferred Ref.	MLO86693
Name	ROSEBERY AVENUE BRIDGE VIADUCT (THAT PART IN ISLINGTON)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31120 82194 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	ISLINGTON TQ3182SW WARNER STREET 635-1/73/893 (East side) Rosebery Avenue Bridge Viaduct (that part in Islington) II Bridge. Dated 1890. Manufactured by Westwood Baillie and Co., London. Cast-iron supported by buff brick jack arches and iron rivetted beams. Recessed decorated panels to sides surmounted by pierced railing with trefoil pattern. Bridge is part of Rosebery Avenue and goes over Warner Street. Eastern half of bridge is in Islington; western half is in Camden. Listing NGR: TQ3112082194

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] ISLINGTON

Address**Monument/Component Types**

- BRIDGE (19th Century - 1890 AD)
- VIADUCT (19th Century - 1890 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	369424 ROSEBERY AVENUE BRIDGE VIADUCT (THAT PART IN ISLINGTON)	ISLINGTON TQ3182SW WARNER STREET 635-1/73/893 (East side) Rosebery Avenue Bridge Viaduct (that part in Islington) II Bridge. Dated 1890. Manufactured by Westwood Baillie and Co., London. Cast-iron supported by buff brick jack arches and iron rivetted beams. Recessed decorated panels to sides surmounted by pierced railing with trefoil pattern. Bridge is part of Rosebery Avenue and goes over Warner Street. Eastern half of bridge is in Islington; western half is in Camden. Listing NGR: TQ3112082194

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate (Unlikely)

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

Not Applicable	No Associated Event	
--------------------------------	---------------------	--

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81278
Monument Type	Listed Building
Preferred Ref.	MLO81278
Name	ROSEBERY AVENUE VIADUCT, THAT PART IN THE LONDON BOROUGH OF CAMDEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31119 82195 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3282SW WARNER STREET 798-1/97/1672 Rosebery Avenue Viaduct, that part in the LB of Camden GV II Bridge carrying Rosebery Avenue across Warner Street. Dated 1890. Manufactured by Westwood Baillie and Co, London. Cast-iron supported by buff brick jack arches and iron rivetted beams. Decorated recessed panels to sides surmounted by balustrades pierced in a trefoil pattern. The eastern half of the bridge is included in the LB of Islington. Listing NGR: TQ3111982195

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- DATE STONE (19th Century - 1890 AD)
- ROAD VIADUCT (19th Century - 1890 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478475 ROSEBERY AVENUE VIADUCT, THAT PART IN THE LONDON BOROUGH OF CAMDEN	CAMDEN TQ3282SW WARNER STREET 798-1/97/1672 Rosebery Avenue Viaduct, that part in the LB of Camden GV II Bridge carrying Rosebery Avenue across Warner Street. Dated 1890. Manufactured by Westwood Baillie and Co, London. Cast-iron supported by buff brick jack arches and iron rivetted beams. Decorated recessed panels to sides surmounted by balustrades pierced in a trefoil pattern. The eastern half of the bridge is included in the LB of Islington. Listing NGR: TQ3111982195

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

Not Applicable	No Associated Event	
--------------------------------	---------------------	--

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94955
Monument Type	Listed Building
Preferred Ref.	MLO94955
Name	ROYAL COURTS OF JUSTICE AND THE LAW COURTS (THE ROYAL COURTS OF JUSTICE)
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31003 81157 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CITY OF WESTMINSTER STRAND, WC2 TQ 3081 SE and 3181 SW 60/7; 61/8 The Law Courts (The 5.2.70 Royal Courts of Justice) G.V. I Law Courts. 1866 competition, won by G E Street finally in 1868, work only begun, to modified design, in 1874 when Philip Webb was Street's chief assistant and completed 1882 under final supervision of Street's son A E Street and Arthur Blomfield. Portland stone for principal Strand and west elevations, red brick back with lavish stone dressings, banding and chequerwork to east and north elevations, slate roofs. Serious, consistent and "rational" application of C13 English Gothic style, fulfilling a highly demanding brief for a monumental programme and developing a varied, but carefully balanced, composition to be seen in perspective with highly inventive detailing, despite the vast scale and a certain lack of coherence in consequence. Mainly 3 storeys. Controlled asymmetry with 6-bay east wing terminating just before end in lofty clock tower and a 15-bay, virtually symmetrical composition about the major axis of the main entrance and Salle des Pas Perdus of the Great Hall. The hall gable end and great window are set back behind portal archway recessed in turn between polygonal towers with slated spires. Double or triplet-shafted windows in link-ranges and in gabled bays with tourelles-bartizans. Triple arched gateway into east court acts as link to east wing. The Great Hall gable contains a rose and is flanked by corner turrets with lucarne and gallet stone spires. The Great Hall ridge is crowned by a flche. The east and north brick and stone elevations have more of the lively inventiveness and love of pattern of Street's earlier, smaller scale works. The lofty brick and stone north east tower was built while Philip Webb was Street's principal assistant. The major internal feature is the vast Salle des Pas Perdus, rib-vaulted and shafted with blind arcading, with rich stiff leaf carving to doorways and diapering; lancets or grouped lancets with geometrical tracery; spiral staircases lead off with courtrooms ranged on either side and to the north. Fine quality of execution throughout despite the size of the building. In the Hall a very dignified seated statue commemorating Street, by H H Armstead, was set up in 1886. Victorian Architecture; R Dixon and S Muthesius. London Volume I; N Pevsner. Listing NGR: TQ3100381157

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address**Monument/Component Types**

- LAW COURT (19th Century - 1874 AD to 1882 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	428301 ROYAL COURTS OF JUSTICE AND THE LAW COURTS (THE ROYAL COURTS OF JUSTICE)	CITY OF WESTMINSTER STRAND, WC2 TQ 3081 SE and 3181 SW 60/7; 61/8 The Law Courts (The 5.2.70 Royal Courts of Justice) G.V. I Law Courts. 1866 competition, won by G E Street finally in 1868, work only begun, to modified design, in 1874 when Philip Webb was Street's chief assistant and completed 1882 under final supervision of Street's son A E Street and Arthur Blomfield. Portland stone for principal Strand and west elevations, red brick back with lavish stone dressings, banding and chequerwork to east and north elevations, slate roofs. Serious, consistent and "rational" application of C13 English Gothic style, fulfilling a highly demanding brief for a monumental programme and developing a varied, but carefully balanced, composition to be seen in perspective with highly inventive detailing, despite the vast scale and a certain lack of coherence in consequence. Mainly 3 storeys. Controlled asymmetry with 6-bay east wing terminating just before end in lofty clock tower and a 15-bay, virtually symmetrical composition about the major axis of the main entrance and Salle des Pas Perdus of the Great Hall. The hall gable end and great window are set back behind portal archway recessed in turn between polygonal towers with slated spires. Double or triplet-shafted windows in link-ranges and in gabled bays with tourelles-bartizans. Triple arched gateway into east court acts as link to east wing. The Great Hall gable contains a rose and is flanked by corner turrets with lucarne and gallet stone spires. The Great Hall ridge is crowned by a flche. The east and north brick and stone elevations have more of the lively inventiveness and love of pattern of Street's earlier, smaller scale works. The lofty brick and stone north east tower was built while Philip Webb was Street's principal assistant. The major internal feature is the vast Salle des Pas Perdus, rib-vaulted and shafted with blind arcading, with rich stiff leaf carving to doorways and diapering; lancets or grouped lancets with geometrical

tracery; spiral staircases lead off with courtrooms ranged on either side and to the north. Fine quality of execution throughout despite the size of the building. In the Hall a very dignified seated statue commemorating Street, by H H Armstead, was set up in 1886. Victorian Architecture; R Dixon and S Muthesius. London Volume I; N Pevsner. Listing NGR: TQ3100381157

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81624
Monument Type	Listed Building
Preferred Ref.	MLO81624
Name	ROYAL FUSILIERS WAR MEMORIAL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31175 81601 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	HOLBORN EC1 1. 5002 (North Side) Royal Fusiliers War Memorial TQ 3181 NE 1/2 5.6.72. II 2. Post 1918. High, Portland stone pedestal with standing bronze figure by Albert Toft. Originally commemorating 1st World War - now also World War II. Listing NGR: TQ3117581601

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- WAR MEMORIAL (Modern - 1918 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	199514 ROYAL FUSILIERS WAR MEMORIAL	HOLBORN EC1 1. 5002 (North Side) Royal Fusiliers War Memorial TQ 3181 NE 1/2 5.6.72. II 2. Post 1918. High, Portland stone pedestal with standing bronze figure by Albert Toft. Originally commemorating 1st World War - now also World War II. Listing NGR: TQ3117581601

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94082
Monument Type	Listed Building
Preferred Ref.	MLO94082
Name	ROYAL OPERA HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30362 81019 (point)

Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description TQ 3080 NW and 3081 SW CITY OF WESTMINSTER BOW STREET, WC2 59/22 ;72/ 5 9.1.70 Royal Opera House, Covent Garden G.V. I Opera house. Rebuild of 1857-58 by E.M. Barry. Stucco and stone, slate roof. Monumental Augustan classicism tinged with Italiante. Front 7 bays wide. Imposing, pedimented, giant Corinthian hexastyle portico raised on tall rusticated podium now with foyer doors but originally a porte cochere. The flanking bays are framed by coupled giant pilasters and contain on portico level niches with statues of Melpomene and Thalia by Rossi whilst behind the portico is a long and partially altered bas relief frieze by Flaxman salvaged from Smirke's theatre of 1808-9. Prominent crowning cornice and panelled parapet surmounted by urn finials. The balcony level of portico has had a later C.19 crush bar conservatory inserted. Return elevations articulated by plain giant pilasters above podium. Very fine interior and auditorium with few alterations to Barry's scheme, horse-shoe tiers beneath saucer dome on elliptical arches and pendentives, enriched proscenium, the sounding board with relief ornament; rich plasterwork etc. Stage retains most extensive installation of Asphaleria machinery in London: 1899-1902 by Edwin O. Sachs. Present building the successor of Theatres Royal and Operas since 1731, still under Royal patent. Stuccoed extension in same style to west with fly tower, 1980. Survey of London; Vol. XXXV. Listing NGR: TQ3036281019

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 27a Floral Street, London, WC2E 9DP

Monument/Component Types

- OPERA HOUSE (19th Century - 1857 AD to 1858 AD)
- CONSERVATORY (19th Century - 1867 AD to 1899 AD)
- OPERA HOUSE (Modern - 1980 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	208783 ROYAL OPERA HOUSE	TQ 3080 NW and 3081 SW CITY OF WESTMINSTER BOW STREET, WC2 59/22 ;72/ 5 9.1.70 Royal Opera House, Covent Garden G.V. I Opera house. Rebuild of 1857-58 by E.M. Barry. Stucco and stone, slate roof. Monumental Augustan classicism tinged with Italiante. Front 7 bays wide. Imposing, pedimented, giant Corinthian hexastyle portico raised on tall rusticated podium now with foyer doors but originally a porte cochere. The flanking bays are framed by coupled giant pilasters and contain on portico level niches with statues of Melpomene and Thalia by Rossi whilst behind the portico is a long and partially altered bas relief frieze by Flaxman salvaged from Smirke's theatre of 1808-9. Prominent crowning cornice and panelled parapet surmounted by urn finials. The balcony level of portico has had a later C.19 crush bar conservatory inserted. Return elevations articulated by plain giant pilasters above podium. Very fine interior and auditorium with few alterations to Barry's scheme, horse-shoe tiers beneath saucer dome on elliptical arches and pendentives, enriched proscenium, the sounding board with relief ornament; rich plasterwork etc. Stage retains most extensive installation of Asphaleria machinery in London: 1899-1902 by Edwin O. Sachs. Present building the successor of Theatres Royal and Operas since 1731, still under Royal patent. Stuccoed extension in same style to west with fly tower, 1980. Survey of London; Vol. XXXV. Listing NGR: TQ3036281019

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80378
Monument Type	Listed Building
Preferred Ref.	MLO80378
Name	ROYAL PHARMACEUTICAL SOCIETY AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30265 81681 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/103 (West side) 24/10/51 No.17 Royal Pharmaceutical Society and attached railings GV II Includes: Royal Pharmaceutical Society and attached railings GREAT RUSSELL STREET. Terraced house. Later C17, converted into 2 houses and remodelled by John Nash c1777-8, rejoined 1860 and 3rd floor added. Stucco with rusticated ground floor. EXTERIOR: 4 storeys and basement. 7 windows and 8-window return to Great Russell Street. Symmetrical front. Later (1860) distyle Doric porch with triglyph frieze and mutule cornice. Panelled door with fanlight. Round-arched ground floor openings with keystones and impost bands; 2-pane sashes set in plain shallow recesses. Plain band at 1st floor level. Corinthian pilasters from 1st to 3rd floor carrying an entablature, the frieze inscribed "The Pharmaceutical Society of Great Britain". 1st floor windows with consoles carrying alternating segmental and triangular pediments. 3rd floor recessed rectangular windows. 4th floor with pilasters carrying cornice and blocking course. Windows rectangular recessed sashes. Return of similar elevational treatment without pilasters, and has arched entrance with double doors in 6th bay. 1st floor band inscribed "Incorporated AD 1843". 1st floor windows with cornices and 2nd floor architraved. INTERIOR: has wrought-iron scroll balusters to stone staircase. Principal rooms with plaster ceilings of c1777-8. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/103 Royal Pharmaceutical Society and 24/10/51 attached railings GV II See under: No.17 Royal Pharmaceutical Society and attached railings BLOOMSBURY SQUARE. Listing NGR: TQ3026581681

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Great Russell Street, London, WC1B 3DG

Monument/Component Types

- RAILINGS (17th Century - 1667 AD to 1699 AD)
- TERRACED HOUSE (17th Century - 1667 AD to 1699 AD)
- HOUSE (18th Century - 1777 AD to 1778 AD)
- PROFESSIONAL INSTITUTE (19th Century - 1843 AD)
- HOUSE (19th Century - 1860 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476732 ROYAL PHARMACEUTICAL SOCIETY AND ATTACHED RAILINGS	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/103 (West side) 24/10/51 No.17 Royal Pharmaceutical Society and attached railings GV II Includes: Royal Pharmaceutical Society and attached railings GREAT RUSSELL STREET. Terraced house. Later C17, converted into 2 houses and remodelled by John Nash c1777-8, rejoined 1860 and 3rd floor added. Stucco with rusticated ground floor. EXTERIOR: 4 storeys and basement. 7 windows and 8-window return to Great Russell Street. Symmetrical front. Later (1860) distyle Doric porch with triglyph frieze and mutule cornice. Panelled door with fanlight. Round-arched ground floor openings with keystones and impost bands; 2-pane sashes set in plain shallow recesses. Plain band at 1st floor level. Corinthian pilasters from 1st to 3rd floor carrying an entablature, the frieze inscribed "The Pharmaceutical Society of Great Britain". 1st floor windows with consoles carrying alternating segmental and triangular pediments. 3rd floor recessed rectangular windows. 4th floor with pilasters carrying cornice and blocking course. Windows rectangular recessed sashes. Return of similar elevational treatment without pilasters, and has arched entrance with double doors in 6th bay. 1st floor band inscribed "Incorporated AD 1843". 1st floor windows with cornices and 2nd floor architraved. INTERIOR: has wrought-iron scroll balusters to stone staircase. Principal rooms with plaster ceilings of c1777-8. SUBSIDIARY FEATURES: attached cast-iron railings with urn finials to areas. CAMDEN TQ3081NW GREAT RUSSELL STREET 798-1/100/103 Royal Pharmaceutical Society and 24/10/51 attached railings GV II See under: No.17 Royal Pharmaceutical Society and attached railings BLOOMSBURY SQUARE. Listing NGR: TQ3026581681

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80559
Monument Type	Listed Building
Preferred Ref.	MLO80559
Name	RUGBY PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30709 82015 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1410 (South side) 14/05/74 No.1 Rugby Public House GV II 2 early C18 houses incorporated behind mid C19 front. Stucco upper floors with tiled pub frontage. 5 windows and 4-window return to Great James Street. 20th century pub frontage with fluted pilasters. Each upper floor with pilasters, at the angles and join of the 2 houses, carrying sill strings. 2nd and 3rd floors with moulded bands at 2/3 window height. Architraved, recessed 2-pane sashes; 1st floor with bracketed cornices, 3rd floor with enriched heads. Bracketed cornice. INTERIOR: retains cornices and cast-iron columns with Corinthian capitals. Listing NGR: TQ3070982015

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 3 Rugby Street, London, WC1N 3QT

Monument/Component Types

- HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- HOUSE (19th Century - 1833 AD to 1866 AD)
- PUBLIC HOUSE (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477901 RUGBY PUBLIC HOUSE	CAMDEN TQ3082SE RUGBY STREET 798-1/96/1410 (South side) 14/05/74 No.1 Rugby Public House GV II 2 early C18 houses incorporated behind mid C19 front. Stucco upper floors with tiled pub frontage. 5 windows and 4-window return to Great James Street. C20 pub frontage with fluted pilasters. Each upper floor with pilasters, at the angles and join of the 2 houses, carrying sill strings. 2nd and 3rd floors with moulded bands at 2/3 window height. Architraved, recessed 2-pane sashes; 1st floor with bracketed cornices, 3rd floor with enriched heads. Bracketed cornice. INTERIOR: retains cornices and cast-iron columns with Corinthian capitals. Listing NGR: TQ3070982015

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80507
Monument Type	Listed Building
Preferred Ref.	MLO80507
Name	RUSSELL HOTEL AND ATTACHED RAILINGS WITH PIERS AND LAMPS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30178 82085 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW RUSSELL SQUARE 798-1/95/1423 (East side) 03/12/70 Russell Hotel and attached railings with piers and lamps GV II* Hotel. 1892-98. By Charles Fitzroy Doll, surveyor of the Bedford Estate. Red brick with terracotta dressings. Roofs and turrets with green fishscale tiles. Tall slab chimney-stacks with horizontal brick and terracotta bands. Originally with central copper dome and lantern, now with tile mansard roof. STYLE: flamboyant French Renaissance style derived from engravings of the Chateau de Madrid, with elaborate decorations. EXTERIOR: 8 storeys, attics and basements. Symmetrical facade of 7 gabled bays with octagonal corner turrets. Return to Bernard Street, 12 windows; return to Guilford Street, 8 windows and attached rectangular tower at the right-hand angle. Facade articulated vertically by octagonal turrets with ogee roofs at angles, penultimate gabled bays with canted bay windows rising from ground to 6th floor terminating in half ogee roofs with 2-light windows, and a 3-bay central, projecting porch with round-arched entrance flanked by single window bays rising to 4th floor level with recessed bay windows forming the central bay above the entrance. Projecting modillion cornice at 5th floor level above which flanking bays become 3 storey semicircular turrets surmounted by conical tile roofs with gablets and linked across the now flat, recessed central bay by a wide arch surmounted by a scrolled pediment with 2 round-arched, paired windows, an entablature with the date 1894, above which a rectangular gabled dormer. All with elaborate terracotta decoration. Round-arched ground floor windows in shallow, arcading with attached Ionic columns. Other windows square-headed, mostly mullion and transom casements. 1st floor with continuous projecting arcaded terracotta balconies with round-arched balustrade and coats of arms in the spandrels. At 1st floor level flanking the balcony over the entrance, figures wearing historical costume in corbelled niches. 2nd floor continuous balconies with terracotta round-arched balustrades. 3rd and 4th floor windows with cast-iron continuous balconies. Projecting modillion cornice at 5th floor level above an enriched frieze, following the contours of the bays. Shaped gables with horizontal brick and terracotta bands and small windows. Returns in similar style. INTERIOR: entrance hall lined in pink and red marble divided into 3 by grey marble round-arched arcades on grey marble columns with gilding. Frieze and spandrels with sumptuous plaster moulded females of proto art-nouveau character. Marble staircase rises to right. Ceiling in Jacobean style. Chandeliers, and some stained glass. Woburn Suite beyond a large hall now with low partitions, with black and white marbled pilasters, heavy modillion cornice and coved ceiling with lavish swags under false ceiling. 'Victorian Carvery' with grey marble panelling to frieze height and grey marble clad hexagonal columns which culminate in alternating little Ionic columns and sculpted figures. Similar columns in frieze around walls. Projecting fireplace in matching marble. Chandeliers. King's Bar panelled to frieze height with some organic capitals to pilasters, doorcases (one now a bookcase) with giant Jacobean keystones under plaster friezes of chubby putti. Marble fireplace. Trabeated ceiling with a variety of mouldings. Virginia Woolf room with art nouveau plaster spandrels and plaster ceiling cornices. Bedford Suite with pilasters and plaster ceilings. SUBSIDIARY FEATURES: attached wrought-iron railings with terracotta piers and cast-iron lampstandards with figures at the bases on piers. HISTORICAL NOTE: Doll's flamboyant use of terracotta is a distinctive feature of the Bedford Estate; this is his finest remaining building and the survivor of two extravagant 1890's hotels that imposed a fin-de-siecle character on Russell Square. Listing NGR: TQ3017882085

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 30 Russell Square, London, WC1B 5DP

Monument/Component Types

- GATE PIER (19th Century - 1892 AD to 1898 AD)
- HOTEL (19th Century - 1892 AD to 1898 AD)
- LAMP BRACKET (19th Century - 1892 AD to 1898 AD)
- RAILINGS (19th Century - 1892 AD to 1898 AD)
- DATE STONE (19th Century - 1894 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II*)	477923 RUSSELL HOTEL AND ATTACHED RAILINGS WITH PIERS AND LAMPS	CAMDEN TQ3082SW RUSSELL SQUARE 798-1/95/1423 (East side) 03/12/70 Russell Hotel and attached railings with piers and lamps GV II* Hotel. 1892-98. By Charles Fitzroy Doll, surveyor of the Bedford Estate. Red brick with terracotta dressings. Roofs and turrets with green fishscale tiles. Tall slab chimney-stacks with horizontal brick and terracotta bands. Originally with central copper dome and lantern, now with tile mansard roof. STYLE: flamboyant French Renaissance style derived from engravings of the Chateau de Madrid, with elaborate decorations. EXTERIOR: 8 storeys, attics and basements. Symmetrical facade of 7 gabled bays with octagonal corner turrets. Return to

Bernard Street, 12 windows; return to Guilford Street, 8 windows and attached rectangular tower at the right-hand angle. Facade articulated vertically by octagonal turrets with ogee roofs at angles, penultimate gabled bays with canted bay windows rising from ground to 6th floor terminating in half ogee roofs with 2-light windows, and a 3-bay central, projecting porch with round-arched entrance flanked by single window bays rising to 4th floor level with recessed bay windows forming the central bay above the entrance. Projecting modillion cornice at 5th floor level above which flanking bays become 3 storey semicircular turrets surmounted by conical tile roofs with gablets and linked across the now flat, recessed central bay by a wide arch surmounted by a scrolled pediment with 2 round-arched, paired windows, an entablature with the date 1894, above which a rectangular gabled dormer. All with elaborate terracotta decoration. Round-arched ground floor windows in shallow, arcading with attached Ionic columns. Other windows square-headed, mostly mullion and transom casements. 1st floor with continuous projecting arcaded terracotta balconies with round-arched balustrade and coats of arms in the spandrels. At 1st floor level flanking the balcony over the entrance, figures wearing historical costume in corbelled niches. 2nd floor continuous balconies with terracotta round-arched balustrades. 3rd and 4th floor windows with cast-iron continuous balconies. Projecting modillion cornice at 5th floor level above an enriched frieze, following the contours of the bays. Shaped gables with horizontal brick and terracotta bands and small windows. Returns in similar style. INTERIOR: entrance hall lined in pink and red marble divided into 3 by grey marble round-arched arcades on grey marble columns with gilding. Frieze and spandrels with sumptuous plaster moulded females of proto art-nouveau character. Marble staircase rises to right. Ceiling in Jacobean style. Chandeliers, and some stained glass. Woburn Suite beyond a large hall now with low partitions, with black and white marbled pilasters, heavy modillion cornice and coved ceiling with lavish swags under false ceiling. 'Victorian Carvery' with grey marble panelling to frieze height and grey marble clad hexagonal columns which culminate in alternating little Ionic columns and sculpted figures. Similar columns in frieze around walls. Projecting fireplace in matching marble. Chandeliers. King's Bar panelled to frieze height with some organic capitals to pilasters, doorcases (one now a bookcase) with giant Jacobean keystones under plaster friezes of chubby putti. Marble fireplace. Trabeated ceiling with a variety of mouldings. Virginia Woolf room with art nouveau plaster spandrels and plaster ceiling cornices. Bedford Suite with pilasters and plaster ceilings. SUBSIDIARY FEATURES: attached wrought-iron railings with terracotta piers and cast-iron lampstandards with figures at the bases on piers. HISTORICAL NOTE: Doll's flamboyant use of terracotta is a distinctive feature of the Bedford Estate; this is his finest remaining building and the survivor of two extravagant 1890's hotels that imposed a fin-de-siecle character on Russell Square. Listing NGR: TQ3017882085

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80508
Monument Type	Listed Building
Preferred Ref.	MLO80508
Name	Russell Square, [Russell Square] {Statue of Francis Russell}
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30156 81916 (point)
Summary	Statue of Francis Russell, 5th Duke of Bedford, dated 1809.
Description	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1424(South side) 24/10/51 Statue of Francis Russell 5th Duke of Bedford. Statue of Francis Russell, 5th Duke of Bedford, dated 1809. By Sir Richard Westmacott. Bronze figure of the Duke in Roman attire, surrounded by groups of allegorical figures connected with agriculture, on granite a pedestal with stepped base. Listing NGR: TQ3015681916

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Statue of Francis Russell, 30 Russell Square Bloomsbury, London, WC1B 5DP

Monument/Component Types

- COMMEMORATIVE MONUMENT (19th Century - 1809 AD)
- STATUE (19th Century - 1809 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477924 STATUE OF FRANCIS RUSSELL 5TH DUKE OF BEDFORD	CAMDEN TQ3081NW RUSSELL SQUARE 798-1/100/1424 (South side) 24/10/51 Statue of Francis Russell 5th Duke of Bedford GV II Statue of Francis Russell, 5th Duke of Bedford. 1809. By Sir Richard Westmacott. Bronze figure of the Duke in Roman attire, surrounded by groups of allegorical figures connected with agriculture, on granite a pedestal with stepped base. Listing NGR: TQ3015681916

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81161
Monument Type	Listed Building
Preferred Ref.	MLO81161
Name	SCHOOL OF ORIENTAL AND AFRICAN STUDIES (UNIVERSITY OF LONDON)
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29900 82009 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE THORNHAUGH STREET 798-1/94/1631 (West side) 28/03/69 School of Oriental and African Studies (University of London) II University school. c1939-5. By Charles Holden. Brown brick with Portland stone dressings. 5 storeys and basements (4th floor set back). Main south front with 17 windows and curved corner bay (5 windows) treatment at east end. Single storey, 2 window projection at east end. Central entrance with plain stone surround and plaque with name of school over. Flush frame metal windows with horizontally set panes. Stone band and sill string at 1st floor level, echoed by dressing to parapet above 3rd floor. Cartouche with coat of arms centrally at 2nd floor level. Lead rainwater heads and pipes, dated 1940. INTERIOR: not inspected. Listing NGR: TQ2990082009

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 10 Thornhaugh Street, London, WC1H 0XG

Monument/Component Types

- UNIVERSITY COLLEGE (Modern - 1939 AD to 1945 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478371 SCHOOL OF ORIENTAL AND AFRICAN STUDIES (UNIVERSITY OF LONDON)	CAMDEN TQ2982SE THORNHAUGH STREET 798-1/94/1631 (West side) 28/03/69 School of Oriental and African Studies (University of London) II University school. c1939-5. By Charles Holden. Brown brick with Portland stone dressings. 5 storeys and basements (4th floor set back). Main south front with 17 windows and curved corner bay (5 windows) treatment at east end. Single storey, 2 window projection at east end. Central entrance with plain stone surround and plaque with name of school over. Flush frame metal windows with horizontally set panes. Stone band and sill string at 1st floor level, echoed by dressing to parapet above 3rd floor. Cartouche with coat of arms centrally at 2nd floor level. Lead rainwater heads and pipes, dated 1940. INTERIOR: not inspected. Listing NGR: TQ2990082009

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO96683
Monument Type	Listed Building
Preferred Ref.	MLO96683
Name	SCREEN WALLS, GATES, RAILINGS AND LAMPS TO THE LAW COURTS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30954 81073 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 NE and 3181 SW CITY OF WESTMINSTER STRAND, WC2 60/8; 61/14 Screen walls, gates, 5.2.70 railings and lamps to the Law Courts G.V. I Screen walls, gates, railings and lamps enclosing the Law Courts complex. c. 1874, designed by G.E. Street. Portland stone and wrought and cast iron. C13 Gothic style with inventive use of detail typical of Street's attention to craftsmanship. Sections of arcaded and gabled screen walls and gateways setting off and tying in the projections and recessions of the building behind them, linked by highly decorative Gothic ironwork, freely treated as railings running between lofty piers on the eastern and northern boundaries - of a quality only rivalled in the genre by Pugin; an essential component of the overall design. Listing NGR: TQ3095481073

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 355 Strand, London, WC2R 0HS

Monument/Component Types

- GATE (19th Century - 1854 AD to 1894 AD)
- RAILINGS (19th Century - 1854 AD to 1894 AD)
- STREET LAMP (19th Century - 1854 AD to 1894 AD)
- WALL (19th Century - 1854 AD to 1894 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	428302 SCREEN WALLS, GATES, RAILINGS AND LAMPS TO THE LAW COURTS	TQ 3081 NE and 3181 SW CITY OF WESTMINSTER STRAND, WC2 60/8; 61/14 Screen walls, gates, 5.2.70 railings and lamps to the Law Courts G.V. I Screen walls, gates, railings and lamps enclosing the Law Courts complex. c. 1874, designed by G.E. Street. Portland stone and wrought and cast iron. C13 Gothic style with inventive use of detail typical of Street's attention to craftsmanship. Sections of arcaded and gabled screen walls and gateways setting off and tying in the projections and recessions of the building behind them, linked by highly decorative Gothic ironwork, freely treated as railings running between lofty piers on the eastern and northern boundaries - of a quality only rivalled in the genre by Pugin; an essential component of the overall design. Listing NGR: TQ3095481073

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80060
Monument Type	Listed Building
Preferred Ref.	MLO80060
Name	SENATE HOUSE AND INSTITUTE OF EDUCATION (UNIVERSITY OF LONDON) AND ATTACHED RAILINGS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29923 81896 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ2981NE MALET STREET 798-1/99/1101 (East side) 28/03/69 Senate House & Institute of Education (University of London) & att'd railings GV II* Senate House and Institute of Education. 1932-1938. By Charles Holden, built with funding from the Rockefeller Foundation. Brick load-bearing construction with Portland stone facing. Symmetrical design, not completed, comprising central tower flanked by two courtyard ranges to either side. The southern, completed half, houses the ceremonial and administrative functions of the University of London. The northern half houses the Institute of Historical Research and School of Slavonic Studies in more functional surrounding: north-east wing not completed. The initial concept of a single, spinal building extending the length of Torrington Square was abandoned as building began, but survives in model form displayed on the first floor balcony of Senate House. EXTERIOR: central, higher fourth floor is the University library, with above it offices and bookstack housed in the formal 18-storey tower built in recessed stages with broad central buttresses on the east and west sides. 6 windows at 1st floor level. 4 and 5 storey wings with 10-window forward return and 14 windows width each. Under enriched, flat canopies, 2 square-headed entrances each side of the central buttress, all with 2-leaf glass doors with vertically patterned metal grills. Above the canopies small rectangular windows with patterned grills and keystones. Square-headed, recessed windows with metal frames, those at 1st floor level on the tower being elongated with enriched spandrel panels and flanked by medium sized windows at the angles, with balconies, culminating in lunettes at 6th floor level. From the 2nd floor to the 18th, small vertically set windows, in groups of 3 until the penultimate stage when they are continuous. Flanking wings with metal balconies to windows at angles. Flat roofs with plain bands at parapet levels. East facade similar. Inner courtyards similarly treated, with hopper heads dated 1936. INTERIOR: imposing Egyptianate entrance hall at base of tower with travertine floor and walls with broad fluted pilasters a semi-open space giving through access, with doors to south leading to Senate House and to north to Institute of Historical Research and School of Slavonic Studies. Senate House. Principal spaces all with travertine cladding to walls and floors, ceilings of moulded plaster with flat panel patterns and embellishments based on a London plane tree motif. Staircases floored in travertine, with bronzed balustrades treated as stylised Ionic columns. Principal entrance hall on two levels with first floor balcony having elaborate bronzed balustrade: Holden's original model exhibited here. On ground floor there is to east the MacMillan Hall, named after Lord MacMillan first Chairman of the University Court, with square panelled ceiling, travertine walls decorated as fluted pilasters at end and to sides set with acoustic panels to Holden's design and coloured glass, teak floor, and original light fittings. Memorials to HRH Queen Mother, Chancellor 1955-80, and to Princess Royal, Chancellor 1981- . William Beveridge Hall, named after the University's Vice Chancellor 1926-8, retains dado panelling set with brass filets in Greek key pattern under acoustic quilting, with semi-permanent seating and stage. On first floor processional stair leads to Chancellor's Hall, with square panelled timber to window recesses, travertine cladding, and square panelled plaster ceilings. Inlay pattern floors, original doors and fittings. To east a suite of rooms set round courtyard includes Court Room and Senate Room. Senate Room and ante rooms fully panelled in English walnut, the former of double height with trabeated ceilings, original fixed seating in stepped rows arranged like a council chamber with dias. Bronze uplighters. Ante rooms with heraldic glass by E Bossanyi dated 1937. On north side committee room and processional suite of corridors with dado panelling and moulded cornices, original furnishings and fittings. On south side the Vice Chancellor's offices not inspected. Second floor staff common rooms and third floor common rooms and refectories originally with painted mural ceilings. Those in refectory not seen under later acoustic tiles; war memorial tablet in corridor. Fourth floor libraries of double height. Two general reading rooms, the Middlesex Libraries, finished in oak with original bookshelves and fittings of English walnut. Goldsmith's Library to south with glazed bookcases, and ceiling of cypress wood and stained glass by E Bossanyi. Above these the bookstacks supported by steel frame on concrete raft. The offices retain original doors, lettering and fittings. The whole is a remarkably unaltered ensemble of 1930s design, with a high proportion of highly decorated ceremonial spaces over functional offices. The Institute of Historical Research and School of Slavonic Studies with ground-floor entrance hall of single-storey height, travertine floors and finishings similar in style but simpler than those found in Senate House. SUBSIDIARY FEATURES: attached cast-iron railings on stone sleeper wall and gates of radial pattern with central bosses containing coats of arms. Pillars with pilasters and geometric enrichment, those at the gates surmounted by rectangular down-lighter lamps with small defused panes and topped by stepped features. HISTORICAL NOTE: built as a landmark, in 1937 this was the tallest building in London apart from St Paul's Cathedral. (University of London: The Senate House and Library: London: -1938). Listing NGR: TQ2992381896</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Dilke House 1 Malet Street, London, WC1E 7JN

Monument/Component Types

- FOREIGN LANGUAGE INSTITUTE (Modern - 1932 AD to 1938 AD)
- GATE (Modern - 1932 AD to 1938 AD)
- GATE PIER (Modern - 1932 AD to 1938 AD)
- LAMP BRACKET (Modern - 1932 AD to 1938 AD)

- LIBRARY (Modern - 1932 AD to 1938 AD)
- RAILINGS (Modern - 1932 AD to 1938 AD)
- RESEARCH INSTITUTE (Modern - 1932 AD to 1938 AD)
- UNIVERSITY (Modern - 1932 AD to 1938 AD)
- UNIVERSITY ADMINISTRATION OFFICE (Modern - 1932 AD to 1938 AD)
- WALL (Modern - 1932 AD to 1938 AD)
- COMMEMORATIVE MONUMENT (Modern to Unknown - 1939 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	477485 SENATE HOUSE AND INSTITUTE OF EDUCATION (UNIVERSITY OF LONDON) AND ATTACHED RAILINGS	<p>CAMDEN TQ2981NE MALET STREET 798-1/99/1101 (East side) 28/03/69 Senate House & Institute of Education (University of London) & att'd railings GV II* Senate House and Institute of Education. 1932-1938. By Charles Holden, built with funding from the Rockefeller Foundation. Brick load-bearing construction with Portland stone facing. Symmetrical design, not completed, comprising central tower flanked by two courtyard ranges to either side. The southern, completed half, houses the ceremonial and administrative functions of the University of London. The northern half houses the Institute of Historical Research and School of Slavonic Studies in more functional surrounding: north-east wing not completed. The initial concept of a single, spinal building extending the length of Torrington Square was abandoned as building began, but survives in model form displayed on the first floor balcony of Senate House. EXTERIOR: central, higher fourth floor is the University library, with above it offices and bookstack housed in the formal 18-storey tower built in recessed stages with broad central buttresses on the east and west sides. 6 windows at 1st floor level. 4 and 5 storey wings with 10-window forward return and 14 windows width each. Under enriched, flat canopies, 2 square-headed entrances each side of the central buttress, all with 2-leaf glass doors with vertically patterned metal grills. Above the canopies small rectangular windows with patterned grills and keystones. Square-headed, recessed windows with metal frames, those at 1st floor level on the tower being elongated with enriched spandrel panels and flanked by medium sized windows at the angles, with balconies, culminating in lunettes at 6th floor level. From the 2nd floor to the 18th, small vertically set windows, in groups of 3 until the penultimate stage when they are continuous. Flanking wings with metal balconies to windows at angles. Flat roofs with plain bands at parapet levels. East facade similar. Inner courtyards similarly treated, with hopper heads dated 1936. INTERIOR: imposing Egyptianate entrance hall at base of tower with travertine floor and walls with broad fluted pilasters a semi-open space giving through access, with doors to south leading to Senate House and to north to Institute of Historical Research and School of Slavonic Studies. Senate House. Principal spaces all with travertine cladding to walls and floors, ceilings of moulded plaster with flat panel patterns and embellishments based on a London plane tree motif. Staircases floored in travertine, with bronzed balustrades treated as stylised Ionic columns. Principal entrance hall on two levels with first floor balcony having elaborate bronzed balustrade: Holden's original model exhibited here. On ground floor there is to east the MacMillan Hall, named after Lord MacMillan first Chairman of the University Court, with square panelled ceiling, travertine walls decorated as fluted pilasters at end and to sides set with acoustic panels to Holden's design and coloured glass, teal floor, and original light fittings. Memorials to HRH Queen Mother, Chancellor 1955-80, and to Princess Royal, Chancellor 1981- . William Beveridge Hall, named after the University's Vice Chancellor 1926-8, retains dado panelling set with brass filets in Greek key pattern under acoustic quilting, with semi-permanent seating and stage. On first floor processional stair leads to Chancellor's Hall, with square panelled timber to window recesses, travertine cladding, and square panelled plaster ceilings. Inlay pattern floors, original doors and fittings. To east a suite of rooms set round courtyard includes Court Room and Senate Room. Senate Room and ante rooms fully panelled in English walnut, the former of double height with trabeated ceilings, original fixed seating in stepped rows arranged like a council chamber with dias. Bronze uplighters. Ante rooms with heraldic glass by E Bossanyi dated 1937. On north side committee room and processional suite of corridors with dado panelling and moulded cornices, original furnishings and fittings. On south side the Vice Chancellor's offices not inspected. Second floor staff common rooms and third floor common rooms and refectories originally with painted mural ceilings. Those in refectory not seen under later acoustic tiles; war memorial tablet in corridor. Fourth floor libraries of double height. Two general reading rooms, the Middlesex Libraries, finished in oak with original bookshelves and fittings of English walnut. Goldsmith's Library to south with glazed bookcases, and ceiling of cypress wood and stained glass by E Bossanyi. Above these the bookstacks supported by steel frame on concrete raft. The offices retain original doors, lettering and fittings. The</p>

whole is a remarkably unaltered ensemble of 1930s design, with a high proportion of highly decorated ceremonial spaces over functional offices. The Institute of Historical Research and School of Slavonic Studies with ground-floor entrance hall of single-storey height, travertine floors and finishings similar in style but simpler than those found in Senate House. **SUBSIDIARY FEATURES:** attached cast-iron railings on stone sleeper wall and gates of radial pattern with central bosses containing coats of arms. Pillars with pilasters and geometric enrichment, those at the gates surmounted by rectangular down-lighter lamps with small defused panes and topped by stepped features. **HISTORICAL NOTE:** built as a landmark, in 1937 this was the tallest building in London apart from St Paul's Cathedral. (University of London: The Senate House and Library: London: -1938). Listing NGR: TQ2992381896

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81464
Monument Type	Listed Building
Preferred Ref.	MLO81464
Name	SEVEN RAILING PIERS AT ENTRANCE TO NEW HALL GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30985 81391 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1042 Seven railing piers at entrance to 28/06/72 New Hall gardens (Formerly Listed as: LINCOLN'S INN 5 railing piers at entrance to New Hall Gardens) GV II 7 railing piers. c1845. Portland stone octagonal piers, the railings having been removed. Listing NGR: TQ3098581391

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 11a New Square, London, WC2A 3QA

Monument/Component Types

- GATE PIER (19th Century - 1825 AD to 1865 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478670 SEVEN RAILING PIERS AT ENTRANCE TO NEW HALL GARDENS	CAMDEN TQ3081SE LINCOLN'S INN 798-1/106/1042 Seven railing piers at entrance to 28/06/72 New Hall gardens (Formerly Listed as: LINCOLN'S INN 5 railing piers at entrance to New Hall Gardens) GV II 7 railing piers. c1845. Portland stone octagonal piers, the railings having been removed. Listing NGR: TQ3098581391

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80337
Monument Type	Listed Building
Preferred Ref.	MLO80337
Name	SEVEN STARS PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30992 81245 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SE CAREY STREET 798-1/106/175 (North side) 14/05/74 Nos.53 AND 54 Seven Stars Public House II Formerly known as: The Log and Seven Stars Public House CAREY STREET. Public house. Perhaps C17 in origins (dated 1602) with later alterations and additions. Painted brick clads partial timber frame; slate roof. 2 storeys and attic; 4 windows, that to right broader and set in projecting jetty which may have been a separate building. Ground floor with C19 wooden public house frontage of 4 windows and 2 entrances flanked by pilasters; panelled aprons to windows. Gauged brick flat arches to 1st floor recessed sashes, except 1 window in jettied bay to right with reeded, architraved surround. INTERIOR: two rooms to ground floor. C19 bar backs with mirrors, that to larger bars with cupboards. Bar counters to both rooms of similar date. c1900 corner fireplace in right-hand bar, its joinery continues as ledges round side walls and across windows. Ceilings with thin beams of similar date masking earlier framing. Narrow stair to upper floors set behind main bar. Listing NGR: TQ3099281245

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 53-54 Carey Street, London, WC2A 2JB
 - 53-54 Carey Street, London, WC2A 2JB
 - 53-54 Carey Street, London, WC2A 2JB

Monument/Component Types

- PUBLIC HOUSE (16th Century to 17th Century - 1600 AD to 1699 AD)
- TIMBER FRAMED BUILDING (16th Century to 17th Century - 1600 AD to 1699 AD)
- PUBLIC HOUSE (17th Century to Unknown - 1700 AD)
- PUBLIC HOUSE (18th Century to 19th Century - 1800 AD to 1899 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476854 SEVEN STARS PUBLIC HOUSE	CAMDEN TQ3081SE CAREY STREET 798-1/106/175 (North side) 14/05/74 Nos.53 AND 54 Seven Stars Public House II Formerly known as: The Log and Seven Stars Public House CAREY STREET. Public house. Perhaps C17 in origins (dated 1602) with later alterations and additions. Painted brick clads partial timber frame; slate roof. 2 storeys and attic; 4 windows, that to right broader and set in projecting jetty which may have been a separate building. Ground floor with C19 wooden public house frontage of 4 windows and 2 entrances flanked by pilasters; panelled aprons to windows. Gauged brick flat arches to 1st floor recessed sashes, except 1 window in jettied bay to right with reeded, architraved surround. INTERIOR: two rooms to ground floor. C19 bar backs with mirrors, that to larger bars with cupboards. Bar counters to both rooms of similar date. c1900 corner fireplace in right-hand bar, its joinery continues as ledges round side walls and across windows. Ceilings with thin beams of similar date masking earlier framing. Narrow stair to upper floors set behind main bar. Listing NGR: TQ3099281245

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79991
Monument Type	Listed Building
Preferred Ref.	MLO79991
Name	SEXTONS COTTAGES IN ST GEORGES GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30363 82405 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1870 Sextons' Cottages in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage and monuments in St George's Gardens) GV II Pair of sextons' cottages. c1810. Yellow brick with stucco dressings and slate roof. Each are of two storeys, and are two windows wide with segmental window arches. INTERIORS not inspected. Listing NGR: TQ3036382405

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- CHURCHYARD (18th Century to 19th Century - 1790 AD to 1830 AD)
- HOUSE (18th Century to 19th Century - 1790 AD to 1830 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478064 SEXTONS COTTAGES IN ST GEORGES GARDENS	CAMDEN TQ3082NW HANDEL STREET 798-1/90/1870 Sextons' Cottages in St George's 14/05/74 Gardens (Formerly Listed as: HANDEL STREET Walls, lodge, cottage and monuments in St George's Gardens) GV II Pair of sextons' cottages. c1810. Yellow brick with stucco dressings and slate roof. Each are of two storeys, and are two windows wide with segmental window arches. INTERIORS not inspected. Listing NGR: TQ3036382405

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80966
Monument Type	Listed Building
Preferred Ref.	MLO80966
Name	SHAFTESBURY THEATRE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30137 81354 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/1429 Shaftesbury Theatre 01/03/74 GV II See under: Shaftesbury Theatre SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1429 (East side) 01/03/74 Shaftesbury Theatre GV II Includes: Shaftesbury Theatre HIGH HOLBORN. Theatre. 1911. By Bertie Crewe. Terracotta, stone and brick in elaborate Renaissance style. Rectangular plan on a corner site, the main entrance being at the angle of Shaftesbury Avenue and High Holborn. EXTERIOR: 3 storeys, 4 bays to each return, the entrance bay being curved. Ground floor rusticated with continuous plain canopy over. 1st floor rusticated, much of the fenestration covered by hoarding. 2nd floor with Diocletian windows & oculi in alternate bays, the entrance having rectangular windows with enriched architraves, all having large consoles under a cornice and elaborate parapet. Above the entrance front, a cupola. INTERIOR: foyer and booking hall with delicate plaster decoration. Auditorium of considerable richness with 2 cantilevered balconies, the fronts varied in form and decoration. Rectangular ceiling with enriched cove and cornice and circular flat-domed centre. Segmental proscenium arch with figure reliefs in spandrels over. Bow-fronted boxes paired in two tiers and framed by giant Ionic columns rising from heavy console brackets and carrying an entablature with figures, the whole composition crowned by a semicircular arch and a heavily moulded eaves cornice. In the arch tympanum a sculptural group is set over each upper box. Balustraded balcony terraces at upper box level run laterally along the walls towards the boxes and balustraded front to filled orchestra pit. HISTORICAL NOTE: the theatre was designed as a melodrama house. (Curtains!!! or, A New Life for Old Theatres: London: -1982: 157-58). Listing NGR: TQ3013781354

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 212-214 High Holborn, London, WC1V 7RN

Monument/Component Types

- THEATRE (Modern - 1911 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477981 SHAFTESBURY THEATRE	CAMDEN TQ3081SW HIGH HOLBORN 798-1/105/1429 Shaftesbury Theatre 01/03/74 GV II See under: Shaftesbury Theatre SHAFTESBURY AVENUE. CAMDEN TQ3081SW SHAFTESBURY AVENUE 798-1/105/1429 (East side) 01/03/74 Shaftesbury Theatre GV II Includes: Shaftesbury Theatre HIGH HOLBORN. Theatre. 1911. By Bertie Crewe. Terracotta, stone and brick in elaborate Renaissance style. Rectangular plan on a corner site, the main entrance being at the angle of Shaftesbury Avenue and High Holborn. EXTERIOR: 3 storeys, 4 bays to each return, the entrance bay being curved. Ground floor rusticated with continuous plain canopy over. 1st floor rusticated, much of the fenestration covered by hoarding. 2nd floor with Diocletian windows & oculi in alternate bays, the entrance having rectangular windows with enriched architraves, all having large consoles under a cornice and elaborate parapet. Above the entrance front, a cupola. INTERIOR: foyer and booking hall with delicate plaster decoration. Auditorium of considerable richness with 2 cantilevered balconies, the fronts varied in form and decoration. Rectangular ceiling with enriched cove and cornice and circular flat-domed centre. Segmental proscenium arch with figure reliefs in spandrels over. Bow-fronted boxes paired in two tiers and framed by giant Ionic columns rising from heavy console brackets and carrying an entablature with figures, the whole composition crowned by a semicircular arch and a heavily moulded eaves cornice. In the arch tympanum a sculptural group is set over each upper box. Balustraded balcony terraces at upper box level run laterally along the walls towards the boxes and balustraded front to filled orchestra pit. HISTORICAL NOTE: the theatre was designed as a melodrama house. (Curtains!!! or, A New Life for Old Theatres: London: -1982: 157-58). Listing NGR: TQ3013781354

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate	

(Unlikely)

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79682
Monument Type	Listed Building
Preferred Ref.	MLO79682
Name	Shelton Street, [Seven Dials Warehouse, Odd Nos 27-33], Camden, {mid 19th century brewery building}
Map Sheet	TQ38SW
Grid References	Centre Point: Centroid TQ 3015 8108 (MBR: 63m by 41m)
Summary	This building was originally part of Combe's Brewery, constructed in the mid 19th century of yellow brick with granite dressings. Part of the interior retains its original cast iron columns, jack-arched roof, barrel-vaulted cellars and stone-paved floor. It is thought that this was building was the cooling and fermenting section of the brewery, and was linked at its upper levels with bridges connecting this block with its neighbours to the north and south.
Description	Record created from imported Listed Buildings On-line dataset 11-Jan-2006. Former Brewery Building. 27-33 Shelton Street and 42-54 Earham Street. Mid-19th century, designer unknown. Yellow stock brick with granite dressings; roof not visible. Occupying a narrow wedge-shaped site, narrowing to the east, this former brewery building comprises a five-storey structure with a granite plinth, a granite impost band, a brick cornice and parapet. EXTERIOR: the narrow three-window wide east front has a large central opening with a pedimented door surround, retaining a gas lamp bracket to the centre. The longer side elevations have a mixture of window openings, generally with sash windows, some of which have been enlarged in recent times, but which retain their brick arches. The south elevation retains a loading bay with a crane hoist. Large granite-lined door surrounds are found on each side elevation too, as well as smaller openings. INTERIOR: inspected in part; the basement, currently the Belgo Restaurant, retains its cast iron columns, jack-arched roof and barrel-vaulted cellars to the east, with a stone-paved floor. Other cast iron columns remain in situ within the retail space at upper levels. HISTORY: this block formed part of the former Combe's Brewery, the origins of which go back to the early 18th century. It expanded in the mid-19th century, becoming the 4th largest London brewery by the 1880s; it amalgamated with Watney's in 1898, and was vacated by them in 1905. According to the 1888 Goad Insurance Plan, this building was the cooling and fermenting section of the brewery, and was linked at its upper levels with bridges connecting this block with its neighbours to the north and south. Discussions for constructing such bridges were commenced in 1861, which is a probable terminus ante quem for the building's construction. The building had various post-1905 uses: the largest of which was as a stationers' warehouse. Despite considerable lesser alterations, the building retains its pronounced industrial character, and as such is an unusual survival in inner central London. It also possesses strong group value with already listed brewery buildings to the south, over the boundary in the City of Westminster. See linked Designation record and (1) for full details.

Sources

Number	Reference
SLO80288	Digital archive: Department for Culture, Media and Sport. Listed Buildings Online Database, [LB Online Database contains the listing descriptions and grid reference points for all current, revoked and proposed listed buildings.]

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Seven Dials Warehouse, 27-33 Shelton Street, Camden, Greater London

Monument/Component Types

- (Former Type) BREWERY (19th Century to Modern - 1833 AD? to 2050 AD?)
- WAREHOUSE (19th Century to Modern - 1833 AD? to 2050 AD?)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	489642 Seven Dials Warehouse, 27-33 Shelton Street, Earham, Camden Town, Camden	798-1/0/10200 SHELTON STREET 25-JUL-02 (North side) 27-33 Seven Dials Warehouse EARLHAM STREET (South side) 42-54 Seven Dials Warehouse GV II Former Brewery Building. 27-33 Shelton Street and 42-54 Earham Street. Mid-19th century, designer unknown. Yellow stock brick with granite dressings; roof not visible. Occupying a narrow wedge-shaped site, narrowing to the east, this former brewery building comprises a five-storey structure with a granite plinth, a granite impost band, a brick cornice and parapet. EXTERIOR: the narrow three-window wide east front has a large central opening with a pedimented door surround, retaining a gas lamp bracket to the centre. The longer side elevations have a mixture of window openings, generally with sash windows, some of which have been enlarged in recent times, but which retain their brick arches. The south elevation retains a loading bay with a crane hoist. Large granite-lined door surrounds are found on each side elevation too, as well as smaller openings. INTERIOR: inspected in part; the basement, currently the Belgo Restaurant, retains its cast iron columns, jack-arched roof and barrel-vaulted cellars to the east, with a stone-paved floor. Other cast iron columns remain in situ within the retail space at upper levels. HISTORY: this block formed part of the former Combe's Brewery, the origins of which go back to the early 18th century. It expanded in the mid-19th century, becoming the 4th largest

London brewery by the 1880s; it amalgamated with Watney's in 1898, and was vacated by them in 1905. According to the 1888 Goad Insurance Plan, this building was the cooling and fermenting section of the brewery, and was linked at its upper levels with bridges connecting this block with its neighbours to the north and south. Discussions for constructing such bridges were commenced in 1861, which is a probable terminus ante quem for the building's construction. The building had various post-1905 uses: the largest of which was as a stationers' warehouse. Despite considerable lesser alterations, the building retains its pronounced industrial character, and as such is an unusual survival in inner central London. It also possesses strong group value with already listed brewery buildings to the south, over the boundary in the City of Westminster. SOURCES: Watney Combe Reid archives, Westminster City Archive; Goad Insurance Plan; Alfred Barnard, 'The Noted Breweries of Great Britain and Ireland' (1889) vol. 1, 274 ff.; Hurford Janes, 'The Red Barrell. A History of Watney Mann' (1963).

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	
Historic Environment Record	MLO79682

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81490
Monument Type	Listed Building
Preferred Ref.	MLO81490
Name	SIR JOHN SOANE MUSEUM AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30720 81472 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	<p>CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1054 (North side) 24/10/51 Nos.12, 13 AND 14 Sir John Soane Museum and attached railings GV I 3 terraced houses, formerly the home, studio and private museum of Sir John Soane, now a museum. Progressively rebuilt by Soane to form a symmetrical facade. No.12 built c1792-94 for himself; No.13, c1812-13; No.14, c1824 was built and sold off by Soane but the back half was retained and incorporated into the principal residence at No.13. Soane also built a museum, connected to No.13, on the site of the stables at the rear of the houses. Grey brick, No.13 with stone facing. Nos 12 and 14 with slated mansard roofs and dormers. EXTERIOR: 4 storeys and basements (No.12 & 14 with attics). 3 windows each. Nos 12 and 14: arched ground floor openings. Doorways with patterned radial fanlights and panelled doors. Wrought-iron balconies at 1st floor level. Gauged brick flat arches to recessed windows with original glazing bars (No.14 with C19 blind boxes to 2nd floor). Stone 2nd floor sill strings. Brick modillion and stone cornices at 3rd floor level. Stone cornices and blocking course above 3rd floor. No.13: projecting stone front of 3 bays with the middle bay continuing the projection on the 2nd floor. Round arched entrance, ground and 1st floor windows. Gothic brackets between windows of ground and 1st floor. 1st floor with blind balustrade below windows and enriched panels above, surmounted by Classical Coade stone figures on the outer bays. 1st floor was formerly an open loggia, glazed in 1834. 2nd floor with outer bays recessed and articulated with pilaster strips and friezes. Projecting middle bay with acroteria. Recessed 3rd floor with stone pilasters carrying a stone balustrade with acroteria finials. INTERIORS: intricate sequences of rooms. Ground floor rooms of complex spatial relationships. Dining room with shallow gilt saucer dome and convex mirrors; ceiling paintings by Henry Howard. Library with flat ceiling and pendants and mirror walls above the bookcases with hanging arches placed in front of the mirrors. 1st floor drawing rooms simpler; ceilings have two versions of Soane's shallow vaulting motifs. The dining room and one drawing room over a narrow courtyard rising from basement level. Breakfast room with a shallow gilt saucer dome on the centre of which rises a small lantern. The dome is supported at the corners only; the tympana let daylight in but the spandrels have convex mirrors giving a reduced perspective of the room. Others rooms of interest include the Dome, the Colonnade, the Picture Gallery, the Monk's Parlour. SUBSIDIARY FEATURES: attached cast-iron railings to areas. HISTORICAL NOTE: No.12 was, from 1812, the residence of Sir John Soane who then lived in No.13 until his death in 1837. The principal rooms of the houses and museum are of great interest, having been designed to exhibit his art collection which now forms the Sir John Soane Museum. (Survey of London: Vol. III, St Giles-in-the-Fields, part I: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3072081472</p>

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 13 Lincoln's Inn Fields, London, WC2A 3BP
 - 13 Lincoln's Inn Fields, London, WC2A 3BP
 - 14 Lincoln's Inn Fields, London, WC2A 3BP

Monument/Component Types

- DRAWING OFFICE (18th Century - 1792 AD to 1794 AD)
- RAILINGS (18th Century - 1792 AD to 1794 AD)
- TERRACED HOUSE (18th Century - 1792 AD to 1794 AD)
- RAILINGS (19th Century - 1804 AD to 1844 AD)
- TERRACE (19th Century - 1804 AD to 1844 AD)
- TERRACED HOUSE (19th Century - 1804 AD to 1844 AD)
- MUSEUM (19th Century - 1812 AD to 1813 AD)
- RAILINGS (19th Century - 1812 AD to 1813 AD)
- TERRACED HOUSE (19th Century - 1812 AD to 1813 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (I)	478706 SIR JOHN SOANE MUSEUM AND ATTACHED RAILINGS	CAMDEN TQ3081SE LINCOLN'S INN FIELDS 798-1/106/1054 (North side) 24/10/51 Nos.12, 13 AND 14 Sir John Soane Museum and attached railings GV I 3 terraced houses, formerly the home, studio and private museum of Sir John Soane, now a museum. Progressively rebuilt by Soane to form a symmetrical facade. No.12 built c1792-94 for himself; No.13, c1812-13; No.14, c1824 was built and sold off by Soane but the back half was retained and incorporated into the principal residence at No.13. Soane also built a museum, connected to No.13, on the site of the stables at the rear of the houses. Grey brick, No.13 with stone facing. Nos 12 and 14 with slated mansard roofs and dormers. EXTERIOR: 4 storeys and basements (No.12 & 14 with

attics). 3 windows each. Nos 12 and 14: arched ground floor openings. Doorways with patterned radial fanlights and panelled doors. Wrought-iron balconies at 1st floor level. Gauged brick flat arches to recessed windows with original glazing bars (No.14 with C19 blind boxes to 2nd floor). Stone 2nd floor sill strings. Brick modillion and stone cornices at 3rd floor level. Stone cornices and blocking course above 3rd floor. No.13: projecting stone front of 3 bays with the middle bay continuing the projection on the 2nd floor. Round arched entrance, ground and 1st floor windows. Gothic brackets between windows of ground and 1st floor. 1st floor with blind balustrade below windows and enriched panels above, surmounted by Classical Coade stone figures on the outer bays. 1st floor was formerly an open loggia, glazed in 1834. 2nd floor with outer bays recessed and articulated with pilaster strips and friezes. Projecting middle bay with acroteria. Recessed 3rd floor with stone pilasters carrying a stone balustrade with acroteria finials. INTERIORS: intricate sequences of rooms. Ground floor rooms of complex spatial relationships. Dining room with shallow gilt saucer dome and convex mirrors; ceiling paintings by Henry Howard. Library with flat ceiling and pendants and mirror walls above the bookcases with hanging arches placed in front of the mirrors. 1st floor drawing rooms simpler; ceilings have two versions of Soane's shallow vaulting motifs. The dining room and one drawing room over a narrow courtyard rising from basement level. Breakfast room with a shallow gilt saucer dome on the centre of which rises a small lantern. The dome is supported at the corners only; the tympana let daylight in but the spandrels have convex mirrors giving a reduced perspective of the room. Others rooms of interest include the Dome, the Colonnade, the Picture Gallery, the Monk's Parlour. SUBSIDIARY FEATURES: attached cast-iron railings to areas. HISTORICAL NOTE: No.12 was, from 1812, the residence of Sir John Soane who then lived in No.13 until his death in 1837. The principal rooms of the houses and museum are of great interest, having been designed to exhibit his art collection which now forms the Sir John Soane Museum. (Survey of London: Vol. III, St Giles-in-the-Fields, part I: Lincoln's Inn Fields: London: -1912: 108-109). Listing NGR: TQ3072081472

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
Not Applicable	No Associated Event	

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97169
Monument Type	Listed Building
Preferred Ref.	MLO97169
Name	Soho Square, [Roman Catholic Church of St Patrick's], W1
Map Sheet	TQ28SE
Grid References	Centre Point: Centroid TQ 29772 81269 (MBR: 56m by 35m)
Summary	Roman Catholic Church. 1891-93 by John Kelly of Kelly and Birchall in Renaissance style replacing a reused late 18th century building adapted for Catholic worship since 1802. (Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details).
Description	Roman Catholic Church. 1891-93 by John Kelly of Kelly and Birchall in Renaissance style replacing a reused late 18th century building adapted for Catholic worship since 1802. Dark red brick of small gauge with rubbed brick detail. Italianate with early Renaissance simplified detail. Comprises west campanile tower, vestibule, antechapel, aisled nave, apsidal sanctuary and south chapel. West tower as campanile 125 feet high over principal entrance, with small stone Corinthian pedimented and columned porch, with inscription "UT CHRISTIANI ITA ET ROMANI SITIS" on narrow former house plot frontage to square; the tower has four pilastered stages with arcaded openings, and deep bracketed eaves cornice to pyramidal roof. Second stage has statue of St Francis in arched alcove. Inscription above third stage and bellstage above with paired round-headed arches and Diocletian arch above. Neo-Baroque cast iron railings at base but gates 1945 replacements. Raised and fielded panelled wooden doors. Adjoining to the right is the Presbytery no 21A which is separately listed. On north side to Sutton Row bold elevational treatment with arcading, pilasters and moulded cornices. Two bay tower and narthex set back at ground floor level to allow fixing of cast iron railings in Baroque style. North aisle then set back as nine bay north wall, but at clerestorey level one bay run as open screen to light hidden west gable of nave. Clerestorey proper expressed thereafter as five bay two storeys with set back elevation with brick buttresses. Pedimented gable end to nave. Pedimented stone doorcase in fifth bay and service door with windows above in ninth bay. Above two final bays on north the sanctuary and apse are expressed at clerestorey level only. INTERIOR: Tower serves as vestibule, octagonal on plan. On the south side a late 18th century Pieta figure of an angel holding the Dead Christ, carved white marble, now gold metal painted, the lower part of the monument in statuary and yellow marble, the plinth forming a Holy water stoup, also metal gilt painted, the whole design within a round-headed alcove. Also probable late C18 fixed Holy Water stoup with gadrooned sides on moulded octagonal plinth. Hanging lamp with the donor's name 1929. Neo-Renaissance in style. Wall plaque inscribed "this is the oldest mission in England dedicated to St Patrick. The building which occupied part of this site known as Father O'Leary's Chapel was opened in 1792. The present church was opened on 17 March 1893..." Two bay narthex between vestibule and nave has access to presbytery on the right. Within the first bay is a memorial to the Irish Franciscan Capuchin Priest Rev. Arthur O'Leary OSF (b. 1729 ordained 1756) died 1802 aged 78. A standing figure of Faith holding a cross leaning on a plinth with books including Holy Bible, the plinth with a bust of the priest surrounded by a shamrock wreath, the crowned harp of Ireland formerly above now missing. Statuary marble part relief with inscription below against a green marble obelisk. Artist not known but an important and possibly unique memorial to an C18 Catholic priest working in France, England and Ireland. Second bay has stairs to gallery on north. On south altar to St Anthony of Padua. Two semi-quadrant white marble altar rails and grey marble tiled floor. Altar and reredos in Byzantine style with variegated marble frontal and reredos, incorporating two c1890 paintings on canvas unsigned. Wooden statue of the Saint under marble niche with attic above. Partly painted pilasters and soffits of architrave above. Nave of five bays with attached pilasters and entablature supporting clerestorey. Enriched Corinthian Order with arches in between. Two arched windows to each clerestorey bay with intervening Corinthian piers with capitals of gilt painted plaster. Impressive semi-circular Roman barrel-vaulted ceiling, wooden with stencilled coffers. Terrazzo floor to centre aisle and access to benches mounted on wooden floor. Benches c1893 of stained deal. Rear bay has tripartite arrangement supporting gallery above. Two standing marble figures of life-size angels with Holy Water stoups, possibly from the Moorfields church. At north plaster Pieta below window. On south side a separate bay for baptistery with a black and white tiled marble floor. Fixed stone font, painted stone with wooden gilt top. Fixed marble altar above with painting of Baptism of Christ above. Stained glass window of Baptism of Christ of 1921. Wooden surround to statue of St Anne and the Virgin. At rear a fixed plaque recording "rectors of St Patrick's church" from 1792 to 1798, incorporating an upper level bas relief of St Peter, probably C18. On north side the "side chapels" are actually simple recesses between the arches. At north on entry a fixed marble shelf on columns. In next bay a wooden confession box c1893. In next bay a late C18 bombe-shaped altar table metal gilt painted and very fine mahogany and gilt gradine and reredos with fixed tabernacle with inlaid door, late C18 and said to be from another London Catholic chapel of the date. Also carved painted statue of the Virgin above under reused late C19 bed tester. Next bay has carved wooden confessional box as above, fixed pulpit square on plan, of carved variegated marbles in neo-Renaissance style, attached to wall neo-Renaissance carved mahogany backboard and tester, probably a gift of 1901 (inscription). Next bay has a fixed marble altar c1900 with wooden statue of St John Bosco, by Delapre, maker. On the south side from the first bay of the narthex a three storey statuary marble altar to the Virgin, elaborate reredos with Corinthian order supporting an elaborate pedimented and scrolled attic and marble statue of the Virgin of Lourdes, possibly a gift of 1892. Next bay has a fixed alabaster altar in High Victorian Gothic style with polychromatic frontal of stylised leaves, spars etc. Tripartite panel painting above fixed against wall forming shallow reredos below fixed picture, Christ with Martha and Mary. All contained under Ionic columns supporting segmental pediment of late 18th century date, the reredos of the altar of the 1793 church. Next bay, fixed marble altar and reredos with columns supporting segmental pediment with fixed painting of St Joseph and the Christ Child and inscription to dedication of reredos of 1892. Next bay has fixed wooden altar with attached thin marble panel within elaborate gilt frame and central flaming Sacred Heart against sunburst, late C18 from the gallery of the previous church. A reredos of plinth supporting semi-detached pairs of lotus columns supporting triangular pediment, all late 18th century. Fixed painted wood statue of Christ by Mayer and Co. of Munich, c1860. On the south side also is a domed side chapel, square on plan, with no access available. This is dedicated to the Lady of Sorrows and is said to contain a Pieta by Theodore Pfyffers, Sculptor, c1860. The Sanctuary arch is expressed through two storeys with enriched compound Corinthian pilasters. Initial half-bay and apsed plan lit from pair of windows north and south but no lighting at east end. Stencilled lettered quotations in frieze of entablature and either side of fixed marble panel of St Patrick in attic storey. Gilt and green stencilled decoration to coffer ceiling. Fixed marble communion rails neo-Renaissance in style, with pair of gilt metal gates. At

Sanctuary level the floor is laid in marble of Byzantine inspiration. There is a detached working altar made from the mensa of the original high altar, which survives as a dwarf wall in the original position with a half reredos. Above the altar 18th century hanging picture of Crucifixion after Van Dyck. Marble lining on south and round apse c1930? Two doorcases of similar date incorporating the harp of Ireland to standard 18th century classical design. In north bay a polished wood classical probably 18th century organ case within its own niche. A single bank of fixed choir benches on south. HISTORY: Existing building replaces a late 18th century building adapted for Catholic worship and used since 1802 and retains late 18th century Roman Catholic church monuments and altars of great rarity. The church has a strong claim to be the first Roman Catholic Church in England dedicated to St Patrick as required by a large late 18th century and 19th century Irish population in this part of London. The architects were one of the unsuccessful competitors for the Brompton Oratory and the Italian Renaissance style is comparatively rare for church architecture in the last decade of the 19th century. ["Survey of London. Parish of St Anne's Soho". Volume 31 (1966) pp79-80. Alexander Rottmann "London Catholic Churches: a historical and artistic record (1926), pp. 57-65.] (see linked designation record for full details) Material relating to the construction of St Patrick's Catholic Church, Soho Square, was found through excavation of two two trenches in the nave by Pre-Construct Archaeology in 2009. A layer of crushed brick filling a cut feature was recorded in the eastern part of the church. It was thought to be foundation material for the concrete sub base and wooden parquet flooring. A rubble layer was also found in a trench in the western part of the church. It was thought to be evidence of the demolition of previous structures, before the construction of the heating duct, concrete sub base and granolithic floor covering of the present church building. (1-2)

Sources

Number	Reference
SLO66949	Unpublished document: Pre-Construct Archaeology. 2009. St Patrick's Church, Soho Square, W1, An Archaeological Evaluation, [An evaluation was carried out at St Patrick's Church by Pre-Construct Archaeology in 2009. The evaluation found traces of agricultural activity dating from the early to mid 17th century in the form of soils and a possible drainage gully. Dumped materia
SLO81738	Excavation archive: Pre-Construct Archaeology. 2009. St Patrick's Church, Soho Square, W1: Archive for an Archaeological Evaluation, [An evaluation was carried out at St Patrick's Church by Pre-Construct Archaeology in 2009. The evaluation found traces of agricultural activity dating from the early to mid 17th century in the form of soils and a possible drainage gully. Dumped materia

Location

Administrative Area

- [Borough] CITY OF WESTMINSTER

Address

- 21 Soho Square, London, W1V 6HN

Monument/Component Types

- COMMEMORATIVE MONUMENT (17th Century to 18th Century - 1700 AD to 1799 AD)
- PLAQUE (17th Century to 18th Century - 1700 AD to 1799 AD)
- COMMEMORATIVE MONUMENT (19th Century - 1802 AD)
- RAILINGS (19th Century - 1891 AD to 1893 AD)
- ROMAN CATHOLIC CHURCH (19th Century - 1891 AD to 1893 AD)
- GATE (Modern - 1945 AD)

Find Types

Designations

Type/Grade	Reference/Title	Description
Listed Building (II*)	427246 ROMAN CATHOLIC CHURCH OF ST PATRICKS	1900/58/12 SOHO SQUARE W1 05-FEB-70 Roman Catholic Church of St Patricks GV II* Roman Catholic Church. 1891-93 by John Kelly of Kelly and Birchall in Renaissance style replacing a reused late C18 building adapted for Catholic worship since 1802. Dark red brick of small gauge with rubbed brick detail. Italianate with early Renaissance simplified detail. Comprises west campanile tower, vestibule, antechapel, aisled nave, apsidal sanctuary and south chapel. West tower as campanile 125 feet high over principal entrance, with small stone Corinthian pedimented and columned porch, with inscription "UT CHRISTIANI ITA ET ROMANI SITIS" on narrow former house plot frontage to square; the tower has four pilastered stages with arcaded openings, and deep bracketed eaves cornice to pyramidal roof. Second stage has statue of St Francis in arched alcove. Inscription above third stage and bellstage above with paired round-headed arches and Diocletian arch above. Neo-Baroque cast iron railings at base but gates 1945 replacements. Raised and fielded panelled wooden doors. Adjoining to the right is the Presbytery no 21A which is separately listed. On north side to Sutton Row bold elevational treatment with arcading, pilasters and moulded cornices. Two bay tower and narthex set back at ground floor level to allow fixing of cast iron railings in Baroque style. North aisle then set back as nine bay north wall, but at clerestorey level one bay run as open screen to light hidden west gable of nave. Clerestorey proper expressed thereafter as five bay two storeys with set back elevation with brick buttresses. Pedimented gable end to nave. Pedimented stone doorcase in fifth bay and service door with windows above in ninth bay. Above two final bays on north the sanctuary and apse are expressed at clerestorey level only. INTERIOR: Tower serves as vestibule, octagonal on plan. On the south side a late

C18 Pieta figure of an angel holding the Dead Christ, carved white marble, now gold metal painted, the lower part of the monument in statuary and yellow marble, the plinth forming a Holy water stoup, also metal gilt painted, the whole design within a round-headed alcove. Also probable late C18 fixed Holy Water stoup with gadrooned sides on moulded octagonal plinth. Hanging lamp with the donor's name 1929. Neo-Renaissance in style. Wall plaque inscribed "this is the oldest mission in England dedicated to St Patrick. The building which occupied part of this site known as Father O'Leary's Chapel was opened in 1792. The present church was opened on 17 March 1893..." Two bay narthex between vestibule and nave has access to presbytery on the right. Within the first bay is a memorial to the Irish Franciscan Capuchin Priest Rev. Arthur O'Leary OSF (b. 1729 ordained 1756) died 1802 aged 78. A standing figure of Faith holding a cross leaning on a plinth with books including Holy Bible, the plinth with a bust of the priest surrounded by a shamrock wreath, the crowned harp of Ireland formerly above now missing. Statuary marble part relief with inscription below against a green marble obelisk. Artist not known but an important and possibly unique memorial to an C18 Catholic priest working in France, England and Ireland. Second bay has stairs to gallery on north. On south altar to St Anthony of Padua. Two semi-quadrant white marble altar rails and grey marble tiled floor. Altar and reredos in Byzantine style with variegated marble frontal and reredos, incorporating two c1890 paintings on canvas unsigned. Wooden statue of the Saint under marble niche with attic above. Partly painted pilasters and soffits of architrave above. Nave of five bays with attached pilasters and entablature supporting clerestorey. Enriched Corinthian Order with arches in between. Two arched windows to each clerestorey bay with intervening Corinthian piers with capitals of gilt painted plaster. Impressive semi-circular Roman barrel-vaulted ceiling, wooden with stencilled coffers. Terrazzo floor to centre aisle and access to benches mounted on wooden floor. Benches c1893 of stained deal. Rear bay has tripartite arrangement supporting gallery above. Two standing marble figures of life-size angels with Holy Water stoups, possibly from the Moorfields church. At north plaster Pieta below window. On south side a separate bay for baptistery with a black and white tiled marble floor. Fixed stone font, painted stone with wooden gilt top. Fixed marble altar above with painting of Baptism of Christ above. Stained glass window of Baptism of Christ of 1921. Wooden surround to statue of St Anne and the Virgin. At rear a fixed plaque recording "rectors of St Patrick's church" from 1792 to 1798, incorporating an upper level bas relief of St Peter, probably C18. On north side the "side chapels" are actually simple recesses between the arches. At north on entry a fixed marble shelf on columns. In next bay a wooden confession box c1893. In next bay a late C18 bombe-shaped altar table metal gilt painted and very fine mahogany and gilt gradine and reredos with fixed tabernacle with inlaid door, late C18 and said to be from another London Catholic chapel of the date. Also carved painted statue of the Virgin above under reused late C19 bed tester. Next bay has carved wooden confessional box as above, fixed pulpit square on plan, of carved variegated marbles in neo-Renaissance style, attached to wall neo-Renaissance carved mahogany backboard and tester, probably a gift of 1901 (inscription). Next bay has a fixed marble altar c1900 with wooden statue of St John Bosco, by Delapre, maker. On the south side from the first bay of the narthex a three storey statuary marble altar to the Virgin, elaborate reredos with Corinthian order supporting an elaborate pedimented and scrolled attic and marble statue of the Virgin of Lourdes, possibly a gift of 1892. Next bay has a fixed alabaster altar in High Victorian Gothic style with polychromatic frontal of stylised leaves, spars etc. Tripartite panel painting above fixed against wall forming shallow reredos below fixed picture, Christ with Martha and Mary. All contained under Ionic columns supporting segmental pediment of late C18 date, the reredos of the altar of the 1793 church. Next bay, fixed marble altar and reredos with columns supporting segmental pediment with fixed painting of St Joseph and the Christ Child and inscription to dedication of reredos of 1892. Next bay has fixed wooden altar with attached thin marble panel within elaborate gilt frame and central flaming Sacred Heart against sunburst, late C18 from the gallery of the previous church. A reredos of plinth supporting semi-detached pairs of lotus columns supporting triangular pediment, all late C18. Fixed painted wood statue of Christ by Mayer and Co. of Munich, c1860. On the south side also is a domed side chapel, square on plan, with no access available. This is dedicated to the Lady of Sorrows and is said to contain a Pieta by Theodore Phyllers, Sculptor, c1860. The Sanctuary arch is expressed through two storeys with enriched compound Corinthian pilasters. Initial half-bay and apsed plan lit from pair of windows north and south but no lighting at east end. Stencilled lettered quotations in frieze of entablature and either side of fixed marble panel of St Patrick in attic storey. Gilt and green stencilled decoration to coffer ceiling. Fixed marble communion rails neo-Renaissance in style, with pair of gilt metal gates. At Sanctuary level the floor is laid in marble of Byzantine inspiration. There

is a detached working altar made from the mensa of the original high altar, which survives as a dwarf wall in the original position with a half reredos. Above the altar C18 hanging picture of Crucifixion after Van Dyck. Marble lining on south and round apse c1930? Two doorcases of similar date incorporating the harp of Ireland to standard C18 classical design. In north bay a polished wood classical probably C18 organ case within its own niche. A single bank of fixed choir benches on south. HISTORY: Existing building replaces a late C18 building adapted for Catholic worship and used since 1802 and retains late C18 Roman Catholic church monuments and altars of great rarity. The church has a strong claim to be the first Roman Catholic Church in England dedicated to St Patrick as required by a large late C18 and C19 Irish population in this part of London. The architects were one of the unsuccessful competitors for the Brompton Oratory and the Italian Renaissance style is comparatively rare for church architecture in the last decade of the C19. ["Survey of London. Parish of St Anne's Soho". Volume 31 (1966) pp79-80. Alexander Rottmann "London Catholic Churches: a historical and artistic record (1926), pp. 57-65.] Listing NGR: TQ2976581268

Other Statuses and References

<i>Type/Grade</i>	<i>Reference/Title</i>
LAG number (GLAAS Ref)	33/765
Site Code	PCU09
SHINE Candidate (Unlikely)	

Associated Activities/Events

<i>Event ID</i>	<i>Name/Ref</i>	<i>Brief Description (click Event ID for details)</i>
ELO10327	Soho Square [St Patrick's Church], London, W1D 4NR: Evaluation	An evaluation was carried out by at St Patrick's Catholic Church, Soho Square, by Pre-Construct Archaeology in 2009. The evaluati ...

[Return to Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80790
Monument Type	Listed Building
Preferred Ref.	MLO80790
Name	SOUTH SQUARE NUMBER 1
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31046 81672 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/641 (South side) 24/10/51 South Square No.1 GV II Terraced chambers. c1759. Brown brick with red brick quoins and dressings. Red brick bands between floors. Tiled mansard roof with dormers. 3 storeys and attic. 3 windows. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches to recessed sash windows. Parapet. Lead rainwater pipes and heads with gilded lions. INTERIOR: staircase with closed string, turned balusters and columned newels. Some panelled rooms. Listing NGR: TQ3104681672

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- LEGAL CHAMBERS (18th Century - 1739 AD to 1779 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477466 SOUTH SQUARE NUMBER 1	CAMDEN TQ3181NW GRAY'S INN 798-1/102/641 (South side) 24/10/51 South Square No.1 GV II Terraced chambers. c1759. Brown brick with red brick quoins and dressings. Red brick bands between floors. Tiled mansard roof with dormers. 3 storeys and attic. 3 windows. Stone doorcase with consoles and broken segmental pediment with ball in centre. Gauged red brick flat arches to recessed sash windows. Parapet. Lead rainwater pipes and heads with gilded lions. INTERIOR: staircase with closed string, turned balusters and columned newels. Some panelled rooms. Listing NGR: TQ3104681672

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97257
Monument Type	Listed Building
Preferred Ref.	MLO97257
Name	SOUTHERNMOST K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30387 81088 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Southernmost K2 6.8.86 Telephone Kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038781088

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 13 New Row, London, WC2N 4LF

Monument/Component Types

- TELEPHONE BOX (Modern - 1927 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	208803 SOUTHERNMOST K2 TELEPHONE KIOSK IN GROUP TO NORTH OF BOW STREET MAGISTRATES COURT	TQ 3081 CITY OF WESTMINSTER BROAD COURT WC2 Southernmost K2 6.8.86 Telephone Kiosk in group to north of Bow Street Magistrates Court GV II Telephone Kiosk. 1927. By Giles Gilbert Scott. Cast iron. Intact square kiosk of K2 type with domed roof, perforated crowns to top panels and glazing bars to windows and door. One of five, which together form one of the best groups in London. Listing NGR: TQ3038781088

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80621
Monument Type	Listed Building
Preferred Ref.	MLO80621
Name	ST ALBANS CLERGY HOUSE AND ATTACHED RAILINGS WITH LAMP HOLDER
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31187 81774 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW BROOKE STREET 798-1/102/116 (North side) 14/05/74 No.18 St Alban's Clergy House and attached railings with lamp-holder GV II Clergy house. 1860. By William Butterfield. Brown brick with red brick and stone dressings, including strings at sill levels. Slate roof with 2 gables. Gothic style. 4 storeys and basement. 4 bays. Projecting entrance bay with pointed arch entrance with wrought-iron gate, a cross over and the words "Saint Alban The Martyr" forming an arch. 1st floor 3 cusped lancet windows with blind lancets to either side. 2nd floor 2 narrow segmental headed windows with paired, pointed drip moulds over. 3rd floor in the gable, 2 narrow segmental headed windows with blind plate tracery and a pointed drip mould over. Windows to right and left of entrance bay similar with variations. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with lamp-holder to areas. Listing NGR: TQ3118781774

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 18 Brooke Street, London, EC1N 7RD

Monument/Component Types

- CLERGY HOUSE (19th Century - 1860 AD)
- LAMP BRACKET (19th Century - 1860 AD)
- RAILINGS (19th Century - 1860 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476758 ST ALBANS CLERGY HOUSE AND ATTACHED RAILINGS WITH LAMP HOLDER	CAMDEN TQ3181NW BROOKE STREET 798-1/102/116 (North side) 14/05/74 No.18 St Alban's Clergy House and attached railings with lamp-holder GV II Clergy house. 1860. By William Butterfield. Brown brick with red brick and stone dressings, including strings at sill levels. Slate roof with 2 gables. Gothic style. 4 storeys and basement. 4 bays. Projecting entrance bay with pointed arch entrance with wrought-iron gate, a cross over and the words "Saint Alban The Martyr" forming an arch. 1st floor 3 cusped lancet windows with blind lancets to either side. 2nd floor 2 narrow segmental headed windows with paired, pointed drip moulds over. 3rd floor in the gable, 2 narrow segmental headed windows with blind plate tracery and a pointed drip mould over. Windows to right and left of entrance bay similar with variations. INTERIOR: not inspected. SUBSIDIARY FEATURES: attached wrought-iron railings with lamp-holder to areas. Listing NGR: TQ3118781774

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80144
Monument Type	Listed Building
Preferred Ref.	MLO80144
Name	ST ANDREWS GARDENS ENTRANCE GATES, SECTION OF SOUTH SIDE RAILINGS AND MONUMENTS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30840 82419 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/656 (East side) 14/05/74 St Andrew's Gardens entrance gates, section of south side railings & monuments GV II Includes: St Andrew's Gardens entrance gates, section of south side railings & monuments WREN STREET. St Andrew's Holborn Burial Ground, consecrated 1754, now a public garden. 3 pairs of ornamental wrought-iron entrance gates and piers of c1885; 2 fronting Gray's Inn Road and 1 fronting Wren Street. Scroll design with open-work box piers, scroll finials and overthrows. Length of cast-iron railing on the southern boundary in Wren Street with urn finials. The garden contains a number of C18 tombs, mostly with weathered inscriptions, but one is dated 1763. The entrance gates, length of railing and monuments form a group. CAMDEN TQ3082SE WREN STREET 798-1/96/656 St Andrew's Gardens entrance gates, 14/05/74 section of south side railings & monuments GV II See under: St Andrew's Gardens entrance gates, section of south side railings & monuments GRAY'S INN ROAD. Listing NGR: TQ3084082419

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 2 Wren Street, London, WC1X 0HA

Monument/Component Types

- GARDEN (Undated)
- TOMB (17th Century to 18th Century - 1700 AD to 1799 AD)
- CEMETERY (18th Century - 1754 AD)
- TOMB (18th Century - 1763 AD)
- GATE (19th Century to Modern - 1865 AD to 1905 AD)
- GATE PIER (19th Century to Modern - 1865 AD to 1905 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477618 ST ANDREWS GARDENS ENTRANCE GATES, SECTION OF SOUTH SIDE RAILINGS AND MONUMENTS	CAMDEN TQ3082SE GRAY'S INN ROAD 798-1/96/656 (East side) 14/05/74 St Andrew's Gardens entrance gates, section of south side railings & monuments GV II Includes: St Andrew's Gardens entrance gates, section of south side railings & monuments WREN STREET. St Andrew's Holborn Burial Ground, consecrated 1754, now a public garden. 3 pairs of ornamental wrought-iron entrance gates and piers of c1885; 2 fronting Gray's Inn Road and 1 fronting Wren Street. Scroll design with open-work box piers, scroll finials and overthrows. Length of cast-iron railing on the southern boundary in Wren Street with urn finials. The garden contains a number of C18 tombs, mostly with weathered inscriptions, but one is dated 1763. The entrance gates, length of railing and monuments form a group. CAMDEN TQ3082SE WREN STREET 798-1/96/656 St Andrew's Gardens entrance gates, 14/05/74 section of south side railings & monuments GV II See under: St Andrew's Gardens entrance gates, section of south side railings & monuments GRAY'S INN ROAD. Listing NGR: TQ3084082419

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80922
Monument Type	Listed Building
Preferred Ref.	MLO80922
Name	ST ANDREWS HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31488 81735 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description
 TQ 3181 NW SAFFRON HILL (South West side) 798-1/102/1890 St Andrew's House 11/01/99 GV II 19 flats, some now in office use. Built in 1875 by Corporation of the City of London, architect Horace Jones. Stock brick with some rendered details, flat roof. Symmetrical plan of 4 storeys with attic over centrepiece. One-bay centrepiece and two-bay end wings, with between them on each side and each floor six bays set behind galleries of cast-iron with exposed four-centred beams. All windows with glazing-bar sashes, those to centre and ends in stucco surrounds. The badge of the Corporation on the end wings. INTERIORS: altered and a lift inserted. HISTORICAL NOTE: this block, originally known as Viaduct Buildings, is the oldest surviving public housing in London and one of the oldest in Britain. This is the survivor of two blocks built by the Corporation, whose design owes much to Sydney Waterlow's model dwellings for the Improved Industrial Dwellings Company. This design is more lavish than was generally adopted by the IIDC, particularly in its use of cast-iron. Waterlow was a member of the City's Common Council and the Inspiration behind this development. Listing NGR: TQ3148881735

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- St. Andrews House 140 Saffron Hill, London, EC1N 8QN

Monument/Component Types

- OFFICE (Undated)
- FLATS (19th Century - 1875 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	473100 ST ANDREWS HOUSE	TQ 3181 NW SAFFRON HILL (South West side) 798-1/102/1890 St Andrew's House 11/01/99 GV II 19 flats, some now in office use. Built in 1875 by Corporation of the City of London, architect Horace Jones. Stock brick with some rendered details, flat roof. Symmetrical plan of 4 storeys with attic over centrepiece. One-bay centrepiece and two-bay end wings, with between them on each side and each floor six bays set behind galleries of cast-iron with exposed four-centred beams. All windows with glazing-bar sashes, those to centre and ends in stucco surrounds. The badge of the Corporation on the end wings. INTERIORS: altered and a lift inserted. HISTORICAL NOTE: this block, originally known as Viaduct Buildings, is the oldest surviving public housing in London and one of the oldest in Britain. This is the survivor of two blocks built by the Corporation, whose design owes much to Sydney Waterlow's model dwellings for the Improved Industrial Dwellings Company. This design is more lavish than was generally adopted by the IIDC, particularly in its use of cast-iron. Waterlow was a member of the City's Common Council and the Inspiration behind this development. Listing NGR: TQ3148881735

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80046
Monument Type	Listed Building
Preferred Ref.	MLO80046
Name	ST GILES ALMSHOUSES AND WALLS AND RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30366 81361 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW MACKLIN STREET 798-1/105/1095 (North side) 15/01/73 No.17A St Giles's Almshouses and walls and railings (Formerly Listed as: MACKLIN STREET St Giles' Almshouses) GV II Quadrangle of 4 almshouses. Founded 1665, erected on this site 1790 and rebuilt 1885 by Edward Henry Burnell. Yellow stock brick with red brick bands, strings and stone dressings. Fishscale tile roofs with gables. Jacobean style. 2 ranges forming 2 sides of quadrangle, 2 double fronted cottages in each, all with 3 windows each. 2 storeys. Arched doorways with drip moulds with foliated labels, fanlights and ledged and braced doors in slightly projecting gabled entrance bays with oculus in the gable. Transom and mullion windows with 20th century glazing. INTERIORS: simple. SUBSIDIARY FEATURES: attached boundary walls with stone coping surmounted by cast-iron railings. On wall at south end of quadrangle of almshouses an inscribed York Stone tablet, dated 1790, recording former almshouses on the site; also a tablet dated 1885 recording the rebuilding of the almshouses. Listing NGR: TQ3036681361

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- St. Giles Almshouses 17a Macklin Street, London, WC2B 5NR

Monument/Component Types

- ALMSHOUSE (19th Century - 1885 AD)
- BOUNDARY WALL (19th Century - 1885 AD)
- DATE STONE (19th Century - 1885 AD)
- RAILINGS (19th Century - 1885 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477470 ST GILES ALMSHOUSES AND WALLS AND RAILINGS	CAMDEN TQ3081SW MACKLIN STREET 798-1/105/1095 (North side) 15/01/73 No.17A St Giles's Almshouses and walls and railings (Formerly Listed as: MACKLIN STREET St Giles' Almshouses) GV II Quadrangle of 4 almshouses. Founded 1665, erected on this site 1790 and rebuilt 1885 by Edward Henry Burnell. Yellow stock brick with red brick bands, strings and stone dressings. Fishscale tile roofs with gables. Jacobean style. 2 ranges forming 2 sides of quadrangle, 2 double fronted cottages in each, all with 3 windows each. 2 storeys. Arched doorways with drip moulds with foliated labels, fanlights and ledged and braced doors in slightly projecting gabled entrance bays with oculus in the gable. Transom and mullion windows with C20 glazing. INTERIORS: simple. SUBSIDIARY FEATURES: attached boundary walls with stone coping surmounted by cast-iron railings. On wall at south end of quadrangle of almshouses an inscribed York Stone tablet, dated 1790, recording former almshouses on the site; also a tablet dated 1885 recording the rebuilding of the almshouses. Listing NGR: TQ3036681361

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**

Export generated by HBSMR from exeGesIS SDM

Start of record

MonUID	MLO80487
Monument Type	Listed Building
Preferred Ref.	MLO80487
Name	ST GILES VESTRY ROOMS AND ATTACHED WALL WITH LAMP SOUTH WEST OF CHURCH
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29948 81236 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1510 (South side) 14/05/74 St Giles Vestry Rooms and attached wall with lamp south-west of church (Formerly Listed as: ST GILES HIGH STREET Vestry and lych gate to Church of St Giles) GV II Vestry rooms. 1731-3. By Henry Flitcroft, corridor to church later. East facade multi-coloured stock brick under a slate roof. Single storey, 4-bay with gauged red brick flat arches to flush sashes. Parapet. Right return of yellow stock brick, gauged red brick flat arches to 2 sash windows. Corridor single storey of stone with pilaster mullions to 2 glazed bays; double part-glazed doors to right. Cornice. INTERIOR: the Vestry Room has good original panelling and features. SUBSIDIARY FEATURES: attached low stone wall with column standard gas lamp with Windsor lantern. (Survey of London: Vol. V, Parish of St Giles-in-the-Field part II: London: -1914). Listing NGR: TQ2994881236

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 59 St. Giles High Street, London, WC2H 8LH

Monument/Component Types

- LAMP POST (18th Century - 1731 AD to 1733 AD)
- VESTRY (18th Century - 1731 AD to 1733 AD)
- WALL (18th Century - 1731 AD to 1733 AD)
- VESTRY (18th Century to Unknown - 1734 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477941 ST GILES VESTRY ROOMS AND ATTACHED WALL WITH LAMP SOUTH WEST OF CHURCH	CAMDEN TQ2981SE ST GILES HIGH STREET 798-1/104/1510 (South side) 14/05/74 St Giles Vestry Rooms and attached wall with lamp south-west of church (Formerly Listed as: ST GILES HIGH STREET Vestry and lych gate to Church of St Giles) GV II Vestry rooms. 1731-3. By Henry Flitcroft, corridor to church later. East facade multi-coloured stock brick under a slate roof. Single storey, 4-bay with gauged red brick flat arches to flush sashes. Parapet. Right return of yellow stock brick, gauged red brick flat arches to 2 sash windows. Corridor single storey of stone with pilaster mullions to 2 glazed bays; double part-glazed doors to right. Cornice. INTERIOR: the Vestry Room has good original panelling and features. SUBSIDIARY FEATURES: attached low stone wall with column standard gas lamp with Windsor lantern. (Survey of London: Vol. V, Parish of St Giles-in-the-Field part II: London: -1914). Listing NGR: TQ2994881236

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO79780
Monument Type	Listed Building
Preferred Ref.	MLO79780
Name	ST MUNGOS HOUSING
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30102 81284 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3081SW ENDELL STREET 798-1/105/388 (South West side) 15/01/73 No.83 St Mungo's Housing (Formerly Listed as: ST GILES HIGH STREET St Giles in the Fields Church of England Primary School) GV II School now a hostel for the homeless. 1860. By EM Barry. Polychrome brick with some terracotta and stone dressings under a slate roof in tough Gothic revival style. Rectangular plan on the corner of Endell Street and High Holborn. EXTERIOR: entrance front on Endell Street, 4 storeys, basement and dormers, 5 windows (7 windows on return to High Holborn). Ground floor yellow stock brick with red brick bands with paired, pointed-arch windows and centrally placed doorway with fanlight and stone either side of round arch inscribed NATIONAL SCHOOLS. String course at 1st floor level on which recessed square headed windows with brick mullions under a continuous band of decorative blue and red tiles. 2nd floor to left, a pair of pointed arch, decorative terracotta tiled windows with a marble colonnette. To the right, 3 identical pointed arch windows under an asymmetrically placed gable containing 2 lancet windows with marble colonnette and oculus above under a pointed terracotta arch. Trefoil window in pointed arch in the apex. To either side, rising through the gable, vertical brick features. The 3rd floor comprises a continuous mostly blind arcade of pointed arches to eaves level. High Holborn return has similar fenestration and dressings with two large dormers and scattered small ones. INTERIOR: altered but retains some original features. HISTORICAL NOTE: built as parish schools for 1500 children, together with an industrial school and soup kitchen for the poor of the Drury Lane slums. Listing NGR: TQ3010281284

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 83 Endell Street, London, WC2H 9AJ

Monument/Component Types

- HOMELESS HOSTEL (Undated)
- INDUSTRIAL SCHOOL (19th Century - 1860 AD)
- NATIONAL SCHOOL (19th Century - 1860 AD)
- PARISH SCHOOL (19th Century - 1860 AD)
- SOUP KITCHEN (19th Century - 1860 AD)
- ELEMENTARY SCHOOL (19th Century to Unknown - 1861 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477189 ST MUNGOS HOUSING	CAMDEN TQ3081SW ENDELL STREET 798-1/105/388 (South West side) 15/01/73 No.83 St Mungo's Housing (Formerly Listed as: ST GILES HIGH STREET St Giles in the Fields Church of England Primary School) GV II School now a hostel for the homeless. 1860. By EM Barry. Polychrome brick with some terracotta and stone dressings under a slate roof in tough Gothic revival style. Rectangular plan on the corner of Endell Street and High Holborn. EXTERIOR: entrance front on Endell Street, 4 storeys, basement and dormers, 5 windows (7 windows on return to High Holborn). Ground floor yellow stock brick with red brick bands with paired, pointed-arch windows and centrally placed doorway with fanlight and stone either side of round arch inscribed NATIONAL SCHOOLS. String course at 1st floor level on which recessed square headed windows with brick mullions under a continuous band of decorative blue and red tiles. 2nd floor to left, a pair of pointed arch, decorative terracotta tiled windows with a marble colonnette. To the right, 3 identical pointed arch windows under an asymmetrically placed gable containing 2 lancet windows with marble colonnette and oculus above under a pointed terracotta arch. Trefoil window in pointed arch in the apex. To either side, rising through the gable, vertical brick features. The 3rd floor comprises a continuous mostly blind arcade of pointed arches to eaves level. High Holborn return has similar fenestration and dressings with two large dormers and scattered small ones. INTERIOR: altered but retains some original features. HISTORICAL NOTE: built as parish schools for 1500 children, together with an industrial school and soup kitchen for the poor of the Drury Lane slums. Listing NGR: TQ3010281284

Other Statuses and References

Type/Grade
SHINE Candidate
(Unlikely)

Reference/Title

Associated Activities/Events

Event ID

Name/Ref

Brief Description (click Event ID for details)

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94856
Monument Type	Listed Building
Preferred Ref.	MLO94856
Name	ST PATRICK'S PRESBYTERY
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29753 81259 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 2981 SE CITY OF WESTMINSTER SOHO SQUARE, W1 24.2.58 No. 21A (St. Presbytery) GV II Former terrace house. 1791-93. Stock brick with stucco ground floor, slate roof. 4 storeys and basement. Doorway to left has panelled door with side lights and radial glazed semicircular fanlight overall, plain recessed glazing bar sashes to right. Upper floors have recessed glazing bar sashes in shallow early C19 stucco architraves. Parapet with coping. Wrought iron ornamental bowed balconettes to 1st floor. Original area railings with urn finial standards. Rear has slightly bowed window wall. Interior largely intact with semicircular archway opening from hall on to staircase which is of timber and geometric; main rooms with restrained enrichment, marble ground floor chimney pieces and 1st floor rear room chimney piece of wood elaborately composed with slender Corinthian columns, enriched frieze with relief carving to tablet blocks, etc. Survey of London; Vol. XXXIII. Listing NGR: TQ2975381259

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 21 Soho Square, London, W1V 6HN

Monument/Component Types

- PRIESTS HOUSE (Undated)
- RAILINGS (18th Century - 1791 AD to 1793 AD)
- TERRACED HOUSE (18th Century - 1791 AD to 1793 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	427256 ST PATRICK'S PRESBYTERY	TQ 2981 SE CITY OF WESTMINSTER SOHO SQUARE, W1 24.2.58 No. 21A (St. Presbytery) GV II Former terrace house. 1791-93. Stock brick with stucco ground floor, slate roof. 4 storeys and basement. Doorway to left has panelled door with side lights and radial glazed semicircular fanlight overall, plain recessed glazing bar sashes to right. Upper floors have recessed glazing bar sashes in shallow early C19 stucco architraves. Parapet with coping. Wrought iron ornamental bowed balconettes to 1st floor. Original area railings with urn finial standards. Rear has slightly bowed window wall. Interior largely intact with semicircular archway opening from hall on to staircase which is of timber and geometric; main rooms with restrained enrichment, marble ground floor chimney pieces and 1st floor rear room chimney piece of wood elaborately composed with slender Corinthian columns, enriched frieze with relief carving to tablet blocks, etc. Survey of London; Vol. XXXIII. Listing NGR: TQ2975381259

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO82001
Monument Type	Listed Building
Preferred Ref.	MLO82001
Name	STAPLE INN BUILDINGS NORTH AND SOUTH AND ATTACHED RAILINGS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31132 81585 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ31SINW HIGH HOLBORN 627-0/1/10197 (South side) 14/05/74 Nos.335 AND 336 Staple Inn Buildings North and South and attached railings (Formerly Listed as: CAMDEN HIGH HOLBORN (South side) Nos.335 AND 336 Staple Inn Buildings North and South) GV II Offices. c1903 with later shop, by Alfred Waterhouse. Red brick with terracotta dressings and granite faced ground floor. Slate roof Jacobean style. High Holborn frontage (NO.335) 5 storeys and attic. 3 window bays with 2 lights each under a gable with dormer and scrolled pediment. Irregular 12 bay return. Polygonal corner turret with pedimented loops, arched openings at 4th floor level and slated and lead pinnacle with gabled windows. 20th century ground floor shop front. Transom and mullion windows; the 2nd, 3rd, & 4th storeys with pilaster and cornice treatment with enriched aprons below attic and 3rd & 4th storeys. No.336 similar to No.335 with 2 storeys, 4 bay extension at north end with hall at first floor level with pedimented windows and bracketed parapet above, and added ground floor windows below. Segmental bowed entrances with Doric columns in antis. South elevation to Staple Inn with terracotta plaque dated 1901 between 2 windows at ground floor level, a 4-light oriel over, the top storey having 3 square-headed lights in arched openings under a gable with slit light. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached wrought iron ratings to areas. Formerly listed in the LB of Camden. Since 1 April 1994 Staple Inn has been part of the City of London. Listing NGR: TQ3113281585

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address

- 335 High Holborn, London, WC1V 7PX

- 335 High Holborn, London, WC1V 7PX

Monument/Component Types

- OFFICE (19th Century to Modern - 1883 AD to 1923 AD)
- RAILINGS (19th Century to Modern - 1883 AD to 1923 AD)
- SHOP (19th Century to Modern - 1900 AD to 1999 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	453240 STAPLE INN BUILDINGS NORTH AND SOUTH AND ATTACHED RAILINGS	TQ31SINW HIGH HOLBORN 627-0/1/10197 (South side) 14/05/74 Nos.335 AND 336 Staple Inn Buildings North and South and attached railings (Formerly Listed as: CAMDEN HIGH HOLBORN (South side) Nos.335 AND 336 Staple Inn Buildings North and South) GV II Offices. c1903 with later shop, by Alfred Waterhouse. Red brick with terracotta dressings and granite faced ground floor. Slate roof Jacobean style. High Holborn frontage (NO.335) 5 storeys and attic. 3 window bays with 2 lights each under a gable with dormer and scrolled pediment. Irregular 12 bay return. Polygonal corner turret with pedimented loops, arched openings at 4th floor level and slated and lead pinnacle with gabled windows. C20 ground floor shop front. Transom and mullion windows; the 2nd, 3rd, & 4th storeys with pilaster and cornice treatment with enriched aprons below attic and 3rd & 4th storeys. No.336 similar to No.335 with 2 storeys, 4 bay extension at north end with hall at first floor level with pedimented windows and bracketed parapet above, and added ground floor windows below. Segmental bowed entrances with Doric columns in antis. South elevation to Staple Inn with terracotta plaque dated 1901 between 2 windows at ground floor level, a 4-light oriel over, the top storey having 3 square-headed lights in arched openings under a gable with slit light. INTERIORS: not inspected. SUBSIDIARY FEATURES: attached wrought iron ratings to areas. Formerly listed in the LB of Camden. Since 1 April 1994 Staple Inn has been part of the City of London. Listing NGR: TQ3113281585

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
----------	----------	--

[Not Applicable](#)

No Associated Event

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80458
Monument Type	Listed Building
Preferred Ref.	MLO80458
Name	STATUE OF A QUEEN AT NORTH END OF QUEEN SQUARE GARDENS
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30339 82020 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW QUEEN SQUARE 798-1/95/1367 (North side) 24/10/51 Statue of a Queen at north end of Queen Square Gardens II Statue. c1775. Lead statue of a crowned queen in royal robes, originally holding a sceptre (now missing), to the left of which a baluster with tasselled cushion. On a Portland stone pedestal originally inscribed "Virtus et tutamen". The statue probably represents Queen Charlotte, wife of George III, but may possibly be that of Queen Anne or Mary II. Listing NGR: TQ3033982020

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Queen Square, London, WC1N 3BG

Monument/Component Types

- COMMEMORATIVE MONUMENT (18th Century - 1755 AD to 1795 AD)
- STATUE (18th Century - 1755 AD to 1795 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477829 STATUE OF A QUEEN AT NORTH END OF QUEEN SQUARE GARDENS	CAMDEN TQ3082SW QUEEN SQUARE 798-1/95/1367 (North side) 24/10/51 Statue of a Queen at north end of Queen Square Gardens II Statue. c1775. Lead statue of a crowned queen in royal robes, originally holding a sceptre (now missing), to the left of which a baluster with tasselled cushion. On a Portland stone pedestal originally inscribed "Virtus et tutamen". The statue probably represents Queen Charlotte, wife of George III, but may possibly be that of Queen Anne or Mary II. Listing NGR: TQ3033982020

Other Statuses and References

Type/Grade	Reference/Title
------------	-----------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80383
Monument Type	Listed Building
Preferred Ref.	MLO80383
Name	STATUE OF CHARLES JAMES FOX AT NORTH END OF GARDEN
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30310 81709 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	Statue. 1816. By Sir Richard Westmacott. Bronze seated figure of Charles James Fox in Classical attire on granite pedestal above Portland stone steps. (see linked designation record for full details)

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 5 Bloomsbury Square, London, WC1A 2TA

Monument/Component Types

- COMMEMORATIVE MONUMENT (19th Century - 1816 AD)
- STATUE (19th Century - 1816 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476737 STATUE OF CHARLES JAMES FOX AT NORTH END OF GARDEN	CAMDEN TQ3081NW BLOOMSBURY SQUARE 798-1/100/107 (North side) 24/10/51 Statue of Charles James Fox at north end of garden GV II Statue. 1816. By Sir Richard Westmacott. Bronze seated figure of Charles James Fox in Classical attire on granite pedestal above Portland stone steps. Listing NGR: TQ3031081709

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO94885
Monument Type	Listed Building
Preferred Ref.	MLO94885
Name	STATUE OF DOCTOR JOHNSON IN CHURCHYARD AT EAST END OF ST CLEMENT DANES
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30999 81056 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SE CITY OF WESTMINSTER STRAND, WC2 60/16 24.2.58 Statue of Doctor Johnson in churchyard at east end of St Clement Danes G.V. II Statue. 1910 by Percy Fitzgerald. Bronze underlife size statue on white marble plinth with 3 plaques inset. Listing NGR: TQ3099981056

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 355 Strand, London, WC2R 0HS

Monument/Component Types

- STATUE (Modern - 1910 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	428300 STATUE OF DOCTOR JOHNSON IN CHURCHYARD AT EAST END OF ST CLEMENT DANES	TQ 3081 SE CITY OF WESTMINSTER STRAND, WC2 60/16 24.2.58 Statue of Doctor Johnson in churchyard at east end of St Clement Danes G.V. II Statue. 1910 by Percy Fitzgerald. Bronze underlife size statue on white marble plinth with 3 plaques inset. Listing NGR: TQ3099981056

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80791
Monument Type	Listed Building
Preferred Ref.	MLO80791
Name	STATUE OF FRANCIS BACON IN SOUTH SQUARE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31068 81703 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/642 Statue of Francis Bacon in South 14/05/74 Square GV II Statue of Francis Bacon. 1908. By Frederick W Pomeroy to mark the tercentenary of Bacon's election as Treasurer. Bronze standing figure in contemporary costume on Portland stone pedestal with carved wreath and inscribed with details of Bacon's career. Listing NGR: TQ3106881703

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- STATUE (Modern - 1908 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477467 STATUE OF FRANCIS BACON IN SOUTH SQUARE	CAMDEN TQ3181NW GRAY'S INN 798-1/102/642 Statue of Francis Bacon in South 14/05/74 Square GV II Statue of Francis Bacon. 1908. By Frederick W Pomeroy to mark the tercentenary of Bacon's election as Treasurer. Bronze standing figure in contemporary costume on Portland stone pedestal with carved wreath and inscribed with details of Bacon's career. Listing NGR: TQ3106881703

Other Statuses and References

Type/Grade	Reference/Title
-------------------	------------------------

SHINE Candidate
(Unlikely)**Associated Activities/Events**

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80341
Monument Type	Listed Building
Preferred Ref.	MLO80341
Name	STATUE OF JOHN CARTWRIGHT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30050 82544 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082NW CARTWRIGHT GARDENS 798-1/90/180 Statue of John Cartwright 14/05/74 GV II Statue of John Cartwright. 1831 by George Clarke, sculptor. Seated bronze figure, in contemporary costume, on granite pedestal with bronze plaque giving details of John Cartwright's career as a political reformer. Listing NGR: TQ3005082544

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 48 Cartwright Gardens, London, WC1H 9EL

Monument/Component Types

- COMMEMORATIVE MONUMENT (19th Century - 1831 AD)
- STATUE (19th Century - 1831 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476859 STATUE OF JOHN CARTWRIGHT	CAMDEN TQ3082NW CARTWRIGHT GARDENS 798-1/90/180 Statue of John Cartwright 14/05/74 GV II Statue of John Cartwright. 1831 by George Clarke, sculptor. Seated bronze figure, in contemporary costume, on granite pedestal with bronze plaque giving details of John Cartwright's career as a political reformer. Listing NGR: TQ3005082544

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81128
Monument Type	Listed Building
Preferred Ref.	MLO81128
Name	STATUE OF MAHATMA GANDHI IN TAVISTOCK SQUARE GARDENS
Map Sheet	TQ28SE
Grid References	Centre Point: TQ 29893 82339 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1599 Statue of Mahatma Gandhi in 14/05/74 Tavistock Square Gardens GV II Statue of Mahatma Gandhi. c1968. By Fredda Brilliant, sculptor. Bronze figure in the lotus position on Portland stone base with frontal alcove. Inscribed "Mahatma Gandhi, 1869-1948". Listing NGR: TQ2989382339

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- Bma House Tavistock Square, London, WC1H 9LD

Monument/Component Types

- COMMEMORATIVE MONUMENT (Modern - 1963 AD to 1973 AD)
- STATUE (Modern - 1963 AD to 1973 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478334 STATUE OF MAHATMA GANDHI IN TAVISTOCK SQUARE GARDENS	CAMDEN TQ2982SE TAVISTOCK SQUARE 798-1/94/1599 Statue of Mahatma Gandhi in 14/05/74 Tavistock Square Gardens GV II Statue of Mahatma Gandhi. c1968. By Fredda Brilliant, sculptor. Bronze figure in the lotus position on Portland stone base with frontal alcove. Inscribed "Mahatma Gandhi, 1869-1948". Listing NGR: TQ2989382339

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81625
Monument Type	Listed Building
Preferred Ref.	MLO81625
Name	STATUE OF THE PRINCE CONSORT
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31403 81567 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	HOLBORN CIRCUS EC1 1. 5002 Statue of the Prince Consort TQ 3181 NW 1/4 5.6.72. II 2. 1874, by Charles Bacon. Bronze equestrian statue on granite base with 2 seated figures and 2 plaques in bronze. Listing NGR: TQ3140381567

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF LONDON

Address**Monument/Component Types**

- STATUE (19th Century - 1874 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	199515 STATUE OF THE PRINCE CONSORT	HOLBORN CIRCUS EC1 1. 5002 Statue of the Prince Consort TQ 3181 NW 1/4 5.6.72. II 2. 1874, by Charles Bacon. Bronze equestrian statue on granite base with 2 seated figures and 2 plaques in bronze. Listing NGR: TQ3140381567

Other Statutes and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80626
Monument Type	Listed Building
Preferred Ref.	MLO80626
Name	STATUE OF THOMAS CORAM OUTSIDE NUMBER 40 BRUNSWICK SQUARE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30420 82363 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SW BRUNSWICK SQUARE 798-1/95/122 (North side) 14/05/74 Statue of Thomas Coram outside No.40 Brunswick Square GV II Statue of Thomas Coram. 1963. By William Macmillan. Seated bronze figure with scroll in right hand on granite base inscribed "Thomas Coram 1668-1751. Pioneer in the cause of child welfare". Listing NGR: TQ3042082363

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- The Foundling Museum 40 Brunswick Square, London, WC1N 1AU

Monument/Component Types

- COMMEMORATIVE MONUMENT (Modern - 1963 AD)
- STATUE (Modern - 1963 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	476763 STATUE OF THOMAS CORAM OUTSIDE NUMBER 40 BRUNSWICK SQUARE	CAMDEN TQ3082SW BRUNSWICK SQUARE 798-1/95/122 (North side) 14/05/74 Statue of Thomas Coram outside No.40 Brunswick Square GV II Statue of Thomas Coram. 1963. By William Macmillan. Seated bronze figure with scroll in right hand on granite base inscribed "Thomas Coram 1668-1751. Pioneer in the cause of child welfare". Listing NGR: TQ3042082363

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO97643
Monument Type	Listed Building
Preferred Ref.	MLO97643
Name	STATUE OF W E GLADSTONE ON ISLAND IN ROAD
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30933 81022 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	TQ 3081 SE CITY OF WESTMINSTER STRAND, WC2 60/22 Statue of W E Gladstone 24.2.58 on Island in road G.V. II Statue. 1905 by Hamo Thornycroft. Bronze statue, in Chancellor's robes, of the Prime Minister, with bronze allegorical figures grouped round circular Portland stone pedestal on plinth. Listing NGR: TQ3093381022

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CITY OF WESTMINSTER

Address

- 355 Strand, London, WC2R 0HS

Monument/Component Types

- STATUE (Modern - 1905 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	428231 STATUE OF W E GLADSTONE ON ISLAND IN ROAD	TQ 3081 SE CITY OF WESTMINSTER STRAND, WC2 60/22 Statue of W E Gladstone 24.2.58 on Island in road G.V. II Statue. 1905 by Hamo Thornycroft. Bronze statue, in Chancellor's robes, of the Prime Minister, with bronze allegorical figures grouped round circular Portland stone pedestal on plinth. Listing NGR: TQ3093381022

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID MLO80016
Monument Type Listed Building
Preferred Ref. MLO80016
Name STONE GATEWAY IN GROUNDS OF UNIVERSITY COLLEGE BEHIND NUMBER 17 GORDON SQUARE
Map Sheet TQ28SE
Grid References Centre Point: TQ 29682 82216 (point)
Summary Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ2982SE GOWER STREET 798-1/94/613 (East side) Stone gateway in grounds of University College behind No.17 Gordon Square GV II Stone gateway set in screen wall to 1932 extensions facing rear of No.17 Gordon Square (qv). Dated 1668 on base of the piers and 1669 on impost. Channelled stone round-headed archway with stone cornice. Foliated impost blocks giving appearance of capitals. Weathered cartouche on keystone. Plaque on wall to rear says it was formerly the entrance to Pewterers' Hall, Lime Street, EC1, and installed here in November 1932. Listing NGR: TQ2968282216

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address

- 17 Gordon Square, London, WC1H 0AG

Monument/Component Types

- GARDEN WALL (17th Century - 1668 AD)
- GATE PIER (17th Century - 1668 AD)
- GARDEN WALL (17th Century - 1669 AD)
- GATE PIER (17th Century - 1669 AD)
- GATE PIER (Modern - 1932 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477413 STONE GATEWAY IN GROUNDS OF UNIVERSITY COLLEGE BEHIND NUMBER 17 GORDON SQUARE	CAMDEN TQ2982SE GOWER STREET 798-1/94/613 (East side) Stone gateway in grounds of University College behind No.17 Gordon Square GV II Stone gateway set in screen wall to 1932 extensions facing rear of No.17 Gordon Square (qv). Dated 1668 on base of the piers and 1669 on impost. Channelled stone round-headed archway with stone cornice. Foliated impost blocks giving appearance of capitals. Weathered cartouche on keystone. Plaque on wall to rear says it was formerly the entrance to Pewterers' Hall, Lime Street, EC1, and installed here in November 1932. Listing NGR: TQ2968282216

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top](#) of page

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80463
Monument Type	Listed Building
Preferred Ref.	MLO80463
Name	SUMMIT HOUSE AND ATTACHED RAILINGS AND WALL
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30616 81665 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details

Description CAMDEN TQ3081NE RED LION SQUARE 798-1/101/1372 (South side) 06/07/81 Summit House and attached railings and wall GV II Office block. 1925. By Westwood and Emberton. For Austin Reed. Steel frame faced with deep yellow faience emphasising the grid-like construction. 6 storeys with 3 storey stair bay to left. 8 window bays plus stair bay. Return to Dane Street of 4 storeys 10 windows. Bays articulated by plain faience cladding strips rising to a plain blocking course. Recessed entrance with wood doors incorporating 2 carved panels from the original doors, which illustrated Austin Reed products - ties, collars, socks, waistcoats etc, by Percy Metcalfe. One incorporates the letter box with carved envelopes, the word "letters" and a lion, the other a date panel carved with a lion. Metal-framed windows with spandrel panels having geometric faience relief decoration. The 3-storey bay with slightly protruding black painted metal bay rising through the storeys with narrow vertically set windows. INTERIOR not inspected. SUBSIDIARY FEATURES: attached decorative iron railing of curved spikes on a stone wall surrounding the area. Listing NGR: TQ3061681665

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- BOUNDARY WALL (Modern - 1925 AD)
- COMMERCIAL OFFICE (Modern - 1925 AD)
- METAL FRAMED BUILDING (Modern - 1925 AD)
- RAILINGS (Modern - 1925 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477834 SUMMIT HOUSE AND ATTACHED RAILINGS AND WALL	CAMDEN TQ3081NE RED LION SQUARE 798-1/101/1372 (South side) 06/07/81 Summit House and attached railings and wall GV II Office block. 1925. By Westwood and Emberton. For Austin Reed. Steel frame faced with deep yellow faience emphasising the grid-like construction. 6 storeys with 3 storey stair bay to left. 8 window bays plus stair bay. Return to Dane Street of 4 storeys 10 windows. Bays articulated by plain faience cladding strips rising to a plain blocking course. Recessed entrance with wood doors incorporating 2 carved panels from the original doors, which illustrated Austin Reed products - ties, collars, socks, waistcoats etc, by Percy Metcalfe. One incorporates the letter box with carved envelopes, the word "letters" and a lion, the other a date panel carved with a lion. Metal-framed windows with spandrel panels having geometric faience relief decoration. The 3-storey bay with slightly protruding black painted metal bay rising through the storeys with narrow vertically set windows. INTERIOR not inspected. SUBSIDIARY FEATURES: attached decorative iron railing of curved spikes on a stone wall surrounding the area. Listing NGR: TQ3061681665

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO81437
Monument Type	Listed Building
Preferred Ref.	MLO81437
Name	SUN PUBLIC HOUSE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 30604 82043 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1009 (West side) 14/05/74 No.63 Sun Public House GV II Includes: Sun Public House ORMOND STREET. Public house. Early C18, refronted early C19. Contains cellars of early C18 building. Yellow stock brick with curved stucco corner treatment. 4 storeys and cellars. 2 windows and 3 window return to Great Ormond Street. Wooden ground floor public house frontage with pilasters carrying entablature with enriched architrave and projecting cornice. Entrance on corner with half glazed doors. Main entrance on Ormond Street with marble pilasters with bands, supporting a shaped top with keystone. Part-glazed doors. Gauged brick flat arches to recessed 2-pane sashes; 1st floor in round-arched shallow recesses linked by stucco impost bands. Stucco cornice and blocking course. INTERIOR: much altered but retains cast-iron column. CAMDEN TQ3082SE ORMOND STREET 798-1/96/1009 Sun Public House 14/05/74 GV II See under: No.63 Sun Public House LAMB'S CONDUIT STREET. Listing NGR: TQ3060482043

Sources

Number	Reference
--------	-----------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- PUBLIC HOUSE (17th Century to 18th Century - 1700 AD to 1732 AD)
- PUBLIC HOUSE (18th Century to 19th Century - 1800 AD to 1832 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	478642 SUN PUBLIC HOUSE	CAMDEN TQ3082SE LAMB'S CONDUIT STREET 798-1/96/1009 (West side) 14/05/74 No.63 Sun Public House GV II Includes: Sun Public House ORMOND STREET. Public house. Early C18, refronted early C19. Contains cellars of early C18 building. Yellow stock brick with curved stucco corner treatment. 4 storeys and cellars. 2 windows and 3 window return to Great Ormond Street. Wooden ground floor public house frontage with pilasters carrying entablature with enriched architrave and projecting cornice. Entrance on corner with half glazed doors. Main entrance on Ormond Street with marble pilasters with bands, supporting a shaped top with keystone. Part-glazed doors. Gauged brick flat arches to recessed 2-pane sashes; 1st floor in round-arched shallow recesses linked by stucco impost bands. Stucco cornice and blocking course. INTERIOR: much altered but retains cast-iron column. CAMDEN TQ3082SE ORMOND STREET 798-1/96/1009 Sun Public House 14/05/74 GV II See under: No.63 Sun Public House LAMB'S CONDUIT STREET. Listing NGR: TQ3060482043

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)**End of record**[Export generated by HBSMR from exeGesIS SDM](#)

Start of record

MonUID	MLO80785
Monument Type	Listed Building
Preferred Ref.	MLO80785
Name	SUNDIAL IN THE CENTRE OF GRAYS INN SQUARE
Map Sheet	TQ38SW
Grid References	Centre Point: TQ 31028 81780 (point)
Summary	Record created from imported Listed Buildings On-line dataset 11-Jan-2006; see linked Designation record for full details
Description	CAMDEN TQ3181NW GRAY'S INN 798-1/102/636 Sundial in the centre of Gray's Inn 14/05/74 Square GV II Sundial. C18. Stone, of baluster form with brass dial on stepped plinth. Plaque with inscription "Ex dono Master Sir Montagu Sharpe KC 1930". Originally in Gray's Inn Gardens. Listing NGR: TQ3102881780

Sources

Number	Reference
---------------	------------------

Location**Administrative Area**

- [Borough] CAMDEN

Address**Monument/Component Types**

- SUNDIAL (17th Century to 18th Century - 1700 AD to 1799 AD)
- PLAQUE (Modern - 1930 AD)

Find Types**Designations**

Type/Grade	Reference/Title	Description
Listed Building (II)	477461 SUNDIAL IN THE CENTRE OF GRAYS INN SQUARE	CAMDEN TQ3181NW GRAY'S INN 798-1/102/636 Sundial in the centre of Gray's Inn 14/05/74 Square GV II Sundial. C18. Stone, of baluster form with brass dial on stepped plinth. Plaque with inscription "Ex dono Master Sir Montagu Sharpe KC 1930". Originally in Gray's Inn Gardens. Listing NGR: TQ3102881780

Other Statuses and References

Type/Grade	Reference/Title
SHINE Candidate (Unlikely)	

Associated Activities/Events

Event ID	Name/Ref	Brief Description (click Event ID for details)
Not Applicable	No Associated Event	

Return to [Top of page](#)

End of record

[Export generated by HBSMR from exeGesIS SDM](#)
