



THIS DRAWING MUST NOT BE REPRODUCED WITHOUT PRIOR CONSENT.  
DO NOT SCALE FROM THIS DRAWING.  
THIS DRAWING IS COPYRIGHT. ©

#### GENERAL NOTES

1. REFER TO STRUCTURAL ENGINEERS BASEMENT LEVEL DRAWING FOR STRUCTURAL DETAILS
2. MANHOLE TO BE COMPLETE WITH ADJUSTABLE TOP COVERS
3. INVERT LEVELS TO BE 1:80 UNLESS STATED OTHERWISE. CONTRACTOR TO FULLY SURVEY DRAINAGE FOR EXISTING INVERT LEVELS
4. INTERNAL MANHOLES TO BE HOWE GREENE DOUBLE SEALED COVERS
5. MOVEMENT JOINTS TO BE INSTALLED ON SVP POP-UPS THROUGH STRUCTURAL SLABS
6. ALL DRAINAGE TO BE CAST IRON TIMESAVER

#### LEGEND

- H/L ABOVE CEILING VOID
- H/L BELOW CEILING
- L/L ABOVE GROUND
- L/L BELOW GROUND
- EXISTING DRAINAGE
- NEW DRAINAGE
- G GULLY

#### STAGE 4

B	AUG.21	COMMENTS INCORPORATED
A	APR.21	REVISED TO SUIT UPDATED BACKGROUNDS
0	JUN.19	STAGE 4 ISSUE
Rev	Date	Description

**TPS.**

Taylor Project Services LLP

No.1 Cornhill  
London EC3V 3ND  
Tel 020 7743 6602  
www.taylorprojectservices.com

Client:



Project

30 PERCY STREET  
LONDON

Drawing Title

UNDERGROUND DRAINAGE  
SERVICES LAYOUT

Scale 1:50@A1

Date 17.01.18

Drawn T.S.

Checked M.G.

Drawing Status

STAGE 4

Revision 0 A B

Drawing No.

TPS/30PS/B/PH/UG

NO SERVICES SHALL BE RUN ON SURFACE/EXPOSED AND  
MINI TRUNKING SHALL NOT BE INSTALLED IN ANY ROOM.

ALL SERVICES RUNS TO BE REVIEWED ON SITE FOLLOWING  
STRIP OUT AND OPENING UP.

NEW SERVICE ROUTES TO BE INSTALLED WITHIN EXISTING  
BUILDERS WORK & UTILISED WHEREVER POSSIBLE.

