

Reference	Illustration	Description	Manufacturer	Dimensions	
	Distribution Equipment				
Panelboard		MCCB Panelboard	MEM Eaton	470mm x 484mm	
Distribution Board	Services Ser	Distribution Board Split Metered DB	MEM Eaton	-	
Data Cabinet		Data Cabinet	-	-	
		Fire Alarm		:	
Fire Alarm Smoke		Optical smoke detector and sounder base. Finished in white.	Apollo XP95	-	
Fire Alarm Heat		Heat detector. Finished in white.	: Apollo XP95	-	
Fire Alarm Combined Base		Combined fire alarm sounder and beacon base isolator.	Apollo XP95	-	



Reference	Illustration	Description	Manufacturer	Dimensions
Fire Alarm Sounder Base		Combined fire alarm sounder base.	Apollo XP95	-
Fire Alarm Manual Call Point	(h) 	Manual call point	Apollo XP95	-
Fire Alarm IP rated Manual Call Point	18 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Waterproof manual call point	Apollo XP95	-
Fire Alarm Panel		Recessed fire alarm panel - Apollo Protocol, 16 Zones and 2 Loop (Bespoke to suit existing apeture)	: Kentec	Subject to Site Survey
		Front of House Accessories (Visible)		
Front of House Socket Outlet		:  Recessed double switched socket outlet. All finishes to Architects specification - Matt Black.	Focus SB True Edge	Length: 86mm Width: 146mm
Front of House Euro Module		Recessed 2 gang euro module complete with 2No. RJ45 modules. All finishes to Architects specification - Matt Black.	Focus SB True Edge	Length: 86mm Width: 86mm
Front of House FCU		Recessed fused connection unit. All finishes to Architects specification - Matt Black.	Focus SB True Edge	Length: 86mm Width: 86mm



Reference	Illustration	Description	Manufacturer	Dimensions
Front of House Fan Isolator	A Section NO.	: Recessed fan isolator. All finishes to Architects specification - Matt Black.	Focus SB True Edge	Length: 86mm Width: 86mm
Front of House Single Gang Switch		Single Gang Light Switch. All finishes to Architects specification - Matt Black.	Focus SB True Edge	Length: 86mm Width: 86mm
		Back of House Accessories - Plant Rooms / Voids		
Back of House Socket Outlet		: Surface mounted metal clad double switched socket outlet.	MK Electric (Metal Clad Plus)	Length: 86mm Width: 146mm
Back of House FCU		Surface mounted metal clad switched fused connection unit complete with neon indicator	MK Electric (Metal Clad Plus)	Length: 86mm Width: 86mm
Back of House Isolator		: Surface mounted IP65 rated rotary isolator	Craig & Dericott	Length: 112mm Width: 92mm
Back of House Single Gang Light Switch		Surface mounted metal-clad light switch.	MK Electric (Metal Clad Plus)	Length: 86mm Width: 86mm
	-	Floor Boxes / Trunking		ı



Reference	Illustration	Description	Manufacturer	Dimensions
Floor Box		:  Cableduct Minima 4 compartment floor box to be installed flush. Finished in brushed stainless steel and lid to be recessed to accept floor finish.	Cableduct Ltd	Length: 407mm Width: 250mm Depth: 85mm
Trunking		SIGNO BA Aluminium Trunking	Rehau	-
Floor Trunking		: Steel galvanised 3 compartment floor trunking.	: Cable Duct	-
		Front of House Accessories (Behind Kitchen Appliances)		
Unswitched Socket Outlet		: Unswitched Socket Outlet	: MK Electric (Logic)	Length: 86mm Width: 86mm
Fused Connection Unit		: Fused Connection Unit	: MK Electric (Logic)	Length: 86mm Width: 86mm
Lighting Control				
Presence Detector / Absence Detector	7	Recessed presence detector for automatic on / off control of lighting.	Lutron Homeworks	Diameter: 66mm



Reference	Illustration	Description	Manufacturer	Dimensions
Switchplates		Scene Setting Switchplate Various Settings to account for 1 gang, 2 gang or 3 gang. Matt Black finish	Lutron Homeworks QS Lutron Seetouch	Length: 86mm Width: 86mm