

Application ref: 2017/1910/P
Contact: Patrick Marfleet
Tel: 020 7974 1222
Email: Patrick.Marfleet@camden.gov.uk
Date: 11 October 2021

Development Management
Regeneration and Planning
London Borough of Camden
Town Hall
Judd Street
London
WC1H 9JE

Phone: 020 7974 4444

planning@camden.gov.uk

www.camden.gov.uk/planning

Nicholas Taylor & Associates
31 Windmill Street
London
W1T 2JN

Dear Sir/Madam

DECISION

Town and Country Planning Act 1990 (as amended)

Full Planning Permission Granted Subject to a Section 106 Legal Agreement

Address:

**Garages 1 - 16 Canfield Place
London
NW6 3BT**

Proposal:

Demolition of 16 single storey garages (Sui Generis) and redevelopment of the site to provide 8 mews type residential dwellings (C3) comprising 3 x two storey properties and 5 x three storey properties with associated roof terraces.

Drawing Nos: DR204400 0600 D05, DR204400 0101 D05, DR204400 0102 D05, DR204400 0103 D05, DR204400 0400 D05, DR204400 0401 D05, DR204400 0420 D01, DR204400 0421 D01, DR204400 1400 D01, 2044_CANFIELD PLACE - INTERNAL PERSPECTIVES, DR204400 0100 D08.

CZWG Architects Design and Access Statement August 2017, Design and Access Statement Addendum April 2020, WSP Energy Statement February 2017, WSP Acoustic Planning Report March 2017, WSP Transport Statement March 2017, WSP Overheating Assessment March 2017, GVA Internal Daylight and Sunlight Report March 2017, Construction Management Plan AIA Consulting Ltd, WSP Air Quality Report March 2017, NTA Planning Statement March 2017, GVA Daylight Sunlight Report March 2017.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 The development hereby permitted shall be carried out in accordance with the following approved plans: DR204400 0600 D05, DR204400 0101 D05, DR204400 0102 D05, DR204400 0103 D05, DR204400 0400 D05, DR204400 0401 D05, DR204400 0420 D01, DR204400 0421 D01, DR204400 1400 D01, 2044_CANFIELD PLACE - INTERNAL PERSPECTIVES, DR204400 0100 D08.

CZWG Architects Design and Access Statement August 2017, Design and Access Statement Addendum April 2020, WSP Energy Statement February 2017, WSP Acoustic Planning Report March 2017, WSP Transport Statement March 2017, WSP Overheating Assessment March 2017, GVA Internal Daylight and Sunlight Report March 2017, Construction Management Plan AIA Consulting Ltd, WSP Air Quality Report March 2017, NTA Planning Statement March 2017, GVA Daylight Sunlight Report March 2017.

Reason: For the avoidance of doubt and in the interest of proper planning.

- 3 Before the relevant part of the work is begun, detailed drawings, or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the local planning authority:

- a) Details including sections at 1:10 of all windows (including jambs, head and cill), ventilation grills, external doors and gates;

- b) Samples and manufacturer's details at a scale of 1:10, of all facing materials including windows and door frames and glazing, with a full scale sample panel of the granite cladding and bronze cladding panels, and glazing elements of no less than 1m by 1m demonstrating the proposed colour and texture and including junction between panels and junction with window opening.

The relevant part of the works shall be carried out in accordance with the details thus approved and all approved samples shall be retained on site during the course of the works.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy D1 of the London Borough of Camden Local Plan 2017.

- 4 Details of the glazed screens to be installed on the roof terraces, including samples and details drawings shall be submitted to and approved in writing by the local planning authority, prior to occupation of the hereby approved dwelling and shall be permanently retained in accordance with the approved details.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy D1 the Camden Local Plan 2017.

- 5 No lights, meter boxes, flues, vents or pipes, and no telecommunications equipment, alarm boxes, television aerials, satellite dishes or rooftop 'mansafe' rails shall be fixed or installed on the external face of the buildings.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of D1 of the London Borough of Camden Local Plan 2017.

- 6 No development shall commence until:
 - (a) a written Preliminary Risk Assessment (PRA) and scheme of investigation has been submitted to and approved by the local planning authority in writing; the PRA must take account of the historical and environmental context of the site and can be based on a desk study or the Enhanced Environmental Information Review detailed below; and
 - (b) following the approval detailed in paragraph (a), a written scheme of remediation measures has been submitted to and approved by the local planning authority in writing.

The remediation measures shall be implemented strictly in accordance with the approved scheme and a written report detailing the remediation shall be submitted to and approved by the local planning authority in writing prior to occupation.

Reason: To protect future occupiers of the development from the possible presence of ground contamination arising in connection with the previous industrial/storage use of the site in accordance with policies G1, D1, A1, and DM1 of the London Borough of Camden Local Plan 2017.

- 7 Prior to commencement of development , full details in respect of the living roof in the area indicated on the approved roof plan shall be submitted to and approved by the local planning authority. The details shall include:
 - i. a detailed scheme of maintenance
 - ii. sections at a scale of 1:20 with manufacturers details demonstrating the construction and materials used and showing a variation of substrate depth with peaks and troughs
 - iii. full details of planting species and density

The living roofs shall be fully provided in accordance with the approved details prior to first occupation and thereafter retained and maintained in accordance with the approved scheme.

Reason: In order to ensure the development undertakes reasonable measures to take account of biodiversity and the water environment in accordance with policies G1, CC1, CC2, CC3, CC4, D1 and A3 of the London Borough of Camden Local Plan 2017.

- 8 Prior to commencement of any development above ground level other than site clearance & preparation details of the feasibility of rainwater recycling proposals should be submitted to the local planning authority and approved in writing. The development shall thereafter be constructed in accordance with the approved details.

Reason: To ensure the development provides adequate on-site renewable energy facilities in accordance with the requirements of policies CC1, CC2 and CC3 of the Camden Local Plan 2017.

- 9 Prior to commencement of any development above ground level other than site clearance & preparation details of the feasibility of rainwater recycling proposals should be submitted to the local planning authority and approved in writing. The development shall thereafter be constructed in accordance with the approved details.

Reason: To ensure the development provides adequate on-site renewable energy facilities in accordance with the requirements of policies CC1, CC2 and CC3 of the Camden Local Plan 2017.

- 10 Prior to the relevant stage of construction, detailed plans showing the location and extent of photovoltaic cells to be installed on the building shall have been submitted to and approved by the Local Planning Authority in writing. The measures shall include the installation of a meter to monitor the energy output from the approved renewable energy systems. The cells shall be installed in full accordance with the details approved by the Local Planning Authority and permanently retained and maintained thereafter.

Reason: To ensure the development provides adequate on-site renewable energy facilities in accordance with the requirements of policies CC1 and CC2 of the Camden Local Plan 2017.

- 11 The development hereby approved shall achieve a maximum internal water use of 110litres/person/day. The dwelling/s shall not be occupied until the Building Regulation optional requirement has been complied with.

Reason: To ensure the development contributes to minimising the need for further water infrastructure in an area of water stress in accordance with Policies CC1, CC2, CC3 of the London Borough of Camden Local Plan 2017.

- 12 Prior to commencement of development details of a sustainable urban drainage system shall be submitted to and approved in writing by the local planning authority. Such system shall be based on a 1:100 year event with 30% provision for climate change demonstrating 50% attenuation of all runoff. The system shall be implemented as part of the development and thereafter retained and maintained.

Reason: To reduce the rate of surface water run-off from the buildings and limit the impact on the storm-water drainage system in accordance with Policies CC1, CC2, CC3 of the London Borough of Camden Local Plan 2017.

- 13 All non-Road mobile Machinery (any mobile machine, item of transportable

industrial equipment, or vehicle - with or without bodywork) of net power between 37kW and 560kW used on the site for the entirety of the demolition and construction phase of the development hereby approved shall be required to meet Stage IIIB of EU Directive 97/68/EC. The site shall be registered on the NRMM register for the demolition and/construction phase of the development.

Reason: To safeguard the amenities of the adjoining occupiers, the area generally and contribution of developments to the air quality of the borough in accordance with the requirements of policies G1, A1, CC1 and CC4 of the London Borough of Camden Local Plan 2017.

- 14 Prior to commencement of any impact piling, a piling method statement shall be submitted to and approved in writing by the local planning authority. The Method Statement shall be prepared in consultation with Thames Water or the relevant statutory undertaker, and shall detail the depth and type of piling to be undertaken and the methodology by which such piling will be carried out including measures to prevent and minimise the potential for damage to subsurface water infrastructure, and the programme for the works. Any piling must be undertaken in accordance with the terms of the approved piling method statement.

Reason: To safeguard existing below ground public utility infrastructure and controlled waters in accordance with the requirements of Policy CC3 of the London Borough of Camden Local Plan 2017.

- 15 The cycle storage space as show on plan No.240-400 rev P shall provide a minimum of 2 cycle stands per dwelling. The facility shall be provided in its entirety prior to the first occupation of any of the new units, and permanently retained thereafter.

Reason: To ensure the development provides adequate cycle parking facilities in accordance with the requirements of policy T1 of the Camden Local Plan 2017.

Informative(s):

- 1 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts that cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (tel: 020-7974 6941).
- 2 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Noise and Licensing Enforcement Team, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (Tel. No. 020 7974 4444 or search for 'environmental health' on the Camden website or seek prior approval under Section 61 of the

Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.

- 3 The Mayor of London introduced a Community Infrastructure Levy (CIL) to help pay for Crossrail on 1st April 2012. Any permission granted after this time which adds more than 100sqm of new floorspace or a new dwelling will need to pay this CIL. It will be collected by Camden on behalf of the Mayor of London. Camden will be sending out liability notices setting out how much CIL will need to be paid if an affected planning application is implemented and who will be liable.

The proposed charge in Camden will be £50 per sqm on all uses except affordable housing, education, healthcare, and development by charities for their charitable purposes. You will be expected to advise us when planning permissions are implemented. Please use the forms at the link below to advise who will be paying the CIL and when the development is to commence. You can also access forms to allow you to provide us with more information which can be taken into account in your CIL calculation and to apply for relief from CIL.

<http://www.planningportal.gov.uk/planning/applications/howtoapply/whattosubmit/cil>

We will then issue a CIL demand notice setting out what monies needs to paid when and how to pay. Failure to notify Camden of the commencement of development will result in a surcharge of £2500 or 20% being added to the CIL payment. Other surcharges may also apply for failure to assume liability and late payment. Payments will also be subject to indexation in line with the construction costs index.

Please send CIL related documents or correspondence to
CIL@Camden.gov.uk

- 4 This approval does not authorise the use of the public highway. Any requirement to use the public highway, such as for hoardings, temporary road closures and suspension of parking bays, will be subject to approval of relevant licence from the Council's Streetworks Authorisations & Compliance Team London Borough of Camden 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No 020 7974 4444) . Licences and authorisations need to be sought in advance of proposed works. Where development is subject to a Construction Management Plan (through a requirement in a S106 agreement), no licence or authorisation will be granted until the Construction Management Plan is approved by the Council.
- 5 All works should be conducted in accordance with the Camden Minimum Requirements - a copy is available on the Council's website at <https://beta.camden.gov.uk/documents/20142/1269042/Camden+Minimum+Requirements+%281%29.pdf/bb2cd0a2-88b1-aa6d-61f9-525ca0f71319> or contact the Council's Noise and Licensing Enforcement Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No. 020 7974 4444)

Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You must secure the approval of the Council's Noise and Licensing Enforcement Team prior to undertaking such activities outside these hours.

- 6 You are reminded that this decision only grants permission for permanent residential accommodation (Class C3). Any alternative use of the residential units for temporary accommodation, i.e. for periods of more than 90 days for tourist or short term lets etc, would constitute a material change of use and would require a further grant of planning permission.
- 7 Your attention is drawn to the fact that there is a separate legal agreement with the Council which relates to the development for which this permission is granted. Information/drawings relating to the discharge of matters covered by the Heads of Terms of the legal agreement should be marked for the attention of the Planning Obligations Officer, Sites Team, Camden Town Hall, Argyle Street, WC1H 8EQ.
- 8 The correct street number or number and name must be displayed permanently on the premises in accordance with regulations made under Section 12 of the London Building (Amendments) Act 1939.
- 9 You are advised the developer and appointed / potential contractors should take the Council's guidance on Construction Management Plans (CMP) into consideration prior to finalising work programmes and must submit the plan using the Council's CMP pro-forma; this is available on the Council's website at <https://beta.camden.gov.uk/web/guest/construction-management-plans> or contact the Council's Planning Obligations Team, 5 Pancras Square c/o Town Hall, Judd Street London WC1H 9JE (Tel. No. 020 7974 4444). No development works can start on site until the CMP obligation has been discharged by the Council and failure to supply the relevant information may mean the council cannot accept the submission as valid, causing delays to scheme implementation. Sufficient time should be afforded in work plans to allow for public liaison, revisions of CMPs and approval by the Council.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraph 38 of the National Planning Policy Framework 2021.

You can find advice about your rights of appeal at:

<http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent>

Yours faithfully

A handwritten signature in black ink, appearing to read 'DPope', is positioned in the upper left corner of the page.

Daniel Pope
Chief Planning Officer