


JOINERY DETAIL SHEET

1 x 1 Complete New Cord Hung Triple Box Sash Window (SW50)

Customer	Volpe	Job No	T1303	Item No	1	Sheet	1 of 1
----------	--------------	--------	--------------	---------	----------	-------	---------------



Sectional Details

Jamb Type	Hollow Box for Sash
Outer Head	150 x 150 mm
Outer Jamb	150 x 100 mm
Mullion (Outer Jamb)	150 x 80 mm
Cill	150 x 45 mm WB groove
Sash Head	54 mm
Sash Stile	54 mm
Sash Btm Rail (ext)	82 mm Stepped
Sash Midrail	35 mm
Sash Thickness	50 mm
Top Sash Horn	Horn 10 75 mm
Btm Sash Horn	No horn

Location

First Floor Front Bedroom 1

Material	Meranti sashes, Meranti frame, Meranti cill	Quantity	1 of shown on drawing
----------	--------------------------------------------------------	----------	---------------------------------

Ironmongery
 2 x Mighton Locking HOOK Fastener - Polished Brass (B)
 2 x Mighton Ring Pull - Polished Brass (B)
 4 x Mighton Round Sash Pulley for Cord - Polished Brass (B)
 2 x Mighton Sash Lift - Polished Brass (B)

Glazing - HERITAGE UNITS

	Internal Pane	Spacer	External Pane
Top	4mm Low E (4LE)	8mm	4mm Float (4)
Btm	4mm Low E (4LE)	8mm	4mm Float (4)
Qwood	Acrylic, White Spacer	Argon Filled	

Paint Finish

Internal	RAL 9016 White
External	RAL 9016 White

Production Notes
 Venetian Sash with cords on outside.
 150 sash box head.
 80mm mullions.

Installation Notes
 Installed: Internally
 Installation Level: Premium Service
 Cut box to gain access (time has been added to allow for this).
 Plaster in angled reveals. Use quadrant at sides and head (if required).
 Cut ceiling to allow box to fit.


35 | 15



Job Tracking		Fire Escape	This item is fire escape
Order received: 28-06-2021	Print date: 29-09-2021	Internal Hazard:	Wooden Floors
Sold by: Joel Rosenthal	Last modified by: Sam Mitchell	Hazard Below:	Main Entrance
Surveyed by: Pat Short	Last modified date: 29-09-2021	Cable Alarm:	Sashed to Re-position, Customer to Sign Disclaimer

JOINERY DETAIL SHEET

1 x 1 Complete New Cord Hung Single Box Sash Window (SW50)

Customer Volpe	Job No T1303	Item No 2	Sheet 1 of 1
--------------------------	------------------------	---------------------	------------------------



Sectional Details	
Jamb Type	Hollow Box for Sash
Outer Head	150 x 100 mm
Outer Jamb	150 x 100 mm
Cill	150 x 45 mm WB groove
	
Sash Head	54 mm
Sash Stile	54 mm
Sash Btm Rail (ext)	82 mm Stepped
Sash Midrail	35 mm
Sash Thickness	50 mm
Top Sash Horn	Horn 10 75 mm
Btm Sash Horn	No horn
	
Glazing Bar	26 mm
Profile	Ovolo
Glazing Rebate	15 x 35 mm

Location First Floor Front Kitchen

Material Meranti sashes, Meranti frame, Meranti cill	Quantity 1 of shown on drawing
--------------------------------------------------------------------	---------------------------------------------

Ironmongery
 2 x Mighton Locking FITCH Fastener - Polished Brass (B)
 2 x Mighton Ring Pull - Polished Brass (B)
 4 x Mighton Round Sash Pulley for Cord - Polished Brass (B)
 2 x Mighton Sash Lift - Polished Brass (B)

Glazing - HERITAGE UNITS			
	Internal Pane	Spacer	External Pane
Top	4mm Low E (4LE)	8mm	4mm Float (4)
Btm	4mm Toughened Low E (4ESG.LE)	8mm	4mm Float (4)
Putty Line Bead		Acrylic, White Spacer	Argon Filled

Paint Finish	
Internal	RAL 9016 White
External	RAL 9016 White

Production Notes
35 15


Installation Notes
Installed: Internally
Installation Level: Premium Service



Job Tracking
Order received: 28-06-2021
Sold by: Joel Rosenthal
Surveyed by: Pat Short
Print date: 29-09-2021
Last modified by: Sam Mitchell
Last modified date: 29-09-2021

JOINERY DETAIL SHEET

1 x 1 Complete New Cord Hung Single Box Sash Window (SW50)

Customer	Volpe	Job No	T1303	Item No	3	Sheet	1 of 1
----------	--------------	--------	--------------	---------	----------	-------	---------------



Sectional Details	
Jamb Type	Hollow Box for Sash
Outer Head	150 x 100 mm
Outer Jamb	150 x 100 mm
Cill	150 x 45 mm WB groove
	
Sash Head	54 mm
Sash Stile	54 mm
Sash Btm Rail (ext)	82 mm Stepped
Sash Midrail	35 mm
Sash Thickness	50 mm
Top Sash Horn	Horn 10 75 mm
Btm Sash Horn	No horn
	
Glazing Bar	26 mm
Profile	Ovolo
Glazing Rebate	15 x 35 mm

Location	First Floor Front Kitchen
----------	----------------------------------

Material	Meranti sashes, Meranti frame, Meranti cill	Quantity	1 of shown on drawing
----------	--------------------------------------------------------	----------	---------------------------------

Ironmongery
 2 x Mighton Locking FITCH Fastener - Polished Brass (B)
 2 x Mighton Ring Pull - Polished Brass (B)
 4 x Mighton Round Sash Pulley for Cord - Polished Brass (B)
 2 x Mighton Sash Lift - Polished Brass (B)

Glazing - HERITAGE UNITS			
	Internal Pane	Spacer	External Pane
Top	4mm Low E (4LE)	8mm	4mm Float (4)
Btm	4mm Toughened Low E (4ESG.LE)	8mm	4mm Float (4)
Putty Line Bead		Acrylic, White Spacer	Argon Filled

Paint Finish	
Internal	RAL 9016 White
External	RAL 9016 White

Production Notes
35 15

Installation Notes
Installed: Internally
Installation Level: Premium Service

Job Tracking	
Order received: 28-06-2021	Print date: 29-09-2021
Sold by: Joel Rosenthal	Last modified by: Sam Mitchell
Surveyed by: Pat Short	Last modified date: 29-09-2021