

New Granite seat to match existing; alignment to match WCEC grid

Two collapsible bollards to protect ramp

North West corner of BM site adjacent to junction of Malet Street and Montague Place. Proposed additional HVM measures.


New Granite bench to north of WCEC



View of existing elevation



Detail of existing bench. New bench is same design from the same supplier.



Level - 26.97

Level - 29.57

GP

Gates

Gate Stop

GP

Asphalt

Stone


Level - 26.97

Channel

Collapsible bollard placed in front of gate within BM site. Gap <1.2m for HVM compliance.

Detail at NW corner of BM near Malet street and Montague Place junction. Top of ramp to Old Contractors Entrance requires HVM protection.

Proposed Bollard for Front of Old Contractors entrance.



LARGE BLACK FOLD DOWN 900Y-110 POST, INTEGRAL LOCK & TOP EYELET (001-2240 K/A, 001-2250 K/D)

Manufacturer: [Ultra Secure](#)
Reference 001-2250

Bolt Down, Large Black Fold Down Steel Parking Post, supplied with a Top Mounted Eyelet (for use with chains) & an Integral Locking Mechanism

<https://www.ultrasecuredirect.com/parking-security-posts/posts-bollards-for-parking-security/fold-down-parking-posts-bollards/large-fold-down-stainless-steel-bollard-with-chain-eyelet-001-2880-p551.html>

Existing elevation of Old Contractors entrance.

