



Proposed Window:W2-01
Second Floor
Elevation



Proposed Window:W2-01
Second Floor
Section



Proposed Window:W2-01
Second Floor
Plan

General Notes for New Windows:

New window to replace the existing window which is aged and damaged beyond repair: Windows frames to be hardwood timber and painted to match existing. External grade paint application to be applied to all new windows. Contractor to provide sample finishes of both Spray and Brush finish applications for final approval by Kyson & Client. Finishes and profile to match existing. Use Slimlite 12mm double glazed units.

1. New window cills: Where new window openings are created, contractor to provide sample and template to be approved by Kyson before order and installation.

2. Ironmongery: Proposed to be in Bronze finish.

All windows and doors to have sensors linked to the building alarm system. It is recommended that the zoning of the alarm system is floor by floor.

3. All sash and casement windows external pane to be laminated and fitted with key operated locks.

General Notes:

Site dimensions to be taken by window sub-contractor prior to order and manufacturing process.

Toughened safety glass required where necessary to suit requirements of part K of Approved Document with specific accordance to Section 5 Diagram 5.1.

External new facade windows/Glazing = 1.6 W/m²K

(Note: Proposed U-values have been calculated upon the current guidelines in Building Regulation Part L1A 2010.

SCALE - 1:10

Rev: Comments: By: Date:

Do not scale this drawing All dimensions must be checked on site
All rights reserved. No reproduction in any material form is permitted
without consent.

PLANNING

Client:
Sarah Bard Sassoon

Project Title:
24 Heath Drive, London, NW3 7SB

Drawing Title:
Second Floor Replacement Window Details
Proposed Window Detail W2-01

Scale: Date: Drawn: Checked:
1:10@A1 Oct 21 KK RM

kyson

Studio

28 Scrutton Street
London
UK
EC2A 4RP

T: +44(0) 20 7247 2462
E: enquiries@kyson.co.uk
W: www.kyson.co.uk

Project No.: Drawing No.: Revision:
508-16 6112 -