Delegated Rep		port	Analysis shee	nalysis sheet		19/11/2021				
			N/A / attached		Consultation Expiry Date:					
Officer				Application Nu	umber(s)					
Nick Bell				2021/4943/T						
Application A	Address			Drawing Numbers						
39 Eton Aven London NW3 3EP	ue									
PO 3/4	Area Tea	m Signature	C&UD	Authorised Of	ficer Signature					
Proposal(s)										
REAR GARDEN; 1 x Horse Chestnut (T1) - Fell to ground level by sections.										
Recommendation(s):		Object to notification of intended works to tree(s) in a conservation area.								
Application Type:		Notification of Intended Works to Tree(s) in a Conservation Area								

Conditions or Reasons for Refusal:	Refer to Draft Decision Notice									
Informatives:										
Consultations										
Adjoining Occupiers:	No. notified	22	No. of responses	11	No. of objections	07				
			No. electronic	00						
Summary of consultation responses:										
CAAC/Local groups* comments: *Please Specify	 The Belsize Society submitted the following comment: For the Belsize Society: insufficient information has been provided to demonstrate that the tree is terminally decayed. 									

Assessment

The s.211 notification is for the removal of a horse chestnut tree from the rear garden of a residential block that is situated within the Belsize Park Conservation Area.

The large, mature horse chestnut tree is visible from the public realm from Eton Avenue and Merton Rise, and provides a high level of amenity to the public. The tree contributes to the verdant character and appearance of the conservation area. The tree forms part of a green corridor and provides screening between properties. The tree provides habitat potential and helps to combat climate change.

The application states that the main stem of the tree is decayed but no evidence or information relating to this has been included with the submission. The agent was contacted by email and phone numerous times but a response was not forthcoming.

The consultation responses are considered to demonstrate there this local support for the retention of the tree.

It is recommended that the council object to the proposed works and a tree preservation order be served to protect the amenity the tree provides and the character and appearance of the conservation area.