



	Key	
	Bauder Capping Sheet (For all Green Roof details use Bauder Roof Restraint Cap Sheet) Bauder Underlayer Bauder Insulation Bauder Air & Vapour Control Layer (Use Bauder Self Adhesive Vapour Control Layer on Combustible Substrates) Bauder Random Reinforced used on THINER SUBSTRATES PECKS ONLY Deck / Slab	
	IMPORTANT NOTE: This Drawing shows Alternative Options. For the Correct solution to be used, Refer to the Project Specific Specification.	
COMBUSTIBLE SUBSTRATES: The details contained within this drawing are deemed to be 'Safe to Torch' when using the Bauder Self-adhesive Vapour Control Layer subject to adequate Risk assessments.		
For Torch-Free Detailing see Drawing D000-0-00_200-001TF		
	IMPORTANT NOTES: This detail is suitable for the following Bauder Systems: Bauder Total Roof System, Bauder Total Green Roof System Bauderflex, Bauderflex Green Do not scale to accommodation dimensions. All dimensions to be checked and verified on site prior to commencement This drawing is to be read in conjunction with the specification and associated standards. This detail is a guideline only, representing typical detailing conditions and does not represent the full range of alternative systems. It may be necessary to modify this detail to suit specific project design constraints or conditions. Refer to the Bauder Specification for the product description and method of application. The performance of alterations has not been shown. Provision should be made by the installer for maximum height lifting the top insulation layer. Upstand details are designed for 250mm in height using appropriate fasteners.	
Rev	Description	DWG No
UK OFFICE Bauder Limited 70 Lansdown Road, Ipswich, Suffolk IP2 0BN, UK Tel: +44 (0)1473 257671 Fax: +44 (0)1473 256710 Email: technical@bauder.co.uk www.bauder.co.uk		IRELAND OFFICE Bauder Ireland O'Duffy Centre, Cross Lane, Carranmorena, Co. Monaghan, Ireland. Email: +353 (0)47 960 833 Fax: +353 (0)4 960 839 Email: technical@bauder.ie
BITUMINOUS TYPICAL DETAILS		
COLD ROOF (Upstands)		
Scale	Drawing Number	Rev
1:5	D000-0-00_100-001	