




Upstand
(Drg.No: D0901-00W_1-2Deg_201-Ext-XF301-SM_001)




Upstand to Vertical Cladding or Slates/Tiles
(Drg.No: D0901-00W_1-2Deg_201-Ext-XF301-SM_002)




Upstand to Pitched Roof
(Drg.No: D0901-00W_1-2Deg_001-Ext-XF301-SM_004)




Parapet Upstand
(Drg.No: D0901-00W_1-2Deg_203-Ext-XF301-SM_001)




AL40 Edge Retention / Drainage Trim Option To Upstands
This detail provides an alternative option where the vegetation barrier is undesirable. AL40 edge retention/drainage trim can be applied where the XF301 sedum vegetation blanket terminates.




Internal Gutter to Clerestory Window
(Drg.No: D0901-00W_1-2Deg_206-Ext-XF301-SM_003)




Perimeter Kerb
(Drg.No: D0901-00W_1-2Deg_002-Ext-XF301-SM_001)




External Gutter
(Drg.No: D0901-00W_1-2Deg_006-Ext-XF301-SM_005)




Detail to Mansard Roof
(Drg.No: D0901-00W_1-2Deg_006-Ext-XF301-SM_006)




Upstand - Soil Vent Pipe
(Drg.No: D0901-00W_1-2Deg_007-Ext-XF301-SM_001)




Bauder Outlet - Compact
(Drg.No: D0901-00W_1-2Deg_006-Ext-XF301-SM_001)




Upstand - Lead Chute
(Drg.No: D0901-00W_1-2Deg_206-Ext-XF301-SM_002)




Twin Kerb Expansion Joint
(Drg.No: D0901-00W_1-2Deg_204-Ext-XF301-SM_001)




Important note:
This drawing shows alternative details. For the correct solution to be used, refer to the project specific specifications.




Upstand to Hot Flue Or Cold Pipe
(Drg.No: D0901-00W_1-2Deg_007-Ext-XF301-SM_002)



Upstand to Bauder Rooflight - Euroglaze
(Drg.No: D0901-00W_1-2Deg_008-Ext-XF301-SM_001)



Latchways Constant Force Post
(Drg.No: D0901-00W_1-2Deg_009-Ext-XF301-SM_001)



Change In Level
(Drg.No: D0901-00W_1-2Deg_210-Ext-XF301-SM_001)

IMPORTANT NOTES:

- These details are suitable for use on the following Bauder Systems: Bauder Total Green Roof System BauderGreen Green.
- This Drawing Shows Alternative Options. For the Correct Solution to be Used, Refer to the Project Specific Specifications.
- Do not scale to ascertain dimensions.
- All dimensions to be checked and verified on site prior to commencement of work.
- This drawing is to be read in conjunction with the specification and associated drawings.
- This detail is a guideline only, representing typical detailing conditions and illustrates the correct application of the above Bauder System. It may be necessary to modify this detail to suit specific project design constraints and conditions.
- Refer to the Bauder Specification for the product description and method of application. For clarity the method of attachment has not been shown.
- Provision should be made by the installer for maintaining the top leading edge of all upstand details in excess of 250mm in height using appropriate fasteners.

Rev	Date	Description	Drawn By

BAUDER

UK OFFICE: Bauder Limited, 70 Lonslow Road, Ipswich, Suffolk IP1 0QR, England. Tel: +44 (0)1473 257671 Fax: +44 (0)1473 230761 Email: bsd@bauder.co.uk

IRELAND OFFICE: Bauder Limited, c/o Duffy Centre, Cross Lane, Carrigrohane, Co. Monaghan, Ireland. Tel: +353 (0)42 9692 333 Fax: +353 (0)42 9692 879 Email: ireland@bauder.ie

XF301 Sedum Blanket 1°-2° Slope

Drawing Number: D0901-00W_1-2Deg_200-Ext-XF301-SM_001

Scale: 1:5

Project: PCH

Checked: CK

Approved: NB

Issue: 1

Date: Aug 2017