




1. Planning - Roof Guarding Section - Level 04 Roof
1 : 10



3. Planning - Roof Guarding Section - Level 01
1 : 10



2. Planning - Roof Guarding Elevation - Level 04 Roof
1 : 10



4. BAL 05 Elevation
1 : 10

NOTES:

Roof guarding designed to comply with Industrial stairs and ladders guidance of BS EN ISO 14122-3:2016, replacing BS 5395-3:1985, AND Approved document Part K: 2013.

Minimum heights of 1100mm to top of guarding calculated from specific levels noted on drawing.

To be read in conjunction with roof safety and maintenance strategy (BRK-AHR-GS-RF-DR-A-65-001).

Structural Eng, to confirm existing parapet and roof guarding fixing requirements

Rev	Description	Date	Dr by	App by	
P05	(S3) Listed Building Application Submission	18.11.21	JH	GO	
P04	(S3) Listed Building Application update for client approval	16.11.21	JH	GO	
P03	(S3) Listed Building Application update for client approval	03.11.21	JH	GO	
P02	(P1) Planning Submission	22.09.2020	AM	GO	
P01	(S3) Pre planning application issue for client sign approval	21.07.2020	KW	HT	
original by	AS	date created	07/16/20	approved by	GO

AHR
AHR Architects Ltd
Vinity Building
Wine Street
Bristol
BS1 2BD
United Kingdom

T +44(0)117 9299146
E bristol@ahr.co.uk
www.ahr.co.uk

client name	Birkbeck University of London		
project	Gordon Square, London		
drawing	Planning - Roof guarding types		
computer file	C:\Rev\Projects\BRK-AHR-GS-RF-DR-A-Central_Jonathan.Hornd	plot date	
project number	2019.00916.000	scale	As indicated@A1
drawing number	BRK-AHR-GS-RF-DR-A-27-552	rev	P05
		issue status	P1

This drawing is to be read in conjunction with all related drawings. All dimensions must be checked and verified on site before commencing any work or producing shop drawings. The originator should be notified immediately of any discrepancy. This drawing is copyright and remains the property of AHR.