

| Application No: | Consultees Name: | Received: | Comment: | Response: |
|-----------------|------------------|---------------------|----------|---|
| 2021/5869/P | Margaret Shanks | 21/12/2021 18:05:41 | OBJ | <p>Re: Application Number2021/5869/P http://camdocs.camden.gov.uk/HPRMWebDrawer/Record/9356159/file/doc states PROPOSED BASE STATION INSTALLATION AT LAND AT FORTRESS WALK, KENTISH TOWN, LONDON NW5 1NT</p> <p>¿Fortress¿ Walk does not exist. However, the Applicant uses ¿Fortress Walk¿ throughout its documents and states at http://camdocs.camden.gov.uk/HPRMWebDrawer/Record/9356160/file/document?inline Confirmation that submitted drawings have been checked for accuracy.</p> <p>However, http://camdocs.camden.gov.uk/HPRMWebDrawer/Record/9356157/file/document?inline clearly shows ¿FORTESS WALK¿.</p> <p>This is at variance with the Planning Applications in Kentish Town - Open Data Camden which states: ¿Installation of microcell pole 6m in height with 2 microcell antennas at the junction of Flask Walk with Highgate Road¿.</p> <p>In Kentish Town, no junction between Flask Walk and Highgate Road exists!</p> <p>If the Applicant, Cornerstone, fails to get its facts right, it is difficult to understand how they are acceptable to Camden¿s planning officer and, therefore, how the general public can agree to Cornerstone¿s application.</p> |
