



DOOR TYPE 8
DOUBLE SWING DOORSET FOR BUILDING (IOE)
TO BUILDING (IALS) EMERGENCY ESCAPE

- D04.EN01
- D05.EN01
- D06.49
- D07.52
- D08.51
- D09.45

IALS DOOR UPGRADES SCOPE OF WORKS (LEVELS 4 TO 9)

- SPECIALIST CONTRACTOR TO COMPLETE REMOVAL OF ASBESTOS PRIOR TO ANY WORKS.
- KEEP AND WELD SECURE FIRE SHUTTER ANR RETAIN (LISTED CONSENT? - TBC) OR REMOVE METAL FIRE SHUTTER INCLUSIVE OF TRACKS. POSSIBLE USE OF EXISTING TRACK FOR CONDUIT TO SERVE ACCESS CONTROL - TBC.
- REMOVE DOOR AND FRAME.
- RETAIN EXISTING FLOOR SPRINGS.
- EXISTING UCL DOORSET TO BE REPLACED WITH NEW MIN. FD60S DOORSET INCLUSIVE OF FR60 IRONMONGERY, INTUMESCENT FIRE AND SMOKE BRUSH SEALS. DOORS TO SWING IN BOTH DIRECTIONS.
- INSTALL NEW GREEN BOX BREAK GLASS AND ACCESS CONTROL BOTH SIDES (NOTE: LEVELS 6 AND 7 BOTH SIDES TO INCLUDE LOBBY).
- ASSA ABLOY - 351U80 TO BE INSTALLED IN EACH LEAF.
- NEW DOOR TO BE A LAMINATE FINISH. IOE SIDE COLOUR GRAPHITE (F7837). IALS SIDE COLOUR BLUE (ABET LAMINATI - 850 BLEU RADA SEI). SUBMIT SAMPLES / OPTIONS FOR APPROVAL.

FOR FURTHER INFORMATION REFER TO IALS DOOR WORKS SCHEDULE AND FLOOR PLANS.

TYPICAL DOOR SECTION -
CARD ACCESS AND GREEN BOX BREAK
GLASS SETTING OUT LOCATION

RECORD / AS BUILT ISSUE

Rev	Description	Date



Job title
 University College London
 Institute of Education
 Phase 2
 20 Bedford Way, WC1H 0AL

Drawing title
 IALS Doors
 Enabling Works
 Typical Door Elevation and Setting Out

Scale	Date	Drawn
1:10 @A1	Jan 21	PH

ARCHITON LLP
 CHARTERED ARCHITECTS · DESIGN ·
 PLANNING CONSULTANTS · DEVELOPMENT ·
 BUILDING COST MANAGEMENT
 REGENCY HOUSE 17 WEST STREET EPSOM KT18 7RL
 TEL:01372 745600 FAX:01372 745016 Email:info@architon.com

Drawing No 3147 - 007	ARCHITON LLP certified to: BS EN ISO 9001 BS EN ISO 14001 IP Accreditation
--------------------------	--

