

Waste Classification Report



NQS43-2VU2L-LFQJZ

Job name

C1101-4 to 5

Description/Comments

Project

C1101

Site

Brill Place

Related Documents

#	Name	Description
1	C1101-4 to 5 Air Dried and Asbestos Analysis 20-47233-1.pdf	i2 Analytical Air Dried Report
2	C1101-4 to 5 WAC Analysis 20-47241-1.pdf	i2 Analytical WAC Report

Waste Stream Template

Example waste stream template for contaminated soils

WAC Results

WAC Settings: samples in this job constitute a single population.

WAC limits used to evaluate the samples in this job: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

Classified by

Name: Paul Sarsfield	Company: O'Keefe Demolition	HazWasteOnline™ Training Record:	
Date: 03 Jan 2021 21:57 GMT	Telephone:	Course Hazardous Waste Classification Advanced Hazardous Waste Classification	Date 08 Apr 2020 09 Apr 2020

Report

Created by: Paul Sarsfield
Created date: 03 Jan 2021 21:57 GMT

Job summary

#	Sample Name	Depth [m]	Classification Result	Hazard properties	WAC Results			Page
					Inert	SNRHW	Hazardous	
1	C1101/4	n/g	Non Hazardous		Fail	Pass	N/A	3
2	C1101/5	n/g	Non Hazardous		Fail	Pass	N/A	6



Appendices	Page
Appendix A: Classifier defined and non CLP determinands	9
Appendix B: Rationale for selection of metal species	10
Appendix C: Version	11

Classification of sample: C1101/4

✔ **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample Name:	C1101/4	LoW Code:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	n/g m	Chapter:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)
Moisture content:	24%	Entry:	
	(no correction)		

Hazard properties

None identified

Determinands

Moisture content: 24% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	CLP index number	EC Number	CAS Number							
1	arsenic { arsenic trioxide }				17 mg/kg	1.32	22.446 mg/kg	0.00224 %		
	033-003-00-0	215-481-4	1327-53-3							
2	boron { diboron trioxide; boric oxide }				5.9 mg/kg	3.22	18.997 mg/kg	0.0019 %		
	005-008-00-8	215-125-8	1303-86-2							
3	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg	<0.0000228 %		<LOD
	048-002-00-0	215-146-2	1306-19-0							
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				47 mg/kg	1.462	68.693 mg/kg	0.00687 %		
		215-160-9	1308-38-9							
5	chromium in chromium(VI) compounds { chromium(VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<4 mg/kg	2.27	<9.08 mg/kg	<0.000908 %		<LOD
	024-017-00-8									
6	copper { dicopper oxide; copper (I) oxide }				37 mg/kg	1.126	41.658 mg/kg	0.00417 %		
	029-002-00-X	215-270-7	1317-39-1							
7	lead { lead chromate }			1	19 mg/kg	1.56	29.636 mg/kg	0.0019 %		
	082-004-00-2	231-846-0	7758-97-6							
8	mercury { mercury dichloride }				<0.3 mg/kg	1.353	<0.406 mg/kg	<0.0000406 %		<LOD
	080-010-00-X	231-299-8	7487-94-7							
9	nickel { nickel chromate }				50 mg/kg	2.976	148.813 mg/kg	0.0149 %		
	028-035-00-7	238-766-5	14721-18-7							
10	selenium { nickel selenate }				<1 mg/kg	2.554	<2.554 mg/kg	<0.000255 %		<LOD
	028-031-00-5	239-125-2	15060-62-5							
11	zinc { zinc chromate }				87 mg/kg	2.774	241.351 mg/kg	0.0241 %		
	024-007-00-3	236-878-9	13530-65-9							
12	TPH (C6 to C40) petroleum group				46 mg/kg		46 mg/kg	0.0046 %		
			TPH							
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				<1 mg/kg	1.884	<1.884 mg/kg	<0.000188 %		<LOD
	006-007-00-5									

#	Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	CLP index number	EC Number	CAS Number									
14	•	pH			8.2	pH		8.2	pH	8.2 pH		
15		naphthalene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-052-00-2	202-049-5	91-20-3								
16	•	acenaphthylene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			205-917-1	208-96-8								
17	•	acenaphthene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			201-469-6	83-32-9								
18	•	fluorene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			201-695-5	86-73-7								
19	•	phenanthrene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			201-581-5	85-01-8								
20	•	anthracene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			204-371-1	120-12-7								
21	•	fluoranthene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			205-912-4	206-44-0								
22	•	pyrene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			204-927-3	129-00-0								
23		benzo[a]anthracene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-033-00-9	200-280-6	56-55-3								
24		chrysene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-048-00-0	205-923-4	218-01-9								
25		benzo[b]fluoranthene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-034-00-4	205-911-9	205-99-2								
26		benzo[k]fluoranthene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-036-00-5	205-916-6	207-08-9								
27		benzo[a]pyrene; benzo[def]chrysene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-032-00-3	200-028-5	50-32-8								
28	•	indeno[123-cd]pyrene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			205-893-2	193-39-5								
29		dibenz[a,h]anthracene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-041-00-2	200-181-8	53-70-3								
30	•	benzo[ghi]perylene			<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			205-883-8	191-24-2								
Total:										0.0622 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚗ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD Below limit of detection
- ND Not detected
- CLP: Note 1 Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because No Liquid Phase Present

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0046%)

WAC Results for sample: C1101/4

WAC Settings: samples in this job constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample FAILS the Inert (Inert waste landfill) criteria.

The sample PASSES the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%	0.6	3	5	6
2	LOI (loss on ignition)	%	2.3	-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg	<0.01	6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg	<0.3	1	-	-
5	Mineral oil (C10 to C40)	mg/kg	<10	500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg	<0.85	100	-	-
7	pH	pH	8	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg	1.4	-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg	<0.05	0.5	2	25
10	barium	mg/kg	0.17	20	100	300
11	cadmium	mg/kg	0.0024	0.04	1	5
12	chromium	mg/kg	<0.005	0.5	10	70
13	copper	mg/kg	0.13	2	50	100
14	mercury	mg/kg	<0.01	0.01	0.2	2
15	molybdenum	mg/kg	0.071	0.5	10	30
16	nickel	mg/kg	0.04	0.4	10	40
17	lead	mg/kg	0.025	0.5	10	50
18	antimony	mg/kg	0.03	0.06	0.7	5
19	selenium	mg/kg	0.45	0.1	0.5	7
20	zinc	mg/kg	0.1	4	50	200
21	chloride	mg/kg	310	800	15,000	25,000
22	fluoride	mg/kg	5.4	10	150	500
23	sulphate	mg/kg	2200	1,000	20,000	50,000
24	phenol index	mg/kg	<0.5	1	-	-
25	DOC (dissolved organic carbon)	mg/kg	120	500	800	1,000
26	TDS (total dissolved solids)	mg/kg	2600	4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Inert WAC criteria fail

Classification of sample: C1101/5

✔ **Non Hazardous Waste**
Classified as **17 05 04**
in the List of Waste

Sample details

Sample Name:	C1101/5	LoW Code:	
Sample Depth:	n/g m	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Moisture content:	28% (no correction)	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 28% No Moisture Correction applied (MC)

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
	CLP index number	EC Number	CAS Number								
1	arsenic { arsenic trioxide }				20 mg/kg	1.32	26.407 mg/kg	0.00264 %			
	033-003-00-0	215-481-4	1327-53-3								
2	boron { diboron trioxide; boric oxide }				5.2 mg/kg	3.22	16.743 mg/kg	0.00167 %			
	005-008-00-8	215-125-8	1303-86-2								
3	cadmium { cadmium oxide }				<0.2 mg/kg	1.142	<0.228 mg/kg	<0.0000228 %		<LOD	
	048-002-00-0	215-146-2	1306-19-0								
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				45 mg/kg	1.462	65.77 mg/kg	0.00658 %			
		215-160-9	1308-38-9								
5	chromium in chromium(VI) compounds { chromium(VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex }				<4 mg/kg	2.27	<9.08 mg/kg	<0.000908 %		<LOD	
	024-017-00-8										
6	copper { dicopper oxide; copper (I) oxide }				38 mg/kg	1.126	42.784 mg/kg	0.00428 %			
	029-002-00-X	215-270-7	1317-39-1								
7	lead { lead chromate }			1	22 mg/kg	1.56	34.316 mg/kg	0.0022 %			
	082-004-00-2	231-846-0	7758-97-6								
8	mercury { mercury dichloride }				<0.3 mg/kg	1.353	<0.406 mg/kg	<0.0000406 %		<LOD	
	080-010-00-X	231-299-8	7487-94-7								
9	nickel { nickel chromate }				54 mg/kg	2.976	160.718 mg/kg	0.0161 %			
	028-035-00-7	238-766-5	14721-18-7								
10	selenium { nickel selenate }				<1 mg/kg	2.554	<2.554 mg/kg	<0.000255 %		<LOD	
	028-031-00-5	239-125-2	15060-62-5								
11	zinc { zinc chromate }				86 mg/kg	2.774	238.577 mg/kg	0.0239 %			
	024-007-00-3	236-878-9	13530-65-9								
12	TPH (C6 to C40) petroleum group		TPH		40 mg/kg		40 mg/kg	0.004 %			
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				<1 mg/kg	1.884	<1.884 mg/kg	<0.000188 %		<LOD	
	006-007-00-5										

#	Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
	CLP index number	EC Number	CAS Number							
14	pH		PH		7.8 pH		7.8 pH	7.8 pH		
15	naphthalene	601-052-00-2	202-049-5	91-20-3	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
16	acenaphthylene		205-917-1	208-96-8	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
17	acenaphthene		201-469-6	83-32-9	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
18	fluorene		201-695-5	86-73-7	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
19	phenanthrene		201-581-5	85-01-8	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
20	anthracene		204-371-1	120-12-7	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
21	fluoranthene		205-912-4	206-44-0	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
22	pyrene		204-927-3	129-00-0	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
23	benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
24	chrysene	601-048-00-0	205-923-4	218-01-9	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
25	benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
26	benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
27	benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
28	indeno[123-cd]pyrene		205-893-2	193-39-5	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
29	dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
30	benzo[ghi]perylene		205-883-8	191-24-2	<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		<LOD
Total:								0.0628 %		

Key

- User supplied data
- Determinand values ignored for classification, see column 'Conc. Not Used' for reason
- Determinand defined or amended by HazWasteOnline (see Appendix A)
- ⚗ Speciated Determinand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
- <LOD** Below limit of detection
- ND** Not detected
- CLP: Note 1 Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

For this Hazardous property to non hazardous because **No Liquid Phase Present**

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.004%)

WAC Results for sample: C1101/5

WAC Settings: samples in this job constitute a single population.

WAC limits used to evaluate this sample: "UK"

The WAC used in this report are the WAC defined for the inert, stable non-reactive hazardous and hazardous classes of landfill in the UK. You should check the actual acceptance criteria when the disposal site is identified as they may differ from the generic WAC used in this report.

The sample FAILS the Inert (Inert waste landfill) criteria.

The sample PASSES the SNRHW (Stable non-reactive hazardous waste in non-hazardous landfill) criteria.

WAC Determinands

Solid Waste Analysis				Landfill Waste Acceptance Criteria Limits		
#	Determinand		User entered data	Inert waste landfill	Stable non-reactive hazardous waste in non-hazardous landfill	Hazardous waste landfill
1	TOC (total organic carbon)	%	0.6	3	5	6
2	LOI (loss on ignition)	%	2.3	-	-	10
3	BTEX (benzene, toluene, ethylbenzene and xylenes)	mg/kg	<0.01	6	-	-
4	PCBs (polychlorinated biphenyls, 7 congeners)	mg/kg	<0.3	1	-	-
5	Mineral oil (C10 to C40)	mg/kg	<10	500	-	-
6	PAHs (polycyclic aromatic hydrocarbons)	mg/kg	<0.85	100	-	-
7	pH	pH	7.9	-	>6	-
8	ANC (acid neutralisation capacity)	mol/kg	1.8	-	-	-
Eluate Analysis 10:1						
9	arsenic	mg/kg	<0.05	0.5	2	25
10	barium	mg/kg	0.34	20	100	300
11	cadmium	mg/kg	0.0027	0.04	1	5
12	chromium	mg/kg	<0.005	0.5	10	70
13	copper	mg/kg	0.066	2	50	100
14	mercury	mg/kg	<0.01	0.01	0.2	2
15	molybdenum	mg/kg	0.057	0.5	10	30
16	nickel	mg/kg	0.041	0.4	10	40
17	lead	mg/kg	0.032	0.5	10	50
18	antimony	mg/kg	<0.02	0.06	0.7	5
19	selenium	mg/kg	0.27	0.1	0.5	7
20	zinc	mg/kg	0.078	4	50	200
21	chloride	mg/kg	79	800	15,000	25,000
22	fluoride	mg/kg	4.5	10	150	500
23	sulphate	mg/kg	2100	1,000	20,000	50,000
24	phenol index	mg/kg	<0.5	1	-	-
25	DOC (dissolved organic carbon)	mg/kg	68	500	800	1,000
26	TDS (total dissolved solids)	mg/kg	3100	4,000	60,000	100,000

Key

	User supplied data
	Not applicable
	Inert WAC criteria fail

Appendix A: Classifier defined and non CLP determinands

chromium(III) oxide (worst case) (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database

Data source: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4 H332 , Acute Tox. 4 H302 , Eye Irrit. 2 H319 , STOT SE 3 H335 , Skin Irrit. 2 H315 , Resp. Sens. 1 H334 , Skin Sens. 1 H317 , Repr. 1B H360FD , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: Flam. Liq. 3 H226 , Asp. Tox. 1 H304 , STOT RE 2 H373 , Muta. 1B H340 , Carc. 1B H350 , Repr. 2 H361d , Aquatic Chronic 2 H411

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

CLP index number: 006-007-00-5

Description/Comments: Conversion factor based on a worst case compound: sodium cyanide

Data source: Commission Regulation (EC) No 790/2009 - 1st Adaptation to Technical Progress for Regulation (EC) No 1272/2008. (ATP1)

Additional Hazard Statement(s): EUH032 >= 0.2 %

Reason for additional Hazards Statement(s):

14 Dec 2015 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

pH (CAS Number: PH)

Description/Comments: Appendix C4

Data source: WM3 1st Edition 2015

Data source date: 25 May 2015

Hazard Statements: None.

acenaphthylene (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Acute Tox. 4 H302 , Acute Tox. 1 H330 , Acute Tox. 1 H310 , Eye Irrit. 2 H319 , STOT SE 3 H335 , Skin Irrit. 2 H315

acenaphthene (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2 H319 , STOT SE 3 H335 , Skin Irrit. 2 H315 , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410 , Aquatic Chronic 2 H411

fluorene (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

phenanthrene (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 06 Aug 2015

Hazard Statements: Acute Tox. 4 H302 , Eye Irrit. 2 H319 , STOT SE 3 H335 , Carc. 2 H351 , Skin Sens. 1 H317 , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410 , Skin Irrit. 2 H315

anthracene (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database

Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>

Data source date: 17 Jul 2015

Hazard Statements: Eye Irrit. 2 H319 , STOT SE 3 H335 , Skin Irrit. 2 H315 , Skin Sens. 1 H317 , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

• **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4 H302 , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

• **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2 H315 , Eye Irrit. 2 H319 , STOT SE 3 H335 , Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

• **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2 H351

• **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1 H400 , Aquatic Chronic 1 H410

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

chromium in chromium(VI) compounds {chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex}

Worst case species based on hazard statements/molecular weight (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {nickel selenate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

cyanides (salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex)

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: **WM3 1st Edition v1.1, May 2018**
HazWasteOnline Classification Engine Version: 2020.346.4563.8832 (11 Dec 2020)
HazWasteOnline Database: 2020.346.4563.8832 (11 Dec 2020)

This classification utilises the following guidance and legislation:

WM3 v1.1 - Waste Classification - 1st Edition v1.1 - May 2018
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
POPs Regulation 2019 - Regulation (EU) 2019/1021 of 20 June 2019