



1. DOME PLAN
SCALE - 1:25



2. DOME DETAIL - IN PLAN
SCALE - 1:5



NOTE:

1. Timber trusses and sarking boards are to be treated for Class-0 Spread of Flame rating with a fire retardant coating for timber. This comprises of (Envirograv) 2 x coats q/vfr/c - clear fire rated. Clear fire rated coatings are applied opaque white and dry clear.

Contractor to test coating on sarking board for review prior to full application.

Copyright: All rights reserved. This drawing must not be reproduced without permission.

Only the original drawing should be relied upon. Contractors, subcontractors and suppliers must verify all dimensions on site before commencing any work or making any shop drawings.

All shop drawings to be submitted to the architect for comment prior to fabrication.

This drawing is to be read in conjunction with the Architect's specification, bills of quantities / schedules, structural, mechanical & electrical drawings and all discrepancies are to be reported to the architect.

Do not scale from this drawing. Dimensions are in millimetres unless otherwise stated.

revision / date / amendments
- / 18/01/21 / Construction issue
A / 20/01/21 / Dome stairs appearance updated
B / 22/01/21 / Minor revision to FFL of timber platforms from +39.910 to +39.900


- Resilient bars
- Soundbloc boards

- Curvature batter

Applied decorative timber rib

Boundary of floor opening

Decorative finish (timber skarking
to match original in appearance)



22.01.21

1:5

0 50 100 150 200 250 400mm

CONSTRUCTION

Archer Humphries Architects

Basement
Central House
142 Central Street
London, United Kingdom
EC1V 8AR
T : +44 (0) 20 7251 8555

project title
KOKO + Hope & Anchor + Bayham Place
Camden, London

drawing title	scale	date
Dome copper cladding details in Plan (sheet 2)	1:5 @A1	08.01.21
	drawn PD	checked DA
drawing number	revision	
AHA/KKR/DET/052	B	