

Key

Bauder XF301 Sedum Vegetation Blanket 28mm

Soil substrate

Bauder SDF Drainage Mat 20mm


Additional Bauder Capping Sheet / Membrane to Secure the Metal Trim (Refer to Specification for Correct Option)

Bauder Waterproofing System. (Refer to Specific Bauder Waterproofing Details Drawings.)


Roof Deck

Vegetation barrier
Minimum 80mm deep & 300mm wide. Width must be increased to at least 500mm when positioned adjacent to opening rooflights, windows or door openings. In accordance with both gro green and fill roof codes.

Bauder AL40 Edge Retention/Drainage Trim



Perimeter Kerb



External Gutter

- IMPORTANT NOTES:**
1. These details are suitable for use on the following Bauder Systems:
Bauder Total Green Roof System
Bauderflex Green
Thermofol and Thermoplan
 2. Do not scale to ascertain dimensions.
 3. All dimensions to be checked and verified on site prior to commencement of work.
 4. This drawing is to be read in conjunction with the specification and associated drawings.
 5. This detail is a guideline only, representing typical detailing conditions and illustrate the correct application of the above Bauder System. It may be necessary to modify this detail to suit specific project design constraints and conditions.
 6. Refer to the Bauder Specification for the product description and method of application. For clarity the method of attachment has not been shown.
 7. Provision should be made by the installer for mechanically fixing the top leading edge of all upstand details in excess of 250mm in height using appropriate fasteners.

Rev	Date	Description	Drawn By
PL1	16.03.2022	Living Roof Details	DP

Extensive Green Roof System
XF301 Sedum Blanket 1°-2° Slope

Scale:	1:5	Drawing Number:	1086_Living Roof Details	Rev:	PL1
Drawn By:	DP	Checked By:	CS	Approved By:	Date of First Issue:
					16/03/22

