



1 Internal Glazing Detail A
374 SCALE 1: 2@A1, 1:4@A3

1 Internal Glazing Detail B
374 SCALE 1: 5@A3

- Notes
- FOLLOW MANUFACTURERS INSTRUCTIONS/RECOMENDATIONS FOR ALL INSTALLATIONS
 - REFER TO RELATIVE CONSULTANT'S REPORTS FOR FURTHER DETAILS WHEN APPLICABLE
 - TO BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEER DRAWINGS
 - TO BE READ IN CONJUNCTION WITH MECHANICAL ENGINEER DRAWINGS
 - 1 HOUR FIRE RATING TO ALL STRUCTURAL ELEMENTS.
 - 30 MIN. FIRE RATING TO ALL INTERNAL PARTITIONS AND FLOORS
 - IF THE MATERIAL IS NOT PRESCRIBED, CONTRACTOR TO PROVIDE PROPOSALS AND SAMPLES FOR APPROVAL PRIOR TO ORDER
 - CONTRACTOR TO COMPLY WITH OR BUILDING CONTROL REQUIREMENTS

Revision	Date	Reason	Initial
/	19.01.22	BUILDING CONTROL	LS

Dimensions based on topological survey by EPC commercial surveys Ltd
All dimensions must be checked on site and not scaled from this drawing
© Mark Fairhurst Ltd.

mark fairhurst ARCHITECTS
15 Weller Street, London, SE1 1QU, T 020 7407 7070, E info@mark-fairhurst.co.uk
Project: Cock Tavern, 23 Phoenix Road, London NW1 1HB

Client: Flamestrike Ltd.

Drawing title: Internal Fire Lobby Details

Scale: 1:5@A1, 1:10@A3 Date: 20.01.22 Drawn by: LS

Project number: 1250 Drawing number: WD374

Status: BUILDING CONTROL Revision: /