





Using Joint Stiffeners 4 No. S/Slim Joint Stiffeners Galv (SSU10010) with 4 No. M16 x 110 Bolts gr8.8 and nuts (BNU16013 & BNU16001) 2 No. M16 x 40 Set Pin gr8.8 with nut (BNU16007 & BNU16001) 15: * 15; 150kN 150kN Allowable Bending Moment = 24kNm **RMD CONNECTION DETAIL**

nts

WEIGHT (kg) 71.1 56.6 38.5 20.8 17.8 12.5 8.5 8.2 6.5 \sim 2.8 0 176 DESCRIPTION: .



All connections for this level propping frame must be as per detail above

NOTES:

All dimensions are in millimeters (mm) unless noted otherwise. All dimensions must be checked on site and any discrepancy bought to the attention of this design office. This drawing is to be read in conjunction with relevant architect & structural engineers drawings and specifications. Proprietary equipment to be used in accordance with manufacturer's recommendations.

| P01 | COMMENTS RECEIVED | | | \mathbf{IF} | 07/12/2021 |
|--|-------------------|---------------------|--------------|---------------|-------------|
| P0 | FIRST ISSUE | | | IF | 24/11/2021 |
| REV: | DESCRIPTION: | | | BY: | DATE: |
| STATUS: APPROVAL | | | | | |
| Flood Engineering 4 Fontwell Close, Harrow, London HA3 6DE Tel: 0789 553 5913 ian@floodeng.com | | | | | |
| SITE: 52 ABERDALE GARDENS London, NW6 3QD TITLE: BASEMENT SEQUENCE SHEET 3 | | | | | |
| SCALE | at a1: S SHOWN | date: 24/11/2021 | drawn: IF | CHEC | cked: NP |
| PROJEC | CT NO: | DRAWING NO: | | REVIS | SION: |
| 2 | 11119 | 102 | | | P01 / |