Enquiry dated: Contact: Your telephone no.: Date:


19.07.2021 Automatic 11.08.2021

Quotation

Fitout Point Ltd - SHOPFRONT

Dear Sirs

Thank you for contacting Multitrades Windows & Doors Ltd and for your valued interest in our products and services. We have the pleasure to submit our quotation for your kind consideration.







Multitrades Windows & Doors Unit 1 Wiggenhall Industrial Estate Wiggenhall Road Watford WD18 0FH 0002

1 FRONT LHS





1365.3 1365.3 4096 1365.3

Profile system: Schüco AWS/ADS 70.HI

3-part Aluminium unit

unit dimension [W x H]: 4096 mm x 3081 mm

Surface finish Powder,

3 Number Fixed glazing (Glass: 28mm (6 -16- 6.4) Clear Toughened Low-E

Argon Gas, Ug value: 0.6 W/(m2K)) Measurement value Uw,BW: 0.99 W/(m²K)

Outside DIN EN 12519

2 DOUBLE DOOR SIDES 0003





Profile system: Schüco AWS/ADS 70.HI 2-part Aluminium unit

Unit dimension [W x H]: - x -

Surface finish Powder, 1 Number Fixed glazing (Glass: 28mm (6 -16- 6.4) Clear Toughened Low-E Argon Gas, Ug value: 0.6 W/(m²K))

1 Number Fixed glazing (Glass: 28mm (8-12-8.8) Clear Toughened Low-E


Argon Gas, Ug value: 0.6 W/(m²K))

0004

Outside DIN EN 12519

1 DOUBLE DOOR





Unit dimension [W x H]: 1946 mm x 3100 mm

Surface finish Powder,

1 Number Double leaf door DIN LH Schüco ADS HD Inward-opening

Vent 1 [W x H]: 911 mm x 3026 mm Vent 2 [W x H]: 911 mm x 3026 mm Fittings type: Standard security With heavy loading

Fittings colour: Jet black Lock: 2-point claw bolt and pin lock 34 mm

Cylinder: Thumb trn cy. 45/30 Shoot bolt lock: DRIVER BAR 40MM Rose: PC rosette Oval 9005, PC rosette Rnd

Door hinges: 5 Number Hnge 3/22/66 RAL9005, 5 Number Hnge 3/22/66

RAL9005

Door closer: Geze TDC TS 5000 2-6 9005, Geze TDC TS 5000 2-6 9005

Slide rail: Slide rail 9005, Slide rail 9005

Door air space: 25 mm

Handle, inside (access leaf): Door pll Strght C1 L1200/105 S-st (Handle position:

1050 mm)

Handle, outside (access leaf): Door pll Strght C1 L1200/105 S-st (Handle

position: 1050 mm)

Glass: 28mm (6 -16- 6.4) Clear Toughened Low-E Argon Gas, Ug value: 0.6

Measurement value Uw, BW: 1.6 W/(m2K)





Multitrades Windows & Doors Unit 1 Wiggenhall Industrial Estate Wiggenhall Road Watford WD18 0FH

0005 1 FRONT RHS





4 1 1 2 2 3 218

1362.7

1362.7

Profile system: Schüco AWS/ADS 70.HI 3-part Aluminium unit Unit dimension [W x H]: 4088 mm x 3100 mm Surface finish Powder,

3 Number Fixed glazing (Glass: 28mm (6 -16- 6.4) Clear Toughened Low-E

Argon Gas , Ug value: 0.6 W/(m²K))
Measurement value Uw,BW: 0.99 W/(m²K)

Outside DIN EN 12519

Overall total

1362.7

 $\times\!\!\times\!\!\times\!\!\times$

Plus: 20.0% VAT

 $\times\!\!\!\times\!\!\!\times$

Final price



General Terms

Best current lead times are 4-6 weeks from post survey order approval.

Fully in-house manufactured windows/doors installed by our directly employed technicians.

Low Threshold or Full Frame with stainless steel tracks and ball bearing rollers.

Black/Silver hardware with multi-point locking system and black HI (High Insulation) gaskets.

All iterms are internally glazed for added security.

10 years insurance back warranty, FENSA Certification and 30 years colour guarantee on matte finishes.

Please Note

All prices, specifications, and sizes are subject to our site survey and as such may be subject to change.

We require all areas to be accessible and clear both for the duration of our site survey and installation.

Flashings and/or claddings are not included in the price.

Any crane or scaffolding on site is chargeable on top of the contract value and will have to be paid in full by the customer prior to our works onsite, or arranged by customer at their own expense.

We assumed that convenient parking space is available for our site survey and installation works duration.

