







PROJECT DESCRIPTION HOLBORN LINKS GROUND FLOOR PLAN External Works 20-22 SP & 46-47 BS

CLIENT EDR

46-47 BS PROPOSED LOWER MAR. '22 1:50

DATE SCALE AT A1 PRELIMINARY

Key

GENERAL NOTES

 Plans & Elevations - Schedule of Works

location in every way.

General works:

All base information and drawings have been taken from survey drawings by Plowman Craven. All dimensions are to be checked on site by the contractor and any discrepancies reported to the architect. Proposals subject to listed building consents.

All works subject to Contract Administrator and Local Authority

All repair/replacement to exactly match existing surrounding

Complementary external works for 20-22 Southampton Place and 46-47 Bloomsbury Square are covered under applications 2021/5686/P and 2021/6112/L.

Only high level works indicated are those visible from ground; full extent of works subject to full access.

See S+P Schedule of Work for details of Item nos. below.

 Clean all parts of <u>all</u> walls (including rendered), roofs, gutters etc. to $1.1.\overline{5}$ in addition to notes otherwise. Repaint all painted masonry and decorative elements to

Repaint <u>all</u> painted timber elements to 5.4.3 unless noted

Repaint all rainwater pipes, railings, metal stairs and other metal elements to 5.4.4 unless noted otherwise.

 Remove all metal window security bars (cutting fixings if unavoidable), repaint as 5.4.4 and re-secure in place. Making good of fabric associated with the upgrading of existing external services allowed for elsewhere.

5.4.1 unless noted otherwise.

1 MASONRY WORKS

1.3 Repointing

2 TIMBER WORKS

3 SPOT ALTERATIONS

4 ROOFING WORKS

5 SURFACE FINISHES

5.3 Tile grouting 5.4 Painting

6 OTHER WORKS

3.2 Remove board

4.4 Lead Flashings only

1.1 Cleaning Masonry 1.2 Repairing Masonry

1.2.1 Resin repair

2.2 Replacement of component

1.2.2 Replacing elements

1.3.1 Standard pointing 1.3.2 Tuck pointing

3.3 Remove felt lining and make good

4.1 Tiled incl. renewal of lead flashings 4.2 Slated incl. renewal of lead flashings 4.3 Lead incl. renewal of lead flashings

4.5 Asphalt incl. renewal of lead flashings

5.1 Unprofiled Render (walls, plinths etc.)

5.1.1 < 20mm crack width & < 30mm depth

5.1.2 New and repairs >20x20mm

5.4.2 Masonry paint - breathable

6.2.1 Fully Disassemble and Clean

4.6 Felt incl. renewal of lead flashings

4.7 Cleaning flat roofs/ balconies

5.2 Profiled Render (cornices etc.)

5.4.1 Masonry paint

5.4.3 Joinery paint 5.4.4 Metalwork paint

6.2 Metal drainage goods

6.2.2 Repair

6.2.3 Replace 6.3 Replacement glazing

3.1 Adjust flat roof substrate to eliminate pooling

All drawings to be read in conjunction with all information:

DRAWING NO PL.1304 REV



