SYSTEM WINDOWS MANUFACTURED FROM CLEMENT EB20 SUITE OF HOT ROLLED M.S. SECTIONS, GENERALLY IN ACCORDANCE WITH BS6510 LONG AND EQUAL LEG FINISH HOT DIP GALVANISED TO RS EN ISO 1461 POWDER COATED TO BS6497 / BS EN 13438 POLYESTER POWDER COATED RAL 9010 (PURE WHITE) MATT HARDWARE & ATTACHMENTS ALL OPENING LIGHTS EDPM WEATHERSTRIPPED - EB24 SIDE HUNG CASEMENT "SH" 2No. 5520 - PEAR DROP HINGES, POWDERCOATED TO MATCH FRAMES 1No. B375/200-RTD PEGSTAY, IN DARK BRONZE FINISH

1No. CALDWELL 'PULL IN' BLOCK(S) SIDE HUNG CASEMENT - TYPE ONE "SH1" 2No. S520 - PEAR DROP HINGES, POWDERCOATED TO MATCH FRAMES 1No. B375/200-RTD PEGSTAY, IN DARK BRONZE FINISH

1No. 158SFKL-RTD 'BROOK' HANDLE, IN DARK BRONZE FINISH.

1No. 158SFKL-RTD 'BROOK' HANDLE, IN DARK BRONZE FINISH

SIDE HUNG CASEMENT - TYPE TWO "SH2"
2NO. FREE EXTENDED HINGES, POWDERCOATED TO MATCH FRAME
1NO. B375/200-RTD PEGSTAY, IN DARK BRONZE FINISH

1No. 158SFKL-RTD 'BROOK' HANDLE, IN DARK BRONZE FINISH 1No. CALDWELL 'PULL IN' BLOCK(S)

1No. I BANKS NON-LOCKING RESTRICTOR TO BE FITTED. RESTRICTED TO 90mm OPENING. PEGSTAY TO BE POSITIONED SO IT LOCATES ON FIRST HOLE AT 90mm OF OPENING.

SIDE HUNG CASEMENT - TYPE ONE "SH3" 2No. FREE EXTENDED HINGES, POWDERCOATED TO MATCH FRAME 1No. B375/200-RTD PEGSTAY, IN DARK BRONZE FINISH

1No. 1585FKL-RTD 'BROOK' HANDLE, IN DARK BRONZE FINISH. 1No. I BANKS NON-LOCKING RESTRICTOR TO BE FITTED. RESTRICTED TO 90mm OPENING. PEGSTAY TO BE POSITIONED SO IT LOCATES ON FIRST HOLE AT 90mm OF OPENING.

TOP HUNG CASEMENT

2No. S0528SF HINGES: POWDERCOATED TO MATCH FRAME 1No. B375/200-RTD PEGSTAY, IN DARK BRONZE FINISH - LOCKING STAY

1No. B375/155-RTD PEGSTAY, IN DARK BRONZE FINISH - LOCKING STAY

DOUBLE DOOR - OUTWARD OPENING - DDOO1

3No. B1260X EXTENDED BUTT HINGES, POWDERCOATED TO MATCH FRAME 1NO. SCREW-ON CABIN EYE, POWDER COATED TO MATCH FRAME TO BE SUPPLIED LOOSE FOR FIXING ON SITE.

1NO. 200mm CABIN HOOK, POWDERCOATED TO MATCH FRAME. PLEASE NOTE THAT CLEMENTS CANNOT GUARANTEE

THE POWDERCOAT FINISH DUE TO THE METAL TO METAL CONTACT OF MOVING PARTS.

1No. BROOK VENT (4000mm² EQUIVALENT AREA), TO BE POWDERCOATED TO MATCH FRAME.

1Pr. FA3005-IBU 'KENSINGTON' HANDLE IN IMPERIAL BRONZE UNLACQUERED FINISH 1No. MULTIPOINT LOCKING (HOOK BOLT SYSTEM)

1No. UAP+ 35/35 EUROPROFILE CYLINDER TO BE FITTED, IN BRASS FINISH - KEYED ALIKE

2No. 885-PWD LOCKING CONCEALED BOLTS, POWDERCOATED TO MATCH FRAME. 1No. FITTED TO TOP AND 1No. FITTED TO BOTTOM. BOLT TO TOP TO BE 150mm, BOLT TO BOTTOM TO BE 150mm LONG.

SINGLE DOOR - OUTWARD OPENING - SDOO1

3No. 2009SF BUTT HINGES, POWDERCOATED TO MATCH FRAME 1No. B574D CONCEALED FRICTION ADJUSTER FRICTION ADJUSTER SET TO OPEN TO A MAXIMUM OF 90° (APPROXIMATELY) 1Pr. FA3005-IBU 'KENSINGTON' HANDLE IN IMPERIAL BRONZE UNLACQUERED FINISH

1No. MULTIPOINT LOCKING (HOOK BOLT SYSTEM)

1No. UAP+ 35/35 EUROPROFILE CYLINDER TO BE FITTED, IN BRASS FINISH - KEYED ALIKE

GLAZING

ALL GLASS AND GLAZING SUPPLIED IN ACCORDANCE WITH PN EN 1096-17.2.3.

PREPARED FOR & SUPPLIED WITH CLEMENT 20mm FLUSH EDGED SEALED UNITS: WITH PUSH-IN BEADS.

G+s 20 X 3 FLAT STEEL INSIDE (FLUSH JOINTS), WITH TRAPEZOIDAL (B29548) ALUMINIUM ATTACHED OUTSIDE GLAZING GLASKET - BLACK SPACER BAR - WHITE W.E.T. SILICONE CAPPING - WHITE

OUTSIDE GLAZED

GLASS SPECIFICATION:

CAVITY - 12mm KRYPTON

OUTER - 4mm LOW IRON CAVITY - 12mm KRYPTON INNER - 4mm SILVERSTAR E OUTER - 4mm TOUGHENED LOW IRON INNER - 4mm TOUGHENED SILVERSTAR E OUTER - 4mm SATIN OPAQUE

ALL SAFETY GLASS WILL CARRY THE OBLIGATORY MARKING, THIS IS REQUIRED TO BE NOTICEABLE

1. DO NOT SCALE

2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF ±0mm / -2mm

3. ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED

4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE) CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.

SH = Side Hung TH = Top Hung BH = Bottom Hung VP = Vertical Pivot FD = Folder DL = Door Leaf FL = Fixed Lights IP = Insulated Panels HP = Horizontal Pivot FFL = Finshed Floor Level SSL = Structural Slab Leve EGL = External Ground Level UBC = Universal Bedding Compound = Masonry = Silicone ₩ Universal Bedding = Obscure Glass \square = Kicking / Infill Panel = Weld = Internal Finishes = Glazing Tape

DATE REV INT COMMENTS

REVISIONS

For Approval

Drawing Title SPECIFICATION SHEET

Project/Site 17 Glenilla Road

Contractor/Client Peter Kellner Architect

Drawn By: SF Scale @ A1: 1:1 Date: 16.12.2021 Checked by: KR

> Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393 E-mail: sfigg@clementwg.co.uk

rawing No. 13026-SPEC1

GENERAL

SUPPLY, FIX & GLAZE

WINDOW(S) AND DOOR(S) DIRECTLY FIXED TO OPENING.

TOTAL WINDOWS = 19 TOTAL DOORS = 2

BEDDED WITH UNIVERSAL BEDDING COMPOUND

FOR BEAD CLIP POSITIONS AND LENGTHS PLEASE REFER TO DRAWINGS BCP1 REV B (FOR OUTSIDE GLAZED) AND/OR BCP2 REV B (FOR INSIDE GLAZED)

NOTE

ALL SPECIFICATION TO BE CONFIRMED BY CLIENT.

CASEMENTS

| SIDE HUNG CASEMENTS | 25 | TOP HUNG CASEMENTS | 13 | TOP HUNG CASEMENTS | 16 | TOP HUNG CASEMENTS | 2 | TOP HUNG CASEMENTS | 0 | TOP HUNG CASEME

LEMENT WINDOWS LTD

This drawing is the property of Clement Windows Ltd.

It is forbidden to copy, re-produce or use these details in any way (including transfer to another party) without the express authority/permission of Clement

OTES

1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE) CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.



DATE REV INT

T COMMENTS

REVISIONS

CLEMENT reating light...beautifully

For Approval

Drawing Title
SPECIFICATION SHEET

Project/Site 17 Glenilla Road London NW3 4AL

Peter Kellner

Architect


Peter Kellner


Scale @ A1: 1:1 Date: 16.12.2021 Drawn By: SF Checked by: KR


Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393 Fax: 01428 644436 E-mail: sfigg@clementwg.co.uk

13026-SPEC2

ELEVATIONS VIEWED FROM OUTSIDE







992 Frame Size

WG04 - Reception

his product is protected by the provisions of the Copyright, Design & Patents Act.
This drawing is the property of Clement Windows Ltd.
It is fortidden to copy, re-produce or use these details in any way (including transfer to another party) without the express authority/permission of Clement Windows Ltd in writing.

1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- 3. ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE). CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.



20/12/21 A SF G+ Bars added to WG02, as per client

REV INT DATE COMMENTS

REVISIONS

For Approval

Drawing Title

ELEVATION DRAWING

Project/Site

Date: 16.12.2021

SEE LATEST ISSUES OF

DRAWINGS No. 13026-SEC1 TO SEC10

FOR SECTION DETAILS

Contractor/Client eter Kellner Architect


Scale @ A1: 1:10 Drawn By: SF Checked by: KR


> Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393

E-mail: sfigg@clementwg.co.uk


Drawing No. 13026-01 Α

ELEVATIONS VIEWED FROM OUTSIDE





1_{No. Required} WF04 - Master Bed



1No. Required WF02 - Master Bedroom

SEE LATEST ISSUES OF DRAWINGS 13026-SEC1 TO SEC10 FOR SECTION DETAILS CLEMENT WINDOWS LTD

CLEMENT WINDOWS LTD
his product is protected by the provisions of the Copyright, Design & Patents Act 19
This drawing is the property of Clement Windows Ltd.

It is forbidden to copy, re-produce or use these details in any way including transfer to another party without the express authority/permission of Clement Windows Ltd in writings.

NOTES

1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE) CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.

SH = Side Hung DL = Poor Leaf
Th = Top Hung PL = Fixed Lights
BH = Bottom Hung IPL = Fixed Lights
IPL = Fixed Pixed Sights
IPL = Fixed Sights
IPL = Fix

DATE R

REV INT COMMENTS

REVISIONS

CLEMENT
reating light...beautifully

For Approval

Drawing Title

ELEVATION DRAWING

Project/Site 17 Glenilla Road London NW3 4AL

Contractor/Client Peter Kellner


Architect


Scale @ A1: 1:10 Date: 16.12.2021 Drawn By: SF Checked by: KR

Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393

Surrey, GU27 1HR Tel: 01428 643393 Fax: 01428 644436 E-mail: sfigg@clementwg.co.uk

Drawing No. 13026-02





G+s Detail Outside Glazed Flush Joint with Trapezoidal Applied Bar

1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- 3. ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE).
 CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE
 TO THE METAL TO METALCONTACT OF MOVING PARTS.



REV INT DATE

COMMENTS

REVISIONS

For Approval

Drawing Title SECTION DETAILS

Project/Site 17 Glenilla Road London NW3 4AL


Architect


Scale @ A1: 1:1 Date: 16.12.2021

Drawn By: SF Checked by: KR

Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393 E-mail: sfigg@clementwg.co.uk

Drawing No. 13026-SEC1





CLEMENT WINDOWS LTD

ct is protected by the provisions of the Copyright, Design & Patents Act 198 This drawing is the property of Clement Windows Ltd. bidden to copy, re-produce or use these details in any way (including

IOTES

1. DO NOT SCALE

- PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE). CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.

SH = Side Hung DL - Door Leaf
TH = Top Hung DL - Place Lights
TH = Top Hung DL - Place Lights
TH = Top Hung DL - Place Lights
Th = Folder
Th = Folder
TF = Theode Fisor Level
TF = ST = Norther Side Theol
TF = Theode Fisor Level
TF = Theode Fisor L

DATE REV INT

INT COMMENTS

REVISIONS

CLEMENT

reating light... beautifully

For Approval

Drawing Title
SECTION DETAILS

Project/Site 17 Glenilla Road London NW3 4AL

Contractor/Client
Peter Kellner
Potas Kalln


Architect
Scale @ A1: 1:1 Drawn By: 5

 Scale @ A1:
 1:1
 Drawn By:
 SF

 Date:
 16.12.2021
 Checked by:
 KR

Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393 Fax: 01428 644436 E-mail: sfigg@clementwg.co.uk

13026-SEC5



1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- 3. ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE). CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.

SH = Side Hung TH = Top Hung BH = Bottom Hung VP = Vertical Pivot FD = Folder DL = Door Leaf FL = Fixed Lights IP = Insulated Panels HP = Horizontal Pivot FFL = Finshed Floor Level SSL = Structural Slab Leve EGL = External Ground Level UBC = Universal Bedding Compound = Silicone = Masonry = Universal Bedding Compound = Obscure Glass = Kicking / Infill Panel = Weld = Internal Finishes

20/12/21 A SF Cill pressing slope reduced in Sec 10-10

REV INT DATE

COMMENTS

REVISIONS

For Approval

Drawing Title SECTION DETAILS

Project/Site 17 Glenilla Road London NW3 4AL


Peter Kellner

Architect

Checked by: KR Date: 16.12.2021

Clement House Haslemere Surrey, GU27 1HR Tel: 01428 643393 E-mail: sfigg@clementwg.co.uk

Drawing No. 13026-SEC8



CLEMENT WINDOWS LTD

This drawing is the property of Clement Windows Ltd.

It is forbidden to copy, re-produce or use these details in any way (including transfer to another party) without the express authority/permission of Clement

NOTES

1. DO NOT SCALE

- 2. PLEASE NOTE THAT ALL PRODUCT ARE SUBJECT TO MANUFACTURING TOLERENCE OF +0mm / -2mm
- ALL DRAWINGS APPROVED FOR MANUFACTURE WILL INCUR COSTS IF CHANGED
- 4. PLEASE NOTE THAT FITTINGS WITH MOVING PARTS WHICH ARE SPECIFIED AS POWDERCOATED TO MATCH FRAME (IF APPLICABLE). CLEMENTS CANNOT GUARANTEE THE POWDERCOAT FINISH DUE TO THE METAL TO METALCONTACT OF MOVING PARTS.

Legend

SH = Side Hung

TH = Trop Hung

PL = Frace Lights

WP = Vertical Pivot

FF1 = Finded Floor Level

FF1 = Finded Floor Level

EG2 = Extractal Cround Level

UBC = Universal Bedding

Compopound

SH Silcone

- Massonry

Elicone

**Inversal Bedding

Compopound

SH Silcone

Elicone

**Inversal Bedding

**Compopound

SH Silcone

Elicone

**Inversal Bedding

**Compopound

SH Silcone

Elicone

**Inversal Bedding

**Inversal Bedd

DATE REV INT

INT COMMENTS

REVISIONS

CLEMENT oreating light...beautifully

For Approval

Drawing Title

SECTION DETAILS

Project/Site 17 Glenilla Road London NW3 4AL

Contractor/Client ter Kellner
Architect

Scale @ A1: 1:1 Date: 16.12.2021 Drawn By: SF Checked by: KR

Clement House Haslemere

Haslemere Surrey, GU27 1HR Tel: 01428 643393 Fax: 01428 644436 E-mail: sfigg@clementwg.co.uk

13026-SEC9