PETER WILLIAMS STUDIO

# 43A Redington Road Landscape

Landscape Planning Statement — 02.05.22

# Contents

This report is prepared for Joelle & Josef Fuss in support of the landscape design for the works to 43A Redington Road.

Copyright of this report and all information contained herein lies with Peter Williams Studio.

Report sign off 2nd May 2022

For Arboricultural method statements please refer to
information supplied by the project arboriculturalist:
Trevor Heaps, Arboricultural Consultancy Ltd.

Architects: Amos Goldreich Architecture

PETER WILLIAMS STUDIO 76 Harpenden Road London SE27 OAF

07866 553127 post@pwstudio.co

www.pwstudio.co

	Introduction	3
Front Garden	Existing Landscape Statement Proposed Landscape Statement	4 5
Rear Garden	Existing Landscape Statement Proposed Landscape Statement	7 8
Appendix	Drawings	10
100	Site Plan GA	11
110	Front Garden GA Plan	12
111	Front Garden Hard Landscape	13
115	Front Garden Elevation	14
116	Front Garden Sections	15
120	Rear Garden East GA Plan	16
121	Rear Garden East Hard Landscape	17
130	Rear Garden West GA Plan	18
131	Rear Garden West Hard Landscape	19

# Introduction



Above: A Queen Anne style home with a traditional clipped parterre garden, used as a formal tool for defining proposed 'outdoor rooms'.



Above: Charles Henry Bourne Quennell, architect of 43 Redington Road



Above: Another home by CHB Quennell in the conservation area, showing planted flower beds which are in close proximity to the rear elevation and help to integrate the house with the garden.



Above: One of our recent gardens in West London with multi stem trees and clipped evergreen structural topiary providing a frame for the central lawn



Above: One of our recent gardens, using geometry with natural drifts of perennial planting between strong blocks of structural evergreen hedging to create a sense of scale and sense of place..

43A Redington Road is a lower ground and upper ground floor apartment in a handsome Queen Anne Style home designed by Charles Henry Bourne Quennell between 1898-1914 under the Quennell Heart partnership which was responsible for much of the property in the Redington Frognal Conservation Area and gives much of the area its distinctive character.

The house is a softer Arts & Crafts interpretation of the Queen Anne Style and 43A benefits from having a large garden to the rear addressing the whole length of the rear facade. This is an opportunity to reinstate the landscape at 43 Redington Road in a style and manner befitting the architectural ambition of the house and also provide an increase in biodiversity, droughtresistant planting, visual street amenity and better leisure amenity for the family over decades to come.

# Front Garden

# Existing landscape statement



Above: Existing planting and soil condition is very poor. The landscaping is overly dominated by the large 1960's coping stones which are visually heavy.



Above: we aim to help soften the street elevation with extensive new mature tree and shrub planting.



Above: Poor quality materials used in the 60s to the newly formed entrance



Above: While the materials are poor and in bad condition, the site retains a low boundary treatment which we will preserve



Above: Entrance gate needs to be replaced and pillars re-pointed for consistency,

43 Redington Road has a boundary treatment of red brick dwarf walls with reconstituted stone coping and timber entrance gate features which are in various states of disrepair. A common area for the property's communal bin storage is located at the northern corner with access from 43A Redington Road from the rear of the property.

The existing front garden of 43A Redington Road contains a mixture of raised beds of red brick dwarf walls with reconstituted stone coping. The existing dropped curb gives access to a sloped driveway and a poorly detailed low timber gate provides pedestrian access.

The exiting front garden contains a mixture of small rose bushes and a single small sweet chestnut and clipped cotoneaster as well as a clipped Taxus baccata hedge. The two small trees will need to be removed for the installation of new below-ground drainage, pedestrian access to the property and new retaining structures. The planting is generally poor with little maintenance in recent years. The existing planting beds contain poor soils which are generally shallow and will need to be replaced/improved before new planting is undertaken. Hard landscaping is generally poorly detailed and dates from the 1960's when the property was originally divided. No original landscape details to the front of the property survive.

# Front Garden

**Trees** 

# Proposed landscape statement



Hedges

**Perennials** 

# Colour and Texture



Dryopteris filix-mas



Tailing &

Climbing



**Bulbs** 





The overall design approach of the













## **Soft Landscaping**

The new front garden will provide a significant increase in planted area and biodiversity.

An uplift in canopy coverage with the panting of four new mature Amelanchier lamarckii multi-stem trees (T100-T103) will provide an 'avenue' and a strong sense of entrance from the pedestrian gate, while enhancing the privacy of the property through the use of the low multi-stem canopy belt which enhances the street scene and avoids the use of obstructive tall boundary treatments which have been used on neighbouring properties.

The Amelanchier lamarckii have been chosen for their multi stem forms which can be clipped to maintain a strong shape within the limited space of the garden and their fine leafy form and scale. The seasonal changes of the tree from spring blossom to strong autumnal colour will also provide a strong sense of character. The trees will be underplanted with a mixture of evergreen and deciduous ferns, hellebores and spring-flowering bulbs to capitalise on the north-facing aspect of the garden.

Blocks of clipped Taxus baccata provide a strong geometric structure to the garden and conceal fencing where possible to minimise the visual intrusion of





Hakonechloa macra

Persicaria Dikke Floskes

43A Redington Road Landscape Planning Statement

PETER WILLIAMS STUDIO

Amelanchier lamarckii multi-stem, summer

# Front Garden


# Proposed landscape statement



Vande Moortel Mahogany red tumbled unsanded clay pavers laid in a herringbone pattern,



Bespoke cor-ten steel edging is used to maximise the overall planting area by avoiding heavy brick upstands.



Vande Moortel Mahogany red tumbled unsanded clay pavers texture



Vande Moortel Brick W Slip is proposed to clad new retaining structures to blend in with the light stonework of the existing house



Large scale Black-Basalt stone effect pre-cast units by Schellevis form the cascade of steps and planting to the new entrance.

guarding to level changes. The strong geometric form of the clipped Taxus drawing on the historic use of low clipped parterres popular in the gardens during the period the house was designed and would have been common thought the area.

### **Hard Landscaping**

The new hard landscaping has been chosen to complement the detailing of the existing building. The existing boundary walls will be cleaned and repaired, with new painted 12mm flat bar steel railings installed between the existing pillars and a new matching pedestrian gate. No railing or gate on the street elevation will be higher than the exiting low pillars in keeping with the Redington Frognal Conservation Area guidance.

The driveway and pedestrian entrances are laid with a herringbone clay paver in a soft red to complement the existing brickwork of the house. The new entrance steps are formed in large basalt effect reconstituted stone slabs to provide an appropriate contrast and generous sense of approach.

The new retaining walls are clad in a light grey brick to contrast the property's red brick and help articulate the newly excavated lower ground entrance and modern addition. The lighter grey brick is chosen to complement the existing light grey reconstituted stone detailing of the existing house and landscaping. The aim of all hard landscaping is to be as light as recessive as possible in order to provide calm background for the planting of the space.

The new stepped planting to the lower ground floor entrance (PL-01-03) and the top of the retaining structure to the new planting bed (PL-05) is edged in pre-patinated cor-ten steel edging. The reds of this metal edging will complement the red brick of the paving and dwelling, as well as provide a thin 10mm edge to retaining structures to enable a greater amount of planting to the edges of walls and the cascading of planting of these edges to soften the overall aesthetic and maximise soft planting.

# Rear Garden

# **Existing landscape statement**



Above: The original 'long walk' on the garden's southern side is in disrepair but forms a strong part of the garden's character.



Above: Existing steps from the 1960's formed in broken concrete paving.



Above: Broken paving and existing poor planting/hazards. As part of the proposals, the long walk will be fully refurbished and replanted.



Above: While the garden is of a significant scale, it is now largely in disrepair after many years of not being used or tended.

The rear landscape of the property has suffered from a lack of maintenance and management over a number of years. The garden benefits from the borrowed landscape of mature trees in neighbouring properties, however, the trees within the existing garden are generally of a poor canopy form.

While an overall historical structure still exists with the 'long walk' on the southeastern edge of the garden and seating feature with a view onto the formal lawn, the hard landscaping is generally of very poor quality with the existing 'crazy paving' terrace to the rear of the property poorly laid in using broken concrete slabs from the 1960's; this terrace is suffering from significant structural movement and collapse due to the proximity of T22 (Yew) and T23 (Silver Birch). Edging to the lawn has generally broken and the garden has very little definition of its boundary, planting or terrace edges.

Much of the garden is in disrepair with a large area to the rear left to garden waste and rough un-made ground.

The project offers the opportunity to re-establish the relationship of the garden to the property, improve access, biodiversity and replace ageing and poor quality trees with new trees in order to provide an overall uplift in canopy coverage and a significantly improved setting for the property and the wider landscaping in decades to come.

# Rear Garden

# Proposed landscape statement







Prunus maackkii Amber; A thick white spring blossom gives way to fine bright green leaves and the winter colour of the decorative trunk.





Ginkgo biloba 'Fastigiata'; provides a new key specimen tree in the garden, its strong sculptural form acts ad an eye-catcher year round.

### **Soft Landscaping**

In total we propose the removal of four trees, these are; T5 and T6 (apples) as these are of poor quality form and age. Their proximity to the new extension will be less than ideal. T22 (Yew) is of a poor shape and concealing the silver birch, it also significantly blocks the view from the lower ground floor living room into the garden.

In addition to this, a small Category C Snowy Mespil (T17) is located within the lawn and is of a poor crown shape. We propose removing these four trees and replacing these with a total of nine new trees within the garden. These new trees are chosen to provide a greater species verity and with a character and overall form which is better suited to the garden. We propose the following new trees;

A new 'avenue' of trees forming the edge to the long walk, these replace T5 and T6, consisting of;

T105	Corylus avellana	3.5-4M
T106	Corylus avellana	3.5-4M
T107	Corylus avellana	3.5-4M

A new 'clump' of trees forming the edge to the dining terrace, these replace T22 and T23, consisting of;

T108	Prunus maackkii Amber	2.5-3m
T109	Prunus maackkii Amber	3.5-4m
T110	Ginkgo biloba 'Fastigiata'	3-3.5m

A new 'clump' of fruit trees to the rear of the garden provides a visual eye-catcher in spring at end end of the 'long walk' and help form the edge of a new productive garden, these replace T17 and consist of;

T111	Conference Pear Tree	3-4m
T112	James Grieve Apple Tree	3.5-4m
T113	James Grieve Apple Tree	3.5-4m

We propose removing an area of lawn directly adjacent to the rear terrace in order to increase the amount of planting beds along the terrace edge to provide a greater area of perennial and herbaceous panting, increasing biodiversity and acting as a stimulating sensory garden which provides an enhanced view from

Corylus avellana; Producing hazelnuts for harvest and colourful strings

of catkins in the spring. mature multi stem specimins to form a 'nuttery'.

# Rear Garden

# Proposed landscape statement



Vande Moortel Mahogany red tumbled unsanded clay pavers laid in a stretcher pattern to the long walk and new paths, fully permeable.



Bespoke cor-ten steel edging is used to maximise the overall planting area by avoiding heavy brick upstands.



Vande Moortel Mahogany red tumbled unsanded clay pavers laid in a herringbone pattern,



Black Imperial Basalt stone paving with permeable joints by CED Stone.

the property and helps to soften the transition from the terrace to the lawn as was common in the design of gardens of this properties age. The planting will be selected to provide year-round interest and provide drought resistance and increased habitat/biodiversity.

The existing borders of the 'long walk' and lawn edges will be improved with new planting and new lawn edging installed.

The rear of the garden will be cleared in areas presently overgrown and in disrepair. A new productive garden will be constructed with raised beds.


### **Hard Landscaping**

The existing terrace is to be re-built with generous steps providing improved access to the lawn. The existing broken concrete 'crazy paving' to the terrace is to be replaced with herringbone clay paver in a soft red to complement the existing brickwork of the house. This is to be broken up with paths, terraces and steps at the lower level in grey basalt stone.

The long walk is to be re-laid with grey basalt stone and edge detailing.

Lawn edging to be installed in cor-ten steel. With green oak raised beds to the rear of the garden.

# Appendix A: Drawings



Site Plan - GA Plan

### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- Do not scale from this drawing.

  All setting out, levels and dimensions to be agreed on site.


  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.

  Order of construction and setting out to be agreed on site.

  This drawing is copyright protected and may not be reproduced in whole or part without written authority.

  All Dimensions are in millimetres unless otherwise stated

	00/05/00		
Α	02/05/22		F
Revision	Date	Note	Check



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 0AF T +44 7866 553127

Drawn / Checked

CAD Referance

E post@pwstudio.co W www.pwstudio.co

Project number 43A Redington Road 115 Landscape Client Joelle & Josef Fuss

• Peter Williams Studio Ltd.

PLANNING

Drawing name		Drawing number
Site Plan G	А	100
 Date	02/05/2022	Issue
Scale / Format	1:100	Λ

JG / PW

220502\_115\_Drawings.vwx



### Front Garden - GA Plan

### Planting Notes

All plants to comply with National Plants Specification, BS 3936, BS 4043 and HTA standards  $\,$ 

All hedgeing elements are to be clipped blocks, planted to maximum density. Supplied as bushy hedges to be clipped on-site after planting.

ALLOW FOR 1 NURSERY VISIT BY LANDSCAPE ARCHITECT TO TAG AND IDENTIFY / CONFIRM SPECIMENS PRIOR TO ORDER

### Securing trees:

Greenleaf Rootball guying kit (including anchors, stainless steel wires, guides and tensioning system) or similar approved for the securing of all tree rootballs is to be used, no above ground tree stakes to be used. Size of kit to be recommended by supplier following site trials to ascertain structural ground conditions. Product to be installed according to manufacturer's instructions. A 'Dead Man Anchor' system will be equally acceptable provided that the Landscape contractor can guarantee the structural stability of the trees given the specific nature of the site. structural stability of the trees given the specific nature of the site.

The following areas are planting beds which will contain herbaceous perennials, ferns and seasonal bulbs. These areas as subject to detailed planting design:

PL-02 Planting Bed PL-03 Planting Bed PL-04 Planting Bed	1 0
PL-04 Planting Bed PL-05 Planting Bed	
1 E 00 Hanting Boo	

### Irrigation

Allow for x2 outdoor taps and installation of automated irrigation system with drip pipe and rainbird irrigation to each tree and all hedges

### Aboriculture

For details of aboriculture statement on removal and replacent of trees and method statement, please refer to supporting infomation form Trevor Heaps, Aboricultural Consultancy Ltd.

### Soil Profiles

Please note that the following represent minimum depths for soil profiles and will vary depending on the planting and the available overall planting

- 20-50mm fine bark mulch
   400mm approved topsoil
   250mm approved subsoil
   100mm compacted drainage layer

All planting mediums must meet the following requirements; • BS 3882:2015 - Soils for Landscaping and Garden Use

- BS PAS 100 Composts, Soil Conditioners and Mulches

### Structural Landscape: Hedges

TAG	ltem	Form	Height (cm)	Girth / width (cm)	Pot Supply (L)	Quantity
H-01	Taxus baccata hedge element		2400	700x 700	WRB	4
H-02	Taxus baccata hedge element		1300	350x 350	WRB	32
H-03	Taxus baccata hedge element		1300	350x 350	WRB	36
H-04	Taxus baccata hedge		1600	400x	WRB	

### Structural Landscape: Trees

TAG	ltem	Form	Height (cm)	Girth / width (cm)	Pot Supply (L)	Quantity
T-100	Amelanchier lamarckii	MS	250/ 300		WRB	1
T-101	Amelanchier lamarckii	MS	450/ 500		WRB	1
T-102	Amelanchier lamarckii	UM	350 / 400		WRB	1
T-103	Amelanchier lamarckii	MS	450/ 500		WRB	1
FE	Feathered					
UM	Umbrella					
MS	Multistem					
ST	Standard					

### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- Do not scale from this drawing.
  All setting out, levels and dimensions to be agreed on site.
  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.
  Order of construction and setting out to be agreed on site.
  This drawing is copyright protected and may not be reproduced in whole or part without written authority.
  All Dimensions are in millimetres unless otherwise stated

A	02/05/22	Issued for planning	
Revision	Date	Note	Check



### PETER WILLIAMS STUDIO


76 Hardpenden Road London SE27 OAF

- T +44 7866 553127
- E post@pwstudio.co www.pwstudio.co

Project	Project number
43A Redington Road Landscape	115
Client	-
Joelle & Josef Fuss	
	Peter Williams Studio Ltd.

Front Garden GA Plan 110

1:50 Scale / Format Α Drawn / Checked JG / PW PLANNING CAD Referance 220502\_115\_Drawings.vvv



### Front Garden - GA Plan

6mm Corten Steel HiGrade Bespoke raised planter edge by Kinley - height

3mm Corten Steel HiGrade Bespoke raised planter edge by Kinley - height varies

Powder-coated galvanized steel handrail, balustrades and gate in RAL handrail, balustrades and gate in RAL colour 8019. Flat top rail and vertical flat bars 50x12mm. Handrail to be designed for a linear load at the top of the handrail of 0.74kN/m as per BS EN 1991-1-1 Fixings concealed to engineers' specification

1100mm high timber post and rail fence concealed within new taxus hedge

Drainage and falls to engineers specification.

The following manhole covers are subject to the drainage engineer's specification and details;

MH-03

MH-04

MH-01 Recessed Manhole cover In-fill with Schellevis paving Recessed Manhole cover In-fill with Van De Moortel clay pavers

Manhole cover concealed by planting mulch

by planting mulch

Face of new retaining strucure clad in Brick W Slip by Vande Moortel (224x20x54) stack bonded.

Face of new retaining strucure clad in red brick slips to match those of the house, architects specification.



Sptima A Clay Pavers by Vande Moortal / Colour: Mahogany. Laid in herringbone patten with brick running edge.

Large format Schellevis paving in Anthracite and single step elements with under edge lighting

### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.


- Do not scale from this drawing.
  All setting out, levels and dimensions to be agreed on site.
  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.
  Order of construction and setting out to be agreed on site.
  This drawing is copyright protected and may not be reproduced in whole or part without written authority.

  All Dimensions are in millimetres unless otherwise stated

PW 02/05/22 Issued for planning

Notes

Revision Date



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 0AF

+44 7866 553127

E post@pwstudio.co W www.pwstudio.co

Project number

115

Checked


43A Redington Road Landscape

Client

Joelle & Josef Fuss

Drawing name Drawing number Front Garden Hard Landscape 111

02/05/2022 1:50 Α Drawn / Checked PLANNING



Redington Road Elevation

### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- Do not scale from this drawing.

  All setting out, levels and dimensions to be agreed on site.

  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.

  Order of construction and setting out to be agreed on site.

  This drawing is copyright protected and may not be reproduced in whole or part without written authority.

  All Dimensions are in millimetres unless otherwise stated

_				

02/05/22 Issued for planning Revision Date Checked



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 0AF T +44 7866 553127

E post@pwstudio.co W www.pwstudio.co

Project number

115

43A Redington Road Landscape

Client

CAD Referance

Joelle & Josef Fuss

• Peter Williams Studio Ltd.

Drawing name Drawing number


Front Garden Elevation

115


Α

02/05/2022 1:50 Scale / Format Drawn / Checked JG / PW PLANNING

220502\_115\_Drawings.vwx



### Section 1 - Steped Planter



### Soil profiles

Please note that the following represent minimum depths for soil profiles and will vary depending on the planting and the available overall planting depths

- 20-50mm fine bark mulch
   400mm approved topsoil
   250mm approved subsoil
   100mm compacted drainage layer


### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- Do not scale from this drawing.
  All setting out, levels and dimensions to be agreed on site.
  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.
  Order of construction and setting out to be agreed on site.
  This drawing is copyright protected and may not be reproduced in whole or part without written authority.
  All Dimensions are in millimetres unless otherwise stated

A	02/05/22	Issued for planning	PW
Revision	Date	Note	Checked



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 OAF

+44 7866 553127

E post@pwstudio.co

Project number 43A Redington Road

Landscape

Joelle & Josef Fuss

Peter Williams Studio Ltd.

115

116

Drawing name

**Front Garden Sections** 

1:50 Scale / Format Α Drawn / Checked JG / PW PLANNING

220502\_115\_Drawings.vw

Typical Buildup 1 (Planted steps)



### Planting Notes

All plants to comply with National Plants Specification, BS 3936, BS 4043 and HTA standards

All hedging elements are to be clipped blocks, planted to maximum density. Supplied as bushy hedges to be clipped on-site after planting.

ALLOW FOR 1 NURSERY VISIT BY LANDSCAPE ARCHITECT TO TAG AND IDENTIFY / CONFIRM SPECIMENS PRIOR TO ORDER

### Securing trees:

Greenleaf Rootball guying kit (including anchors, stainless steel wires, guides and tensioning system) or similar approved for the securing of all tree rootballs is to be used, no above ground tree stakes to be used. Size of kit to be recommended by supplier following site trials to ascertain structural ground conditions. Product to be installed according to manufacturer's instructions. A 'Dead Man Anchor' system will be equally accordable provided that the Landscape contractor can quarantee the acceptable provided that the Landscape contractor can guarantee the structural stability of the trees given the specific nature of the site.

The following areas are planting beds which will contain herbaceous perennials, ferns and seasonal bulbs. These areas as subject to detailed planting design:

PL-08	Planting Bed U8
PL-09	Planting Bed 09 / Planting bed existing and replanted
PL-10	Planting Bed 10 / Planting bed existing and replante
PL-11	Planting Bed 11 / Planting bed existing and replanted
PL-12	Planting Bed 12 / Planting bed existing and replante

Planting Bed 07

### Irrigation

Allow for x2 outdoor taps and installation of automated irrigation system with drip pipe and rainbird irrigation to each tree and all hedges.

### Aboriculture

For details of aboriculture statement on removal and replacent of trees and method statement, please refer to supporting infomation form Trevor Heaps, Aboricultural Consultancy Ltd.

### Soil Profiles

Please note that the following represent minimum depths for soil profiles and will vary depending on the planting and the available overall planting

- 20-50mm fine bark mulch

All planting mediums must meet the following requirements; • BS 3882:2015 - Soils for Landscaping and Garden Use

- BS PAS 100 Composts, Soil Conditioners and Mulches

### Structural Landscape: Hedges

H-07

H-11

H-07

H-13

Fagus sylvatica

Fagus sylvatica

Fagus sylvatica

Taxus baccata hedge element

TAG	Item	Form	Height (cm)	Girth / width (cm)	Pot Supply (L)	Quantity
	Taxus baccata hedge			350x		
H-05	element		600	350	WRB	45
H-06	Taxus baccata hedge element		1200	350x 350	WRB	60
H-07	Fagus sylvatica		1200	350x 350	WRB	12
H-08	Taxus baccata hedge element		1200	350x 350	WRB	48
H-07	Fagus sylvatica		1200	350x 350	WRB	12

350x 350

WRB 24

WRB 12

WRB 57

1200 350x 350

1200 350x 350

1800 350x 350

1200

		Form	Height (cm)
TAG	Item		
T-104	Corylus avellana	MS	350 400
T-105	Corylus avellana	MS	350 400
T-106	Corylus avellana	MS	350 400
T-107	Prunus maackii Amber Beauty	MS	250 300
T-108	Prunus maackii Amber Beauty	MS	350 400
T-109	Ginkgo biloba 'Fastigiata'	FE	300 350
FE	Feathered		
UM	Umbrella		
MS	Multistem		
ST	Standard		

### Design Notes:

This drawing represents design intent only.

- Do not scale from this drawing.

  All setting out, levels and dimensions to be agreed on site.


  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.

  Order of construction and setting out to be agreed on site.

  This drawing is copyright protected and may not be reproduced in whole or part without written authority.
- part without written authority.

  6. All Dimensions are in millimetres unless otherwise stated

				_
				_
4	02/05/22	Issued for planning	PW	
Revision	Date	Note	Checked	



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 OAF

T +44 7866 553127

E post@pwstudio.co www.pwstudio.co

Pot Supply (

AirPot

AirPot

AirPot

AirPot

AirPot


AirPot

Project	Project number
43A Redington Road Landscape	11!
Client Joelle & Josef Fuss	

Peter Williams Studio Ltd.

Drawing name	Drawing number
Rear Garden East GA Plan	120

1:100 Scale / Format Α Drawn / Checked JG / PW PLANNING CAD Referance 220502\_115\_Drawings.vvv





### Rear Garden East - GA Plan

### Planting Notes

All plants to comply with National Plants Specification, BS 3936, BS 4043 and HTA standards  $\,$ 

All hedging elements are to be clipped blocks, planted to maximum density. Supplied as bushy hedges to be clipped on-site after planting.

ALLOW FOR 1 NURSERY VISIT BY LANDSCAPE ARCHITECT TO TAG AND IDENTIFY / CONFIRM SPECIMENS PRIOR TO ORDER

Securing trees:

Greenleaf Rootball guying kit (including anchors, stainless steel wires, guides and tensioning system) or similar approved for the securing of all tree rootballs is to be used, no above ground tree stakes to be used. Size of kit to be recommended by supplier following site trials to ascertain structural ground conditions. Product to be installed according to manufacturer's instructions. A 'Dead Man Anchor' system will be equally acceptable provided that the Landscape contractor can guarantee the structural stability of the trees given the specific nature of the site. structural stability of the trees given the specific nature of the site.

The following areas are planting beds which will contain herbaceous perennials, ferns and seasonal bulbs. These areas as subject to detailed planting design:

PL-12	Planting Bed 12 / Planting bed existing and replanted
PL-13	Planting Bed 13 / Planting bed existing and replanted
PL-14	Planting Bed 14 / Planting bed existing and replanted
PL-15	Planting Bed 15 / Planting bed existing and replanted

### Irrigation

Allow for x2 outdoor taps and installation of automated irrigation system with drip pipe and rainbird irrigation to each tree and all hedges

### Aboriculture

For details of aboriculture statement on removal and replacent of trees and method statement, please refer to supporting infomation form Trevor Heaps, Aboricultural Consultancy Ltd.

### Soil Profiles

Please note that the following represent minimum depths for soil profiles and will vary depending on the planting and the available overall planting

- 20-50mm fine bark mulch
- 400mm approved topsoil
   250mm approved subsoil
   100mm compacted drainage layer

All planting mediums must meet the following requirements; • BS 3882:2015 - Soils for Landscaping and Garden Use

- BS PAS 100 Composts, Soil Conditioners and Mulches

### Structural Landscape: Hedges

H-18

Fagus sylvatica

AG	ltem	Form	Height (cm)	Girth / width (c	Pot Supply (L	Quantity	
14	Fagus sylvatica		250	350x 350	WRB	20	
15	Fagus sylvatica		250	350x 350	WRB	16	
16	Fagus sylvatica		250	350x 350	WRB	16	
17	Fagus sylvatica		250	350x 350	WRB	16	

350x 350

250

TAG	ltem	Form	Height (cm)	Girth / width (cm	
T-110	Conference Pear Tree (Quince A Rootstock)	ST	300/ 400	10-12	45
T-111	James Grieve Apple Tree (MM106 Rootstock)	ST	350 / 400	12-14	45
T-112	James Grieve Apple Tree (MM106 Rootstock)	ST	350 / 400	12-14	45
FE	Feathered				
UM	Umbrella				
MS	Multistem				
					$\overline{}$

Structural Landscape: Trees


### Design Notes:

This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- 1. Do not scale from this drawing.
  2. All setting out, levels and dimensions to be agreed on site.
  3. This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.
  4. Order of construction and setting out to be agreed on site.
  5. This drawing is copyright protected and may not be reproduced in whole or part without written authority.
  6. All Dimensions are in millimetres unless otherwise stated

PW	Issued for planning	02/05/22	A
PV Checked	Issued for planning Note		A Revision



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 OAF


- T +44 7866 553127
- E post@pwstudio.co W www.pwstudio.co

Project number 43A Redington Road 115 Landscape Joelle & Josef Fuss Peter Williams Studio Ltd.

130

Drawing number Rear Garden West GA Plan

1:100 Scale / Format Α Drawn / Checked JG / PW PLANNING CAD Referance 220502\_115\_Drawings.vvv




### Rear Garden West - GA Plan

3mm Corten Steel HiGrade Bespoke raised planter edge by Kinley - height varies

New & refurbished red brick dwarf walls and retaining edge to terrace.
Retaining structures to engineers
specification.

Timber gravel board edge

Drainage and falls to engineers specification.



Permeable reinforced gravel



Sptima A Clay Pavers by Vande Moortal / Colour: Mahogany. Laid in herringbone and running patten with brick running

### Design Notes:


This drawing represents design intent only.

This drawing is to be used for the discharge of planning conditions in relation to the landscape for 43A Redington Road only.

- Do not scale from this drawing.
  All setting out, levels and dimensions to be agreed on site.
  This drawing must be read with the relevant specification clauses and detail drawings prepared by Peter Williams Studio and other relevant Consultants.
  Order of construction and setting out to be agreed on site.
  This drawing is copyright protected and may not be reproduced in whole or part without written authority.
  All Dimensions are in millimetres unless otherwise stated

PW A 02/05/22 Issued for planning Revision Date Checked

Notes



### PETER WILLIAMS STUDIO

76 Hardpenden Road London SE27 0AF

T +44 7866 553127

E post@pwstudio.co W www.pwstudio.co

43A Redington Road

Project number

115

Landscape

Client

Joelle & Josef Fuss

Drawing name Drawing number Rear Garden West Hard 131 Landscape

Date 02/05/2022 1:50 Α Drawn / Checked PLANNING

# PETER WILLIAMS STUDIO

www.pwstudio.co

07866 553127