



PLAN VIEW - 1:40




SECTION THROUGH
FIRST FIX BRACKET - 1:5

REFERENCE DRAWINGS			
NOTES			
<p>NOTES:</p> <p>ALL WELDS 6mm CFW MINIMUM UNO ALL FIXINGS BZP, Gr8.8 UNO</p> <p>CDM HEAVY COMPONENTS - MANUAL HANDLING HAZARD - OVER 50kg OR UNUSUALLY SHAPED COMPONENT LIFTING OPERATIONS - REFER TO METHOD STATEMENTS & LIFTING PLANS, ENSURE ADEQUATELY TRAINED SUPERVISION COSHH - USE OF CHEMICALS, ADHESIVES, SEALANTS, GROUTS & PAINTS, REFER TO COSHH DATA SHEETS & TAKE ADEQUATE PRECAUTIONS WORKING AT HEIGHT - REFER TO METHOD STATEMENT & RISK ASSESSMENT. ENSURE ADEQUATELY TRAINED PERSONNEL REFER TO MANUFACTURERS INSTALLATION DETAILS FOR INSTALLING PROPRIETARY PRODUCTS</p> <p>FINISH: HOT DIP GALVANISED 85 MICRONS PPC RAL 9005 MATT (30%)</p> <p>SECTION SIZES: REFER TO DRAWINGS</p> <p>GENERAL: DMS ARE NOT RESPONSIBLE FOR COORDINATION WITH OTHER TRADES</p> <p>ALL DIMENSIONS TO BE CHECKED AND CONFIRMED BY MAIN CONTRACTOR PRIOR TO MANUFACTURE AND INSTALLATION</p> <p>LOADING: C3 ix - EXTERNAL BALCONY</p> <p>HORIZONTAL UNIFORMLY DISTRIBUTED LINE LOAD - 1.5 kN/m</p> <p>UNIFORMLY DISTRIBUTED LOAD APPLIED TO THE INFILL PANEL - 1.5 kN/m</p> <p>POINT LOAD APPLIED TO PART OF THE INFILL PANEL - 1.5 kN/m</p>			
C1	28-Jan-22	ISSUED FOR CONSTRUCTION	JW
P02	18-Jan-22	UPDATED TO SUIT CALCS	JW
P01	14-Jan-22	APPROVAL	JW
Index	Date	Description	Author
REVISIONS			
 <p>D.M. STEELWORKS LTD Structural Steelwork & Architectural Metalwork</p> <p>Unit H, Braintree Industrial Estate Braintree Road, Ruislip Middlesex, HA4 0EJ Tel: (01628) 532288 Fax: (01628) 532424</p>			
DRAWN JW		CHECKED	
SCALE @ A1 As Noted		JOB No. 286	DATE 14-Jan-22
ALL WORK TO CE EXECUTION CLASS 2			
CLIENT CBRE			
PROJECT THE KODAK BUILDING			
TITLE ROOF BALUSTRADE PLAN VIEW			
STATUS CONSTRUCTION			
DRAWING No. DMS-286-ROOF-001			REVISION C1

Al

DO NOT SCALE – IF IN DOUBT ASK



REFERENCE DRAWINGS

NOTES

NOTES:

ALL WELDS 6mm CFW MINIMUM UNO
ALL FIXINGS BZP, Gr8.8 UNO

CDM
HEAVY COMPONENTS - MANUAL HANDLING
HAZARD - OVER 50kg OR UNUSUALLY SHAPED
COMPONENT
LIFTING OPERATIONS - REFER TO METHOD
STATEMENTS & LIFTING PLANS, ENSURE
ADEQUATELY TRAINED SUPERVISION
COSHH - USE OF CHEMICALS, ADHESIVES,
SEALANTS, GROUTS & PAINTS, REFER TO
COSHH DATA SHEETS & TAKE ADEQUATE
PRECAUTIONS
WORKING AT HEIGHT - REFER TO METHOD
STATEMENT & RISK ASSESSMENT. ENSURE
ADEQUATELY TRAINED PERSONNEL
REFER TO MANUFACTURERS INSTALLATION
DETAILS FOR INSTALLING PROPRIETARY
PRODUCTS

FINISH:
HOT DIP GALVANISED 85 MICRONS PPC RAL
9005 MATT (30%)

SECTION SIZES:
REFER TO DRAWINGS

GENERAL:
DMS ARE NOT RESPONSIBLE FOR
COORDINATION WITH OTHER TRADES

ALL DIMENSIONS TO BE CHECKED AND
CONFIRMED BY MAIN CONTRACTOR PRIOR TO
MANUFACTURE AND INSTALLATION

LOADING:
C3 ix - EXTERNAL BALCONY


HORIZONTAL UNIFORMLY DISTRIBUTED LINE
LOAD - 1.5 kN/m

UNIFORMLY DISTRIBUTED LOAD APPLIED TO
THE INFILL PANEL - 1.5 kN/m

POINT LOAD APPLIED TO PART OF THE INFILL
PANEL - 1.5 kN/m

C1	28-Jan-22	ISSUED FOR CONSTRUCTION	JW
P02	18-Jan-22	UPDATED TO SUIT CALCS	JW
P01	14-Jan-22	APPROVAL	JW
Index	Date	Description	Auth

REVISIONS



DRAWN	CHECKED
-------	---------

SCALE @ A1 As Noted	JOB No. 286	DATE 28-Jan-22
------------------------	----------------	-------------------

ALL WORK TO CE EXECUTION CLASS 2

CLIENT	
--------	--

CBRE


PROJECT	THE KODAK BUILDING
---------	--------------------

TITLE	ROOF BALUSTRADE ELEVATION VIEW
-------	-----------------------------------


	STATUS
--	--------

CONSTRUCTION

DRAWING No.	REVISION
DMS-286-ROOF-002	CI




SECTION A - 1:25




SECTION B - 1:25


G




SECTION C - 1:25




SECTION D - 1:25





SECTION E - 1:25



RAIL TO RAIL CONNECTION - 1:10





SECTION A - A



SECTION B - B

COULMN SUPPORT DETAIL - 1:5



3D VIEW

REFERENCE DRAWINGS

NOTES

NOTES:

ALL WELDS 6mm CFW MINIMUM UNO
ALL FIXINGS BZP, Gr8.8 UNO

CDM
HEAVY COMPONENTS - MANUAL HANDLING
HAZARD - OVER 50kg OR UNUSUALLY SHAPED COMPONENT
LIFTING OPERATIONS - REFER TO METHOD STATEMENTS & LIFTING PLANS, ENSURE ADEQUATELY TRAINED SUPERVISION
COSHH - USE OF CHEMICALS, ADHESIVES, SEALANTS, GROUTS & PAINTS, REFER TO COSHH DATA SHEETS & TAKE ADEQUATE PRECAUTIONS
WORKING AT HEIGHT - REFER TO METHOD STATEMENT & RISK ASSESSMENT. ENSURE ADEQUATELY TRAINED PERSONNEL
REFER TO MANUFACTURERS INSTALLATION DETAILS FOR INSTALLING PROPRIETARY PRODUCTS

FINISH:
HOT DIP GALVANISED 85 MICRONS PPC RAL 9005 MATT (30%)

SECTION SIZES:
REFER TO DRAWINGS

GENERAL:
DMS ARE NOT RESPONSIBLE FOR COORDINATION WITH OTHER TRADES

ALL DIMENSIONS TO BE CHECKED AND CONFIRMED BY MAIN CONTRACTOR PRIOR TO MANUFACTURE AND INSTALLATION

LOADING:
C3 ix - EXTERNAL BALCONY


HORIZONTAL UNIFORMLY DISTRIBUTED LINE LOAD - 1.5 kN/m

UNIFORMLY DISTRIBUTED LOAD APPLIED TO THE INFILL PANEL - 1.5 kN/m

POINT LOAD APPLIED TO PART OF THE INFILL PANEL - 1.5 kN/m

C1	28-Jan-22	ISSUED FOR CONSTRUCTION	JW
P02	18-Jan-22	UPDATED TO SUIT CALCS	JW
P01	14-Jan-22	APPROVAL	JW
Index	Date	Description	Author

REVISIONS



D.M. STEELWORKS LTD
Structural Steelwork & Architectural Metalwork

Unit H, Braintree Industrial Estate
Braintree Road, Ruislip Middlesex, HA4 0EJ
Tel: (01628) 532288 Fax: (01628) 532424

DRAWN	CHECKED		
JW			
SCALE @ A1	JOB No.	DATE	
As Noted	286	14-Jan-22	

ALL WORK TO CE EXECUTION CLASS 2

CLIENT	CBRE		
PROJECT	THE KODAK BUILDING		
TITLE	ROOF BALUSTRADE 3D VIEW		
STATUS	CONSTRUCTION		
DRAWING No.	DMS-286-ROOF-003		REVISION
			CI