



EXTERNAL DOOR SCHEDULE

Level	Door No	Room Name	Site / Factory Fitted	Height (S.O.)	Width (S.O.)	Door Panel Height	Door Panel Width	Door Panel Thickness	Secondary Panel Width	Fire Rating	Elevation Type	Finish	Comments	Card Reader & Keypad (Break Glass etc)	Push Bar Inside - No Handle Outside
LEVEL 0	EX-01	RECEPTION		2350	2010.0							MEATL - PPC RAL 8022	GLAZED DOOR WITHIN WINDOW W-01		
LEVEL 0	EX-09	CSC AREA	FACTORY	2400	1010.0	2290	907	44		FD30s	TYPE 03	MEATL - PPC RAL 8022	SOLID PERSONNEL DOOR		Yes
LEVEL 0	EX-011	RECEPTION	SITE	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 8022	DOUBLE DOOR GLAZED PERSONNEL - SEE WINDOW SCHEDULE DRAWING	Yes	
LEVEL 0	EX-011a	SWITCH ROOM	SITE	2400	1705.0	2290	799.5	44			TYPE 01	MEATL - PPC RAL 8022	LOUVRED (TBC BY CLIENT)		
LEVEL 0	EX-012	CSC AREA	SITE	0	0.0						TYPE 06	MEATL - PPC RAL 8022	ROLLER SHUTTER		
LEVEL 0	EX-013	CSC AREA	SITE	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 8022	GLAZED PERSONNEL DOOR		
LEVEL 0	EX-014	ELEC SWITCH	SITE	2400	1810.0	2290	852	44		FD30s	TYPE 05	MEATL - PPC RAL 8022	LOUVRED		
LEVEL 0	EX-015	STAIR 3	FACTORY	2400	1110.0	2290	1007	44			TYPE 04	MEATL - PPC RAL 8022	GLAZED PERSONNEL DOOR	Yes	
LEVEL 0	EX-016	ELEC SWITCH	SITE	2400	1810.0	2290	852	44		FD30s	TYPE 05	MEATL - PPC RAL 8022	LOUVRED		
LEVEL 0	EX-017	ELEC SWITCH	SITE	3000	2625.0	2290	852	44		FD30s	TYPE 05	MEATL - PPC RAL 8022	LOUVRED		
LEVEL 0	EX-018	ELEC SWITCH	SITE	2400	1810.0	2290	852	44		FD30s	TYPE 05	MEATL - PPC RAL 8022	LOUVRED		
LEVEL 0	EX-019	CSC AREA	FACTORY	2400	1010.0	2290	907	44			TYPE 04	MEATL - PPC RAL 8022	GLAZED PERSONNEL DOOR		
LEVEL 0	EX-020	MACHINE ROOM	FACTORY	2400	1010.0	2290	907	44			TYPE 04	MEATL - PPC RAL 8022	GLAZED PERSONNEL DOOR		
LEVEL 0	EX-021	STAIR 1	FACTORY	2400	1010.0	2290	907	44		FD30s	TYPE 04	MEATL - PPC RAL 8022	FD30 GLAZED PERSONNEL DOOR		Yes
LEVEL 0	EX-022	STAIR 2	FACTORY	2400	1010.0	2290	907	44		FD30s	TYPE 04	MEATL - PPC RAL 8022	GLAZED PERSONNEL DOOR		Yes
LEVEL 0	EX-023	PLANT	FACTORY	2400	1810.0	2290	852	44			TYPE 01	MEATL - PPC RAL 8022	SOLID PERSONNEL DOOR		
LEVEL 0	EX-024	CIRC	FACTORY	2400	1010.0	2290	907	44		FD30s	TYPE 04	MEATL - PPC RAL 8022	FD30 GLAZED PERSONNEL DOOR - WITH OBSCURED MANIFESTATION		Yes
LEVEL 0	EX-025	OFFICE	FACTORY	2400	1010.0	2290	907	44		FD30s	TYPE 04	MEATL - PPC RAL 8022	FD30 GLAZED PERSONNEL DOOR		Yes
LEVEL 1	EX-101	LOBBY	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL	Yes	
LEVEL 1	EX-102	DINING	FACTORY	2100	1810.0	1990	852	44			TYPE 01	VINYL WRAPPED	SOLID PERSONNEL DOOR		Yes
LEVEL 2	EX-201	LOBBY	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL	Yes	
LEVEL 2	EX-202	LOBBY	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 2	EX-203	MALE CHANGING	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		Yes
LEVEL 2	EX-204	EXT STAIR	FACTORY	2110	1010.0	2000	907	44		FD30s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 2	EX-205	DRYING ROOM	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 2	EX-206	DRYING ROOM	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 3	EX-301	OPEN PLAN OFFICE	FACTORY	2110	1010.0	2000	907	44		FD30s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 3	EX-302	EXT STAIR	FACTORY	2110	1010.0	2000	907	44		FD30s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 3	EX-303	OPEN PLAN OFFICE	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 3	EX-304	OPEN PLAN OFFICE	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 4	EX-401	OPEN PLAN OFFICE	FACTORY	2110	1010.0	2000	907	44		FD30s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 4	EX-402	EXT STAIR	FACTORY	2110	1010.0	2000	907	44		FD30s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 4	EX-403	OPEN PLAN OFFICE	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
LEVEL 5	EX-501	OPEN PLAN OFFICE	FACTORY	2110	1010.0	2000	907	44		FD60s	TYPE 04	MEATL - PPC RAL 7039	GLAZED PERSONNEL DOOR		Yes
LEVEL 5	EX-502	EXT STAIR	FACTORY	2400	1010.0	2290	907	44		FD60s	TYPE 03	MEATL - PPC RAL 7039	SOLID PERSONNEL DOOR		
LEVEL 5	EX-503	OPEN PLAN OFFICE	FACTORY	2400	1810.0	2290	852	44			TYPE 02	MEATL - PPC RAL 7039	DOUBLE DOOR GLAZED PERSONNEL		
ROOF	EX-601	STAIR 4	FACTORY	2400	1010.0	2290	907	44			TYPE 03	MEATL - PPC RAL 7039	SOLID PERSONNEL DOOR	Yes	
ROOF	EX-602	EXT STAIR	FACTORY	2400	1010.0	2290	907	44			TYPE 03	MEATL - PPC RAL 7039	SOLID PERSONNEL DOOR		Yes
ROOF	EX-603	LIFT	FACTORY	2400	1010.0	2290	907	44			TYPE 03	MEATL - PPC RAL 7039	SOLID PERSONNEL DOOR	Yes	
ROOF	EX-604	EXT STAIR	FACTORY	2400	1010.0	2290	907	44			TYPE 03	MEATL - PPC RAL 7039	SOLID PERSONNEL DOOR		Yes


TYPE 01




TYPE 02




TYPE 03



TYPE 04



TYPE 05



TYPE 06



SAFETY, HEALTH AND ENVIRONMENT INFORMATION
 THE RISKS NOTED BELOW ARE IN ADDITION TO THE RISKS NORMALLY ASSOCIATED WITH THE TYPE OF WORK DETAILED ON THIS DRAWING.
CONSTRUCTION
 MOVING OF MODULES INTO PLACE ON SITE
 WORKING AT HEIGHT
 WORKING IN CLOSE PROXIMITY TO EXISTING BUILDINGS
 EXISTING SERVICES ON SITE TO BE LOCATED
 DELIVERIES AND MOVEMENT OF MATERIALS ON SITE
 GROUND WORKS DURING FORMATION OF BUILDING PADS
 INSTALLATION OF HOT & COLD WATER SERVICES
OPERATIONS
 PRE TO BE WORN ON SITE
 RISK OF INFECTION - COVID 19
 WORKING AT HEIGHT - FALLS FROM HEIGHT & INJURIES
 ACCESS FOR DELIVERIES
 MAINTENANCE OF MATERIALS
 PAINTS & SOLVENTS (INHALATION, FLAMES)
MAINTENANCE
 CLEANING OF GUTTERS AND OUTLETS
 HIGH LEVEL WINDOW CLEANING - WASH & REACH TO BE CONSIDERED
 LOUVER INSPECTION
 REPLACEMENT OF PLANT EQUIPMENT
 GENERAL ROOF MAINTENANCE
 USE OF MEWPS
DEMANTLING / DEMOLITION (D/DEM)
 REMOVAL OF MODULES VIA CRANE
 CLOSE PROXIMITY TO EXISTING BUILDINGS
 NOISE DURING OPERATIONAL HOURS
 MAKING SAFE SERVICES
 THE ABOVE RISKS ARE LISTED IN THE DESIGN RISK REGISTER REFERENCE:

Rev	Description	Drawn	Checked	Approved	Con App	Scale
C05	ROLLER SHUTTER ELEVATION TYPR REVISED TO TYPE 06	DRP	TC	09.05.22	KP	
C04	DOOR EX-102 ADDED AS STAGE 4 FIRE REPORT	DRP	TC	19.04.22	KP	
C03	DOOR EX-206 COLOUR REVISED	DRP	TC	06.04.04	KP	
C02	ISSUED FOR CONSTRUCTION	DRP	TC	18.11.21	KP	
C01	DOORS EX-019 & 020 REFERENCED AND DOOR EX-013 CHANGED TO GLAZED	DRP	TC	09.11.21	DB	

Legends/Notes:
 HS2 accepts no responsibility for any circumstances which arise from the reproduction of this document after alteration, amendment or abbreviation or if it is issued in part or issued incompletely in any way.
 © Crown Copyright and database right 2020. All rights reserved. Ordnance Survey Licence number 100049190
 © Crown Copyright material is reproduced with the permission of Land Registry under delegated authority from the Controller of HMSO.
 This material was last updated on 2020 and may not be copied, distributed, sold or published without the formal permission of Land Registry. Only an official copy of a title plan or register obtained from the Land Registry may be used for legal or other official purposes.
EXTERNAL IRONMONGERY TO BE PROVIDED BY MANUFACTURER AWAITING DETAILS / SPECIFICATION
C04 REVISION
DOOR EX-102 ADDED AS STAGE 4 FIRE REPORT



Stage	Project/Contract	Creator/Originator	Sub-Originator
5	EUSTON STATION	PREMIER MODULAR	
Drawing Title	Work Package Description	Discipline/Function	System Description
EXTERNAL DOOR SCHEDULE	1200S03	ARCHITECTURAL	
Drawn by	Checked by	Approved by	Date
DRP	TC	KP	04.08.21
Scale	Size	Suitability	Rev.
NTS	A1	S3	C05
Drawing No.			
1CP01-MDS_PML-AR-DSH-SS08_SL23-000004			