



FINE PICKED GRANITE KERB LAID FLUSH, ROYAL WHITE
300mm WIDE x 1000mm LONG x 200mm DEEP BY MARSHALLS/HARDSCAPE
OR EQUAL AND APPROVED.

BUILDING FACADE TO BENNETTS DESIGN AND SPECIFICATION.

EXTENT OF VEHICULAR PROTECTION ON FACADE TO BENNETTS DETAIL
AND SPECIFICATION.

10mm WIDE MASTIC JOINT AT BUILDING INTERFACE

5 SETT GRANITE STRETCHER COURSE TO CHILTON LANE - FINE PICKED
100mm WIDE x 200/250/300mm LONG x 75mm DEEP
BY MARSHALLS/HARDSCAPE OR EQUAL AND APPROVED.

COLOUR MIX: ALBION GREY (50%)
MILLENNIUM MAUVE (30%)
MILLENNIUM PINK (20%)

- MINIMUM UNIT LONG AT INTERFACE WITH OTHER PAVING = 100mm.
- MINIMUM OVERLAP BETWEEN PAVING UNITS = 60mm

10-15mm TUFFGROUT JOINT COLOURED TO MATCH PAVING BY STEINTEC
OR EQUAL & APPROVED.

GRANITE SETTS TYPE 2 - FINE PICKED
100mm WIDE x 200/250/300mm LONG x 75mm DEEP
BY MARSHALLS/HARDSCAPE OR EQUAL AND APPROVED.
LAID IN RANDOM PATTERN. REFER TO ALD854_LD704.

COLOUR MIX: ALBION GREY (30%)
MILLENNIUM MAUVE (30%)
MILLENNIUM PINK (30%)
ELEANOR RED (10%)

- MINIMUM UNIT LONG AT INTERFACE WITH OTHER PAVING = 100mm.
- MINIMUM OVERLAP BETWEEN PAVING UNITS = 60mm

P02

18

DETAIL PLAN OF GRANITE SETT STRETCHER COURSE TO CHILTON LANE
SCALE: 1:10 @ A3

LANDSCAPE ARCHITECT:



The Threshing Barn
Bignell Park Barns
Chesterton
Oxfordshire
OX26 1TD

Tel: 01869 249776
Fax: 01869 327513
Email: mail@appliedlandscape.co.uk

© 2021 Applied Landscape Design Limited. All rights reserved.

Rev.	Update	Date
P02	SETT COLOUR MIX AMENDED	17.06.21
P01	STAGE 4 ISSUE: EMPLOYERS REQUIREMENTS	07.05.21

PROJECT:	KXC: BUILDING S3 PUBLIC REALM
CLIENT:	KCCGPL

drawn:	HKM	checked:	KmJ
scale:	1:10 @ A3	date:	07.05.21
status:	INFORMATION	xref file ref:	ALD854_LDbase

DRAWING TITLE:		
HARDWORKS DETAIL - CHILTON LANE GRANITE SETT STRETCHER COURSE		
PROJECT NO.	DRAWING NUMBER:	REVISION:
ALD854	LD718	P02