




Balcony as existing



Balcony as existing



Balcony and proposed door elevation

Thermal	As Standard	Best
U-Value	1.6	1.6
g-Value	52%	As Required
LT	72%	As Required
Weather		
Standard	BS6375 Part 1	
Air	Class 4 (EN 12207:2000)	
Wind	Class C5 (EN 12210:2000)	
Water	Class E750 (EN 12208:2000)	
Operation & Strength		
Classification	Pass (BS6375 Part 2)	
Sustainability		
FSC Chain of Custody	Yes	
Security		
PAS 24 / Part Q	No	

Proposed Door Technical Specification

General notes

This 'Grawing is doughyightin knop- Acchiledes.' This is must be read in conjunction with the Designer's R Assessment, specification and all other relevant documentation and drawings. KSR architects acco labelly for any sepnse, loss or damage of whates nature and however arising from any variation ma the strawing or in the execution of the work to with relates which has not been referred to them and it relates which has not been referred to them and it where the control of the service of the service of the control of the properties.

relates which has he been released to trell and trell approval obtained.

Do not scale from this drawing or the digital data, only figured dimensions are to be used. For Planning refer to linear scale.

Check all dimensions on site prior to carrying out any works – advice any discrepancy

KSR ARCHITECTS & INTERIOR DESIGNERS
INTERIOR DESIGN

dd.mm.yy By Chkd

Project:
58 Eton Ave

Title:

Proposed Section & Elevation Callouts