


1 UNIT 338- PROPOSED FRONT ELEVATION

2 UNIT 338- PROPOSED SIDE ELEVATION TRITON STREET SIDE

3 UNIT 338- PROPOSED REAR ELEVATION TRITON SQUARE SIDE



UNIT 338- NEW ENTRANCE DOOR EXTERIOR ELEVATION SCALE 1:10

UNIT 338- NEW ENTRANCE DOOR INTERIOR ELEVATION SCALE 1:10

NEW ENTRANCE DOOR NOTES

NEW DOOR TO BE DETAILED DESIGNED & INSTALLED BY LANDLORDS APPROVED CONTRACTOR.

FINAL DOOR DESIGN TO BE APPROVED BY LANDLORD

GLAZING PANEL HEADER TO BE DESIGNED AND INSTALLED BY LANDLORDS APPROVED CONTRACTOR.

NEW ENTRANCE TO BE SINGLE DOOR WITH ALUMINIUM FRAME AND DOUBLE GLAZED PANEL

90 DEGREE OUTWARD OPENING

MINIMUM CLEAR OPENING OF 1050MM

DOOR TO BE FITTED WITH 5-LEVER LOCK

ELECTRONIC DOOR LOCK TO BE CONFIGURED FOR FAIL-SAFE IN EVENT OF A POWER FAILURE

DOOR TO BE FITTED WITH ANTI-FINGER TRAP GUARD

CLOSER TO BE FITTED ON INTERNAL SIDE OF DOOR

NOTES:

All dimensions are to be checked on site before commencement of works.

All sizes and dimensions to any structural elements are indicative only. Actual sizes/dimensions to be confirmed on site.

EUSTONWALL
350 & 338 EUSTON ROAD
REGENTS PLACE
LAKELAND CLIMBING CENTRE LTD

Document Issue:
14.06.22

rev. date by remark

Scale 1:NTS @A1

**UNIT 338
PROPOSED
NEW
ENTRANCE
DETAIL**

A7.0