



- IMPORTANT NOTES:
- THIS IS A DESIGN INTENT DRAWING ONLY AND SHOULD NOT BE ISSUED AS A CONSTRUCTION DRAWING.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH LIGHT.iQ LUMINAIRE SPECIFICATION, LIGHTING CONTROL SCHEDULE AND INTEGRATION DETAILS.
 - DO NOT SCALE FROM THIS DRAWING.
 - LIGHT.iQ CONTROL CHANNELS SHOWN FOR CONTROL PROGRAMMING ONLY. DO NOT USE AS CIRCUIT IDENTIFICATION.
 - REFER TO ELECTRICAL ENGINEERS INFORMATION FOR ELECTRICAL INSTALLATION DESIGN.
 - ALL DISCREPANCIES TO BE REPORTED TO THE LIGHTING DESIGNER.
 - POWER SUPPLY LOADINGS, VOLTAGE DROP, COMPATIBILITY AND LOCATION REQUIREMENTS FOR EACH CHANNEL TO BE REVIEWED AND VERIFIED BY ELECTRICAL ENGINEER.
 - POWER SUPPLIES AND CONTROL GEAR WILL REQUIRE TO BE LOCATED IN AN ACCESSIBLE AND SUFFICIENTLY VENTILATED LOCATION BY THE ELECTRICAL ENGINEER.
 - EXACT LOCATION AND HEIGHT OF ALL FF+E LUMINAIRES TO BE VERIFIED BY THE ARCHITECT/INTERIOR DESIGNER.
 - SAMP SOCKET LOCATIONS TO BE COORDINATED WITH SMALL POWER LOCATIONS FOR CONSISTENCY. REFER TO INTERIOR DESIGNER SPECIFICATIONS AND SETTING OUT.
 - REFER TO ARCHITECTS/INTERIOR DESIGNERS DRAWINGS FOR FINAL LUMINAIRE SETTING OUT.
 - ALL DIMENSIONS AND LINEAR LENGTHS TO BE CONFIRMED ON SITE BY THE CONTRACTOR.

DRAWING KEY	
	SAMP WALL SOCKET
	SAMP FLOOR SOCKET
	POWER PROVISION (FOR FUTURE LIGHTING)
	CONTROL PLATE
	SWITCH
	DOOR CONTACT SWITCH
	DIMMER SWITCH
	LED DRIVERS
	CENTERED
	ALIGN
	EQUAL
	DIMENSION IN MM
	REVISION CLOUD
	REVISION
	CONTROL CHANNEL
	DETAIL TAG

ISSUE FOR INFORMATION

REVFI 27.05.2022

light.iQ

Unit 1, 45 Penton Place, London SE17 3DN
T. 44 (0) 208 749 1900
lightiQ.com
gilbert-scotts@lightiq.com +44 (0) 208 749 1900

PROJECT
GILBERT SCOTT'S

DRAWING TITLE
BAR
HIGH LEVEL LIGHTING PLAN

SCALE
1:100@A2

DRAWN BY
CM

DATE
27.05.2022

REVISION
FI

DWG NO.
LIQ_1614_GS_RCP_BAR