



- NOTES
- DO NOT SCALE FROM THIS DRAWING
 - ALL DIMENSIONS IN mm UNO
 - FOR GENERAL NOTES, SEE DRAWINGS 4190-AKT-XX-XX-DR-S-0001 TO 0008. FOR MOVEMENTS AND TOLERANCES, SEE DRAWINGS 4190-AKT-XX-XX-DR-S-0010 TO 0014. FOR BEAM AND COLUMN SCHEDULES SEE DRAWING 4190-AKT-ZZ-XX-DR-S-00300
 - ALL DIMENSIONS RELATING TO EXISTING & ADJACENT STRUCTURES, PARTY WALLS ARE BASED ON ARCHIVE INFORMATION OR LIMITED SURVEY INFORMATION AND ARE THEREFORE SUBJECT TO CONFIRMATION ON SITE. CONCRETE GRADE – C35/45 UNO.
 - ALL STEELWORK GRADE S355 UNO
 - FOR GENERAL NOTES ON SITE WIDE HEALTH AND SAFETY INFORMATION REFER TO DRAWING 4190-AKT-XX-XX-DR-S-0005 SECTION 18
 - REFER TO LIFT TRADE CONTRACTOR DRAWINGS FOR ALL LIFT BUILDERS WORKS, INCLUDING HOLES FOR MONITOR BUTTONS, CAST-IN FIXINGS, LIFTING EYES ETC
 - ALL PRECAST ELEMENTS TO BE DESIGNED BY OTHERS. REFERENCE SHOULD BE MADE TO THE ARCHITECT'S INFORMATION REGARDING PRECAST STAIRS
 - FIRE RATING FOR STRUCTURAL ELEMENTS 60 MINUTES AND 120 MINUTES FOR FIREFIGHTING STAIR AND LIFT ENCLOSURE U.N.O. REFERENCE SHOULD BE MADE TO JENSEN HUGHES' FIRE STRATEGY REPORT: BL5251/R1 ISSUE 4
 - WATERPROOFING TO ARCHITECT'S DETAILS

EXISTING STRUCTURAL ELEMENTS ARE SHOWN INDICATIVELY TO GIVE CONTEXT TO THE PROPOSED WORKS. THE INFORMATION SHOWN IS BASED ON POINT'S SURVEY DRAWING LS2281/B01, LIMITED OPENING UP WORKS ON THE SOUTH ELEVATION ONLY, AND HISTORIC PLANNING APPLICATIONS RELATING TO THE NEIGHBOURING BUILDING. THE CONTRACTOR WILL NEED TO CARRY OUT ADDITIONAL SURVEYS BOTH PRE- AND POST- DEMOLITION TO CONFIRM THE ASSUMED GEOMETRY

RC CORES AND LIFT SHAFT WALLS 250mm THICK U.N.O.

REFER TO M&E AND ARCHITECT'S DRAWINGS FOR PENETRATIONS AND RISER OPENINGS.
BWIC REQUIREMENTS TO BE DEVELOPED IN STAGE 4

ALL CONCRETE ELEMENTS IN CONTACT WITH WATER / GROUND, TYPICALLY RAFT SLABS, PITS, RETAINING WALLS, AND CAPPING BEAMS, ARE TO BE FORMED IN WATERTIGHT CONSTRUCTION. THE CONTRACTOR IS TO SPECIFY, DETAIL AND COORDINATE THE USE OF CONCRETE ADDITIVES, WATER BARS ETC. TO ACHIEVE THIS

REFER TO DRAWING NO. S-27001 FOR TYPICAL CAPPING BEAM DETAIL FOR SETTING OUT

BACKFILL / PILING MAT BETWEEN EXISTING WALL AND PILES TO BE SOLIDIFIED BY PERMEATION GROUTING / SOIL MIXING TO ENSURE LATERAL LOAD TRANSFER BETWEEN EXISTING AND NEW CONSTRUCTION. CONTRACTOR TO PROPOSE METHOD TO BE AGREED BY THE STRUCTURAL ENGINEER

TEMPORARY SHEET PILING IS SHOWN INDICATIVELY FOR FACILITATING CAPPING BEAM CONSTRUCTION. CONTRACTOR TO CONSIDER STABILITY OF ALL EXCAVATIONS AS PART OF THEIR TEMPORARY WORKS AND CONSTRUCTION METHODOLOGY WITH DUE CONSIDERATION FOR EXISTING AND PROPOSED BURIED SERVICES

T5	21.04.22	ISSUED TO FACILITATE CDP DESIGN	DT	SP
T4	13.08.21	LOCAL SLAB THICKNESS AND THICKENINGS UPDATED	DT	SP
T3	30.07.21	ISSUED FOR STAGE 4A	DT	SP
T2	07.05.21	ISSUED FOR STAGE 3	DT	SP
T1	30.04.21	ISSUED FOR STAGE 3 + SUBMISSION	DT	SP
REV	DATE	DESCRIPTION	BY	CHECKED

WHERE DIGITAL MODEL FILES ARE ISSUED, THESE ARE PROVIDED FOR INFORMATION ONLY TO ASSIST OTHER PARTIES DEVELOP THEIR DESIGNS/DRAWINGS/DOCUMENTATION. THIS INFORMATION IS OUTSIDE OUR CONTRACTED SCOPE OF SERVICES AND AKT II ACCEPTS NO RESPONSIBILITY FOR THE ACCURACY OF THE DIGITAL DATA SUPPLIED.

THE CONTRACTUAL DRAWINGS/INFORMATION PRODUCED BY AKT II UNDER OUR AGREEMENT ARE LIMITED TO THE 2D PDF DRAWING FILES/PAPER COPIES, WITH RESPECT TO DESIGN COORDINATION AND DIMENSIONAL SETTING OUT.



Consulting Structural and Civil Engineers
White Collar Factory,
1 Old Street Yard,
London,
EC1Y 8AF
T +44 (0)20 7250 7777
F +44 (0)20 7250 5555
E info@akt-uk.com
W www.akt-uk.com

M&G / PRUDENTIAL UK REAL ESTATE LP

THE FITZROVIA

PERIMETER SECTIONS
SHEET 1

DT	01.03.21	KT	A1
DRAWN BY	DRAWN DATE	CHECKED BY	SHEET SIZE
4190	STAGE 4	S4	1:50
PROJECT NO.	PROJECT STAGE	SATISFACTORY CODE	SCALE

4190 AKT ZZ ZZ DR S 25200 T5
PROJECT ID ORIGINATOR ZONE LEVEL TYPE ROLE DRAWING NO. REVISION