


EXISTING ALUMINIUM WINDOW WITH
TIMBER FRAME PROFILE

EXISTING BLOCKWORK AS PER
SPECIFICATION

EXISTING FULL FILL CAVITY WALL
INSULATION AS PER SPECIFICATION

EXISTING BRICKWORK AS PER
SPECIFICATION




EXISTING CILL DETAIL

NEW AND EXTERNAL WINDOW CILLS TO
MATCH PROFILE OF EWI THICKNESS

PURPLE PASSIVE VAPOUR CONTROL
LAYER / AIRTIGHT FIBRE REINFORCED
POLYMER EMULSION PASTE TO FORM
CONTINUOUS SEAL WITH WINDOW
MANUFACTURER EDPM

PROPOSED 210MM EXTERNAL WALL
INSULATION WITH RENDER FINISH TO
BE PERMAREND/ PERMAROCK
EXTERIOR RENDER SYSTEMS &
PERMAROCK EXTERNAL WALL
INSULATION SYSTEMS TO SELECTED
LOCATIONS AS PER SPECIFICATION




PROPOSED CILL DETAIL

PROPOSED NEW WINDOW AS PER
SPECIFICATION. NEW FIXINGS TO BE
THERMALLY BROKEN PROPRIETARY
GRP ANGLES AS PER SE/ SPECIALIST
DESIGN.

NEW AND EXTERNAL WINDOW CILLS TO
MATCH PROFILE OF EWI THICKNESS

PURPLE PASSIVE VAPOUR CONTROL
LAYER / AIRTIGHT FIBRE REINFORCED
POLYMER EMULSION PASTE TO FORM
CONTINUOUS SEAL WITH WINDOW
MANUFACTURER EDPM

PROPOSED 10MM AEROGEL INSULATION
AS PER SPECIFICATION



PROPOSED CILL DETAIL

01m2m

1:20

The contractor is responsible to ensure that no products are to be utilised that do not comply with relevant British and/or European Standards and/or Codes of Practice, COSHH Regulations, Construction Regulations, or which are known or suspected at the time of product selection and/or construction to be deleterious to health and safety or to the durability of the work or not in accordance with good building practices.


The contractor is responsible for checking dimensions, tolerances, levels and references. This drawing/model is to be read in conjunction with all relevant Other Project Team Members' or specialists' drawings/models/any Federated Model. Any discrepancy is to be notified to Baily Garner LLP and is to be rectified before proceeding with the works on site or shop drawings. Where an item is covered by drawings to different scales, the larger scale drawing is to be worked to.

Any rights (including copyright) in this drawing/model and any proprietary work contained therein belong to Baily Garner LLP and may only be used in accordance with the licence granted to the Employer and with attribution to Baily Garner LLP.

The drawing to be read in conjunction with:Document Suitability Codes page or at www.bailygarner.co.uk/disclaimer/

A3

Rev NoDescriptionD C DATE



BAILY
GARNER

55 CHARLOTTE STREET
BIRMINGHAM B3 1PX
t. 0121 236 2236
e. birmingham@bailygarner.co.uk
CLIENT NAME
London Borough of Camden

PROJECT ADDRESS

1-32 Brookes Court
London
EC1N 7RR

PROJECT NAME

1-32 Brookes Court Retrofit Works

DRAWING TITLE

Archetype 4 - 2, 3, 4, 5, 30 & 31 House (Mid-Terrace)
Cill Detail

SUITABILITY CODE

S2

SCALE

1:20

DRAWN

FN

CHECKED

MA

APPROVED

DATE

21/03/2022

PROJ NO	AUTHOR	VOLUME	LEVEL	DOCTYP	ROLE	DRW NO	REV	STAT	REV NO
33787	BGL	A4	XX	DR	A	2102	P		01