

Auden Place 2022 Summer work schedule											
Site	Tree_No	Species	CommonName	AgeClass	Height	Spread	StemDia	Physio_Cond	NSDO	Structural_Cond	Control Works
Auden Place	433	Fraxinus excelsior	Ash	4 - Mature	14	14	1 - 450+mm	2 - Good	false	Heavy lateral development around canopy. Minor and moderate lateral branch failures visible around canopy. Laterals becoming excessively end-weighted.	Cut back off building to provide 1-2m clearance. Cut back off street lamp to provide 1-2m clearance. Raise lower canopy to 3m. 2m canopy reduction to appropriate side growth.
Auden Place	435	Sorbus aria	Whitebeam	4 - Mature	12	7	2 - 250-450mm	2 - Good	false	Inonotus hispidus fruiting bodies visible on upper stem.	Sever lvy to 1.5m. 1-2m canopy reduction
Auden Place	436	Sorbus aria	Whitebeam	4 - Mature	12	7	2 - 250-450mm	3 - Moderate	false	Multiple congested branches at 2m union with bark inclusion visible. Union is very tight with some moderate adaptive growth visible. Inonotus fruiting body on upper west stem. Old pruning wound at congestion point developing a local shallow cavity	Reduce to previous reduction points (2m approximately)
Auden Place	441	Prunus laurocerasus	Laurel	4 - Mature	6	5	3 - 100-250mm	2 - Good	true		Cut back off building to maintain contact free
Auden Place	TR.g4	Mixed group	Mixed group	3 - Early Mature	5	4	3 - 100-250mm	2 - Good	true		Cut back off structure to provide 1m clearance.
Auden Place	453	Betula pendula	Silver Birch	3 - Early Mature	12	5	3 - 100-250mm	2 - Good	true	Tenant at 16 complaining of light loss	3m height reduction. 1m lateral reduction.
Auden Place	454	Betula pendula	Silver Birch	3 - Early Mature	13	5	3 - 100-250mm	2 - Good	true	Tenant at 16 complaining of light loss	3m height reduction. 1m lateral reduction.
Auden Place	456	Betula pendula	Silver Birch	3 - Early Mature	15	5	3 - 100-250mm	2 - Good	true	Tenant at 16 complaining of light loss	3m height reduction. 1m lateral reduction.
Auden Place	459	Acer cappadocicum	Cappadacian Maple	4 - Mature	5	6	3 - 100-250mm	2 - Good	false		Cut back off building to provide 1-2m clearance
Auden Place	480	Pittosporum tenuifolium	Pittosporum	4 - Mature	7	4	3 - 100-250mm	3 - Moderate	false	Minor tip dieback becoming visible.	Cut back off building to provide 1-2m clearance
Auden Place	470	Betula pendula	Silver Birch	4 - Mature	12	4	3 - 100-250mm	3 - Moderate	false	Tight fork at 3m. North one is weak with included bark visible in union. Moderate associated adaptive growth visible.	Remove North branch off fork
Auden Place	476	Betula pendula dalecarlica	Swedish Birch	3 - Early Mature	12	5	3 - 100-250mm	3 - Moderate	false		Raise lower canopy to 2m
Auden Place	477	Betula pendula	Silver Birch	3 - Early Mature	12	5	3 - 100-250mm	2 - Good	true		Raise lower canopy to 3m
Auden Place	491	Betula pendula	Silver Birch	4 - Mature	14	7	2 - 250-450mm	2 - Good	false	Tree is growing in very small raised bed. Bed is brick made and is breaking away from main building. Tree has very constricted rooting environment and leans to North-west. Stability of tree compromised.	3m canopy reduction
Auden Place	493	Betula utilis	Himalayan Birch	3 - Early Mature	5	3	4 - 25-100mm	2 - Good	true		Cut back off building to provide 1m clearance
Auden Place	494	Betula utilis	Himalayan Birch	2 - Young	4	3	4 - 25-100mm	3 - Moderate	true		Cut back off building to provide 1m clearance
Auden Place	496	Pittosporum tenuifolium	Pittosporum	4 - Mature	6	5	3 - 100-250mm	2 - Good	false		Cut back off building to provide 1-2m clearance.
Auden Place	498	Ceanothus arboreus	Ceanothus	4 - Mature	6	7	2 - 250-450mm	(6 - Stressed)	false	Tree leans to south-east. Significant stem decay visible on lower stem	1-2m canopy reduction. Cut back off street lamp to provide 1-2m clearance.
Auden Place	488	Sorbus aucuparia	Rowan	4 - Mature	4	3	3 - 100-250mm	9 - Dead	false	Tree is dead	Fell to ground level
Auden Place	485	Malus spp	Apple	4 - Mature	4	4	3 - 100-250mm	2 - Good	false		Raise lower canopy to 3m over footpath and cut back off street lamp to provide 1-2m clearance.
Auden Place	482	Malus sylvestris	Crabapple	4 - Mature	4	6	3 - 100-250mm	2 - Good	false		Cut back off access road to provide vehicle clearance
Auden Place	499	Abies alba	Silver Fir	4 - Mature	5	4	3 - 100-250mm	2 - Good	true		Cut back off building to provide contact free
Auden Place	AUP.nn1	Acer pseudoplatanus	Sycamore	3 - Early Mature	6	3	4 - 25-100mm	2 - Good	false	Is a self-set unit in little planter outside 62/63 Auden place. Very minor distortion of adjacent hard surface. Not sure if from this tree or from tree 466. Inappropriate location for tree.	Fell to ground level and treat with herbicide