


PLANNING




KEY

- Indicates Existing structure, walls & other building fabric to be retained, made good and redecorated, unless otherwise noted
- Indicates areas of structural openings to be carefully created within existing slabs in line with approved risk assessment and approved method statements
- Indicates original fabric to be demolished. Refer to structural engineers information for extent of structural alterations to indicated areas
- Indicates new walls and any other new construction elements
- Indicates non structural elements that need to be removed / demolished
- Indicates areas of external floor finishes to be stripped back in line with approved risk assessment and approved method statements


Schedule of Works Key:

to be read in conjunction with schedule 383(SL) Listed Building Consent Schedule of Works, section 03, sheet 430


01	03.430.01 - Existing ground floor single glazed timber sash window to be removed	06	03.430.06 - Existing kerbstone and concrete floor finishes to be removed	35	03.430.35 - New access control fob reader
02	03.430.02 - Existing glazed double timber doors to be removed	07	03.430.07 - Existing tarmac surface to be removed	36	03.430.36 - New kerbstone with new tarmac finish to be installed
03	03.430.03 - Existing solid masonry wall to be removed carefully below window and bricks retained for future use	08	03.430.08 - Existing electrical conduit + lighting to be removed	37	03.430.37 - New coloured tarmac surface to be installed for cyclists access route
04	03.430.04 - Existing steps to be removed	31	03.430.31 - New full height PPC aluminium curtain walling in enlarged structural opening, colour: dark grey	38	03.430.38 - New galvanised electrical conduit to be installed
05	03.430.05 - Existing concrete cill to be removed	32	03.430.32 - New double glazed PPC aluminium escape door colour dark grey with stainless steel ironmongery	39	03.430.39 - New external wall lights to be installed
		33	03.430.33 - New concrete steps with brick quarry tile finishes installed	40	03.430.40 - Existing concrete cills to be repaired
		34	03.430.34 - Existing steps retained with new brick quarry tile finishes added		




1 21SR-Rear Office Escape Door Demolition Elevation
Scale: 1:20




3 21SR-Rear Office Escape Door Demolition Section
Scale: 1:20




4 21SR-Rear Office Escape Door Proposed Elevation
Scale: 1:20



6 21SR-Rear Office Escape Door Proposed Section
Scale: 1:20



2 21SR-Rear Office Escape Door Demolition Plan
Scale: 1:20



5 21SR-Rear Office Escape Door Proposed Plan
Scale: 1:20



All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings.
 Sizes and dimensions to any structural or services elements are indicative only. See structural and service engineers drawings for actual sizes / dimensions.
 This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultant's information.
 All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details.
 Any discrepancies between information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.

Revision	Date	Amendment
PL-1	22/07/2022	Issued for Planning

Date	08/08/2022	Project	Vernon, Sicilian Hse/21 Southampton Row	Job Ref.	383
Scale	1:20@A1	Drawn	HT	Check	AY
Status	PLANNING	Client Ref	EDR	Drwg. no.	383 (ED) 430
Hale Brown Architects Ltd. Unit 1.04, Edinburgh House, 170 Kennington Lane, London, SE11 5DP			T: 020 3735 7442 E: mail@halebrown.com W: www.halebrown.com		

