


# PLANNING




## KEY

- Indicates Existing structure, walls & other building fabric to be retained, made good and redecorated, unless otherwise noted
- Indicates original fabric to be demolished. Refer to structural engineers information for extent of structural alterations to indicated areas
- Indicates non structural elements that need to be removed / demolished
- Indicates areas of structural openings to be carefully created within existing slabs in line with approved risk assessment and approved method statements
- Indicates areas of external floor finishes to be stripped back in line with approved risk assessment and approved method statements
- Indicates new walls and any other new construction elements


## Schedule of Works Key:

to be read in conjunction with schedule 383(SL) Listed Building Consent Schedule of Works, section 03, sheet 435


01	03.435.01 - Existing ground floor single glazed timber sash window to be removed	06	03.435.06 - Existing kerbstone and concrete floor finishes to be removed	33	03.435.33 - New brickwork dwarf wall to be constructed from old bricks at base of curtain walling
02	03.435.02 - Existing high level single glazed timber basement window to be removed	07	03.435.07 - Existing tarmac surface to be removed	34	03.435.34 - New PPC aluminium cill pressing to top of brickwork dwarf wall, colour: dark grey
03	03.435.03 - Existing solid masonry wall to be removed carefully below window and bricks retained for future use	08	03.435.08 - Existing electrical conduit to be removed	35	03.435.35 - New kerbstone with new tarmac finish to be installed
04	03.435.04 - Existing concrete lintel to be removed at head of basement window	09	03.435.09 - Existing rainwater pipe to be retained and redecorated	36	03.435.36 - New coloured tarmac surface to be installed for cyclists access route
05	03.435.05 - Existing chamfered brick cill to be removed	10	03.435.10 - Existing low level redundant external pipework and fixings to be removed, holes in brickwork to be filled	37	03.435.37 - New galvanised electrical conduit to be installed
		31	03.435.31 - New full height PPC aluminium curtain walling in enlarged structural opening, colour: dark grey	38	03.435.38 - New external wall lights to be installed
		32	03.435.32 - Existing bricks to be reused to tooth in to form new structural opening for windows, to be installed with a lime mortar to match existing	39	03.435.39 - New steel frame to structural engineers specification to form new low level wall




1 21SR Service Yard - GF Typical Window Demolition Elevation  
Scale: 1:20




3 21SR Service Yard-GF Typical Window Demolition Section  
Scale: 1:20




4 21SR - Service Yard - GF Typical Window Proposed Elevation  
Scale: 1:20



6 21SR Yard - GF Typical Window Proposed Section  
Scale: 1:20



2 21SR Service Yard - GF Typical Window Demolition Plan  
Scale: 1:20



5 21SR Service Yard - GF Typical Window Proposed Plan  
Scale: 1:20



All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings.  
Sizes and dimensions to any structural or services elements are indicative only. See structural and service engineers drawings for actual sizes / dimensions.  
This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultant's information.  
All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details.  
Any discrepancies between information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.

Revision	Date	Amendment
PL-1	22/07/2022	Issued for Planning

Date	08/08/2022	Project	Vernon, Sicilian Hse/21 Southampton Row	Job Ref.	383
Scale	1:20@A1	Drawn	HT	Check	AY
Status	PLANNING	Client Ref	EDR	Drwg. no.	383 (ED) 435
Hale Brown Architects Ltd. Unit 1.04, Edinburgh House, 170 Kennington Lane, London, SE11 5DP			T: 020 3735 7442 E: mail@halebrown.com W: www.halebrown.com		

