


1. New 60min Fire rated wall and door inserted to enclose external corridor.
2. Services ductwork to run within lightwell from basement to other floors and roof level
3. Access stair to be inserted into lightwell for access and maintenance of ductwork - CDP item (secondary steelwork) to be designed in accordance with BS4211
4. Access platform to be inserted into lightwell for access and maintenance of ductwork
5. Louvre inserted into existing window opening for fresh air intake
6. Doors to be replaced with new 60min FR doors with automatic openings for smoke ventilation
7. Removal of redundant services and repair and cleaning of glazed brick façade
8. Existing windows to be retained and refurbished. Secondary glazing to be installed internally to achieve a 60min FR where required - refer to Window Schedule
9. Perforated screening to be introduced in front of services lightwell to conceal ductwork runs. Screening to read as part of pavilion façade.
10. Balustrade to be integrated as part of gantry platform system for fall protection.
11. New bird netting system with zip access.
12. New 150mm stone threshold to door.
13. New waterproofing to lightwell floor - Type 11
14. Existing platform lift enclosure - allow for replacement of roof and repairs to existing cladding; Full extent of works to be confirmed upon access and further inspections.

NOTE: Drawings to be read in conjunction with conservation strategy, conservation repair drawings, Schedule of Works, NBS specification and AKT facade performance specification CTH-AKT-XXX-SP-25-R-001

**Notes:**  
 Drawings are based on survey data and may not accurately represent what is physically present.  
 All dimensions are to be verified on site before proceeding with the work.  
 All dimensions are in millimeters unless noted otherwise.  
 Purcell shall be notified in writing of any discrepancies.




- Proposed Works Key**
- Proposed Wall
  - Window Number
  - Door Number
  - Refuge Point
  - Annotation Item
  - Manhole Location

Drawings to be read in conjunction with:  
 Use Designation Plans: Drawing Series (92)900  
 Conservation Strategy Report CTH-PUR-MP-00-SP-A-00005  
 Window Strategy Report CTH-PUR-XX-XX-RP-A-00012

- REVISIONS**
- P01:**  
 Changes made to previous revision to incorporate Community room G.17 with relocated offices to room G.24.
- P00 - Previous NMA:** Proposals submitted under application ref number: 2020/3862/P & Listed Building Consent ref: 2020/3849/L


**REVISIONS MADE TO PREVIOUS APPROVED DRAWING HIGHLIGHTED IN GREEN REV CLOUD**




S5 P00	17 Apr 2019	NS	NS
S2 P01	01 Apr 2019	OB	NS
S2 P00	09/10/18	EwaLenart	NS
First Issue	03/08/2022	AT	AT

ISSUE	DATE	DRAWN	CHECKED	DESCRIPTION
<b>DRAWING TITLE</b>	GA PROPOSED NORTH-EAST LIGHTWELL 3 - ELEVATIONS			
<b>DRAWING NO.</b>	CTH-PUR-MP-ZZ-DR-A-92109			
<b>REVISION</b>	P01			
<b>SIZE &amp; SCALE</b>	A1L 1:50			
<b>DRAWING STATUS</b>	S4 - Planning			

<b>CLIENT</b>	Lendlease
<b>PROJECT</b>	Camden Town Hall
<b>JOB NUMBER</b>	238664



**2 LW.03 - WEST ELEVATION**  
 92109 1:50 @ A1



**1 LW.03- SOUTH ELEVATION**  
 92109 1:50 @ A1

▼ FFL + 38.42m

▼ FFL + 33.42m

▼ FFL + 29.75m

▼ FFL + 24.88m

▼ FFL + 19.56m

▼ FFL + 15.75m

Revision: Mechanical Plant rationalised and reduced duct runs needed.

Revision: Community Space 600mm x 500mm Mechanical plant intake louvre introduced to facade

Revision: Mechanical Plant rationalised and reduced duct runs needed.

Revision: Community Space Mechanical plant exhaust duct