**B** New dimmer room
New Fire Rated partitions and ceiling installed as currently dimmers are not separated from stage/ workshops by Fire Rated structures and new dimmers installed

New FCU to serve back of house area.
Core drill from basement to roof in corridor to run new paperwork

Existing workshop spaces

Centreline

4-10 Tower Street

24 West Street

PLANT ROOM -2.09
FL 18.39

DIMMER ROOM -2.01

STORAGE -2.08

ELECTRICIANS ROOM -2.07

LIGHTWELL -2.10

STORAGE -2.06

MASTER CARPENTER ROOM -2.05

CORRIDOR

STAIR 5

STAIR 4

WORKSHOP -2.02

WORKSHOP -2.03

WORKSHOP -2.04

New IT Rack

New wall mounted dimmer units

FCU

Existing Main Switch Final Location TBC on site

Main containment riser

New Distribution Board

Freshwin new cabling installed to new Dimmer Room

FD60S

MH

Existing BSL 20.18

Sloping BSL 20.29 to 19.77

Sloping CL 20.74 to 20.42 FL 18.30

Sloping CL 20.74 to 20.42 Uneven FL

Sloping PL 18.33 to 18.18

Sloping CH FL 18.29

Sloping BH

CL 20.16

THL 18.32

18.09

## Key

Existing

Proposed

KEY
- Site Boundary
- New Building
- Existing Building

FLOOR CEILING TAGS
- C1 / F1 — Ceiling Type / Floor Type

See drawing 2201-5-515 & 526 for floor types

See drawing 2201-5-520 for ceiling types

PARTITION TYPES
- P1 — Bar pocket door
- P2 — Curved wall to Boxes
- P3 — FR60, 60dB Partition
- P4 — FR60, 60dB Partition
- P5 — Tiled wall lining
- P6 — FR60 Wall lining

See drawings 1601-5-109 to 112 for partition location

See drawings 1601-5-510 for partition and lining details.

CEILING TYPES
- EC - As Existing
- C1 - FR60mins - 25mm void
- C2 - FR60mins - 250mm void
- C3 - FR60mins - 520mm void
- C4 - 665mm void
- C5 - Fibre-plaster ceiling to match existing
- C6 - FR60mins to steelwork

See drawings 1601-5-114 to 117 for ceiling type locations
See drawings 1601-5-520 & 521 for details

THE CONTRACTOR IS TO CHECK AND VERIFY ALL BUILDING AND SITE DIMENSIONS, LEVELS AND SEWER INVERT LEVELS AT CONNECTION POINTS BEFORE WORK STARTS

THIS DRAWING IS TO BE READ AND CHECKED IN CONJUNCTION WITH ENGINEERS AND OTHER SPECIALIST DRAWINGS

THE DRAWING AND THE WORKS DEPICTED ARE THE COPYRIGHT OF THIS PRACTICE AND MAY NOT BE REPRODUCED EXCEPT BY WRITTEN PERMISSION

N

0 1m 3m

| Rev: | Date: | Description |
|---|---|---|
| B | 20/09/22 | Planning |
| A | 06/09/22 | Setting out for information |
| / | 19/07/22 | Planning |

Job: 2201 Ambassadors Theatre
Client: Ambassador Theatre Group

Drawing: Proosed Sub-Stage Plan
Drawing no: 2201-3-108
Rev: B
Status: Stage 3
Scale: 1:50@A1, 1:100@A3
Date: 19/07/22

citizensdesignbureau
Ground Floor Units 01 & 03, 6 Westgate Street, London, E8 3RN
t : 02030959732
e : everyone@citizensdesignbureau.net