


Existing ceiling unaffected by the proposal

New matching door

Underside of rake locally altered to allow for increased ceiling height for accessing the new lift to Structural Engineer details

New accessible evacuation lift. GF layout altered to allow for new access route to new accessible lift

Remove existing ductwork above existing stairs from LGF with a new grille in wall and reinstate window pane to match existing. Grille to M+E details



**KEY**

- Existing
- Existing demolished
- Proposed

**KEY**

- Site Boundary
- New Building
- Existing Building

**FLOOR CEILING TAGS**

- Ceiling Type
- Floor Type

See drawing 2201-5-515 & 526 for floor types  
See drawing 2201-5-520 for ceiling types

**Partition Types**

- P1 - Bar pocket door
- P2 - Curved wall to Boxes
- P3 - FR60, 60dB Partition
- P4 - FR60, 60dB Partition
- P5 - Tiled wall lining
- P6 - FR60 Wall lining

**Ceiling Types**


- EC - As Existing
- C1 - FR60mins - 25mm void
- C2 - FR60mins - 250mm void
- C3 - FR60mins - 520mm void
- C4 - 665mm void
- C5 - Fibre-plaster ceiling to match existing
- C6 - FR60mins to steelwork

See drawings 1601-5-109 to 112 for partition location  
See drawings 1601-5-510 for partition and lining details  
See drawings 1601-5-114 to 117 for ceiling type locations  
See drawings 1601-5-520 & 521 for details

THE CONTRACTOR IS TO CHECK AND VERIFY ALL BUILDING AND SITE DIMENSIONS, LEVELS AND SEWER INVERT LEVELS AT CONNECTION POINTS BEFORE WORK STARTS

THIS DRAWING IS TO BE READ AND CHECKED IN CONJUNCTION WITH ENGINEERS AND OTHER SPECIALIST DRAWINGS

THE DRAWING AND THE WORKS DEPICTED ARE THE COPYRIGHT OF THIS PRACTICE AND MAY NOT BE REPRODUCED EXCEPT BY WRITTEN PERMISSION



Rev:	Date:	Description
C	20/09/22	Planning
B	25/08/22	For review with M+E
A	13/07/22	Planning
/	17/06/22	Planning
Rev:	Date:	Description

Job: 2201 Ambassadors Theatre  
Client: Ambassador Theatre Group

Drawing: Proposed GF RCP  
Drawing no: 2201-3-116  
Rev: C  
Status: Stage 3  
Scale: 1:50@A1, 1:100@A3  
Date: 17/06/22

**citizensdesignbureau**  
Ground Floor Units 01 & 03, 6 Westgate Street, London, E8 3RN  
t : 02030959732  
e : everyone@citizensdesignbureau.net