

Ceiling C6 to G+0 Lif Lobby/
 Underside of existing rake
 12.5mm Fermacellboards on timber battens/ packers
 Metal trims at interface with existing structure
 Existing steel structure painted with intumescent paint to FR60mins

KEY	
	Site Boundary
	New Building
	Existing Building

CEILING TYPES	
	EC - As Existing
	C1 - FR60mins - 25mm void
	C2 - FR60mins - 250mm void
	C3 - FR60mins - 520mm void
	C4 - 665mm void
	C5 - Fibre-plaster ceiling to match existing
	C6 - FR60mins to steelwork


FLOOR CEILING TAGS	
	Ceiling Type
	Floor Type

See drawing 2201-5-515 & 526 for floor types
 See drawing 2201-5-520 for ceiling types
 See drawings 1601-5-114 to 117 for ceiling type locations
 See drawings 1601-5-520 & 521 for details

THE CONTRACTOR IS TO CHECK AND VERIFY ALL BUILDING AND SITE DIMENSIONS, LEVELS AND SEWER INVERT LEVELS AT CONNECTION POINTS BEFORE WORK STARTS

THIS DRAWING IS TO BE READ AND CHECKED IN CONJUNCTION WITH ENGINEERS AND OTHER SPECIALIST DRAWINGS

THE DRAWING AND THE WORKS DEPICTED ARE THE COPYRIGHT OF THIS PRACTICE AND MAY NOT BE REPRODUCED EXCEPT BY WRITTEN PERMISSION



Rev:	Date:	Description:
/	20/09/22	Planning

Job: 2201 Ambassadors Theatre
Client: Ambassador Theatre Group

Drawing: Proposed ceiling build up types
 20f2
Drawing no: 2201-3-520
Rev: /
Status: Stage 3
Scale: 1:5 @ A1 1:10 @ A3
Date: 20/09/22

citizensdesignbureau
 Ground Floor Units 01 & 03, 6 Westgate Street, London, E8 3RN
 t : 02030959732
 e : everyone@citizensdesignbureau.net