






-  Trees not requiring works
-  Trees requiring works
-  Felled trees

|           |  |  |
|-----------|--|--|
|           |  |  |
| REVISIONS |  |  |

|             |           |  |          |
|-------------|-----------|--|----------|
| Title:      |           | 200944 - Crown Estate Paving Commission (MASTER) |          |
| Client:     |           | CEPC   |          |
| Project:    |           | Cumberland Terrace                               |          |
| Date:       | 3/10/2022 | Drawn by:  | EB       |
| Drawing No: | 200944    | Scale:   | 1:500@A4 |



Cumberland Terrace

| Tree No (old tag) | Vegetation type  | Species  | No. of stems  | Height (m) | Crown spread | DBH (cm)  | Life stage         | Vitality | Physiological Condition | Structural Condition | Safe Life Expectancy | Access | CAVAT value (£)/ Crown area (m2) |
|-------------------|--|--|---|------------|--------------|---|--------------------|----------|-------------------------|----------------------|----------------------|--------|----------------------------------|
| T265 (107)        | Tree   | 1 Prunus cerasifera 'Pissardii' Pissard's Plum | 1   | 7.0        | 11.0         | 24  | Mature             | Moderate | Fair                    | Fair                 | 10-20 yrs            | Fair   | £8602.74 / 95.03m2               |
| Site Features     | Targets  |  | Conditions  |            |              | Notes   |                    |          |                         |                      |                      |        | Survey date/ Surveyor            |
|                   | Footpath within crown spread.<br>Car parking within falling distance of tree.<br>Road within falling distance of tree.<br>Wall or fence within crown spread. |  | Buttresses / buttress roots - Minor adaptive growth / moderate development.<br>Deadwood - Minor.<br>Decay / structural defect - Minor.<br>Decay / structural defect - Bole.<br>Exposed crown - Recent.<br>Fungal fruiting body - structural decay suspected.<br>Fork - Weak with included bark.<br>Rubbing limbs. |            |              | Decay fungi - Phellinus sp. brackets on stem.<br>Sounding mallet/probe test - Suspected intact. |                    |          |                         |                      |                      |        | 2022-09-09. /Dean Meadows.       |
| Recommendation    | - Lift low canopy - Pedestrian clearance to 2.5 m over footpath.   |  |   |            |              |   | Purpose of works   |          | - To manage nuisance    |                      | Safety Action Date   |        | n/a                              |
| Risk assessed     |  |  |   |            |              |   | Risk of harm range |          |                         |                      | Risk category        |        | 1                                |

| Tree No (old tag) | Vegetation type  | Species  | No. of stems  | Height (m) | Crown spread | DBH (cm) | Life stage  | Vitality | Physiological Condition | Structural Condition | Safe Life Expectancy | Access                     | CAVAT value (£)/ Crown area (m2) |
|-------------------|--|--|---|------------|--------------|----------|---|----------|-------------------------|----------------------|----------------------|----------------------------|----------------------------------|
| T265 (107)        | Tree   | 1 Prunus cerasifera 'Pissardii' Pissard's Plum | 1   | 7.0        | 11.0         | 24       | Mature  | Moderate | Fair                    | Fair                 | 10-20 yrs            | Fair                       | £8602.74 / 95.03m2               |
| Site Features     | Targets  |  | Conditions  |            |              |          | Notes   |          |                         |                      |                      | Survey date/ Surveyor      |                                  |
|                   | Footpath within crown spread.<br>Car parking within falling distance of tree.<br>Road within falling distance of tree.<br>Wall or fence within crown spread. |  | Buttresses / buttress roots - Minor adaptive growth / moderate development.<br>Deadwood - Minor.<br>Decay / structural defect - Minor.<br>Decay / structural defect - Bole.<br>Exposed crown - Recent.<br>Fungal fruiting body - structural decay suspected.<br>Fork - Weak with included bark.<br>Rubbing limbs. |            |              |          | Decay fungi - Phellinus sp. brackets on stem.<br>Sounding mallet/probe test - Suspected intact. |          |                         |                      |                      | 2022-09-09. /Dean Meadows. |                                  |

|                |  |                    |                      |                    |     |
|----------------|--|--------------------|----------------------|--------------------|-----|
| Recommendation | - Lift low canopy - Pedestrian clearance to 2.5 m over footpath. | Purpose of works   | - To manage nuisance | Safety Action Date | n/a |
| Risk assessed  |  | Risk of harm range |                      | Risk category      | 1   |