DET 1: LGF TERRACE BUILD UP



YORKSTONE FINISH
DPM

100MM INSULATION

CONCRETE ON METAL STRUCTURE

FALSE CEILING STRUCTURE+30MM
AIR VENT1 LAYER OF 12.5 MM FOIL BACKED
FIREBOARD +35MM INSULATION TO ACHIVE
30MIN FR+2.5 MM SKIM FINISH

DET 2: PATH AREA BUILD UP



FLOOR FINISH - ALLOW FOR
TIMBER FLOORING/TILES/CARPET -
MAX THICKNESS FINISH 22MM

CONCRETE SLAB AS PER SE SPEC

DET 3: PATH GARDEN BUILD UP



YORKSTONE FINISH

HARDCORE

DET 4: PARKING AREA BUILD UP



YORKSTONE FINISH
DPM

CONCRETE ON METAL STRUCTURE

AIR GAP

60MM INSULATION
1 LAYER OF 12.5 MM FOIL BACKED FIREBOARD
TO ACHIVE 30MIN FR+2.5 MM SKIM FINISH

DET 5: FRONT ENTRANCE BUILDUP



YORKSTONE FINISH
DPM

00MM INSULATION

CONCRETE



BASEMENT LEVEL PLAN- LANDSCAPE

YORKSTONE

Notes

1. Soft landscaping as per ALBORICULTURAL METHOD STATEMENT.

NOTES

DO NOT SCALE FROM THIS DRAWING

CONDITIONS

NOTE:

This drawing is submitted as part of a planning, listed building or conservation area consent application and is not intended for any other purpose.

All plans, sections & elevations are based on measured readings and any scaled dimension should not be relied upon to give an accurate measurement.

METRES 1:50@A1 AND 1:100@A3

0 0.5 1 2 3 4 5

Martin Evans
Architects c

49, Stoneleigh Terrace,
London, N19 5TZ.
tel 020 7729 2474

JOB
62 PARLIAMENT HILL, NW3 2TJ
GROUND FLOOR

TITLE
LANDSCAPE. HARD AND SOFT

DATE	05.04.2022
SCALE	1:50@A1-1:100@A3
DRAWN	L.L.
DRAWING NO.	62PHG-TEN-LC-01