NOTE:

1. All proposed works to meet with Approved Building Control Regulations & Approval.
2. All proposed works are to comply with Retail Tenants Fit out Guidelines (Tenants Handbook).
3. All plumbing to be in accordance with current water by-law regulations.
4. Fire Equipment:
   All emergency lighting to BS 5266
   All signage to BS 5499
   All smoke detectors to BS 5839
   Fire blankets to BS5575
   Fire exit sign (directional arrow with running man symbol) to BS 5725
   Fire alarm breaks glass call point
   2kg carbon dioxide fire extinguisher wall mounted at height 1800mm
   Fire alarm bell sounder at high level
   Emergency Gas valve
   Suspended toilet sign with disabled sensor
   Wall fixed toilet sign with direction services

LEGEND

- Boundary to site
- Access Point
- Escape Only
- W — Water Extinguisher
- C — CO2
- F — Foam Extinguisher
- B — Blanket
- Power Socket
- SD — Smoke Detector
- HD — Heat Detector
- CP — Fire Alarm Call Point
- EL — Emergency Light Fitting
- FE — Fire Exit (Illuminated running man)
- Alarm Bell
- Fluorescent Light (Strip Lit)
- 2 X 40W Flou. Fitting
- 1 X 58W Flou. Fitting
- 1 X 30W Flou. Fitting
- Sprinkler Printheads
- Key to licensed area
- P — Sale and /or supply alcohol
- Regulated entertainment
- Hot food

CLIENT

22 Charlotte Street
London W1T 2NB

SITE

THE NINTH
22 Charlotte Street
London W1T 2NB

PROJECT

FRONT ELEVATION

EXISTING AND PROPOSED

20/11/22	DRAWN BY: JC
SCALE: 1:50mm @ A3	CHECKED BY:
AMENDED BY:	
DRAWING NUMBER: FE001	REV: