



- NOTE:**
- All proposed works to meet with Approved Building Control Regulations & Approval
  - All proposed works are to comply with Robt Toronto Fire Guidelines (Toronto Handbook).
  - All plumbing to be in accordance with current water by law regulations.
  - Fire Equipment:  
 All emergency lighting to BS 5268  
 All signage to BS 5419  
 All smoke detectors to BS 5839  
 Fire Worksets to BS5273  
 Fire exit sign (direction arrow with running man symbol) to BS 5725  
 Fire alarm breakers glass call point  
 Dry carbon dioxide fire extinguisher wall mounted at height 1000mm  
 Fire alarm bell sounder at high level  
 Emergency Gas valve  
 Suspended toilet sign with directional arrow  
 Wall fixed toilet sign with direction arrow

- LEGEND:**
- Boundary to site
  - Access Point
  - Escape Door
  - Water Extinguisher
  - CO2
  - Foam Extinguisher
  - Stair Exit
  - Power Socket
  - Smoke Detector
  - Heat Detector
  - Fire Alarm Call Point
  - Emergency Light Fitting
  - Fire Exit (illuminate running man)
  - Alarm Bell
  - Fluorescent Light (ceiling)
  - 2 x 40W Flu. Fitting
  - 1 x 40W Flu. Fitting
  - 1 x 20W Flu. Fitting
  - Ceropy Switches
  - Key to locked area
  - Gas and to supply alcohol
  - Refrigerated equipment
  - Hot food

**CLIENT:**  
 SJ Global Ltd.  
 22 Charlotte Street  
 London W1T 2NB

**BY:**  
 NIZUN RESTAURANT  
 82 Charlotte Street  
 London W1T 2NB

**EXISTING AND PROPOSED REAR ELEVATION - NO CHANGE**

DATE: 20/11/22  
 DRAWN BY: JC  
 SCALE: 1:50mm @ A3  
 APPROVED BY:

DRAWING NUMBER: RE001