PROPOSED GA PLAN SHEET 2 OF 3
Scale 1:50 @ A0

- 04.01 Ambient Store

Existing ambient storage bay to receive light

floor finishes and redecoration of walls, metal

mesh wall to be installed between corridor and

storage bay with gated access to both far bays

touch refurbishment with replacement of existing

OO DRAWING LOCATION PLAN
Scale 1:250 @ A0

NR Service Corridor 04.05 Ambient Store Existing ambient storage bay to receive light touch refurbishment with replacement of existing floor finishes and redecoration of walls, metal mesh wall to be installed between corridor and storage bay with gated access to both far bays 04.02 Ambient Store 04.03 Ambient Store 04.01 Ambient Store (38.82m²) NR Plant Room - New wall mounted stainless steel wash hand basin NBS ref: N13 335 New wall mounted stainless steel wash hand basin NBS ref: N13 335 O5 Corridor
 Existing corridor space to receive light touch refurbishment with replacement of existing floor finishes and redecoration of walls and ceiling 4770 A 4770 04 Corridor (80.10m²) 05 Corridor *(47.26m²)* **C** 6373 1611 _____ 1870 2124 04.08 Elevator Lobby 1810 (D $(5.48m^2)$ 05.01 Cold Store (31.52m²) 05.03 Cold Store 05.02 Cold Store 04.06 Freezer 04.07 Alcohol Store **NR Plant Room** NR Plant Room NR Plant Room (25.85m²) $(27.74m^2)$ $(27.73m^2)$ (14.69m²) 5276 04 Corridor - 04.08 Elevator Lobby 04.07 Alcohol Store 5190 Existing corridor space to receive light Existing elevator lobby to receive light Existing alcohol store to receive light touch refurbishment with replacement of existing touch refurbishment with replacement of touch refurbishment with replacement of existing floor finishes and redecoration of existing floor finishes and redecoration of floor finishes and redecoration of walls and — <u>05.01 Cold Store</u> - <u>04.06 Freezer</u> - <u>05.03 Cold Store</u> — <u>05.02 Cold Store</u> walls and ceiling ceiling walls and ceiling Existing cold store is to be stripped out and Existing cold store is to be retained with any Existing freezer to be stripped out and Existing cold store is to be retained with any fitted as freezer cold room, lobby to freezer repairs or refurbishments to existing panel replaced with new cold store to link in with repairs or refurbishments to existing panel to accommodate approximately 100mm rise wall fabric made, demolition of door to wall fabric made, to be purposed as cold adjacent cold stores (rooms 05.02 and in floor level to allow for underfloor insulated store for staging packed chilled goods carts adjacent freezer to allow for extension

− <u>04.04 Ambient Store</u>

Existing ambient storage bay to receive light

touch refurbishment with replacement of existing

floor finishes and redecoration of walls, metal

mesh wall to be installed between corridor and

storage bay with gated access to both far bays

- 04.03 Ambient Store

Existing ambient storage bay to receive light

touch refurbishment with replacement of existing

floor finishes and redecoration of walls, metal

mesh wall to be installed between corridor and

storage bay with gated access to both far bays

- 04.02 Ambient Store

Existing ambient storage bay to receive light

floor finishes and redecoration of walls, metal

mesh wall to be installed between corridor and

storage bay with gated access to both far bays

touch refurbishment with replacement of existing

DO NOT SCALE. Use figured dimensions only. Contractor is to check all dimensions before commencemen works. This drawing is copyright. This data to be used as x-ref file only - not as live data. This drawing must only be used for the purpose for which it is supplied. **NEW WALLS LEGEND**

SW01 103mm THK FR 30 wall - NBS ref: K10 115

SW02 76mm THK FR 60 wall - NBS ref: K10 145

 SW03 Cold room panel wall by specialist cold room contractor

SW04 Metal mesh partition wall - NBS ref: K30 170

OTHER LEGEND Area not in scope

LONDON NORTH EASTERN RAILWAY

/ |11/11/22 | JW | FOR LISTED BUILDING CONSENT GO | ASF

STRIALA architects

3rd Floor, 9 Stevenson Square Tel: 0161 236 5866
Northern Quarter, Manchester. M1 1DB E: office@strzarch.co.uk

LNER

NETWORK RAIL TECHNICAL APPROVAL AUTHORISED FOR ISSUE: DESIGNER... CHECKER.... AUTHORISER (CRE)....

no. date by revision details

APPROVED FOR FORM ???

ELR: ECM1 MILEAGE: 0m 0ch OS Ref: TQ302830 LNER CATERING SERVICE CENTRES

LONDON KINGS CROSS STATION drawing status
FOR LISTED BUILDING CONSENT

Proposed GA Plan

Network Rail dwg no. revision no. sht no. 2 of 3 2949-01-402-02 | 1 : 50